


ZSIA

THIS BOOK MAY NOT BE PHOTOCOPIED



	Page		Page
Yunx torquilla	1842,	}	94
			168
Zanclus cornutus	1833,		117
Zapornia pusilla	1839,		134
Zebrida adamsii	1847,		121
Zenaida aurita	}	1843,	115
		1847,	53
Zeus aper	1833,		114
childreni	1843,		85
conchifer	1845,		103
faber	}	1839,	82
		1846,	27
Zeus roseus	1843,		85
Zonites fuliginosus	1834,		63
walkeri	1834,		63
Zoothera	1830-1,		172
monticola	}	1830-1,	172
		1832,	15
Zonotrichia matutina	1843,		113
Zoposis nodosa	1841,		116
Zosterops	1845,		24
albogularis	1836,		75
chloronotus	1840,		165
maderaspatanus	1839,		161
tenuirostris	1836,		76



THE END OF THE INDEX.

PROCEEDINGS
OF THE
ZOOLOGICAL SOCIETY
OF LONDON.

INDEX.
1848—1860.




PRINTED FOR THE SOCIETY;
SOLD AT THEIR HOUSE IN HANOVER SQUARE.
AND AT
MESSRS. LONGMAN, GREEN, LONGMANS, AND ROBERTS,
PATERNOSTER-ROW.
1863.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

CONTENTS.



	Page
List of the Names of Contributors, from 1848 to 1860, with the Titles of and References to the several Articles con- tributed by each	1
List of the Illustrations, 1848 to 1860.....	67
Index of Species described and referred to, 1848 to 1860	91



LIST OF THE NAMES

OF

CONTRIBUTORS,

FROM 1848 TO 1860,

With the Titles of and References to the several Articles contributed by each.

	Page
<hr/>	
ADAMS, A. LEITH, M.D., A.M., Surgeon 22nd Regiment.	
Notes on the Habits, Haunts, &c. of some of the Birds of India (communicated by Messrs. T. J. and F. Moore)	1858, 466
Remarks on the Habits and Haunts of some of the Mammalia found in various parts of India and the West Himalayan Mountains (communicated by Messrs. T. J. and F. Moore)	1858, 512
The Birds of Cashmere and Ladakh	1859, 169
ADAMS, ARTHUR, F.L.S., Surgeon R.N.	
Description of a New Genus of Acephalous Mollusca, of the Family <i>Pectinacea</i>	1848, 133
Monograph of the Recent Species of <i>Trigonia</i> , including the description of a New Species from the Collection of Hugh Cuming, Esq.	1849, 159
On the animal of <i>Geomelania</i>	1849, 169
Descriptions of New Species of Shells from the Collection of Hugh Cuming, Esq.	1849, 169 ✓
PROC. ZOOL. SOC. INDEX, 1848-60.	1

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

Monograph of the Species of <i>Myochama</i> , including the descriptions of Two New Species from the Collection of Hugh Cuming, Esq.	1850,	22
Description of New Species of the Genus <i>Cumingia</i> , with some additional generic characters.	1850,	24
An arrangement of <i>Stomatellidæ</i> , including the characters of a New Genus and of several New Species	1850,	29
Monograph of the Genus <i>Anatinella</i>	1850,	40
Monographs of <i>Cyclostrema</i> , Marryatt, and <i>Separatista</i> , Gray, two genera of Gasteropodous Mollusks	1850,	41
On the Animal of <i>Liotia</i> , with descriptions of New Species of <i>Delphinula</i> and <i>Liotia</i> , from the Cumingian Collection	1850,	50
Monograph of <i>Sphaenia</i> , a genus of Lamellibranchiate Mollusca	1850,	86
Monograph of <i>Scarabus</i> , a genus of air-breathing Gasteropodous Mollusca, from specimens in the Cumingian Collection	1850,	147
Monograph of <i>Phos</i> , a genus of Gasteropodous Mollusca	1850,	152
Monograph of <i>Macrochisma</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidæ</i>	1850,	202
Monograph of <i>Modulus</i> , a genus of Gasteropodous Mollusca, of the Family <i>Littorinidæ</i>	1850,	203
Monograph of <i>Cyllene</i> , a genus of Gasteropodous Mollusca	1850,	204
Catalogue of the Species of <i>Emarginula</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidæ</i> , in the Collection of Hugh Cuming, Esq. . .	1851,	82
Catalogue of the Species of <i>Nassa</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Buccinidæ</i> , in the Collection of Hugh Cuming, Esq. ; with the Descriptions of some New Species	1851,	94
Descriptions of Fifty-two New Species of the Genus <i>Mitra</i> , from the Cumingian Collection	1851,	132

	Page
ADAMS, ARTHUR, F.L.S., Surgeon R.N. (<i>continued</i>).	
Contributions towards a Monograph of the <i>Trochidae</i> , a family of Gasteropodous Mollusca	1851, 150 ✓
A Monograph of <i>Scutus</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidae</i>	1851, 221
A Monograph of the Genus <i>Monoptygma</i> of Lea	1851, 222
Descriptions of New Shells from the Cumingian Collection	1851, 224 ✓
Note on the Genus <i>Nematura</i>	1851, 225
A Monograph of the Recent Species of <i>Rimula</i> , a genus of Mollusca, belonging to the Family <i>Fissurellidae</i>	1851, 226
A Monograph of <i>Puncturella</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidae</i>	1851, 227
Descriptions of Sixteen New Species of <i>Rissoina</i> , a genus of Marine Gasteropodous Mollusks, from the Cumingian Collection	1851, 264
Descriptions of several New Species of <i>Murex</i> , <i>Rissoina</i> , <i>Planaxis</i> , and <i>Eulima</i> , from the Cumingian Collection	1851, 267
Descriptions of New Species of <i>Eulima</i> , <i>Triphoris</i> , &c., from the Collection of Hugh Cuming, Esq.	1851, 276 ✓
Descriptions of New Shells, from the Cumingian Collection	1852, 90 ✓
Descriptions of a New Genus, and of several New Species, of Mollusca, from the Cumingian Collection	1852, 92 ✓
Descriptions of New Shells, from the Collection of Hugh Cuming, Esq.	1853, 69 ✓
Descriptions of New Species of <i>Semele</i> , <i>Rhizochilus</i> , <i>Plotia</i> , and <i>Tiara</i> , in the Cumingian Collection	1853, 94
Descriptions of New Species of the Genus <i>Conus</i> , from the Collection of Hugh Cuming, Esq.	1853, 116
Monograph of <i>Plecotrema</i> , a New Genus of Gasteropodous Mollusks, belonging to the Family <i>Auricu-</i>	

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

- lidæ*, from specimens in the Collection of Hugh Cuming, Esq. 1853, 120
- Descriptions of New Species of Shells in the Collection of Hugh Cuming, Esq. 1853, 173 ✓
- A Monograph of *Pyramidella*, a genus of Gasteropodous Mollusca, belonging to the Family *Pyramidellidæ* 1853, 176
- Contributions towards a Monograph of the Genus *Chemnitzia* 1853, 178
- Descriptions of New Genera and Species of Gasteropodous Mollusca 1853, 182 ✓
- A Monograph of *Fossar*, a genus of Gasteropodous Mollusca 1853, 186
- A Monograph of *Umbonium* (*Rotella*), a genus of *Trochidæ* 1853, 187
- A Monograph of *Isanda*, a New Genus of *Trochidæ*, allied to *Umbonium* 1853, 189
- Further Contributions towards the Natural History of the *Trochidæ*; with a Description of a New Genus, and of several New Species, from the Cumingian Collection 1854, 37 ✓
- Description of a New Genus and of several New Species of Gasteropodous Mollusca, from the Cumingian Collection 1854, 41 ✓
- Monographs of *Actæon* and *Solidula*, two genera of Gasteropodous Mollusca; with Descriptions of several New Species from the Cumingian Collection 1854, 58
- A Monograph of *Cerithidea*, a genus of Mollusca; with Descriptions of several New Species from the Collection of Hugh Cuming, Esq.; to which are added Descriptions of Two New Species of *Colina*, and One of *Donax* 1854, 83
- Descriptions of Thirty-nine New Species of Shells, from the Collection of Hugh Cuming, Esq. 1854, 130 ✓

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

Descriptions of Twenty-seven New Species of Shells, from the Collection of Hugh Cuming, Esq.	1854, 311 ✓
Descriptions of Two New Genera and several New Species of Mollusca, from the Collection of Hugh Cuming, Esq.	1855, 119 ✓
Descriptions of Twenty-five New Species of Shells from the same Collection	1855, 221 ✓
Descriptions of Two New Shells discovered by Robert M'Andrew, Esq., on the coast of Norway . . .	1856, 1
Descriptions of Thirty-four New Species of Bivalve Mollusca (<i>Leda</i> , <i>Nucula</i> , and <i>Pythina</i>), from the Cumingian Collection	1856, 47
Notice of a New Species of <i>Trichotropis</i> , from the Collection of Hugh Cuming, Esq.	1856, 369
Notes on the Scaly Ant-eater (<i>Manis javanica</i>), taken during life and after death	1859, 133
Description of a New Conchiferous Mollusk of the Genus <i>Pandora</i>	1859, 487
Note on the Fox of Japan	1860, 195

ADAMS, HENRY, F.L.S.

Description of a New Genus of Freshwater Bivalve Mollusca, belonging to the Family <i>Corbulidæ</i> , from the Collection of Hugh Cuming, Esq.	1860, 203
Description of a New Genus and Species of Mollusk.	1860, 241
On New Genera of Acephalous Mollusks	1860, 369
Descriptions of a New Genus and Species of Mollusca	1860, 450

ADAMS, H. & A.

Monographs of <i>Ellobium</i> and <i>Melampus</i> , two genera of Pulmoniferous Mollusca.	1854, 7
Contributions towards the Natural History of the <i>Auriculidæ</i> , a Family of Pulmoniferous Mollusca; with Descriptions of many New Species from the Cumingian Collection	1854, 30

	Page
ALLEN, WILLIAM, Capt. R.N.	
Letter relating to skull of Antelope	1848, 88
ANGAS, G. F.	
Description of <i>Tragelaphus Angasii</i>	1848, 89
BAIKIE, Dr. BALFOUR, F.R.G.S.	
On the Skull of a <i>Manatus</i> from Western Africa ..	1857, 29
On the Species of <i>Crocodilus</i> inhabiting the rivers Kwóra and Bínuë (Niger and Tsádda) in Central Africa	1857, 48
On the Skull of a Species of <i>Mecistops</i> inhabiting the river Bínuë or Tsádda, in Central Africa.	1857, 57
BAIRD, W., M.D., F.L.S., &c.	
Monograph of the Family <i>Linnadiadæ</i> , a family of Entomostracous Crustacea	1849, 84
Description of a New Crustacean	1850, 102
Descriptions of several New Species of Entomostraca	1850, 254
Monograph of the Family <i>Apodidæ</i> , a family of Crustaceans belonging to the Division Entomostraca; with a Description of a New Species of <i>Apus</i> , and Two Species of <i>Ostracoda</i> belonging to the Genus <i>Cypris</i>	1852, 1
Monograph of the Family <i>Branchipodidæ</i> , a family of Crustaceans belonging to the Division Entomo- straca; with a Description of a New Genus and Species of the Family, and Two New Species belonging to the family <i>Linnadiadæ</i>	1852, 18
Descriptions of some New Species of Entozoa, from the Collection of the British Museum	1853, 18
Description of a New Species of <i>Cypris</i>	1854, 6
Description of Two New Species of Entozoa	1858, 224
Description of a New Species of <i>Tenia</i>	1859, 111
Description of a Rare Entozoon from the Stomach of the Dugong.	1859, 148

BAIRD, W., M.D., F.L.S., &c. (*continued*).

Description of some new recent Entomostraca from Nagpur, collected by the Rev. S. Hislop	1859, 231
Description of a New Species of Entozoon (<i>Sclerostoma sipunculiforme</i>) from the Intestines of the Elephant	1859, 425
Description of a New Species of <i>Estheria</i> from Nagpoor, Central India	1860, 188
Note on the Genus <i>Cypridina</i> , Milne-Edwards, with a Description of some New Species	1860, 199
Description of a New Entomostracous Crustacean, belonging to the Order <i>Phyllopoda</i> , from South Australia	1860, 392
Description of Two New Species of Entomostracous Crustacea from India	1860, 445
Description of some New Species of Intestinal Worms (Entozoa) in the Collection of the British Museum	1860, 446

BARTLETT, A. D.

On the Genus <i>Apteryx</i>	1850, 274
On some Bones of <i>Didus</i>	1851, 280
Letter addressed to Dr. Gray respecting the Living African <i>Lepidosiren</i> in the Crystal Palace.....	1856, 346
Description of Chinese Sheep sent to H. R. H. Prince Albert by Rutherford Alcock, Esq., H. M. Vice-Consul at Shanghai, and presented by H. R. H. to the Zoological Society in April 1855	1857, 104
Description of a Rabbit said to be found on the Himalayan Mountains	1857, 159
Note on the Artificial Propagation of Salmon	1859, 125
Indications of the existence of a second species of Emeu (<i>Dromæus</i>)	1859, 205
Remarks on the Habits of a Herring Gull (<i>Larus argentatus</i>)	1859, 467

BARTLETT, A.D. (*continued*).

On the most efficient mode of preserving the Eggs of Birds in order that they may be afterwards hatched	1859, 468
Exhibition of the Head of a variety of the Common Goose, with the feathers of the back of the head reversed	1860, 99
Exhibition of the Gizzard of a Nicobar Pigeon	1860, 99
Note on some Young Hybrid Bears bred in the Gardens of the Society	1860, 130
Exhibition of a series of Eggs of Struthious Birds.	1860, 205
Notes on the Reproduction of the Australian Wattle-bird (<i>Talegalla lathamii</i>) in the Society's Gardens	1860, 426
Note on the <i>Balaniceps rex</i>	1860, 461

BATES, H. W.

Exhibition of an undescribed species of <i>Phyllostoma</i> , from Ega, Upper Amazon	1860, 99
---	----------

BEARDSWORTH, Rev. G.

Extract of a letter relating to two Cetaceans killed on the North Kentish coast, near Whitstable	1860, 373
--	-----------

BEATTIE, WILLIAM, Hon. Sec. Montrose Nat. Hist. Soc.

Note on the Reproduction of <i>Nemertes borlассii</i> (in a letter to Dr. Gray)	1858, 307
---	-----------

BECKER, LUDWIG.

Notes on the Young of <i>Menura superba</i> , in a letter addressed to John Gould, Esq., from Melbourne, Victoria, Sept. 24, 1859	1860, 61
---	----------

BENNETT, G., M.D., of Sydney, F.Z.S., &c.

Notes on the Habits of the <i>Scythrops novæ-hollandiæ</i> (communicated by John Gould, Esq.)	1858, 462
Notes on the Mooruk (<i>Casuarus bennettii</i>)	1859, 32
Notes on the Habits of the <i>Mycteria australis</i> or New Holland Jabiru (Gigantic Crane of the Colonists)	1859, 47

BENNETT, G., M.D., of Sydney, F.Z.S., &c. (continued).

- Description of a New Species of *Perga*, or Saw-fly, found feeding upon the *Eucalyptus citriodora* of Hooker, or Wide Bay Lemon-scented Gum-tree 1859, 209
- Notes on the Duck-bill (*Ornithorhynchus anatinus*) 1859, 213
- On the Long-tailed Flying Opossum (*Belideus flaviventris*) in a state of nature and in captivity 1859, 218
- Notes on Australian Cuckoos 1859, 221
- On the Fish called *Glyphisodon biocellatus* 1859, 222
- Notes on Sharks, particularly on two enormous specimens of *Carcharias leucas* captured in Port Jackson, Sydney, New South Wales 1859, 223
- Notes on the range of some species of *Nautilus*, on the mode of capture, and on the use made of them as an article of food 1859, 226
- Exhibition of specimens of the Egg of the Mooruk (*Cusuarius bennettii*) 1859, 351
- Exhibition of a series of twelve coloured drawings of various species of Nudibranchiate Mollusks from the harbour and vicinity of Port Jackson, New South Wales, made by Mr. G. F. Angus, Sec. of the Australian Museum, Sydney 1859, 351
- Notes on the habits of the Brown Coati (*Nasua fusca*, Desm.) 1860, 323

BLAND, Dr., Corr. Memb.

- Letter 1849, 91

BOILEAU, T. S.

- Letter relating to an Indian Wild Hog and an Owl . 1848, 98

BONAPARTE, H. I. H. PRINCE CHARLES LUCIEN.

- On the Lorine Genus of Parrots, *Eclectus*; with the Description of a New Species, *Eclectus cornelia* 1849, 142
- On the Trichoglossine Genus of Parrots, *Eos*; with the Descriptions of Two New Species 1850, 26

	Page
BONAPARTE, H. I. H. PRINCE CHARLES LUCIEN (<i>continued</i>).	
On the Garruline Birds, or Jays ; with Descriptions of New Species	1850, 79
Descriptions of Two New Species of Oriole	1850, 279
On the largest known Species of Phaleridine Bird.	1851, 201
BONYAN, Dr. G. R.	
Notes on the Raptorial Birds of British Guiana	1851, 53
BOURCHIER, R. J., Corr. Memb.	
Letters	1849, { 91 94
BOURGUIGNAT, M. J. R.	
Descriptions d'Ancyles nouveaux, de la Collection de M. Cuming, précédées d'une courte notice sur le genre <i>Ancylus</i> , et d'un Catalogue complet des espèces qui le composent	1853, 76
BOWERBANK, J. S., LL.D., F.R.S., &c.	
On the Pterodactyles of the Chalk Formation	1851, 14
BOWLES, Rear-Admiral.	
Letter relating to presentation of specimens of <i>Haliaëtus aguia</i> , Temm., and a male Condor, by Sir G. Seymour	1848, 112
BRODERIP, WILLIAM JOHN, B.A., F.R.S., V.P.Z.S., &c.	
Exhibition of a Picture containing a figure of the Dodo	1852, 70
Notice of an original Painting, including a figure of the Dodo, in the Collection of His Grace the Duke of Northumberland at Sion House	1853, 54
BUCKLAND, FRANK T.	
Exhibition of the Egyptian Ibis	1860, 184
BUIST, GEORGE, LL.D., F.R.S., &c.	
On Shark-fishing at Kurrachee (communicated by Col. Sykes)	1850, 100

BURGESS, Captain B.

Note on the Indian Weaver Bird (<i>Ploceus philippensis</i>).....	1852,	88						
Notes on the Habits of Indian Birds.....	1854,	<table> <tr><td>1</td></tr> <tr><td>45</td></tr> <tr><td>102</td></tr> <tr><td>142</td></tr> <tr><td>158</td></tr> <tr><td>255</td></tr> </table>	1	45	102	142	158	255
1								
45								
102								
142								
158								
255								
Notes on the Habits of Indian Birds.....	1855,	<table> <tr><td>27</td></tr> <tr><td>32</td></tr> <tr><td>70</td></tr> <tr><td>79</td></tr> <tr><td>184</td></tr> </table>	27	32	70	79	184	
27								
32								
70								
79								
184								

BUTTERWORTH, Lieut.-Col.

Letter relating to a Leopard and Tree Kangaroo ..	1848,	98
Letter relating to the shipment of some additions to the Society's Menagerie	1849,	17

CARPENTER, P. P.

Descriptions of (supposed) New Species and Varieties of Shells, from the Californian and West Mexican Coasts, principally in the Collection of H. Cuming, Esq.....	1855,	228
Notes on the Species of <i>Hipponyx</i> inhabiting the American coasts; with Descriptions of New Species. .	1856,	3
Descriptions of New Species of Shells collected by Mr. T. Bridges in the Bay of Panama and its vicinity, in the Collection of H. Cuming, Esq.	1856,	159
Descriptions of New Species and Varieties of <i>Calyptroidæ</i> , <i>Trochidæ</i> , and <i>Pyramidellidæ</i> , principally in the Collection of H. Cuming, Esq.....	1856,	166
Descriptions of Shells from the Gulf of California and the Pacific Coasts of Mexico and California ...	1856,	198
Monograph of the Shells collected by T. Nuttall, Esq., on the Californian coast, in the years 1834-5 ..	1856,	209
First Steps towards a Monograph of the Recent Species of <i>Petalococonchus</i> , a genus of <i>Vermetidæ</i>	1856,	313

CARPENTER, P. P. (*continued*).

- First Steps towards a Monograph of the *Cæcidæ*, a family of the Rostriferous Gasteropoda 1858, 413

CHITTY, Hon. EDWARD.

- On the Jamaican *Cyclotus*, and the Descriptions of Twenty-one proposed New Species and Eight New Varieties of that subgenus from Jamaica 1857, 142

- On *Stoastomidæ* as a Family, and on Seven proposed New Genera, Sixty-one New Species, and Two New Varieties from Jamaica 1857, 162

CHURTON, H.

- Extracts from a Letter respecting Collections in New Zealand 1853, 30

CLERK, Rt. Hon. Sir GEORGE, Bart.

- Letter relating to Monaul 1848, 112

COBBOLD, T. SPENCER, M.D., F.L.S.

- Letter respecting the Cause of Death of a young Giraffe in the Society's Gardens 1859, 494

- Contributions to the Anatomy of the Giraffe. 1860, 99

CRISP, EDWARDS, M.D., F.Z.S.

- On the Anatomy of the Cuckoo. 1853, 67

- On Two Species of Entozoa 1853, 68

- On the Splenic Vein of the Giraffe. 1853, 99

- On the Relative Weight of the Body and of the Viscera of the Elephant 1855, 186

- On some points relating to the Anatomy of the Tasmanian Wolf (*Thylacinus cynocephalus*) and of the Cape Hunting-Dog (*Lycan pictus*) 1855, 188

- Observations on *Strongylus filaria* and *Botaurus stellaris* 1856, 53

- On the Viscera of *Esox lucius* 1856, 106

- Remarks on *Mus musculus*. 1856, 106

CRISP, EDWARD, M.D., F.Z.S. (*continued*).

On the Head and Brain of a Monoculous Lamb ..	1856, 149
On the presence or absence of Air in the Bones of Birds	1857, { 9 215
Exhibition of a Nest believed to be that of the Great Grey Shrike (<i>Lanius excubitor</i>).....	1857, 219
Exhibition of a Hen that had assumed the plumage of the Cock.....	1859, 127
Occurrence of a Bantam Hen sitting upon the Eggs of a Water Ouzel (<i>Cinclus aquaticus</i>), and hatching and rearing a young Bird	1859, 200
Exhibition of specimens of the Cock of the Rock (<i>Rupicola crocea</i>) which had been brought alive to and had died in this country	1860, 98
On the Causes of Death of the Animals in the Society's Gardens from 1851 to 1860	1860, { 175 190
Exhibition of specimens and drawings of <i>Cœnurus cerebralis</i> from the brains of the Common Sheep	1860, 185
Note on the Blood-corpuscles of the Japanese Gigantic Salamander (<i>Sieboldia maxima</i>)	1860, 203
On the Structure, Relative Size, and Use of the Tail-glands in Birds	1860, 254

DAVIDSON, THOMAS, F.G.S., &c.

Descriptions of a few New Recent Species of Brachiopoda	1852, 75
---	----------

DAVY, JOHN, M.D., F.R.S. L. & E.

Notice of a peculiarity of structure observed in the Aorta of the Wild Swan (communicated by Mr. Gulliver)	1849, 28
Observations on the Eye of the Mole (In a letter to W. Spence, Esq., F.R.S.)	1851, 129

DESHAYES, G. P.

Descriptions of Twenty New Species of the Genus <i>Cardita</i> , from the Collection of Hugh Cuming, Esq.	1852, 100
---	-----------

DESHAYES, G. P. (*continued*).

Descriptions of New Species of Shells, in the Collection of Mr. Cuming	1853,	1
Descriptions of Fourteen New Species of <i>Mactra</i> , in the Collection of Mr. Cuming	1853,	14
Descriptions of Two Species of <i>Clementia</i> , in the Collection of Mr. Cuming	1853,	17
Observations sur les Animaux de quelques genres de Mollusques Acéphales (<i>Chamostrea</i> , <i>Glauconome</i> , <i>Circe</i> , et <i>Capsa</i>)	1853,	167
Descriptions of New Species of Shells, from the Collection of Hugh Cuming, Esq.	1854,	{ 13 62 317
Sur le Genre <i>Galeomma</i>	1855,	167
Sur le Genre <i>Scintilla</i>	1855,	171
Descriptions de Nouvelles Espèces du Genre <i>Erycina</i>	1855,	181
A General Review of the Genus <i>Terebra</i>	1859,	270

DILLWYN, L. LLEWELLYN, M.P., F.G.S., &c.

On an undescribed Species of <i>Megapodius</i>	1851,	118
--	-------	-----

DOLMATOFF, M. DIMITRE DE.

Note on the capture of the Aurochs	1848,	16
--	-------	----

DOHRN, H.

Description of Thirteen New Species of <i>Paludinacea</i> from Ceylon, in the Collection of Hugh Cuming, Esq.	1857,	123
Descriptions of New Species of Land and Fresh-water Shells from Ceylon, in the Collection of Hugh Cuming, Esq.	1858,	133
Description of New Species of the Genus <i>Paludomus</i> , from Ceylon, in the Collection of H. Cuming, Esq.	1858,	535
Descriptions of New Species of <i>Mitra</i> from the Collection of Hugh Cuming, Esq.	1860,	366

DOUBLEDAY, E., F.L.S.

- Description of a New Genus of *Notodontidæ* 1848, 117
 Exhibition of specimens of the Larva, Pupa, and
 perfect Insect of *Sirex gigas* 1849, 95

DUGUID, Dr.

- Letter on the Deal Fish (communicated by Mr.
 Yarrell) 1851, 116

DUNCAN, JOHN, H. M. Vice-Consul at Whydah.

- Letter 1849, 106
 Letter relating to his interview with the King of
 Dahomey 1849, 163

DUNKER, Dr. W.

- Diagnoses Specierum novarum generis *Planorbis*
 collectionis Cumingiæ 1848, 40
 Limnæacea nova Collectionis Cumingianæ 1853, 53
 On New Shells from the Collection of Mr. Cuming. 1856, {354
 358

EARL, G. WINSOR.

- Notes on the Bovine Animals of the Malay Peninsula 1853, 29

ELLIOT, DANIEL G., of New York, F.Z.S., &c.

- Exhibition of three specimens of Hybrid Ducks
 from his own collection, obtained on the South Shore
 of Long Island, U. S. A. 1859, 437

ELPHINSTON, A.

- Letter relating to a Collection made for the Society
 in India 1849, 106

ELSEY, M.

- Letter containing Observations respecting various
 Species of Birds met with in the neighbourhood of the
 Victoria River Depôt, N. W. Australia, lat. south
 17° 34' 30" (communicated by John Gould, F.R.S.,
 &c. 1857, 23

	Page
EYTON, THOMAS CAMPBELL, F.Z.S., F.L.S., &c.	
Note on the Skeleton of the Sheath-bill (<i>Chionis alba</i>)	1858, 99
 FAIRHOLME, J.K.E., F.Z.S.	
Observations on the <i>Pteropus</i> of Australia	1856, 311
On the Australian Dugong (<i>Halicore australis</i>) ..	1856, 352
The Blacks of Moreton Bay and the Porpoises	1856, 353
 FLOWER, W. H., F.R.C.S., F.Z.S., &c.	
Note on the Dissection of a Species of Galago	1852, 73
Exhibition of <i>Exocetus volitans</i> , to which was attached a specimen of <i>Penellus blainvillii</i> , Milne-Edwards (<i>Leoneopenna blainvillii</i> of Lesueur)	1858, 372
On the Structure of the Gizzard of the Nicobar Pigeon and other Granivorous Birds	1860, 333
 FORBES, Prof. EDWARD, F.R.S., &c.	
Introductory Note to Mr. Huxley's Paper on <i>Trigonia</i>	1849, 30
On the Species of Mollusca collected during the Surveying Voyages of the Herald and Pandora, by Capt. Kellett, R.N., C.B., and Lieut. Wood, R.N. . . .	1850, { 53 270
On a Species of <i>Æquorea</i> inhabiting the British Seas	1851, 272
 FRASER, LOUIS, Corr. Memb. Z.S., &c.	
On New Birds in the Collection at Knowsley	1850, 245
Description of a New Species of <i>Anomalurus</i> from Fernando Po	1852, 16
Description of a New Species of <i>Hyrax</i> from Fernando Po	1852, 99
On the occurrence of a large Ape in the vicinity of Fernando Po	1853, 13
Descriptions of Two New Birds from Fernando Po. .	1853, 13
Exhibition of Birds from the Collection of T. C. Eyton, Esq.	1856, 368

FRY, EDWARD.

- Remarks on the Morphology of the Vertebrate
Skeleton 1850, 15

GASKOIN, J. S., F.Z.S., F.L.S.

- Descriptions of New Species of the Genus *Cypræa* 1848, 90
 Descriptions of Seven New Species of *Marginella*,
 and Two of *Cypræa* 1849, 17
 On the Habits of *Helix lactea* 1850, 243
 Descriptions of Twenty Species of *Columbella* and
 One Species of *Cypræa* 1851, 2
 Descriptions of Two New Species of Land Shells .. 1854, 152
 On a peculiar Variety of *Mus musculus*. 1856, 38
 On some Defects in the Growth of the Antlers, and
 some Results of Castration, in the *Cervidæ* 1856, 151

GÄTKE, HERR H., of Heligoland.

- On the Occurrence of American Birds in Europe .. 1860, 105

GOODWIN, WILLIAM.

- On an apparently New Species of Paradise-bird. . . . 1860, 243

GOSSE, P. H., F.R.S.

- On the Habits of *Ameiva dorsalis* 1848, 24
 On the Habits of *Mabouya agilis* 1848, 59
 On the Habits of *Cyclura lophoma*. 1848, 99

GOULD, AUGUSTUS A., M.D.

- On the true *Nautilus umbilicatus* of Lister' 1857 20

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S.

- Drafts for a New Arrangement of the *Trochilidæ*.. 1848, 11
 On Seven New Species of Australian Birds 1848, 38
 Description of a New Heron 1848, 58
 Description of a New Species of *Cinclosoma* 1848, 139
 Description of a New Species of Nutcracker 1849, 23

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

Description of Two New Species, with the characters of a New Genus, of <i>Trochilidæ</i>	1849,	95
On New Species of Mammalia and Birds from Australia	1849,	109
Descriptions of Three New Species of Indian Birds	1849,	112
Descriptions of New Birds	1850,	91
On Six New Species of Humming-Birds	1850,	162
On New Species of Birds from Australia	1850,	200
Remarks on <i>Notornis mantelli</i>	1850,	212
On New Australian Birds in the Collection of the Zoological Society of London	1850,	276
On a New and most Remarkable Form in Ornithology.....	1851,	1
Letter from J. W. G. Spicer, Esq., concerning Two Hybrid Birds	1851,	61
On a New Species of <i>Musophaga</i>	1851,	93
On a New Species of the Genus <i>Montifringilla</i> ..	1851,	114
On some New Species of <i>Trochilidæ</i>	1851,	115
Remarks on the Genus <i>Hapalotis</i>	1851,	126
Descriptions of Two New Species of Mammalia of the Genus <i>Antechinus</i>	1851,	284
Descriptions of a New Species of <i>Ptilotis</i> and a New Species of <i>Eopsaltria</i>	1851,	285
On the Genus <i>Thalurania</i>	1852,	8
Description of a new Species of <i>Aulacorhamphus</i> ..	1853,	45
On the Nest and Eggs of <i>Menura albertii</i>	1853,	45
Description of New Species of <i>Tetraogallus</i>	1853,	47
Description of Five New Species of Humming-Birds	1853,	61
Observations on the Nests of Humming-Birds	1853,	100
Descriptions of Two New Species of Humming-Birds from Peru	1853,	109
On a New Species of <i>Musophaga</i>	1854,	23

	Page
GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (<i>continued</i>).	
Exhibition of <i>Fuligula ferinoïdes</i> , Bartlett.	1854, 95
Descriptions of Two New Species of <i>Pucrasia</i>	1854, 99
Description of a New Species of Humming-Bird from Quijos	1854, 109
Description of a New Species of <i>Momotus</i>	1854, 154
Description of a New Bird from Guatemala, form- ing the type of a New Genus.	1854, 285
Extracts from the Letters of his Son, Dr. Henry Gould, relating to the Natural History of Western India	1855, 39
Exhibition of a Collection of Birds from Scinde, being the first of his Son's Contributions to Indian Ornithology.	1855, 50
Descriptions of Eight New Species of Birds from South America	1855, 67
Exhibition of a portion of a Collection of Birds formed by Mr. Hauxwell on the Eastern Side of the Peruvian Andes	1855, 77
Description of a New Species of <i>Ruticilla</i> from Er- zeroum	1855, 78
On Two New Species of Humming-Birds	1855, 86
On a New Species of the Genus <i>Prion</i>	1855, 87
On some New Species of Birds collected by Mr. M'Gillivray	1855, 164
On a New Genus and Species of <i>Trochilidæ</i> from Ecuador	1855, 192
On a New Turkey (<i>Meleagris mexicana</i>)	1856, 61
On Two New Species of Birds (<i>Nestor notabilis</i> and <i>Spatula variegata</i>) from the Collection of Walter Mantell, Esq.	1856, 94
Descriptions of Two New Species of True Cuckoos (Genus <i>Cuculus</i> as restricted)	1856, 96
Descriptions of a New <i>Trogon</i> and a New <i>Odonto-</i> <i>phorus</i>	1856, 107

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

- On some Birds collected by Mr. John MacGillivray, the Naturalist attached to H.M. Surveying Ship Rattlesnake, and lately sent home by Capt. Denham, the Commander of the Expedition 1856, 135
- On Two New Species of Humming-Birds belonging to the Genus *Amazilius* 1856, 150
- Descriptions of Three New Species of the Genus *Phaethornis*, Family *Trochilidae* 1857, 14
- Descriptions of Three New and very beautiful Species of Birds from Guatemala and from the Island of Lombock. 1857, 64
- Observations on his visit to the United States of America; with Description of a New Species of *Ceriornis* found in the Collection of Dr. Cabot, of Boston, U.S. 1857, 160
- On several New Species of Birds from various parts of the World 1857, 220
- On Four New Species of *Mus* and One of *Hapalotis*, from Australia 1857, 241
- On a New Species of Cassowary. 1857, 268
- Exhibition of British specimens of the *Motacilla flava*, Ray, and note from Mr. Thirtle of Lowestoft, as to its occurrence in that part of England 1858, 77
- Remarks on three specimens of Steller's Duck exhibited by Mr. Stevens 1858, 78
- Remarks on a series of Birds collected by Mr. A. R. Wallace in the Aru Islands 1858, 95
- On a New Species of Toucan (*Andigena spilorhynchus*) 1858, 149
- Exhibition of specimens of the American *Regulus calendulus* and the Night Heron 1858, 290
- Extract from a Letter addressed to him by his son Mr. Charles Gould 1858, 290
- On a New Species of Ptarmigan 1858, 354

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (<i>continued</i>).	
Descriptions of Two New Species of the Family <i>Hirundinidæ</i>	1858, 355
Exhibition of a Drawing of <i>Molossus australis</i> of Gray	1858, 372
Extract from a Letter addressed to him by Dr. George Bennett of Sydney, respecting the Semipal- mated Goose	1859, 39
Exhibition of a Drawing of a Pheasant (<i>Diardigal- lus fasciolatus</i>)	1859, 40
List of Birds from the Falkland Islands, with de- scriptions of the Eggs of some of the Species, from specimens collected principally by Capt. C. C. Abbott, of the Falkland Islands Detachment	1859, 93
On a New Species of <i>Odontophorus</i>	1859, 98
On the Members of the Genus <i>Rupicola</i> , and whether there are two or more species.....	1859, 99
On a New Species of <i>Dendrochelidon</i> or Tree Swift	1859, 100
Exhibition of all the known species of the Genus <i>Elanus</i> , with description of a New Species	1859, 126
Description of Two New Species of Birds; one be- longing to the Family <i>Cuculidæ</i> , the other to <i>Cotur- niceæ</i>	1859, 128
List of Birds collected at Tavoy, in the Tenasserim Provinces, by Captain Briggs, Deputy Commissioner of Tavoy	1859, 149
List of Birds collected in Siam by Sir R. H. Schom- burgk, H. B. M. Consul at Bangkok	1859, 151
On the Nidification of the Kingfisher (<i>Alcedo ispida</i>)	1859, 152
Exhibition of some specimens of Birds of the Genus <i>Urocissa</i> (<i>Corvidæ</i>).....	1859, 200
Exhibition of specimens of the New Paradise Bird (<i>Semioptera wallacii</i>), and a Drawing of the Nest and Egg of <i>Sittella chrysoptera</i>	1859, 351

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

Exhibition of a fine species of Pheasant from Siam, <i>Diardigallus crawfordii</i> (<i>D. fasciolatus</i> of Blyth), and of a specimen of the Royal Spoonbill of Australia, <i>Platalea regia</i>	1859, 353
On Two New Species of <i>Cinclus</i>	1859, 493
Description of a New Species of American Partridge	1860, 62
Exhibition of specimens of the Chough of the Hi- malayas (<i>Fregilus himalayanus</i>)	1860, 206
Descriptions of Twenty-two New Species of Hum- ming-birds	1860, 304
Remarks on a Kangaroo living in the Society's Gardens	1860, 373
On a New Species of Kangaroo, of the Genus <i>Hal- maturus</i>	1860, 375
Description of a New Species of Hornbill from Western Africa	1860, 380
Description of a New Species of the Genus <i>Moho</i> of Lesson	1860, 381
Description of a New <i>Odontophorus</i>	1860, 382
Exhibition of a series of Penguins, and descriptions of two New Species.....	1860, 418

GRACE, W.

Letter	1849, 106
--------------	-----------

GRAY, G. R., F.L.S., F.Z.S.

On a New Species of Parrot	1848, 20
On a New Species of <i>Podica</i>	1848, 90
Description of a New Species of Parrot.....	1848, 125
Notice of two examples of the Genus <i>Gallus</i>	1849, 62
On a New Species of the Genus <i>Glareola</i>	1849, 63
Description of a New Species of the Genus <i>Cultrides</i>	1849, 63
On a New Species of <i>Suthora</i> , from China	1852, 70
On the Species of the Genus <i>Sericinus</i>	1852, 70

GRAY, G. R., F.L.S., F.Z.S. (*continued*).

Descriptions of Two New Species of <i>Ptilonopus</i> ..	1853,	48
On a New Species of <i>Thalassidroma</i>	1853,	62
On a New Species of <i>Somateria</i> , and the Female of <i>Lampronetta fischeri</i> , Brandt	1855,	211
On a New Species of Pigeon	1856,	6
On a New Species of Lepidopterous Insect	1856,	7
A List of Birds, with Descriptions of New Species, obtained by Mr. Alfred R. Wallace in the Aru and Ké Islands	1858,	169
On a New Genus of Goat-sucker, and on a New Species of <i>Enicurus</i> , both from Darjeeling, from the Collection of Brian H. Hodgson, Esq., Corr. Memb. Z.S.....	1859,	101
Notes on the New Bird of Paradise discovered by Mr. Wallace	1859,	130
Exhibition of a drawing of <i>Tringa pectoralis</i> ...	1859,	130
List of the Birds lately sent by Mr. A. R. Wallace from Dorey or Dorery, New Guinea	1859,	153
List of New-Caledonian Birds	1859,	160
Description of a New Species of Diver (<i>Colymbus</i>)	1859,	167
On a New Species of the Family <i>Papilionidæ</i> from Batchian	1859,	424
Synopsis of the Species of the Genus <i>Penelope</i> ...	1860,	269
List of Birds collected by Mr. Wallace at the Mo- lucca Islands, with descriptions of New Species, &c. ..	1860,	341

GRAY, JOHN EDWARD, Ph.D., F.R.S., F.L.S., V.P.Z.S.,
&c.

Description of a New Species of <i>Galidictis</i> from Madagascar	1848,	21
Description of a New Genus of Insectivorous Mam- malia or <i>Talpidae</i> from Borneo	1848,	23
Observations on <i>Myodes hudsonicus</i> and the other species of the Genus <i>Myodes</i>	1848,	43

	Page
GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (<i>continued</i>).	
Description of a New Species of <i>Anatifa</i>	1848, 44
On <i>Thaliella</i> , a New Genus of Cirripedes allied to <i>Scalpellum</i>	1848, 44
Description of <i>Sarcoptilus</i> , a New Genus of <i>Penna-</i> <i>tulidæ</i>	1848, 45
On a New Species of Monkey from Angola	1848, 56
Observations on some Brazilian Bats, with the De- scription of a New Genus	1848, 57
On the species of the Genus <i>Placenta</i> of Retzius ..	1848, 114
Description of Two Species of Mammalia from Ca- raccas	1848, 138
Descriptions of Three New Species of <i>Delphinidæ</i> ..	1849, 1
On some New or little-known Species of Monkeys..	1849, 7
Description of a New Species of <i>Herpestes</i>	1849, 11
Description of a New Species of Box Tortoise, from Mexico.....	1849, 16
Notes on the Skull of <i>Equus hemionus</i> and <i>Equus</i> <i>kiang</i>	1849, 29
On a very large Roe Deer (<i>C. leucotis</i>) in the Col- lection of the Earl of Derby	1849, 64
On the Genus <i>Bradypus</i> of Linnæus	1849, 65
Description of some Corals, including a New British Coral discovered by W. MacAndrew, Esq.	1849, 74
On the British Specimens of <i>Regalecus</i>	1849, 78
On the variation in the Teeth of the Crested Seal (<i>Cystophora cristata</i>), and on a New Species of the Genus from the West Indies	1849, 91
On the Species of <i>Anomiadæ</i>	1849, 113
On the <i>Cypræa umbilicata</i> and <i>C. eximia</i> of Sowerby	1849, 125
Descriptions of New Species of <i>Gorgonia</i> from Au- stralia	1849, 146

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Description of a New Genus and several New Species of Terrestrial, Fluvial, and Marine Molluscan Animals inhabiting New Zealand..... 1849, 164

Description of a New Species of *Chrysodomus* from the mouth of the Mackenzie River..... 1850, 14

On a Leech New to the British Fauna 1850, 52

On the occurrence of *Regalecus glesne* at Redcar, Yorkshire, in 1850 1850, 52

On the Characters of the Genera *Pusionella* and *Clavatula*..... 1850, 56

Description of a New Species of Monkey, recently living in the Society's Menagerie 1850, 77

Synopsis of the Species of Antelopes and Strepsicerces, with descriptions of some New Species 1850, 111

Synopsis of the Species of Deer (*Cervina*), with the description of a New Species in the Gardens of the Society..... 1850, 222

Descriptions of Two New Genera and some New Species of *Scutellidæ* and *Echinolampidæ*, in the Collection of the British Museum 1851, 34

Description of a New Genus and Family of Cyclo-saurian Lizards from Para 1851, 38

Description of a New Species of *Bulimus* from Cal-lao, collected by Erneste Denicke 1851, 92

Description of a New Genus of *Gorgoniadæ* 1851, 124

Description of a New Genus of Bivalve Shells, and a Sea Egg, from New Zealand 1851, 125

Notice of Two *Viverridæ* from Ceylon, lately living in the Gardens..... 1851, 131

On a New Genus of *Anomiadæ*, in the Collection of Mr. Cuming 1851, 197

Description of a New Form of Lamprey from Australia, with a Synopsis of the Family 1851, 235

On the Painted Pig of the Camaroons (*Potamo-chærus penicillatus*) 1852, 129

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

On the Horns of the <i>Sanga</i> , or Galla Oxen, of Gibba	1852, 132
Description of a New Genus and some New Species of Tortoises	1852, 133
On a New Species of Salamander from California ..	1853, 11
Description of a New Species of Tortoise (<i>Testudo planiceps</i>), from the Galapagos Islands	1853, 12
Description of the Animal of <i>Cyclina sinensis</i>	1853, 25
On the Division of the Ctenobranchous Gasteropodous Mollusca into larger Groups and Families	1853, 32
Notice of a presumed New Species of <i>Rhinoceros</i> from South Africa	1853, 46
On the Synonyms of <i>Johnstonella catharina</i> , Gosse	1853, 94
Descriptions of Two New Genera (<i>Pfeifferia</i> and <i>Janella</i>) of Land Mollusca	1853, 109
On the attitudes and figures of the Morse	1853, 112
Observations on some Rare Indian Mammalia	1853, 190
Description of a New Genus and Species of Seal (<i>Heliophoca atlantica</i>) from Madeira	1854, 43
On the Reproduction of the Lost Part of the Operculum, and its probable Réstoration when entirely destroyed	1854, 100
On <i>Runcina hancockii</i>	1854, 107
On the Genus <i>Modiolarca</i>	1854, 108
On the Genus <i>Mülleria</i> of Sowerby, or <i>Acostaa</i> , D'Orbigny	1854, 129
Description of a New Species of <i>Petrogale</i>	1854, 249
On a New Species of <i>Rhinoceros</i>	1854, 250
Notice of the Horns of an unrecorded Species of the Prong Horn (<i>Antilocapra</i>), in the Collection of the Derby Museum, Liverpool	1855, 9
Notice of the Horns and Skull of the Arnee	1855, 17

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Extracts from Letters received from Francis Brent, Esq., of Sandgate, regarding the Destruction of Conger Eels	1855,	{ 49 26
An Arrangement of the Families of <i>Echinida</i> , with Descriptions of some New Genera and Species	1855,	35
Observations on the Species of Volutes— <i>Volutidæ</i>	1855,	50
On some species of Freshwater Tortoises from North America, Ceylon, and Australia, in the Collection of the British Museum	1855,	197
On a New Genus of Fish-scaled Lizards (<i>Scissosaræ</i>) from New Guinea	1855,	217
On the Genus <i>Assiminia</i> (Leach)	1856,	20
Description of the Animals and Teeth of <i>Tylodina</i> and other Genera of Gasteropodous Mollusca	1856,	41
On the Position of the Genus <i>Proserpina</i> in the System, and a Description of its Dentition	1856,	99
On the Nucleus of the Operculum of <i>Cyclostoma elegans</i>	1856,	147
On a Monstrosity of <i>Haliotis (albicans?)</i>	1856,	147
Notice of some Indian Tortoises (including the Description of a New Species presented to the British Museum by Professor Oldham)	1856,	181
On a New Species of Squirrel (<i>Sciurus macrotis</i>) from Borneo	1856,	341
Observations on a Living African <i>Lepidosiren</i> in the Crystal Palace	1856,	342
Description of a New Species of <i>Chelodina</i> from Australia	1856,	369
On the Structure of the Pelvis of <i>Chlamyphorus truncatus</i>	1857,	8
Observations on the Species of the Genus <i>Manatus</i>	1857,	59
On the Genus <i>Necturus</i> or <i>Menobranchnus</i> , with an Account of its Skull and Teeth	1857,	61
On the Animal and Bark of the Genus <i>Antipathes</i>	1857,	113

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Description of a New Genus of <i>Gorgoniadæ</i>	1857, 128
Description of a New Species of Antilope (<i>Oryx beatrix</i>) lately living in the Menagerie of the Society	1857, 157
Description of New Genera of <i>Gorgoniadæ</i>	1857, 158
Notice of a Large Species of <i>Lineus</i> taken on the Coast of Montrose	1857, 210
Observations on the Genus <i>Furcella</i> , Oken; and on the Genera <i>Teredo</i> and <i>Chæna</i>	1857, 243
On the Duiker Boks in the Society's Gardens	1857, 277
Notice of a New Species of Jaguar from Mazatlan, living in the Society's Gardens	1857, 278
Synopsis of the Families and Genera of Axiferous Zoophytes or Barked Corals	1857, 278
An attempt to distribute the Species of Olive (<i>Oliva</i> , Lamarck) into Natural Groups, and to define some of the Species	1858, 38
Notice of a New Genus of <i>Uropeltidæ</i> , from Ceylon, in the Collection of the British Museum	1858, 57
Notice of the Bosch Vark (<i>Potamochærus africanus</i>) living in the Society's Gardens	1858, 58
On a New Genus of <i>Mytilidæ</i> , and on some distorted forms which occur among Bivalve Shells	1858, 90
Observations on the Genus <i>Nerita</i> and its Opercu- lum	1858, 92
Observations on the Genus <i>Cuscus</i> , with the De- scription of a New Species	1858, 100
List of Species of Mammalia sent from the Aru Islands by Mr. A. R. Wallace to the British Museum	1858, 106
Description of <i>Aphroceras</i> , a New Genus of Cal- careous <i>Spongiadæ</i> , brought from Hong-Kong by Dr. Harland	1858, 113
On <i>Aphrocallistes</i> , a New Genus of <i>Spongiadæ</i> from Malacca	1858, 114

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

- Proposal to separate the Family of *Salamandridæ*, Gray, into Two Families, according to the form of the Skull 1858, 136
- On the power of Dissolving Shells possessed by the Bernard Crab (*Pagurus*) 1858, 144
- Description of a New Genus of *Boidæ* from Old Calabar, and a List of West African Reptiles 1858, 154
- Description of a New Genus of Sponge (*Xenospongia*) from Torres Strait 1858, 229
- Additional Observations on the Genus *Furcella* .. 1858, 258
- On a New Genus and several New Species of *Uropeltidæ*, in the Collection of the British Museum.... 1858, 260
- On *Carpenteria* and *Dujardinia*, two genera of a New Form of Protozoa with attached Multilocular Shells filled with Sponge, apparently intermediate between *Rhizopoda* and *Porifera* 1858, 266
- Note on the Egg of the Mooruk (*Casuarium bennettii*, Gould) from New Britain, in the British Museum 1858, 271
- On the Families *Aspergillidæ*, *Gastrochænidæ*, and *Humphreyiadæ* 1858, 307
- On *Charadella* and *Lichenella*, New Forms of *Polyzoa* from Australia 1858, 319
- Description of *Riama*, a New Genus of Lizards, forming a distinct Family 1858, 444
- On the *Dysidea papillosa* of Dr. Johnston 1858, 531
- Description of the Adult State of *Voluta mamilla*, Gray 1859, 34
- Notice of *Notopteris*, a New Genus of Pteropine Bat from the Feejee Islands 1859, 36
- Notice of a New Genus of Lophobranchiate Fishes from Western Australia 1859, 38
- On the Sea-Bear of Forster, the *Ursus marinus* of Steller, *Arctocephalus ursinus* of Authors..... 1859, 102

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

On the Eared Seal of the Cape of Good Hope (<i>Otaria delalandii</i>)	1859, 107
Descriptions of New Species of Salamanders from China and Siam	1859, 229
Description of <i>Scapha maria-emma</i> , a New Species of Volute	1859, 230
On the Sea-Lions, or Lobos marinos of the Spaniards, on the Coast of California	1859, 357
Description of <i>Macandrewia</i> and <i>Myliusia</i> , two new forms of Sponges	1859, 437
Description of a New Species of Squirrel (<i>Sciurus siamensis</i>) from Siam, in the Collection of the British Museum	1859, 478
Description of a New Species of Freshwater Tortoise from Siam	1859, 478
Description of some New Genera of Lithophytes, or Stony Zoophytes	1859, 479
Description of a New Species of <i>Cuscus</i> (<i>C. ornatus</i>) from the Island of Batchian, with a List of the Mam- malia collected in that Island by Mr. A. R. Wallace .	1860, 1
Description of a Soft Tortoise (<i>Aspidochelys living- stonii</i>) from the Zambesi, sent to the British Mu- seum by Dr. Livingstone	1860, 5
Description of a New Genus of <i>Boidæ</i> discovered by Mr. Bates on the Upper Amazon	1860, 132
Note on the Species of the Genus <i>Pithecia</i> , with De- scription of a New Species, <i>P. albicans</i>	1860, 228
Description of a New Species of <i>Geoclemmys</i> from Esmeraldas	1860, 231
Description of a New Species of <i>Emys</i> lately living in the Gardens of the Zoological Society	1860, 232
Description of a New Species of <i>Distichopora</i> from New Caledonia	1860, 244
On the African Trionyces with Hidden Feet (<i>Emyda</i>)	1860, 314

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

- Note on the Female of *Cuscus ornatus* 1860, 374
- Description of a New Coral (*Corallium johnsoni*)
from Madeira 1860, 393
- On the Genus *Manouria* and its affinities 1860, 395
- On the Genus *Hyperoodon*: the two British kinds
and their food 1860, 422
- Note on *Aspidochelys livingstonii* 1860, 430

GRIFFITH, R. C., F.Z.S.

- Notice of the Habits of a Beaver 1848, 52
- Exhibition of some specimens of "Tsetze" 1850, 78

GULLIVER, GEORGE, F.R.S., F.Z.S.

- Additional Measurements of the Red Corpuscles of
the Blood of Vertebrata 1848, 36
- Note on the Spermatozoa of the Giraffe..... 1849, 7
- Notes on a Cetaceous Animal stranded on the North-
east coast of Ireland 1853, 63
- On the size of the Red Corpuscles of the Blood of
the Great Ant-eater (*Myrmecophaga jubata*) 1854, 24

GUNN, RONALD CAMPBELL, F.R.S.

- On the Habitat of *Cypræa umbilicata*, Sowerby. In
a letter to J. E. Gray, Esq. 1849, 124
- Letter relating to two young living specimens of
Thylacinus cynocephalus, presented to the Society by
himself and Dr. James Grant of Launceston 1850, 90

GÜNTHER, DR. ALBERT, For. Mem. Z. S.

- On the Systematic Arrangement of the Tailless
Batrachians, and the Structure of *Rhinophrynus dor-*
salis..... 1858, 339
- On the Geographical Distribution of Reptiles 1858, 373
- On the Genus *Elaps* of Wagler 1859, 79

GÜNTHER, DR. ALBERT, FOR. MEMB. Z.S. (*continued*).

List of the Cold-blooded Vertebrata collected by Mr. Fraser in the Andes of Western Ecuador	1859, 89
Second list of Cold-blooded Vertebrata collected by Mr. Fraser in the Andes of Western Ecuador	1859, 402
Description of a New Species of <i>Anolis</i> from Central America	1859, 421
On the Reptiles and Fishes collected by the Rev. H. B. Tristram in Northern Africa	1859, 469
On a New Snake from the Galapagos Islands	1860, 97
On the Reptiles of Siam	1860, 113
Contributions to a Knowledge of the Reptiles of the Himalaya Mountains	1860, 148
Third List of Cold-blooded Vertebrata collected by Mr. Fraser in Ecuador	1860, 233
Description of <i>Homalocranium laticeps</i> , a new Snake from Carthage	1860, 240
Exhibition of a dried Specimen of a Fish of the Genus <i>Centrolophus</i> , obtained by Mr. J. Crouch at Polperro, Cornwall	1860, 302
On New Reptiles and Fishes from Mexico	1860, 316
On a New Species of Fish, belonging to the Genus <i>Pagrus</i>	1860, 319
On a West-African Genus of Snakes (<i>Meizodon</i>)	1860, 427

HAMILTON, EDWARD, M.D., F.Z.S., &c.

Exhibition of three curiously plumaged Pheasants	1859, 437
Exhibition of large Specimens of Hybrids between the Pheasant and Domestic Hen	1860, 1
Exhibition of Hen Pheasants in Male Plumage	1860, 373

HANLEY, H., Serjeant-Major 1st Life Guards.

Observations on the Breeding of the Nightingale in captivity	1850, 196
---	-----------

HANLEY, SYLVANUS, F.L.S., &c.

Descriptions of Four New Species of <i>Kelliadæ</i> in the Collection of Hugh Cuming, Esq.	1856, 340
---	-----------

HANLEY, SYLVANUS, F.L.S., &c. (continued).	
Description of a New <i>Cyrena</i> from Ceylon, and of New <i>Siphonaria</i>	1858, 23
Descriptions of Two New Species of <i>Pinna</i>	1858, 136
On <i>Siphonaria</i>	1858, 151
Descriptions of New <i>Pinnae</i>	1858, { 225 254
Description of a New <i>Oniscia</i>	1858, 255
Description of a New <i>Cyrena</i> and <i>Bulla</i>	1858, 543
Descriptions of New Univalve Shells from the Col- lections of H. Cuming, Esq., and S. Hanley, Esq. ..	1859, 429
Systematic List of the Species of <i>Dolium</i>	1859, 487
On New Species of <i>Nuculaceae</i> in the Collection of Hugh Cuming, Esq.	1860, 370
Description of New <i>Nuculidae</i>	1860, 440
HARCOURT, EDWARD VERNON, F.Z.S.	
Notice of the Birds of Madeira (in a letter ad- dressed to the Secretary).....	1851, 141
Description of a New Species of <i>Regulus</i> from Ma- deira.....	1854, 153
HARDY, Lieut.	
Note upon <i>Buceros ginginianus</i> (communicated by Colonel Sykes)	1850, 276
HARLEY, GEORGE, M.D., F.R.C.S.	
On the Anatomy of a New Species of <i>Pentastoma</i> found in the Lung and Air-sac of an Egyptian Cobra	1857, 115
HARRIS, Lord, F.Z.S.	
Letter	1849, 64
HARTLAUB, Dr. GUSTAV, of Bremen, For. Memb. Z.S.	
Note upon <i>Turdus vulpinus</i>	1850, 276
On New Species of Birds from Western Africa, in the Collection of the British Museum	1858, 291
PROC. ZOOL. SOC. INDEX, 1848-60.	3

- HARTLAUB, Dr. GUSTAV, of Bremen, F.M.Z.S. (*continued*).
 Synopsis of the Fringilline Genus *Erythrura*. 1858, 461
 On a New Form of Grallatorial Bird nearly allied
 to the Cariama (*Dicholophus cristatus*) 1860, 334
- HARTLAUB, Dr. G., and J. J. MONTEIRO.
 On some Birds collected in Angola. 1860, 109
- HAY, J. H. DRUMMOND, C.B., H. M. Consul-General in
 Morocco, Corr. Memb. Z.S.
 Letter offering to present Gazelles, and promising
 to transmit the Reptiles found in the neighbourhood
 of Tangier 1849, 62
- HAY, Major W. E., F.Z.S., &c.
 Notes on the Kiang of Thibet (*Equus kiang*) 1859, 353
- HEDDLE, ROBERT.
 On a Whale of the Genus *Physalus*, Gray, captured
 in Orkney 1856, 187
- HERRMANNSEN, Dr., of Kiel.
 On some Genera of Shells, established in 1807 by
 the late H. F. Link 1851, 228
- HEWITSON, W. C., F.Z.S.
 Description of a New Species of Butterfly, of the
 Genus *Agrias* 1848, 45
 Description of a New Species of *Satyridæ*. 1848, 115
 Descriptions of some Butterflies from the Collection
 of Mr. Wallace 1858, 464
 Descriptions of Butterflies from the Collection of
 Mr. Wallace 1859, 422
- HILL, RICHARD.
 Letter relating to the subject of procuring Reptiles
 for the Society from Jamaica 1849, 91

- HODGSON, BRIAN HOUGHTON, Corr. Memb. Z.S.**
 On the Géographical Distribution of the Mammalia
 and Birds of the Himalaya..... 1855, 124
- HOLDSWORTH, E. W. H., F.L.S., F.Z.S., &c.**
 Description of a New Sea Anemone 1855, 85
 Description of Two New Species of *Actinia* from the
 South Coast of Devon..... 1855, 235
 Description of a New Species of *Actinia* from the
 Devonshire Coast..... 1856, 172
 On *Electra verticillata*, with a Notice of its different
 Forms of Growth..... 1858, 306
 On *Zoanthus couchii*, Johnston 1858, 557
 Some additional observations on *Zoanthus couchii*.. 1859, 124
 On the Development of *Aurelia aurita*, in the So-
 ciety's Aquaria 1859, 201
- HORA, J. H.**
 Exhibition of a Female Specimen of *Ovis gmelinii*
 from Tauri, in the Persian Gulf..... 1849, 91
- HORSFIELD, THOMAS, M.D., F.R.S., &c.**
 Catalogue of a Collection of Mammalia from Nepal,
 Sikkim, and Thibet, presented to the Hon. East India
 Company by B. H. Hodgson, Esq. 1856, 393
- HUTTON, Major THOMAS.**
 Extract from a Letter addressed to Adam White,
 Esq., dated Mussoree, Nov. 27, 1855 1856, 5
- HUXLEY, G., R.N.**
 Description of the Animal of *Trigonia*, from actual
 dissection, with an Introductory Note by Prof. E.
 Forbes, F.R.S. 1849, 30
- HUXLEY, THOMAS H., F.R.S., F.L.S., F.Z.S.**
 On the Anatomy and Development of *Echinococcus*
veterinorum..... 1852, 110

JONAS, Dr.

- Description of a New Species of the Genus *Thracia*.
 Communicated by Hugh Cuming, Esq. 1849, 170

JONES, J. MATTHEW, F.L.S.

- Extract from the Bermuda 'Royal Gazette,' relating
 to the recent capture of a large Species of *Gymnetrus* 1860, 185

KAUP, Dr. J., Director of the Museum of Darmstadt.

- Description of some New Birds in the Museum of
 the Earl of Derby 1851, 39
 On the Classification of the *Strigidæ* 1852, 88
 On *Nemophis*, a New Genus of Ribband-shaped
 Fishes 1858, 168
 Description of a New Species of Fish, *Peristethus*
rieffelii 1859, 103

KELAART, Dr. W. C., F.L.S., Corr. Memb.

- Letter 1849, 91
 Catalogue of the Mammalia of Ceylon 1850, 155

KEPPEL, Hon. Capt., R.N.

- Letter relating to a Young Female Urang Utan .. 1849, 106

KREFFT, GERARD. †

- A few Remarks on the Habits and Economy of the
 Brown-capped *Pomatorhinus* (*P. ruficeps*, Hartlaub) 1858, 352

LAYARD, EDGAR L., F.Z.S., &c.

- Observations on the Genus *Paludomus* of Swainson,
 with descriptions of several New Species, and the
 description of a New Species of *Anculotus*. 1854, 87

LEA, ISAAC, LL.D.

- Description of Five New Species of *Anodontæ*, col-
 lected by H. Cuming, Esq., in the East Indies 1850, 197

LEA, ISAAC and HENRY C.

Description of a New Genus of the Family *Melania*, and of many New Species of the Genus *Melania*, chiefly collected by Hugh Cuming, Esq., during his Zoological Voyage to the East, and now first described 1850, 179

LEADBEATER, B., F.Z.S.

Exhibition of some Heads and Antlers of the American Wapiti Stag, and three Specimens of Buffon's Skua. 1860, 322

LEYCESTER, A. A.

Notes on the Habits of *Menura albertii*, in a letter addressed to John Gould, Esq. 1860, 113

LOWE, REV. R. T., M.A., Corr. Memb. Z.S.

An account of Fishes discovered or observed in Madeira since the year 1842 1850, 247

Catalogus Molluscorum Pneumonatorum Insularum Maderensium : or a List of all the Land and Fresh-water Shells, Recent and Fossil, of the Madeiran Islands : arranged in Groups according to their Natural Affinities : with Diagnoses of the Groups, and of the new or hitherto imperfectly defined Species 1854, 16

LYALL, DAVID, M.D., R.N.

On the Habits of *Strigops habroptilus*, or Kakapo 1852, 31

MACDONALD, Professor.

On the Vertebral Homologies as applicable to Geology 1848, 139

Exhibition of Diagrams illustrative of a New Scheme of Zoological Classification 1860, 303

MACK, Mr.

Remarks on the fact of Black Eggs being laid by a White Duck (communicated by Mr. Oswald) 1851, 192

MANTELL, Dr., F.R.S., &c.

- Notice of the Discovery by Mr. Walter Mantell in the Middle Island of New Zealand of a living specimen of the Notornis, a Bird of the Rail family allied to *Brachypteryx*, and hitherto unknown to Naturalists, except in a fossil state. 1850, 209

MARTENS, Dr. EDUARD VON.

- On the Mollusca of Siam (communicated by Dr. A. Günther, For. Memb.) 1860, 6

MELVILLE, Dr., M.R.C.S.

- On the Ideal Vertebra. 1848, 145
 Continuation of his Observations concerning the Ideal Vertebra. 1849, 11
 Oral exposition of Dr. Kaup's views of the Natural Arrangement of Birds 1849, 94

METCALFE, W.

- An enumeration of Species of recent Shells, received by W. J. Hamilton, Esq., from Borneo, in November 1850, with descriptions of the New Species 1851, 70

MEVES, M. W., Conservator at the Zoological Riks-Museum in Stockholm.

- On the Snipe's "Neighing" or Humming Noise, and on its Tail-feathers' Systematic Value. Translated and communicated by John Wolley, jun., Esq., F.Z.S., &c. 1858, 199

MITCHELL, D.W., B.A., F.L.S.

- Notice of a Hybrid Crowned Pigeon, hatched in the Menagerie 1849, 170
 Notice of a Hybrid Pigeon, between *Ectopistes migratorius* ♂ and *Turtur risorius* ♀ 1849, 172
 Notice of a Hybrid Bull 1849, 172
 On the Indian Pheasants bred in the Menagerie . . 1858, 544

MOORE, FREDERIC, Assistant Mus. East India Company.

- A Monograph of the Genus *Ruticilla*, with descriptions of some New Species 1854, 25
- Descriptions of some New and little-known Species of Birds from Northern India, contained in the Museum of the Honourable East India Company 1854, 74
- Notice of the Species of the Genus *Orthotomus* of Horsfield, with descriptions of a New Species and of those hitherto known 1854, 78
- Notice of a New Indian Swallow 1854, 104
- Notice of some New Species of Birds contained in the Museum of the Honourable East India Company 1854, 104
- Notice of all the known Species of the Genus *Acentor*, with the descriptions of an uncharacterized Species from Nepal 1854, 116
- Descriptions of Three New Species of Titmice 1854, 139
- Notice of some imperfectly known Species of Birds contained in the Museum of the Honourable East India Company 1854, 141
- List of Malayan Birds collected by Theodore Cantor, Esq., M.D., with descriptions of the imperfectly known Species 1854, 258
- Descriptions of Two New Species of the Genus *Orthotomus* 1854, 309
- Notice of some New Species of Birds 1855, 215
- Descriptions of some New Species of Lepidopterous Insects from Northern India 1857, 102
- Monograph of the Asiatic Species of *Neptis* and *Athyma*, two genera of diurnal Lepidoptera belonging to the Family *Nymphalidæ* 1858, 3
- Descriptions of some Asiatic Lepidopterous Insects belonging to the tribe *Bombyces* 1859, 197
- Synopsis of the known Asiatic Species of Silk-producing Moths, with descriptions of some New Species from India 1859, 237

	Page
MOORE, FREDERIC, Assist. Mus. E.I.C. (continued).	
Notice of a rare Asiatic Pigeon	1859, 400
List of Malayan Birds collected by Theodore Cantor, M.D., with Descriptions of imperfectly known Species	1859, 443
MOORE, THOMAS J., Keeper of the Derby Museum, Liverpool.	
List of Mammals and Birds collected by Mr. Joseph Leyland in Honduras, Belize, and Guatemala	1859, 50
MÖRCH, OTTO A. L., of Copenhagen.	
Review of the Genus <i>Tenagodus</i> , Guettard	1860, 400
MURCHISON, Sir R. I., G.C.St.S., &c.	
Letter relating to the Aurochs	1849, 32
MURRAY, Hon. C. A., H. M. Consul-General in Egypt.	
Letters relating to Collections made in Egypt	1849, { 33 64 106
Letter relating to a Hippopotamus presented to the Society by H. H. Abbas Pasha	1849, 163
NEWCOMB, W., M.D., &c.	
Descriptions of seventy-nine New Species of <i>Achatinella</i> , Swainson, a genus of Pulmoniferous Mollusks, in the Collection of Hugh Cuming, Esq.	1853, 128
Abstract of descriptions of some Animals of <i>Achatinella</i> , and other Remarks	1854, 310
NEWMAN, EDWARD, F.L.S., &c.	
First Thoughts on a Physiological Arrangement of Birds	1850, 46
A few words on the Synonymy of <i>Distichocera</i> , a genus of Longicorn Coleoptera from New Holland, with Characters of Three Species supposed to be undescribed	1851, 75

NEWTON, ALFRED, M.A., F.Z.S., &c.

Note on the supposed Occurrence of the <i>Hirundo bicolor</i> of North America in England.....	1860, 131
On some Hybrid Ducks	1860, 336
Remarks on the <i>Anas (Anser) erythropus</i> , Linn....	1860, 339
Notice of the recent Discovery of Bones, supposed to be those of the Dodo	1860, 443

NICHOLSON, Dr., H. E. I. C. Medical Service.

Note on a New Species of Francolin	1851, 128
Notes on an undescribed Species of Tailor-Bird ..	1851, 194
Notes on a New Species of <i>Artamus</i> from India ..	1851, 195

OWEN, Professor RICHARD, M.D., F.R.S., F.Z.S., Director of the Nat. Hist. Depart., British Museum.

On the Remains of the Gigantic and presumed extinct Wingless or Terrestrial Birds of New Zealand ..	1848, 1
On a New Species of Chimpanzee	1848, { 27 53
Notes on the Anatomy of the Male Aurochs.....	1848, 126
On the Gigantic Wingless Birds of New Zealand ..	1850, 45
On the Cranium of the large Species of <i>Dinornis</i> called <i>giganteus</i> and <i>ingens</i>	1850, 208
On a New Species of Pterodactyle (<i>Pterodactylus compressirostris</i> , Owen) from the Chalk; with some Remarks on the Nomenclature of the previously described Species.....	1851, 21
On the Anatomy of the Wart Hog (<i>Phacochærus pallasi</i> , Van der Hoeven)	1851, 63
On the Skeleton of <i>Troglodytes gorilla</i>	1851, 263
On the Capacity of the Cranium in the Negro, the Orang, and the Gorilla	1851, 264

OWEN, PROFESSOR RICHARD, F.R.S., &c. (*continued*).

Notes on the Eggs and Young of the <i>Apteryx</i> , and on the Casts of the Eggs and certain Bones of the <i>Æpyornis</i> (Isid. Geoffroy), recently transmitted to the Zoological Society of London	1852,	9
Notes on the Anatomy of the Tree-Kangaroo (<i>Dendrolagus inustus</i> , Gould)	1852,	103
On the Anatomy of the Walrus	1853,	103
On the Anatomy of the Great Anteater (<i>Myrmecophaga jubata</i>)	1854,	154
On the Bones of the Leg of <i>Dinornis</i> (<i>Palapteryx</i>) <i>struthioides</i> and the <i>Palapteryx gracilis</i>	1854,	244
On <i>Dinornis</i> (Part 7) : containing a Description of the Bones of the Leg and Foot of the <i>Dinornis elephantopus</i> , Owen	1856,	54
Osteological Contributions to the Natural History of the Chimpanzees and Orangs (<i>Troglodytes Pithecus</i>). No. 6	1856,	369
On the Anatomy of the Great Anteater (<i>Myrmecophaga jubata</i> , Linn.)	1857,	22
On the Gorilla (<i>Troglodytes gorilla</i> , Sav.)	1859,	1

PARKER, W. K., F.R.C.S.

Abstract of Notes on the Osteology of <i>Balaniceps rex</i>	1860,	324
---	-------	-----

PARLBY, Major.

Notice of the Capture of <i>Orthagoriscus mola</i> off the Chesil Bank, Dorsetshire	1849,	6
---	-------	---

PEASE, W. HARPER.

Descriptions of New Species of Mollusca from the Sandwich Islands. Part I.	1860,	18
Descriptions of New Species of <i>Planariidæ</i> collected in the Sandwich Islands	1860,	37

PEASE, W. HARPER (*continued*).

Descriptions of New Species of Mollusca from the Sandwich Islands. Part II. 1860, 141

Descriptions of Three Species of Marine Shells from the Pacific Ocean. 1860, 189

Descriptions of Seventeen New Species of Marine Shells, from the Sandwich Islands, in the Collection of H. Cuming, Esq. 1860, 397

Descriptions of Forty-seven New Species of Shells, from the Sandwich Islands, in the Collection of H. Cuming, Esq. 1860, 431

Descriptions of Six New Species of Land Shells, from Ebon, Marshall's Group, in the Collection of H. Cuming, Esq. 1860, 439

PEGUS, Lieut.

On the Habits of the Mungoos (*Herpestes griseus*) 1852, 89

PETHERICK, JOHN, Corr. Memb. Zool. Soc., F.R.G.S.,
H. M. Consul in the Soudan.

Exhibition of the Head and Horns of a rare Antelope from Central Africa 1860, 193

Memoranda on the Hippopotamus and *Balaniceps* recently imported into England, and now in the Gardens of the Society 1860, 195

PFEIFFER, DR. LOUIS.

Descriptions of Twenty-three New Species of *Vitrina* 1848, 104

Descriptions of Twenty-nine New Species of *Helicina* 1848, 119

Descriptions of Twenty-four New Species of *Helicea*, from the Collection of Hugh Cuming, Esq. 1849, 126

Descriptions of Twelve New Species of *Vitrina* and *Succinea*, from the Collection of H. Cuming, Esq. . . 1849, 132

Descriptions of Thirty New Species of *Tornatellina*, *Cylindrella*, and *Clausilia*, from the Collection of Hugh Cuming, Esq. 1849, 134

PFEIFFER, DR. LOUIS (*continued*).

Description of a new <i>Pupina</i> and two new <i>Helicinas</i> , from the Collection of H. Cuming, Esq.	1850, 97
Descriptions of New Land Shells from the Collection of H. Cuming, Esq.	1851, 147
Descriptions of Forty-three New Species of <i>Cyclostomacea</i> , from the Collection of H. Cuming, Esq. ..	1851, 242
Descriptions of Fifty-four New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1851, 252
Descriptions of Sixty-six New Land Shells, from the Collection of H. Cuming, Esq.	1852, 56
Descriptions of Eighteen New Species of Land Shells, from the collection of H. Cuming, Esq.	1852, 83
Descriptions of Fourteen New Species of Land Shells, from the Collection of H. Cuming, Esq.	1852, 135
Descriptions of Twenty-four New Species of Land Shells, collected by M. Sallé on the Island of St. Domingo, from Mr. Cuming's Collection	1852, 138
Descriptions of Fourteen New Species of Operculated Land Shells from Mr. Cuming's Collection	1852, 144
Descriptions of Twelve Species of Land Shells, from New Zealand	1852, 147
Descriptions of Eight Species of Land Shells, from the Island of Mauritius	1852, 149
Descriptions of Nineteen New Species of Land Shells, collected by M. Bourcier, Consul-General, Quito	1852, 151
Descriptions of Eighteen New Species of Land Shells, from the Collection of H. Cuming, Esq.	1852, 156
Descriptions of Twenty-three New Species of Land Shells, from the Collection of Hugh Cuming, Esq. ..	1853, 48
Descriptions of Eighteen New Species of Land Shells, from the Collections of Mr. Dennison and Mr. Cuming	1853, 57

PFEIFFER, DR. LOUIS (*continued*).

Descriptions of Nineteen New Species of <i>Helicea</i> , from the Collection of Hugh Cuming, Esq.	1853, 124
Descriptions of Forty-two New Species of <i>Helix</i> , from the Collection of H. Cuming, Esq.	1854, 49
Descriptions of Four New Species of <i>Bulimus</i> , from the Collection of H. Cuming, Esq.	1854, 57
Descriptions of Six New Species of <i>Auriculacea</i> , from the Collection of H. Cuming, Esq.	1854, 121
Descriptions of Sixteen New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1854, 122
Descriptions of Eleven New Species of <i>Cyclostomacea</i> , from the Collection of H. Cuming, Esq.	1854, 126
Descriptions of Twenty-three Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1854, 145
Descriptions of Seven Species of <i>Cyclostomacea</i> and <i>Auriculacea</i> , from Mr. Cuming's Collection	1854, 150
Descriptions of Fifty-seven New Species of <i>Helicea</i> , from Mr. Cuming's Collection	1854, 286
Descriptions of Three New Species of <i>Pythia</i>	1854, 298
Descriptions of Eighteen New Species of <i>Cyclosto-</i> <i>macea</i> , from Mr. Cuming's Collection	1854, 299
A Monograph of the Genera <i>Realia</i> and <i>Hydrocena</i>	1854, 304
Descriptions of Twenty-seven New Species of <i>Acha-</i> <i>tinella</i> , from the Collection of H. Cuming, Esq., col- lected by Dr. Newcomb and Mons. D. Frick in the Sandwich Islands.	1855, 1
Descriptions of Nine New Species of Land Shells, also from the Collection of Mr. Cuming	1855, 7
Descriptions of Forty-seven New Species of <i>Helicea</i> , from the same Collection	1855, 91
Description of a New Genus and Twenty-three New Species of <i>Pneumonopoma</i> , from the same Collection .	1855, 101
Descriptions of Nine New Species of <i>Helicea</i> , from the same Collection	1855, 106

PFEIFFER, DR. LOUIS (*continued*).

Descriptions of Thirty-eight New Species of Land Shells, from the same Collection.....	1855, 111
Descriptions of Twenty-three New Species of <i>Achatinella</i> , collected by Mons. D. Frick in the Sandwich Islands, from the same Collection	1855, 202
Descriptions of Sixteen New Species of <i>Achatinella</i> , collected by Dr. Newcomb in the Sandwich Islands, from the same Collection	1855, 207
Descriptions of Five New Species of Terrestrial Mollusca, from the same Collection	1855, 210
Descriptions of Twenty-five New Species of Land Shells, from the Collection of H. Cuming, Esq.	1856, 32
Descriptions of Twenty-seven New Species of Land Shells collected by M. Sallé in the State of Vera Cruz, Mexico.....	1856, 318
Descriptions of Fifty-eight New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1856, 324
Descriptions of Sixteen New Species of <i>Pneumopoma</i> , from the Collection of H. Cuming, Esq.....	1856, 336
Descriptions of Nineteen New Species of Land Shells, from the Collection of H. Cuming, Esq., collected by M. Ghiesbreght at Chiapa, Mexico	1856, 377
Descriptions of Eighteen New Species of Land Shells, collected on the Admiralty Islands, from the Collection of H. Cuming, Esq.	1856, 381
Descriptions of Thirty-three New Species of Land Shells, from the Collection of H. Cuming, Esq.	1856, 385
Descriptions of Two New Species of <i>Melampus</i> , from Mr. Cuming's Collection.....	1856, 393
Descriptions of Thirty-one New Species of Land Shells, from the Collection of H. Cuming, Esq.	1857, 107
Descriptions of Eleven New Species of Land Shells, from the Collection of H. Cuming, Esq.	1858, 20
Descriptions of Ten New Species of <i>Bulimus</i> , from the Collection of Hugh Cuming, Esq.	1858, 256

PFEIFFER, Dr. LOUIS (*continued*).

Descriptions of Twenty-seven New Species of Land Shells, from the Collection of H. Cuming, Esq.	1859,	23
Descriptions of Two New Species of <i>Melampus</i> , from the same Collection	1859,	29
Descriptions of Eight New Species of <i>Achatinella</i> , from the same Collection	1859,	30
Descriptions of Thirty-six New Species of Land Shells, from the Collection of Hugh Cuming, Esq. ..	1860,	133

PHILIPPI, Dr.

Descriptioes Naticarum quarundam novarum ex collectione Cumingiana	1851,	233
--	-------	-----

PHILIPPS, Rev. T.

Notes on the Habits of some Birds observed in the Plains of N.W. India in 1849 (communicated by Frederic Moore) ;.....	1857,	85
--	-------	----

PRIME, TEMPLE, of New York.

Descriptions of New Shells from the Collection of Hugh Cuming, Esq.	1860,	319
--	-------	-----

PROUDFOOT, Mr.

Note on <i>Tragelaphus angasii</i>	1850,	199
--	-------	-----

RADDI, Professor.

Exhibition of numerous Preparations illustrative of one of the Processes of his New Method of Preserving Animal Substances	1859,	200
--	-------	-----

REEVE, LOVELL, F.L.S., F.G.S., F.Z.S., &c.

On <i>Fastigiella</i> , a New Genus of Shells of the Lamarckian Family <i>Canalifera</i>	1848,	14
Descriptions of New Species of <i>Turbo</i>	1848,	49
Description of a New Genus of Acephalous Mollusca, of the Family <i>Pectinacea</i>	1848,	133

REEVE, LOVELL, F.L.S., F.G.S., F.Z.S., &c. (*continued*).

Description of a New Species of <i>Bulimus</i> , from the Collection of A. L. Gubba, Esq., of Havre	1849, 16
Descriptions of Sixteen New Species of <i>Bulimus</i> , in the Collection of H. Cuming, Esq., discovered by Mr. W. Lobb in the Andes of Peru '.....	1849, 96
Description of a New Species of <i>Cytherea</i>	1849, 126
On a New Species of <i>Lymnæa</i> from Thibet	1850, 49
Description of a New Species of <i>Bulimus</i> from Australia	1851, 198
Description of a New Species of <i>Helix</i> from Van Diemen's Land	1852, 31
Descriptions of New Species of <i>Paludomus</i> , a Genus of Freshwater Mollusks	1852, 126
Description of a New Volute from New Caledonia..	1854, 73
Description of Three New Volutes from the Collections of the Hon. Mrs. Cathcart and Mr. Cuming ..	1856, 2
Descriptions of Seven New Shells from the Collection of the Hon. Sir David Barclay, of Port Louis, Mauritius.....	1857, 207
Descriptions of Two New Species of <i>Bulimus</i> from the Collection of Mrs. De Burgh	1859, 123
A Commentary on M. Deshayes's Revision of the Genus <i>Terebra</i>	1860, 448

REHÜLLER, M.

On the Capture of <i>Delphinus orca</i> in South Greenland	1853, 103
--	-----------

REINHARDT, Professor J., For. M.Z.S.

On the Affinities of <i>Balaniceps</i>	1860, 377
--	-----------

RICHARDSON, Sir JOHN, M.D., C.B., F.R.S.L. & E., &c.

Notices of Australian Fishes	1850, 58
On some Fishes from Asia Minor and Palestine ..	1856, 371
On <i>Siphonognathus</i> , a New Genus of <i>Fistulariidae</i> ..	1857, 237

RÖMER, DR. E., of Cassel.

- Descriptions of New Species of the Genera *Dosinia* and *Cyclina* from the Collection of Hugh Cuming, Esq. 1860, 117

SALLÉ, M. AUGUSTE.

- Liste des Oiseaux rapportés et observés dans la République Dominicaine (ancienne partie Espagnole de l'île St. Domingue ou d'Haiti), par M. A. Sallé, pendant son voyage de 1849 à 1851 1857, 230

SALMON, JOHN D., F.L.S., F.Z.S.

- Exhibition of a Specimen of Baillon's Crake, with Seven Eggs 1858, 560

SALVIN, OSBERT, M.A., F.Z.S.

- Exhibition of the Eggs of the Quesal (*Pharomacrus paradiseus*) 1860, 374
- On the Reptiles of Guatemala 1860, 451

SANDWICH, HUMPHREY, C.B.

- Notice of the Habits of the Aye-Aye of Madagascar (*Chiromys madagascariensis*) 1859, 111

SCHIÖDTE, M.

- On some *Staphylinidæ* found in the Nests of *Termites* 1853, 101

SCHLAGINTWEIT, HERMANN.

- Exhibition of Specimens of Heads of a Sheep from Thibet, showing a curious modification in the form of the Horns 1859, 350

SCHLEGEL, DR. H., Curator of the Royal Zoological Museum, Leyden.

- Description of a New Genus of Batrachians from Swan River (extracted from a Letter to J. E. Gray, Esq.) 1850, 9
- PROC. ZOOL. SOC. INDEX, 1848-60. 4

SCLATER, PHILIP LUTLEY, Ph.D., M.A., F.R.S., F.L.S.,
Secretary to the Society.

On Two New Species of Birds of the Genus <i>Tæniop- ptera</i>	1851, 193
On Two New Species of South American Birds ..	1852, 34
On some New Species of <i>Dendrocolaptes</i>	1853, 68
Descriptions of New Species of <i>Bucconidæ</i>	1853, 122
Characters of some New or imperfectly described Species of Tanagers	1854, 95
List of a Collection of Birds received by Mr. Gould from the Province of Quijos in the Republic of Ecuador	1854, 109
Description of Two New Tanagers in the British Museum	1854, 157
Description of a New Tanager of the Genus <i>Calliste</i>	1854, 248
Description of a second Species of the Genus <i>Proce- nias</i>	1854, 249
On Two New Species of <i>Dacnis</i> , and on the General Arrangement of the Genus	1854, 251
Descriptions of Six New Species of the Subfamily <i>Formicarinæ</i>	1854, 253
On the Genus <i>Culicivora</i> of Swainson, and its com- ponent Species	1855, 11
Remarks on the Arrangement of the Jacamars (<i>Gal- bulidæ</i>), with Descriptions of some New Species	1855, 13
Characters of Six New Species of the Genus <i>Tham- nophilus</i>	1855, 18
Note on the Sixteen Species of Texan Birds named by Mr. Giraud, of New York, in 1841	1855, 65
On a New Species of the Genus <i>Todirostrum</i> of Lesson	1855, 66
On some New or little-known Species of Birds in the Derby Museum at Liverpool.....	1855, 74

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Descriptions of Four New or little-known Tanagers	1855,	83
Descriptions of some New Species of Ant-Thrushes (<i>Formicariinæ</i>) from Santa Fé di Bogota	1855,	88
Descriptions of some New Species of Birds from Santa Fé di Bogota.	1855,	109
On the Birds received in collections from Santa Fé di Bogota.	1855,	131
Characters of some apparently New Species of <i>Bucconidæ</i> , accompanied by a Geographical Table of the Family	1855,	193
Note on the Genus <i>Legriocinclus</i> , Lesson, and its Synonyms	1855,	212
Description of a newly discovered Tanager of the Genus <i>Buarremon</i>	1855,	214
Characters of Two New Species of Tanagers	1855,	227
Note on the Zoological Appendix to the 'Report of the U. S. Naval Astronomical Expedition to the Southern Hemisphere,' and on the Geographic Range and Distribution of the Tanagrine Genera <i>Calliste</i> and <i>Euphonia</i>	1856,	18
On some additional Species of Birds received in collections from Bogota	1856,	25
Note on <i>Psaltria flaviceps</i> , a third American Species of the Parine Genus <i>Psaltria</i>	1856,	37
Synopsis Avium Tanagrarum.—A Descriptive Catalogue of the known Species of Tanagers	1856,	{ 64 108 230
Note on <i>Buglodytes albicilius</i> , Bp.	1856,	97
On some New or Imperfectly-known Species of <i>Synallaxis</i>	1856,	97
List of Mammals and Birds collected by Mr. Bridges in the vicinity of the town of David, in the province of Chiriqui, in the State of Panama	1856,	138
Note on some Birds from the Island of Ascension. .	1856,	144

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

On the Species of the American Genus <i>Parra</i>	1856, 282
Catalogue of Birds collected by M. Auguste Sallé in Southern Mexico, with Descriptions of New Species . .	1856, 283
On a New Tanager of the Genus <i>Calliste</i>	1856, 311
Notes on the Birds in the Museum of the Academy of Natural Sciences of Philadelphia, and other Collections in the United States of America	1857, 1
Further Additions to the List of Birds received in Collections from Bogota	1857, 15
Characters of some apparently New Species of American Ant-Thrushes	1857, 46
Description of a New Tanager of the Genus <i>Euphonia</i>	1857, 66
Review of the Species of the South American Sub-family <i>Tityrinæ</i>	1857, 67
On <i>Parus meridionalis</i> and some other Species mentioned in the Catalogue of Birds collected by M. Sallé in Southern Mexico	1857, 81
On Three New Species of the Genus <i>Todirostrum</i>	1857, 82
List of Birds collected by Mr. Thomas Bridges, Corr. Memb., in the Valley of San José, in the State of California	1857, 125
Note on the Upland Goose	1857, 128
Descriptions of Twelve New or little-known Species of the South American Family <i>Formicariidæ</i>	1857, 129
List of Additional Species of Mexican Birds obtained by M. Auguste Sallé from the environs of Jalapa and S. Andres Tuxtla	1857, 201
On a collection of Birds made by Signor Matteo Botteri in the vicinity of Orizaba in Southern Mexico	1857, 210
Notes on an unnamed Parrot from the Island of St. Domingo, now living in the Society's Gardens; and on some other Species of the same Family	1857, 224

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

On a Collection of Birds received by M. Sallé from Southern Mexico	1857, 226
Review of the Species of the Fissirostral Family <i>Momotidæ</i>	1857, 248
On a Collection of Birds transmitted by Mr. H. W. Bates from the Upper Amazon	1857, 261
Description of Eleven New Species of Birds from Tropical America	1857, 271
Notes on Californian Birds. By Thomas Bridges, Corresponding Member. Communicated, with Remarks, by Mr. Selater	1858, 1
Notes on a Collection of Birds received from M. Verreaux, of Paris, from the Rio Napo, in the Republic of Ecuador	1858, 59
Notes on some Birds from Southern Mexico	1858, 95
On some New or little-known Species of <i>Accipitres</i> , in the Collection of the Norwich Museum	1858, 128
Note on the Variation of the Form of the Upper Mandible in a Rapacious Bird	1858, 150
Synopsis of the American Ant-birds (<i>Formicariidæ</i>). Part I., containing <i>Thamnophilinæ</i>	1858, 202
——. Part II., containing the <i>Formicivorinæ</i> , or Ant-Wrens	1858, 232
——. Part III., containing the <i>Formicariinæ</i> , or Ant-Thrushes	1858, 272
Additional Note on the Upland Goose (<i>Chloephaga magellanica</i>)	1858, 289
On some New or little-known Species of Tanagers, from the Collection of M. Verreaux, of Paris	1858, 293
On a Collection of Birds received by M. Auguste Sallé from Oaxaca in Southern Mexico	1858, 294
Descriptions of a New Species of the Genus <i>Buteo</i> , from Mexico	1858, 356

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

- List of Birds collected by George Cavendish Taylor, Esq., in the Republic of Honduras 1858, 356
- Characters of Five New Species of American Birds 1858, 446
- List of Birds collected by Mr. Louis Fraser at Cuenca, Gualaquiza and Zamora, in the Republic of Ecuador 1858, 449
- On Two New Species of Ant-birds in the Collection of the Derby Museum, Liverpool 1858, 540
- Note on the Genus *Cichlopsis* of Cabanis 1858, 541
- On the Birds collected by Mr. Louis Fraser in the vicinity of Riobamba, in the Republic of Ecuador .. 1858, 549
- Descriptions of New Species of the American Family *Tyrannidæ* 1859, 40
- Description of a New Species of Owl of the Genus *Ciccaba* 1859, 131
- Note on the Spur-winged Geese (*Plectropterus*) now living in the Society's Gardens 1859, 131
- List of the First Collection of Birds made by Mr. Louis Fraser at Pallatanga, Ecuador, with Notes and Descriptions of New Species 1859, 135
- On some New Species of *Synallaxis*, and on the Geographical Distribution of the Genus..... 1859, 191
- Exhibition of two rare Species of Arctic Birds, *Colymbus adamsi* and *Eurinatorhynchus pygmaeus* 1859, 201
- A Record of the Number of Days of Incubation of Birds which breed in the Society's Gardens 1859, 205
- Remarks on exhibiting specimens of Two Species of Divers (*Colymbus*) from Mr. Gurney's Collection.. 1859, 206
- On a Collection of Birds from Vancouver's Island.. 1859, 235
- A Synopsis of the Thrushes (*Turdidæ*) of the New World 1859, 321
- Exhibition of an Egg laid by the Apteryx (*A. mantelli*) which had been living in the Gardens since 1852 1859, 350

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Exhibition of Eggs of *Grus montignesia*, *G. virgo*,
and *G. cinerea*, also of an Egg of *Balæniceps rex*. . . . 1859, 353

On a series of Birds collected in the vicinity of
Jalapa in Southern Mexico 1859, 362

List of Birds collected by M. A. Boucard in the
State of Oaxaca in South-western Mexico, with De-
scriptions of New Species 1859, 369

On some New or little-known Birds from the Rio
Napo 1859, 440

On some Hybrid Ducks bred in the Society's Gardens 1859, 442

Further Evidence of the Distinctness of the Gambian
and Rüppell's Spur-winged Geese (*Plectropterus gam-
bensis* and *P. rüppellii*) 1860, 38

List of Additional Species of Birds collected by Mr.
Louis Fraser at Pallatanga, Ecuador; with Notes and
Descriptions of New Species 1860, 63

List of Birds collected by Mr. Fraser in the vicinity
of Quito, and during excursions to Pichincha and Chim-
borazo; with Notes and Descriptions of New Species 1860, 73

List of Birds collected by Mr. Fraser in Ecuador,
at Nanegal, Calacali, Perucho, and Puellaro; with
Notes and Descriptions of New Species 1860, 83

Exhibition of a large Horned Owl (*Bubo maximus*,
var.) from Pângkông Lake, Thibet 1860, 99

Note on the Punjab Sheep living in the Society's
Gardens 1860, 126

Additions to the Menagerie during the months of
January and February 1860, 183

Exhibition of *Oreophasis derbianus*; and announce-
ment of the addition of *Sieboldia maxima* and *Balæ-
niceps rex* to the Society's Menagerie 1860, 184

Exhibition of an Egg of the King Vulture, and of a
second Egg of the *Apteryx*. 1860, 193

On the Rheas in the Society's Menagerie, with Re-
marks on the known Species of Struthious Birds . . . 1860, 207

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

On the Black-shouldered Peacock of Latham (<i>Pavo nigripennis</i>)	1860, 221
On the Species of the Genus <i>Prioniturus</i> , and on the Geographical Distribution of the <i>Psittacidae</i> in the Eastern Archipelago	1860, 223
Additions to the Menagerie during the months of March and April.	1860, 242
List of Mammalia collected by Mr. J. J. Monteiro in Angola	1860, 245
Notes on Two Struthious Birds now living in the Society's Gardens	1860, 247
Notes on a Collection of Birds from the Vicinity of Orizaba and neighbouring parts of Southern Mexico. .	1860, 250
Exhibition of a specimen of a New Form of Dormouse (<i>Platacanthomys lasiurus</i>)	1860, 260
List of Birds collected by Mr. Fraser at Babahoyo in Ecuador, with descriptions of New Species	1860, 272
List of Birds collected by Mr. Fraser at Esmeraldas, Ecuador, with descriptions of New Species	1860, 291
Note on the Skull of the Red River-Hog (<i>Potamochoerus penicillatus</i>)	1860, 301
Exhibition of a Male example of the Bimaculated Duck of Yarrell	1860, 303
Description of a New Species of Manakin from Northern Brazil	1860, 312
Description of a New Tyrant-bird of the Genus <i>Elainea</i> from the Island of St. Thomas, West Indies	1860, 313
Exhibition of a Drawing of a species of Rock-Kangaroo just received by the Society from South Australia	1860, 323
Additions to the Menagerie during the month of May	1860, 371
Additions to the Menagerie during the month of June	1860, 372
Note on the Japanese Deer living in the Society's Menagerie	1860, 375
Catalogue of the Birds of the Falkland Islands	1860, 382

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Additions to the Menagerie during the months of July, August, September, and October	1860, 415
Exhibition of Bird-skins from Port Churchill, Hudson's Bay.	1860, 418
Notice of some Rare Species of <i>Quadrumana</i> , now living in the Society's Menagerie	1860, 419
Additions to the Menagerie during the month of November	1860, 442
On the <i>Babirussa</i> and other <i>Suidæ</i> , now living in the Society's Menagerie	1860, 443
Note on the <i>Ovis polii</i> of Blyth	1860, 443
Report on the Indian Pheasants bred in the Society's Menagerie during the years 1858, 1859, and 1860 ..	1860, 444
Characters of Ten New Species of American Birds	1860, 461

SCLATER, PHILIP LUTLEY, Ph.D., M.A., F.R.S., F.L.S.,
Secretary to the Society, and OSBERT SALVIN, M.A.
F.Z.S.

Characters of Eleven New Species of Birds discovered by Osbert Salvin in Guatemala	1860, 298
--	-----------

SCOTT, A. W., M.A., Member of the Legislative Assembly, New South Wales.

On <i>Cystosoma saundersii</i>	1852, 14
On a New Lepidopterous Insect from Australia ..	1859, 207
Description of a species of <i>Perga</i> , or Sawfly	1859, 209

SHAW, A. N., F.Z.S.

Letters relating to Collections made at Bombay ..	1849, { 33 94
---	------------------

SHORTT, Dr., F.Z.S.

Remarks on the Civet Cats of India	1860, 98
--	----------

SIMMONDS, P. L.

- Extract from a letter, announcing the capture of a young female Gorilla 1860, 184

SMITH, J. P. G.

- Note on *Callicthys* and *Anableps* 1850, 53
 On a living *Octopus* (in a letter addressed to Dr. Gray) 1858, 533

SOTHEBY, S. LEIGH.

- Note on a Talking Canary (addressed to Dr. Gray) 1858, 231

SOWERBY, G., F.L.S.

- Description of a New Species of the Genus *Tomigerus* 1849, 14
 Description of Two newly discovered Species of *Cyclostoma* 1849, 15
 Description of Shells in the Collection of Hugh Cuming, Esq. 1859, 428

SOWERBY, G. B., Jun., F.L.S.

- Descriptions of some New Species of *Ovulum* 1848, 135
 Descriptions of some New Species of *Cancellaria* . . 1848, 136
 On a New Genus of *Pholadidæ*, with notices of several New Species, and of a remarkable specimen of *Pholas calva* in Mr. Cuming's Collection 1849, 160

SPEKE, Capt. J. H., 46th B. N. I.

- Notes on the Habits of Two Mammals observed in the Somáli Country, Eastern Africa 1859, 234

STEVENS, SAMUEL.

- Exhibition of two beautiful new Butterflies collected by Mr. Wallace in the Island of Batchian 1859, 351
 Exhibition of Birds and Lepidopterous Insects collected by Mr. Wallace in the Island of Batchian 1860, 1

STEVENSON, Mrs.

Letter 1849, 106

STEWART, THOMAS HOWARD, F.Z.S., M.R.C.S.

Exhibition of specimens of *Corystes cassivelaunus*,
and the Young of *Comatula rosea* 1859, 495

Remarks on the Stomach of the *Potamochærus*
penicillatus 1860, 194

STRICKLAND, H. E., M.A.

On the Habits of a living specimen of *Nanina vitri-*
noides 1848, 142

List of Birds procured in Kordofan by Mr. J. Pe-
therick, with Notes 1850, 214

On some Bones of Birds allied to the Dodo 1852, 75

TAYLOR, E. CAVENDISH, M.A., F.Z.S., &c.

Note on the Eggs of the Frigate Bird and the Cro-
codile of Jamaica. 1858, 318

TEGETMEIER, W. B.

On the remarkable Peculiarities existing in the
Skulls of the Feather-crested variety of the Domestic
Fowl, now known as the Polish 1856, 366

Exhibition of a Collection of Skins of New Va-
rieties of Domestic Fowls, the property of Charles
Darwin, Esq. 1857, 46

Exhibition of Specimens illustrating the differences
produced in the Hens of the Common Pheasant and
Domestic Fowl by disease or degeneration of the Ovary 1857, 81

TEMPLE, ROBERT, Chief Justice of British Honduras.

Letter referring to a species of Peccary 1860, 206

TEMPLETON, R.

Description of a New Species of *Sorex*, from India 1853, 100

THOMASON, Hon. J.

Letter relating to a young Kiang 1848, 62

THOMPSON, Captain J. WYCLIFFE.

Notes on the Gouwa (*Bos frontalis*) of Western
India, called "the Bison" by English residents 1852, 96

THOMPSON, General PERRONET, F.R.S., M.P.

On the *Lepidosiren* (in a note to Dr. Gray) 1858, 535

THOMPSON, WILLIAM.

Description of a New Species of *Corynactis* 1853, 107
Remarks on *Nika edulis*, Risso 1856, 102
Remarks on the British *Actiniadæ* and Re-arrange-
ment of the Genera 1858, 145
On a species of *Eolis*, and also a species of *Loma-
notus* new to science; with the description of a
specimen of *Eolis cærulea* of Montagu 1859, 65

TOMES, JOHN, F.R.S., &c.

On the Blood-coloured Exudation from the Skin of
the Hippopotamus 1850, 160
On the Structure of the Teeth of the American and
Indian Tapirs 1851, 121

TOMES, ROBERT F., Corr. Mem. Z.S.

On the Occurrence and Habits of *Vespertilio emar-
ginatus* 1848, 112
On Three Genera of Vespertilionidæ, *Furipterus*,
Natalus and *Hyonycteris*, with the Descriptions of
Two New Species 1856, 172
Monograph of the Genus *Lasiurus* 1857, 34
Descriptions of Four undescribed Species of Bats . . 1857, 50
On Two Species of Bats inhabiting New Zealand . . 1857, 134
A Monograph of the Genus *Nyctophilus* 1858, 25

TOMES, ROBERT F., Corr. Memb. Z.S. (*continued*).

- On the Characters of Four Species of Bats inhabiting Europe and Asia, and the description of a New Species of *Vespertilio* inhabiting Madagascar 1858, 78
- A Monograph of the Genus *Miniopterus* 1858, 115
- A Monograph of the Genus *Kerivoula* 1858, 322
- On the *Vespertilio suillus* of Temminck, the type of the Genera *Murina* (Gray) and *Ocyptes* (Lesson) .. 1858, 367
- Notes of Five Species of Bats in the Collection of L. L. Dillwyn, Esq., M.P., collected in Labuan by Mr. James Motley 1858, 536
- Notes on a Collection of Mammalia made by Mr. Fraser at Gualaquiza 1858, 546
- Description of Six hitherto undescribed Species of Bats 1859, 68
- A Monograph of the Genus *Epomophorus*, with the Description of a New Species 1860, 42
- Description of a New Species of Opossum, obtained by Mr. Fraser in Ecuador 1860, 58
- Notes on a Second Collection of Mammalia made by Mr. Fraser in the Republic of Ecuador 1860, 211
- Notes on a Third Collection of Mammalia made by Mr. Fraser in the Republic of Ecuador 1860, 260
- Additional Note on *Didelphys waterhousii* 1860, 303

TORRENS, H., B.A., V.P.As.Soc. Bengal.

- On Native Impressions regarding the Natural History of certain (Indian) Animals 1855, 129

TRISTRAM, Rev. H. B., Corr. Memb. Z.S.

- Exhibition of some Mammals, Reptiles, Batrachians, and Fishes collected in the Algerian Sahara .. 1859, 353
- Notes on the Reptiles and Fishes of the Sahara .. 1859, 475

TURNER, H. N., Jun.

- Observations on some of the Foramina at the Base of the Skull in Mammalia, and on the Classification of the Order *Carnivora* 1848, 63
- Notes on the dissection of *Paradoxurus typus* and of *Dipus ægyptius* 1849, 24
- On the Evidences of Affinity afforded by the Skull in the Ungulate Mammalia 1849, 147
- Contributions to the Anatomy of the Tapir 1850, 102
- On the Generic Subdivision of the *Bovidæ*, or Hollow-horned Ruminants 1850, 164
- Note on the Suborbital Gland of the Nylghau 1851, 116
- On the Change of Colour in a Chameleon (*Chamæleo vulgaris*) 1851, 203
- On the Arrangement of the Edentate Mammalia 1851, 205

TWEEDIE, J. N., Corr. Memb. Z.S.

- Letter relating to Collections made at Hayti 1849, 33

TYLER, Lieut. R.E.

- Letters 1849, { 64
94
106
- Notes on the Serpents of Santa Lucia; communicated by the Secretary 1849, 100
- On the Iguana of Santa Lucia 1850, 106

VAN DER HOEVEN, J.

- Contributions to the knowledge of the Animal of *Nautilus pompilius* 1850, 1

VEKEMANS, M.

- Letter 1849, 33

VERREAUX, M. JULES, Corr. Memb. Z.S.

- Note sur un Genre des Oiseaux de Proie 1856, 145
- Note sur le Messager ou Serpenteaire du Cap du Bonne-Espérance (*Serpentarius reptilivorus*, Daud.). 1856, 348

VERREAUX, M. JULES, Corr. Memb. Z.S. (*continued*).

- Description d'une nouvelle espèce de Barbu de l'Afrique occidentale 1859, 393

VON DEM BUSCH, Dr.

- On some New Freshwater Shells from Ecuador and New Granada, in the Collection of H. Cuming, Esq. 1859, 167

WALLACE, ALFRED R.

- On the Umbrella Bird (*Cephalopterus ornatus*); communicated by Mr. S. Stevens 1850, 206
- On the Monkeys of the Amazon 1852, 107
- On some Fishes allied to *Gymnotus* 1853, 75
- Extract from a letter received by Mr. S. Stevens from Mr. Wallace, dated Batchian, October 29, 1858, referring to a new Bird of Paradise 1859, 129
- Notes on *Semioptera wallacii*, Gray, from a Letter addressed to John Gould, Esq., dated Amboyna, Sept. 30, 1859..... 1860, 61

WALLICH, G. C., M.D.

- Note on a New Preservative Process 1858, 536

WALPOLE, The Hon. F., Lieut. R.N.

- Notes on the *Didunculus*, a species of Pigeon, supposed to be peculiar to the Navigators' Islands 1852, 87

WALTER, H. F., F.Z.S.

- On the Eggs of *Otogyps* and *Prosthemadera*..... 1853, 192

WATERHOUSE, G. R.

- Description of a New Species of *Tupaia*, discovered in Continental India by W. Elliot, Esq. 1849, 106

WESTERMANN, M.

- Letter 1849, 33

WESTWOOD, J. O., F.L.S.

Monograph of the large African Species of Nocturnal *Lepidoptera* belonging or allied to the Genus *Saturnia* 1849, 33

Observations on the destructive species of Dipterous Insects known in Africa under the names of the Tsetse, Zimb, and Tsaltsalya, and on their supposed connexion with the fourth plague of Egypt 1850, 258

Observations on the Dentition of the Tiger Beetles 1851, 198

Descriptions of New Species of *Cleridæ*, from Asia, Africa, and Australia 1852, 34

Descriptions of some New Species of Exotic Moths, belonging or allied to the Genus *Saturnia*..... 1853, 157

Descriptions of some Species of Lepidopterous Insects belonging to the Genus *Oiketicus* 1854, 219

Descriptions of some New Species of *Cleridæ*, collected at Singapore by Mr. Wallace 1855, 19

Exhibition of several new and remarkable Species of Beetles, belonging to the Families *Cicindelidæ* and *Carabidæ*..... 1855, 119

WHITE, ADAM, F.L.S., Assist. Zool. Dep. Brit. Mus.

Description of *Echinocerus cibarius* 1848, 47

Description of Two New Species of *Crustacea* 1848, 144

Description of apparently New Species of *Aptera*, from New Zealand 1849, 3

Description of some apparently New Species of Longicorn Coleoptera, in the Collection of the British Museum 1850, 10

Descriptions of Two Species of *Crustacea* in the British Museum 1850, 95

Monograph of the Genus *Ægosoma*, Serville, with the Description of a New Genus and Species allied to it 1853, 26

Descriptions of some Coleopterous Insects in the Collection of the British Museum, hitherto apparently unnoticed 1856, { 8
406

WHITE, ADAM, F.L.S., &c. (*continued*).

- Some remarks on *Crustacea* of the Genus *Lithodes*, with a brief Description of a Species apparently hitherto unrecorded..... 1856, 132
- Description of *Mygale emilia*, a Spider from Panama hitherto apparently unrecorded 1856, 183
- Descriptions of some Longicorn Coleoptera, apparently as yet unrecorded 1858, 398
- Description of an *Attacus* from the East Indies, hitherto apparently unrecorded 1859, 115
- Descriptions of unrecorded Species of Australian Coleoptera of the Families *Carabidæ*, *Buprestidæ*, *Lamellicornia*, *Longicornia*, &c..... 1859, 117

WILSON, F. H.

- Exhibition of four examples of a curiously coloured variety of the Common Mole (*Talpa europæa*)..... 1860, 206

WING, W., M.E.S.

- Character of Three New Genera and Species of *Lepidoptera*..... 1849, 104

WOLLEY, JOHN, JUN., F.Z.S.

- On the Nest and Eggs of the Waxwing (*Bombycilla garrula*, Temm.) 1857, 55

WOODWARD, S. P., F.G.S.

- On *Panopæa aldrovandi*, Lam. 1855, 218
- On the Land and Freshwater Shells of Kashmir and Tibet, collected by Dr. T. Thompson..... 1856, 185
- Exhibition of Preparations of the Mantle and Oral Apparatus of the Recent British Terebratula (*T. caput-serpentis* 1856, 368
- On a New Species of Mollusk of the Genus *Scissurella*, D'Orb. 1859, 202
- Note on *Cyclostoma articulatum* 1859, 204
- On some New Freshwater Shells from Central Africa 1859, 348

WOODWARD, S. P., and LUCAS BARRETT.

- On the Genus *Synapta* (communicated by J. S.
Gaskoin, Esq.) 1858, 360

YARRELL, W., F.L.S., F.Z.S., &c.

- Letter on the Deal-fish, from Dr. Duguid to Dr.
Barker 1851, 116
- Exhibition of *Echiodon drummondii* 1852, 14
- Notice of the occurrence of *Otis tarda* in Berkshire 1856, 1

LIST OF THE ILLUSTRATIONS.

1848 to 1860.

MAMMALIA.

No. of Plate.		1848,	Page
I.	<i>Galidictis vittata</i> , Gray	1848,	22
II.	<i>Ptilocercus lowii</i> , Gray	1848,	24
III.	<i>Cercopithecus pluto</i> , Gray	1848,	56
IV.	<i>Tragelaphus angassii</i> , Gray. ♂	1848,	89
V.	— — — Gray. ♀ et juv.		
VI.	<i>Mycetes palliatus</i> , Gray	1848,	138
VII.	<i>Sciurus dorsalis</i> , Gray		
VIII.	<i>Herpestes ochraceus</i> , Gray		
IX.	<i>Cercopithecus melanogenys</i> , Gray. Fig. 1 ..	1849,	7
	— <i>ludio</i> , Gray. Fig. 2	1849,	8
X.	<i>Bradypus crinitus</i> , Browne. Fig. 1 (skull) ..	1849,	67
	— <i>affinis</i> , Gray. Fig. 2 (skull)	1849,	68
XI.	<i>Arctopithecus flaccidus</i> , Gray. Fig. 1 (skull)	1849,	72
	— <i>blainvillii</i> , Gray. Fig. 2 (skull)	1849,	71
	— <i>marmoratus</i> , Gray. Figs. 3, 4 (skull), pt.	1849,	71
	— <i>problematicus</i> , Gray. Fig. 5 (skull), pt.	1849,	73
	— <i>gularis</i> , Gray. Fig. 6, skull, pt.	1849,	70
XII.	<i>Capreolus leucotis</i> , Gray	1849,	64
XIII.	<i>Tupaia elliotii</i> , Waterh.	1849,	107
XIV.	Young Hippopotamus	1849,	163
XV.	Hybrid Bull	1849,	172
XVI.	<i>Presbytes albigena</i> , Gray	1850,	77
XVII.	<i>Phacocheerus æthiopicus</i> , juv.	1850,	78
XVIII.	<i>Thylacinus cynocephalus</i> , juv.	1850,	89
XIX.	<i>Hippopotamus amphibius</i> , Linn.	1850,	
XX.	<i>Adenota lechè</i> , Gray	1850,	130
XXI.	Exudation from the skin of the Hippopotamus	1850,	160
XXII.	<i>Coassus nemorivagus</i> , ♂	1850,	240
XXIII.	— — — Gray. ♀		
XXIV.	— <i>rufus</i> , Gray	1850,	241
XXV.	— <i>superciliaris</i> , Gray	1850,	242
XXVI.	— <i>auritus</i> , Gray		

No. of Plate.		Page	
XXVII.	{	<i>Coassus nemorivagus</i> , Gray. Figs. 1, 3, 5 ..	1850, 240
		— <i>rufus</i> , Gray. Fig. 2	1850, 241
		— <i>superciliaris</i> , Gray. Fig. 4	1850, 242
		— <i>auritus</i> , Gray. Fig. 6	1850, 242
XXVIII.	<i>Cariacus punctulatus</i> , Gray	1850, 239	
XXIX.	Molar Tooth of the American Tapir	1851, 121	
XXX.	<i>Herpestes smithii</i>	} 1851, 131	
XXXI.	<i>Cynictis maccarthice</i> , Gray		
XXXII.	<i>Anomalurus beecroftii</i> , Fraser	1852, 17	
XXXIII.	<i>Hyrax dorsalis</i> , Fraser	1852, 99	
XXXIV.	<i>Potamochoerus penicillatus</i> , Gray	1852, 131	
XXXV.	<i>Poëphagus grunniens</i> , juv.	1853, 191	
XXXVI.	<i>Budorcas taxicolor</i> , Hodgs.	} 1853, 192	
XXXVII.	<i>Porcula salvonia</i> , Hodgs.		
XXXVIII.	<i>Felis macrosceloides</i> , Hodgs.		
XXXIX.	<i>Petrogale xanthopus</i> , Gray	1854, 249	
XL.	<i>Bos arnee</i> , H. Smith (head)	1855, 17	
XLI.	<i>Mus musculus</i> , var. 7, <i>nudo-plicatus</i> , Gasc. ..	1856, 38	
XLII.	<i>Furipterus cerulescens</i> , Tomes	} 1856, 172	
XLIII.	<i>Natalus stramineus</i> , Gray		
XLIV.	} <i>Physalus duguidii</i> , Heddle	1856, 187	
XLV.			
XLVI.	<i>Sciurus macrotis</i> , Gray	1856, 341	
XLVII.	<i>Paradoxurus strictus</i> , Hodgs.	} 1856, 396	
XLVIII.	— <i>quadriscriptus</i> , Hodgs.		
XLIX.	<i>Mustela strigidorsa</i> , Hodgs.	} 1856, 398	
L.	<i>Arctonyx isonyx</i> , Hodgs.		
LI.	<i>Manatus vogelii</i> ?, Owen		1857, 29
LII.	Shanghai Sheep	1857, 104	
LIII.	<i>Scotophilus tuberculatus</i> , Forster	1857, 135	
LIV.	<i>Mystacina tuberculata</i> , Gray	1857, 138	
LV.	<i>Oryx beatrix</i> , Gray	1857, 157	
LVI.	<i>Lepus nigripes</i> , Bartlett	1857, 159	
LVII.	{	<i>Cephalophus grimmii</i> , Gray	1857, 277
		— <i>burchellii</i> , Gray	
LVIII.	<i>Leopardus hernandesii</i> , Gray	1857, 278	
LIX.	<i>Pomatochoerus africanus</i> , Gray	1858, 58	
LX.	<i>Vespertilio formosus</i> ?, Hodgs.	1858, 82	
LXI.	<i>Cuscus orientalis</i> , ♂ ♀, Gray	1858, 104	
LXII.	— <i>celebensis</i> , Gray	1858, 105	
LXIII.	<i>Dactylopsila trivirgata</i> , Gray	1858, 111	
LXIV.	<i>Myoictis wallacii</i> , Gray	1858, 112	
LXV.	{	<i>Miniopterus schreibersii</i>	1858, 117
		— <i>blepotis</i>	1858, 121
LXVI.	{	<i>Kerivoula arosa</i> , Tomes	1858, 332
		— <i>lanosa</i> , Smith	1858, 331
LXVII.	<i>Notopterus macdonaldii</i> , Gray	1859, 38	
LXVIII.	<i>Arctocephalus ursinus</i> (skull)	1859, 102	
LXIX.	— <i>delalandii</i> (skull)	1859, 107	
LXX.	— <i>gillespii</i> (skull)	1859, 110	
LXXI.	<i>Ornithorhynchus anatinus</i>	1859, 213	

No. of Plate.		Page
LXXII.	<i>Arctocepalus monteriensis</i> (skull).....	1859, 358
LXXIII.	<i>Equus kiang</i>	1859, 353
LXXIV.	<i>Cuscus ornatus</i>	1860, 1
LXXV.	<i>Epomophorus franquetii</i> , Tomes	1860, 54
LXXVI.	<i>Didelphys waterhousii</i>	1860, 58
LXXVII.	Section of the head of young Giraffe.....	} 1860, 99
LXXVIII.	Sacculated Peyerian gland of young Giraffe..	
LXXIX.	<i>Ovis vignii</i>	1860, 127
LXXX.	— <i>cycloceros</i>	1860, 128
LXXXI.	<i>Pithecia albicans</i>	1860, 228
LXXXII.	<i>Macacus ocreatus</i>	1860, 420
LXXXIII.	<i>Babirusa alfurus</i>	1860, 443

AVES.

I.	<i>Trochilus (Helianthea) cos</i> , Gould	1848, 11
II.	— (<i>Heliangelus</i>) <i>mavors</i> , Gould.....	1848, 12
III.	<i>Coracopsis? personata</i> , Gray	1848, 21
IV.	<i>Podica personata</i> , Gray	1848, 90
V.	<i>Psittacus rippellii</i> , Gray	1848, 125
VI.	<i>Cinclosoma castaneothorax</i> , Gould	1848, 139
VII.	<i>Gallus temminckii</i> , Gray	1849, 62
VIII.	— <i>ceneus?</i> , Temm.....	} 1849, 63
IX.	<i>Glareola nuchalis</i> , Gray	
X.	<i>Cultrides rufipennis</i> , Gray.....	} 1849, 143
XI.	<i>Eclectus cornelia</i> , Bonap.	
XII.	<i>Ptilorhis victorice</i> , Gould	1849, 111
XIII.	Hybrid Crowned Pigeon	1849, 171
XIV.	<i>Eos cyanogenia</i> , Bonap.	} 1850, 27
XV.	— <i>semilarvata</i> , Bonap.	
XVI.	<i>Chalcopsitta rubiginosa</i> , Bonap.....	1850, 26
XVII.	<i>Garrulus lidthi</i> , Bonap.	1850, 80
XVIII.	<i>Oriolus broderipii</i> , Bonap.	1850, 279
XIX.	<i>Aquila audax</i> , Lath. (egg)	1850, 91
XX.	<i>Cephalopterus glabricollis</i> , Gould	1850, 92
XXI.	<i>Notornis mantellii</i> , Owen	1850, 212
XXII.	<i>Buteo rufipennis</i> , Strickl.	1850, 214
XXIII.	<i>Mirafra cordofanica</i> , Strickl.....	1850, 218
XXIV.	<i>Alauda erythropygia</i> , Strickl.	1850, 219
XXV.	<i>Palæornis derbianus</i> , Fraser	} 1850, 245
XXVI.	— <i>erythrogenys</i> , Fraser	
XXVII.	<i>Crax albertii</i> , Fraser. ♂	} 1850, 246
XXVIII.	— ———, Fraser. ♀	
XXIX.	<i>Penelope niger</i> , Fraser. ♂ ♀	} 1850, 274
XXX.	{ <i>Apteryx australis</i> , Shaw. Figs. 1, 2	
	{ — <i>mantellii</i> , Bartl. Figs. 3, 4.....	} 1850, 274
XXXI.	{ — <i>australis</i> , Shaw. Fig. 1	
	{ — <i>mantellii</i> , Bartl. Fig. 2	} 1850, 276
XXXII.	<i>Turdus vulpinus</i> , Hartl.	

No. of Plate.		Page
XXXIII.	<i>Machærirhynchus flaviventer</i> , Gould	1850, 277
XXXIV.	<i>Ptilotis filigera</i> , Gould	1850, 278
XXXV.	<i>Balænicæps rex</i> , Gould	1851, 2
XXXVI.	<i>Saurophagus derbianus</i> , Kaup	1851, 44
XXXVII.	<i>Psaris fraserii</i> , Kaup. ♂	} 1851, 47
XXXVIII.	— —, Kaup. ♀	
XXXIX.	<i>Megapodius cumingii</i> , Dillwyn	1851, 119
XL.	<i>Francolinus yemensis</i> , Nicholson	1851, 128
XLI.	<i>Tænioptera erythropygia</i> , Selater	} 1851, 193
XLII.	— <i>striaticollis</i> , Selater	
XLIII.	<i>Artamus cucullatus</i> , Nicholson	1851, 196
XLIV.	<i>Sagmatorrhina lathamii</i> , Bonap.	1851, 202
XLV.	{ Metatarsal bone of <i>Didus nazareus</i> . Fig. 1	1851, 284
	{ — — of <i>Didus solitarius</i> . Fig. 2	1851, 283
	{ — — of <i>Didus ineptus</i> . Fig. 3	1851, 281
XLVI.	{ Egg of <i>Apteryx mantellii</i>	1852, 12
	{ — of <i>Sterna</i> —?	1852, 32
	{ — of <i>Strigops habroptilus</i>	1852, 32
	{ — of <i>Ocydromus australis</i>	1852, 34
XLVII.	<i>Culicivora boliviana</i> , Selater	} 1852, 34
XLVIII.	<i>Pipra flavo-tincta</i> , Selater	
XLIX.	<i>Suthora webbiana</i> , G. R. Gray	1852, 70
L.	<i>Bucco radiatus</i> , Selater	1853, 122
LI.	<i>Malacoptila substriata</i> , Selater	1853, 123
LII.	<i>Dendrocaptus eytoni</i> , Selater	1853, 68
LIII.	Nest and Eggs of <i>Menura albertii</i>	1853, 45
LIV.	<i>Ptilonopus chrysogaster</i> , G. R. Gray	} 1853, 48
LV.	— <i>purpureocinctus</i> , G. R. Gray	
LVI.	{ Egg of <i>Otogyys auritus</i>	} 1853, 192
	{ <i>Prothemadlera novæ zelandiæ</i>	
LVII.	<i>Ruticilla phœnicuroïdes</i> , F. Moore	1854, 25
LVIII.	— <i>hodgsonii</i> , F. Moore	1854, 26
LIX.	— <i>rufogularis</i> , F. Moore	} 1854, 27
LX.	— <i>vigorsii</i> , F. Moore	
LXI.	— <i>nigrogularis</i> , F. Moore	1854, 29
LXII.	<i>Nemura hodgsonii</i> , F. Moore	1854, 76
LXIII.	<i>Delichon nipalensis</i> , F. Moore	1854, 104
LXIV.	<i>Buthraupis chloronota</i> , Selater	1854, 97
LXV.	{ <i>Euphonia hirundinacea</i> , Bonap.	} 1854, 98
	{ — <i>concinna</i> , Selater	
LXVI.	{ <i>Tyrannula phœnicura</i> , Selater. Fig. 1	} 1854, 113
	{ — <i>ornata</i> , Lafr. Fig. 2	
LXVII.	<i>Arremon spectabilis</i> , Selater	1854, 114
LXVIII.	<i>Chlorospingus melanotis</i> , Selater	1854, 157
LXIX.	<i>Tachyphonus xanthopygicus</i> , Selater	1854, 158
LXX.	<i>Myrmeciza leucapsis</i> , Selater	} 1854, 253
LXXI.	— <i>margaritata</i> , Selater	
LXXII.	{ <i>Pithys erythrophrys</i> , Selater	} 1854, 255
	{ <i>Hypocnemis melanolæma</i> , Selater	
LXXIII.	— <i>melanosticta</i> , Selater	} 1854, 254
LXXIV.	<i>Formicivora caudata</i> , Selater	

No. of Plate.		Page
LXXXV.	<i>Malacocichla dryas</i> , Gould.....	1854, 285
LXXXVI.	<i>Orthotomus derbianus</i> , F. Moore	1854, 309
LXXXVII.	<i>Galbula fuscicapilla</i> , Selater	1855, 13
LXXXVIII.	{ Egg of <i>Pterocles exustus</i>	} 1855, 30
	{ — of <i>Pterocles quadricinctus</i>	
LXXXIX.	<i>Thamnophilus leucauchen</i> , Selater.....	1855, 18
LXXX.	— <i>melanonotus</i> , Selater	} 1855, 19
LXXXI.	— <i>nigrocinereus</i> , Selater	
LXXXII.	— <i>caesi</i> us, Selater	
LXXXIII.	— <i>melanurus</i> , Gould	1855, 69
LXXXIV.	{ <i>Todirostrum nigriceps</i> , Selater	1855, 66
	{ — <i>spiciferum</i> , Lafr.	1855, 67
LXXXV.	<i>Conirostrum ferrugineiventre</i> , Selater	1855, 74
LXXXVI.	<i>Synallaxis erythrothorax</i> , Selater	1855, 75
LXXXVII.	<i>Ramphocænis cinereiventris</i> , Selater	} 1855, 76
LXXXVIII.	<i>Cyphorhinus albigularis</i> , Selater	
LXXXIX.	<i>Arremon erythrorhynchus</i> , Selater	} 1855, 83
XC.	<i>Tachyphonus xanthopygius</i> , Selater	
XCI.	<i>Tanagra notabilis</i> , Jardine	} 1855, 84
XCII.	<i>Saltator arremonops</i> , Jardine.....	
XCIII.	<i>Prion brevirostris</i> , Gould	1855, 87
XCIV.	<i>Grallaria modesta</i> , Selater	} 1855, 89
XCV.	<i>Chamaea mollissima</i> , Selater	
XCVI.	<i>Formicivora callinota</i> , Selater	
XCVII.	<i>Dysithamnus semicinereus</i> , Selater.....	} 1855, 90
XCVIII.	<i>Pyriglena tyrannina</i> , Selater.....	
XCIX.	<i>Nemosia albigularis</i> , Selater	} 1855, 109
C.	<i>Pyriglena ellisiana</i> , Selater	
CI.	<i>Anthus bogotensis</i> , Selater	} 1855, 110
CII.	<i>Otocorys peregrina</i> , Selater	
CIII.	<i>Vireolanius icterophrys</i> , Bonap.	1855, 151
CIV.	<i>Ampelion cinctus</i> , Tsch.	1855, 152
CV.	<i>Bucco hyperrhynchus</i> , Selater	1855, 193
CVI.	— <i>pulmentum</i> , Selater	1855, 194
CVII.	<i>Somateria V-nigra</i> , G. R. Gray	} 1855, 211
CVIII.	<i>Lampronetta fischeri</i> , Brandt	
CIX.	<i>Buarremon leucopterus</i> , Jardine.....	1855, 214
CX.	<i>Iridornis porphyrocephala</i> , Selater	1855, 227
CXI.	<i>Otocorys otogirostris</i> , Moore	} 1855, 215
CXII.	<i>Emberiza stracheyi</i> , Moore	
CXIII.	<i>Propasser thura</i> , male	
CXIV.	— — —, female.....	
CXV.	<i>Calenas (Phlegenus) stairii</i> , G. R. Gray ...	1856, 6
CXVI.	<i>Margarornis brunescens</i> , Selater	1856, 27
CXVII.	<i>Oethoeca fumicolor</i> , Selater	} 1856, 28
CXVIII.	<i>Euscarthmus agilis</i> , Selater	
CXIX.	<i>Conopophaga cucullata</i> , Selater	1856, 29
CXX.	<i>Granatellus sallæi</i> , Selater.....	1856, 292
CXXI.	<i>Pipra mentalis</i> , Selater	1856, 299
CXXII.	Nest and eggs of <i>Bombycilla garrula</i> , Temm...	1957, 55
CXXIII.	<i>Cotinga amabilis</i> , Gould. ♂ ♀	1857, 64
CXXIV.	<i>Euphonia gouldii</i> , Selater	1857, 66

No. of Plate.		Page
	<i>Todirostrum calopteryum</i> , Selater	1857, 82
CXXV.	— <i>capitale</i> , Selater	} 1857, 83
	— <i>exile</i> , Selater	
CXXVI.	<i>Formicivora urosticta</i> , Selater	
	— <i>hauzwelli</i> , Selater	1857, 131
CXXVII.	<i>Polychlorus westermanni</i> (Bonap.)	1857, 224
CXXVIII.	<i>Prionirhynchus carinatus</i> (Du Bus)	1857, 257
CXXIX.	<i>Casuarius bennettii</i> , Gould	1857, 268
CXXX.	<i>Anabazenops guttulatus</i> , Selater	1857, 272
CXXXI.	<i>Melanerpes rubigularis</i> , Selater	1858, 2
CXXXII.	<i>Euchates coccineus</i> , Selater	} 1858, 73
	<i>Creurgops verticalis</i> , Selater	
CXXXIII.	<i>Dacelo tyro</i> , G. R. Gray	1858, 171
CXXXIV.	<i>Todopsis cyanocephala</i> , G. R. Gray	1858, 177
CXXXV.	<i>Chalcopsitta rubrifrons</i> , G. R. Gray	1858, 182
CXXXVI.	<i>Ptilonopus wallacii</i> , G. R. Gray	} 1858, 185
CXXXVII.	— <i>aurantifrons</i> , G. R. Gray	
CXXXVIII.	— <i>coronulatus</i> , G. R. Gray	
CXXXIX.	<i>Thamnophilus amazonicus</i> , ♂ ♀, Selater	1858, 214
CXL.	<i>Dysithamnus leucostictus</i> , Selater	1858, 223
CXLI.	<i>Myrmotherula surinamensis</i> , ♂, Selater	} 1858, 234
	— <i>multostriata</i> , ♂ ♀, Selater	
CXLII.	<i>Formicivora erythrocerca</i> , Selater	1858, 240
CXLIII.	<i>Myrmelastes plumbeus</i> , ♂ ♀, Selater	1858, 274
CXLIV.	Egg of <i>Casuarius bennettii</i>	1858, 271
CXLV.	<i>Phrygilus ocularis</i> , ♂ ♀, Selater	1858, 449
CXLVI.	<i>Elainea griseigularis</i> , Selater	} 1858, 554
	— <i>stictoptera</i> , Selater	
CXLVII.	<i>Catreus wallichii</i> , juv. Fig. 1	} 1858, 544
	<i>Lophophorus impeyanus</i> , juv. Fig. 2	
CXLVIII.	<i>Gallophasis albocristatus</i> , juv. Fig. 1	
	— <i>horsfieldii</i> , juv. Fig. 2	
CXLIX.	Eggs of <i>Gallophasis horsfieldii</i> (fig. 1), <i>G. melanotus</i> (fig. 2), <i>G. albocristatus</i> (fig. 3), <i>Catreus wallichii</i> (fig. 4), and <i>Lophophorus impeyanus</i> (fig. 5)	
CL.	<i>Dendrocincla anabatina</i> , Selater	1859, 54
CLI.	<i>Chloronerpes sanguinolentus</i> , Selater	1859, 60
CLII.	<i>Otothrix hodgsonii</i> , Gray	1859, 101
CLIII.	<i>Plectropterus gambensis</i> . Fig. 2 ♂	} 1859, 131
	— <i>rüppellii</i> . Fig. 1 ♂	
CLIV.	<i>Vireo josephæ</i> , Selater	1859, 137
CLV.	<i>Carpophaga goliath</i> , G. R. Gray	1859, 165
CLVI.	<i>Montifringilla adamsii</i> , Moore	1859, 169
CLVII.	<i>Laimodon albiventris</i>	1859, 393
CLVIII.	Hybrid between <i>Tadorna vulpanser</i> and <i>Casarca cana</i>	1859, 442
CLIX.	<i>Oreomanes fraseri</i>	1860, 75
CLX.	<i>Euchlornis jucunda</i>	1860, 89
CLXI.	<i>Pytelia monteiri</i>	1860, 111
CLXII.	Egg of <i>Casuarius bennettii</i>	1860, 206
CLXIII.	<i>Coccothraustes maculipennis</i>	1860, 251

No. of Plate.		Page
CLXIV.	<i>Cyclorhis virenticeps</i>	1860, 274
CLXV. } CLXVI. }	Structure of the Gizzard of the Nicobar Pigeon and other granivorous birds	1860, 330
CLXVII. }	Hybrid between <i>Fuligula collaris</i> and <i>F. americana</i>	1860, 336
CLXVIII.	Hybrid between <i>Anas boschas</i> and <i>Dafila acuta</i>	1860, 336
CLXIX.	<i>Aquila gurneyi</i>	1860, 342
CLXX.	<i>Tanysiptera sabrina</i>	1860, 347
CLXXI.	<i>Megapodius wallacii</i>	1860, 362
CLXXII.	<i>Habroptila wallacii</i>	1860, 365
CLXXIII.	<i>Chloëphaga rubidiceps</i>	1860, 387

REPTILIA.

I.	<i>Cyclura lophoma</i> , Gosse	1848, 99
II.	<i>Cistudo (Onychotria) mexicana</i> , Gray	1849, 17
III. }	<i>Iguana rhinolophus</i>	1850, 106
III. }	<i>Metopocerus cornutus</i> , Wagl.	
IV.	<i>Pterodactylus longirostris</i> , Bowerbank	1851, 14
V.	Cancelled.	
VI. }	<i>Anadia ocellata</i> . Fig. 1	1851,
VI. }	<i>Emminia olivacea</i> . Fig. 2	
VI. }	<i>Ipshisa elegans</i> . Fig. 3	1851, 39
VII.	<i>Amblyostoma californiense</i> , Gray	1853, 11
VIII.	<i>Corucia zebrata</i>	1855, 217
IX. }	<i>Testudo elongata</i> , Gray	1856, 181
IX a. }		
X. }	<i>Batagur ocellata</i> , Gray	1856, 182
X a. }		
XI.	<i>Lepidosiren annectens</i>	1856, 342
XII. }	<i>Chelodina expansa</i> , Gray	1856, 369
XII a. }		
XIII.	<i>Mitylia gerrardii</i> , Gray	1858, 57
XIV.	<i>Calabaria fusca</i> , Gray	1858, 155
XV. }	<i>Argalia olivacea</i> . Fig. 1	1858, 446
XV. }	<i>Riama unicolor</i> , Gray. Fig. 2	
XV. }	<i>Callophis intestinalis</i> . Figs. A, B, C	1859, 82
XVI.	— <i>trimaculatus</i> . Fig. D, magnified	1859, 83
XVI.	— <i>maculiceps</i> . Fig. E, magnified	1859, 84
XVII.	— <i>univirgatus</i> . Fig. A	1859, 83
XVII.	<i>Vermicella occipitalis</i> . Fig. B	1859, 87
XVIII.	<i>Elaps decoratus</i> , Jan. Fig. A, a	1859, 85
XVIII.	— <i>filiformis</i> , Gthr. Fig. B, b	1859, 86
XIX.	<i>Cynops chinensis</i> , Gray. Fig. 1	1859, 229
XIX.	<i>Plethodon persimilis</i> , Gray. Fig. 2	1859, 230
XX.	<i>Cercosaurus rhombifer</i> , Gthr. Fig. A	1859, 405
XX.	<i>Liocephalus iridescens</i> , Gthr. Fig. B	1859, 409
XX.	<i>Lachesis nitidus</i> , Gthr. Fig. C	1859, 414
XXI.	<i>Geoclemmys macrocephala</i>	1859, 479
XXII.	<i>Aspidocheilus livingstonii</i>	1860, 5
XXIII.	<i>Herpeton tentaculatum</i>	1860, 114

No. of Plate.		1860,	Page
XXIV.	<i>Chrysenis batesii</i>	1860,	132
XXV.	<i>Barycephalus sykesii</i> , Gthr. Fig. A	1860,	150
	<i>Tiaris elliottii</i> , Gthr. Fig. B	1860,	151
	<i>Tiliqua schlegelii</i> , Gthr. Fig. C	1860,	153
XXVI.	<i>Ablapes owenii</i> , Gthr. Fig. A, <i>a</i>	1860,	155
	— <i>rappii</i> , Gthr. Fig. B, <i>b</i>	1860,	154
XXVII.	<i>Spilotes hodgsonii</i> , Gthr.	1860,	156
XXVIII.	<i>Rana liebighii</i> , Gthr. Fig. A, <i>a</i>	1860,	157
	<i>Dicroglossus adolfii</i> , Gthr. Fig. B, <i>b</i>	1860,	158
XXIX.	<i>Geoclemmys annulata</i>	1860,	231
XXX.	<i>Emys fuliginosus</i>	1860,	232
XXXI.	<i>Manouria fusca</i>	1860,	395
XXXII.	<i>Thamnocenchris aurifer</i> . Fig. 1	1860,	459
	<i>Hyla holochlora</i> . Fig. 2	1860,	460

PISCES.

I.	<i>Aploactis milesii</i> , Richdn. Figs. 1, 2	1850,	60
	<i>Apistes panduratus</i> , Richdn. Figs. 3, 4	1850,	58
II.	<i>Threpterus maculosus</i> , Richdn. Figs. 1, 2 ..	1850,	70
	<i>Cheilodactylus gibbosus</i> , Solander. Figs. 3, 4	1850,	65
III.	<i>Olisthops cyanomelas</i> , Richdn. Figs. 1, 2 ..	1850,	75
	<i>Cossyphus gouldii</i> , Richdn. Figs. 3, 4.	1850,	72
	<i>Petromyzon marinus</i> . Fig. 1	1851,	236
IV.	<i>Lampetra fluviatilis</i> . Fig. 2	1851,	237
	<i>Geotria australis</i> . Fig. 3	1851,	239
	<i>Velasia chilensis</i> . Fig. 4		
	<i>Caragola lapicida</i> . Fig. 5		
	<i>Mordacia mordax</i> . Fig. 6		
<i>Geotria australis</i> , Gray	1851,		
VI.	<i>Siphonognathus argyrophanes</i> , Richdn.	1857,	237
VII.	<i>Haliichthys tenuiphora</i>	1859,	39
VIII.	<i>Peristethus cataphractus</i> . Fig. 1	1859,	105
	— <i>orientalis</i> . Fig. 2		
	— <i>rieffelii</i> . Fig. 3		
IX.	<i>Glyphisodon biocellatus</i> . Fig. 1	1859,	222
	<i>Haligenes tristranii</i> . Fig. 2	1859,	471
X.	<i>Pimelodus cinerascens</i> , Gthr.	1860,	237
	— <i>elongatus</i> , Gthr.	1860,	238
	— <i>modestus</i> , Gthr.	1860,	239
XI.	<i>Pagrus bocagii</i> , Gthr.	1860,	391

MOLLUSCA.

I.	<i>Placenta lincolni</i> , Gray. Fig. 1	1848,	114
	<i>Hemipecten forbesianus</i> , Adams & Reeve. Fig. 2	1848,	133
	<i>Nanina vitrinoides</i> , Gray. Figs. 1, 2, 3	1849,	
II.	<i>Cyclotoma aplustre</i> , Sow. Figs. 4, 5	1849,	15
	<i>Tomigerus principalis</i> , Sow. Figs. 6, 7	1849,	14
	<i>Cyclotoma formosum</i> , Sow. Figs. 8, 9	1849,	15
	<i>Bulinus irroratus</i> , Reeve. Fig. 10	1849,	16

No. of Plate.		Page
III.	<i>Trigonia pectinata</i> . Figs. 1, 2, 3	1849,
	— <i>jukesii</i> , A. Adams. Figs. 4, 5, 6	1849, 159
IV.	<i>Anomia (Patros) elyros</i> , Gray. Fig. 1	1849, 118
	— <i>achæus</i> , Gray. Fig. 2	1849, 116
V.	<i>Triumphalia globosa</i> (Quoy). Fig. 1	1849, 160
	— <i>pulcherrima</i> , G. B. Sow. Figs. 2, 2 a, 2 b	
	Insides of the valves of the same. Figs. 2 c, 2 d	1849, 161
	<i>Triumphalia cumingii</i> , G. B. Sow. Figs. 3, 3 a	
	<i>Phalacalva</i> , Sow., <i>in situ</i> , with a stony tube.	
	Fig. 4	1849, 162
VI.	— <i>tubifer</i> , Sow., <i>in situ</i> , with shelly tube.	
	Fig. 5	
	<i>Tellina squamulosa</i> , A. Adams. Fig. 1	1849, 169
	<i>Geomelania jamaicensis</i> , Pfr. Figs. 2, 3, 4 ..	
	<i>Panopæa japonica</i> , A. Adams. Fig. 5	1849, 170
VII.	<i>Sanguinolalaria tellinoides</i> , A. Adams. Fig. 6.	
	<i>Thracia magnifica</i> , Jonas. Fig. 7	1850, 15
VIII.	<i>Chrysodomus heros</i> , Gray	1850, 23
	<i>Myochama transversa</i> . Fig. 1	
	— <i>strangei</i> . Fig. 2	1850, 24
	<i>Cumingia clerii</i> . Fig. 3	
	— <i>similis</i> . Fig. 4	1850, 25
	— <i>striata</i> . Fig. 5	
	— <i>sinuosa</i> . Fig. 6	1850, 36
IX.	— <i>fragilis</i> . Fig. 7	
	<i>Microtis tuberculata</i> . Figs. 8, 9, 10, 11, 12..	1850, 34
	<i>Stomatia duplicata</i> . Figs. 13, 14, 15	1850, 35
	— <i>notata</i> . Fig. 16	1850, 39
	<i>Gena ornata</i> . Fig. 17	
	<i>Liotia peronii</i> . Figs. 18, 19, 20	1850, 50
	— <i>pulcherrima</i> . Fig. 21	
	<i>Cyclostrema spirula</i> . Fig. 22	1850, 55
	<i>Helix vellicata</i> , Forbes. Fig. 1, a, b, c	
	— <i>kellestii</i> , Forbes. Fig. 2, a, b	1850, 53
X.	— <i>pandorce</i> , Forbes. Fig. 3, a, b	
	— <i>labyrinthus</i> , var. <i>sipunculata</i> . Fig. 4, a, b	1850, 56
	<i>Bulimus achatinellinus</i> , Forbes. Fig. 5, a, b..	
	— <i>chemnitzoides</i> , Forbes. Fig. 6, a, b ..	1850, 55
	— <i>fimbriatus</i> , Forbes. Fig. 7, a, b	
	<i>Succinea cingulata</i> , Forbes. Fig. 8, a, b	1850, 274
	<i>Cyclostoma purum</i> , Forbes. Fig. 9, a, b	
XI.	<i>Fusus kellestii</i> , Forbes. Fig. 10	1850, 271
	<i>Teinostoma politum</i> , A. Adams. Figs. 1, 2, 3	1850,
	<i>Hindsia nivea</i> , Pfeiffer. Figs. 4, 5	1850,
	— <i>bitubercularis</i> , A. Adams. Fig. 6	1850,
	<i>Sphæxia philippinarum</i> , A. Adams. Figs. 7, 8, 9	1850, 89
	<i>Pseudoliva zebrina</i> , A. Adams. Fig. 10	1850,
XII.	— <i>kellestii</i> , A. Adams. Fig. 11	1850,
	<i>Pinaxia coronata</i> , A. Adams. Fig. 12	1850,
	<i>Trochita spirata</i> , Forbes. Fig. 1	1850, 272
	<i>Natica pritchardi</i> , Forbes. Fig. 2	1850, 273
	<i>Nassa woodwardi</i> , Forbes. Fig. 3	1850,

No. of Plate.		Page	
XI.	<i>Nassa cooperi</i> , Forbes. Fig. 4	1850, 273	
	<i>Planaxis pigra</i> , Forbes. Fig. 5		
	— <i>nigritella</i> , Forbes. Fig. 6		
	<i>Trochus aureotinctus</i> , Forbes. Fig. 7		
	— <i>gallina</i> , Forbes. Fig. 8		1850, 271
	— <i>castaneus</i> , Nuttall. Fig. 9		
	— <i>hillii</i> , Forbes. Fig. 10		1850, 272
XII.	— <i>purpuratus</i> , Forbes. Fig. 11	1850, 273	
	<i>Purpura analoga</i> , Forbes. Fig. 12	1850, 274	
	— <i>fuscata</i> , Forbes. Fig. 13	1851, 198	
XIII.	<i>Bulimus maconellii</i> , Reeve	1852, 144	
	<i>Cyclostoma bairdii</i> , Pfr. Fig. 1	1852, 142	
	— <i>nobile</i> , Pfr. Fig. 2		
	— <i>magnificum</i> , Sallé. Fig. 3	1852, 145	
	<i>Cataulus pyramidatus</i> , Pfr. Fig. 4		
	— <i>eurytrema</i> , Pfr. Fig. 5	1852, 160	
	— <i>layardii</i> , Gray. Fig. 6		
XIV.	<i>Cylindrella menkeana</i> , Pfr. Fig. 7	1852, 140	
	— <i>flamulata</i> , Pfr. Fig. 8	1852, 141	
	<i>Cyclostoma bicolor</i> , Pfr. Fig. 9	1852, 145	
	<i>Achatina richardii</i> , Pfr. Fig. 10	1852, 140	
	<i>Helix launcestonensis</i> , Reeve. Fig. 11	1852, 31	
	<i>Terebratula grayii</i> . Figs. 1, 2, 3	1852, 76	
	— <i>bouchardii</i> . Figs. 4, 5, 6	1852, 77	
— <i>evansii</i> . Figs. 7, 8, 9			
XV.	— ? <i>cumingii</i> . Figs. 10 to 16	1852, 78	
	<i>Terebratulina cumingii</i> . Figs. 17, 18, 19 ..	1852, 79	
	<i>Kraussia deshayesii</i> . Figs. 20, 21	1852, 80	
	— <i>lamarckiana</i> . Figs. 22, 23		
	<i>Argiope neapolitana</i> . Figs. 24, 25	1852, 81	
	— <i>decollata</i> . Fig. 26		
	— <i>cuneata</i> . Fig. 27		
XVI.	— <i>cistellula</i> . Fig. 28	1852, 79	
	<i>Morrisia anomioides</i> . Fig. 29		
	<i>Rhynchonella nigricans</i> . Figs. 30, 31	1852, 81	
	<i>Orbicula evansii</i> . Figs. 32, 33, 34	1852, 82	
	<i>Myochama keppelliana</i> , A. Adams. Fig. 1 ..	1852, 90	
	— <i>strangei</i> , A. Adams. Fig. 2	1852, 90	
	— <i>transversa</i> , A. Adams. Fig. 3	1852, 91	
XVII.	— <i>stutchburysii</i> , A. Adams. Fig. 4	1852, 91	
	<i>Aspergillum strangei</i> , A. Adams. Fig. 5	1852, 91	
	<i>Crassatella cumingii</i> , A. Adams. Fig. 1	1852, 90	
— <i>obesa</i> , A. Adams. Fig. 2			
XVIII.	<i>Trigonia strangei</i> , A. Adams. Fig. 3	1852, 91	
	<i>Chiton insculptus</i> , A. Adams. Fig. 4	1852, 92	
	— <i>versicolor</i> , A. Adams. Fig. 5		
XIX.	— <i>muricatus</i> , A. Adams. Fig. 6	1852, 91	
	<i>Cardita excavata</i> , Desh. Figs. 1, 2, 3	1852, 100	
	— <i>bimaculata</i> , Desh. Figs. 4, 5	1852, 102	
	— <i>elegantula</i> , Desh. Figs. 6, 7	1852, 101	
	— <i>amabilis</i> , Desh. Figs. 8, 9	1852, 102	
— <i>vestita</i> , Desh. Fig. 10			

No. of Plate.		Page
XVII.	<i>Cardita castanea</i> , Desh. Fig. 11	1852, 102
	— <i>purpurata</i> . Figs. 12, 13	1852, 100
	— <i>jukesii</i> . Fig. 14	1852, 101
	— <i>cumingii</i> . Fig. 15	1852, 102
	— <i>difficilis</i> . Figs. 16, 17	1852, 103
XVIII.	<i>Venerupis siliqua</i> , Desh. Fig. 1	1853, 5
	— <i>elegans</i> . Fig. 2	1853, 4
	— <i>cumingii</i> . Fig. 3	1853, 6
	— <i>insignis</i> . Fig. 4	1853, 4
	— <i>foliacea</i> . Fig. 5	1853, 4
	<i>Petricola bipartita</i>	1853, 4
	<i>Venerupis pulcherrima</i> , Desh. Fig. 7	1853, 4
XIX.	— <i>macrophylla</i> . Fig. 8	1853, 4
	<i>Petricola gracilis</i> . Fig. 9	1853, 4
	— <i>cultellus</i> . Fig. 10	1853, 4
	— <i>serratus</i> . Fig. 11	1853, 4
	— <i>rostralis</i> . Fig. 12	1853, 4
	<i>Venus tuberosa</i> . Fig. 1	1853, 8
	— <i>jukesii</i> . Fig. 2	1853, 8
XX.	<i>Tapes inflata</i> . Fig. 3	1853, 9
	— <i>turgidula</i> . Fig. 4	1853, 9
	— <i>biradiata</i> . Fig. 5	1853, 9
	— <i>quadriradiata</i> . Fig. 6	1853, 9
	<i>Metula cumingii</i> , A. Adams. Figs. 1, 2	1853, 173
XXI.	<i>Hipponyx granulata</i> , A. Adams. Fig. 3	1853, 176
	<i>Vanicoro quoyana</i> , A. Adams. Fig. 4	1853, 175
	<i>Holcostoma setigerum</i> , A. Adams. Fig. 5	1853, 174
	<i>Pyramidella subulata</i> , A. Adams. Fig. 6	1853, 177
	<i>Harpa striatula</i> , A. Adams. Figs. 7, 8	1853, 173
	— <i>solidula</i> , A. Adams. Figs. 9, 10	1853, 187
	<i>Fossar bicarinatus</i> , A. Adams. Figs. 11, 12	1853, 186
	— <i>reticulatus</i> , A. Adams. Fig. 13	1853, 176
	<i>Colina pupiformis</i> , A. Adams. Fig. 14	1853, 181
	<i>Chemnitzia varicosa</i> , A. Adams. Fig. 15	1853, 171
XXII.	<i>Clementia papyracea</i> , Gray. Fig. 1	1853, 169
	<i>Glauconome cerea</i> , Reeve. Fig. 2	1853, 171
	<i>Circe divaricata</i> , Chemn. Fig. 3	1853, 167
	<i>Chamostrea albida</i> , Desh. Figs. 4, 5, 6, 7 ..	1853, 129
	<i>Achatinella gouldii</i> . Fig. 1	1853, 130
XXII.	— <i>ovata</i> . Figs. 2, 2 a	1853, 131
	— <i>rufa</i> . Fig. 3	1853, 131
	— <i>splendida</i> . Fig. 4	1853, 132
	— <i>redfieldii</i> . Fig. 5	1853, 132
	— <i>nivosa</i> . Fig. 6	1853, 132
	— <i>melanostoma</i> . Fig. 7	1853, 133
	— <i>cestus</i> . Fig. 8	1853, 133
XXII.	— <i>swiftii</i> . Figs. 9, 9 a	1853, 134
	— <i>turgida</i> . Figs. 10, 10 a	1853, 134
	— <i>cylindrica</i> . Fig. 11	1853, 135
	— <i>casta</i> . Fig. 12	1853, 135
	— <i>intermedia</i> . Fig. 13	1853, 135

No. of Plate.		Page
XXII.	<i>Achatinella violacea</i> . Fig. 14	1853, 135
	— <i>sanguinea</i> . Fig. 15	
	— <i>porphyrea</i> . Fig. 16	
	— <i>gigantea</i> . Fig. 17	1853, 136
	— <i>subvirens</i> . Fig. 18	
	— <i>ampla</i> . Fig. 19	
	— <i>adamsii</i> . Fig. 20	1853, 137
	— <i>rutila</i> . Fig. 21	
	— <i>rugosa</i> . Figs. 22, 22 a	1853, 138
	— <i>multilineata</i> . Fig. 23	
	— <i>glabra</i> . Fig. 25	
	— <i>tessellata</i> . Fig. 26	1853, 139
	— <i>sordida</i> . Fig. 27	
	— <i>fumosa</i> . Fig. 28	
	— <i>lineolata</i> . Fig. 29	1853, 140
	— <i>nitida</i> . Fig. 30	
	— <i>crassilabrum</i> . Fig. 31	
— <i>cornea</i> . Fig. 32	1853, 141	
— <i>labiata</i> . Fig. 33		
— <i>vitrea</i> . Fig. 34		
— <i>affinis</i> . Fig. 35	1853, 142	
— <i>acuta</i> . Fig. 36		
— <i>polita</i> . Fig. 37		
— <i>soror</i> . Fig. 38	1853, 143	
XXIII.	— <i>obesa</i> . Figs. 39, 39 a	
	— <i>terebra</i> . Fig. 40	
	— <i>melanosis</i> . Fig. 41	1853, 144
	— <i>pupoidea</i> . Fig. 42	
	— <i>curta</i> . Fig. 43	
	— <i>fusca</i> . Fig. 44	1853, 145
	— <i>recta</i> . Fig. 45	
	— <i>grana</i> . Fig. 46	
	— <i>porcellana</i> . Fig. 47	1853, 146
	— <i>venulata</i> . Figs. 48, 48 a	
	— <i>mucronata</i> . Fig. 49	
	— <i>johnsonii</i> . Fig. 50	1853, 147
	— <i>aplustris</i> . Fig. 51	
	— <i>hybrida</i> . Fig. 52	
	— <i>assimilis</i> . Fig. 53	1853, 148
	— <i>reticulata</i> . Fig. 54	
	— <i>ornata</i> . Fig. 55	
— <i>albo-labris</i> . Fig. 56	1853, 149	
— <i>elegans</i> . Fig. 57		
— <i>pfeifferi</i> . Fig. 58		
— <i>cumingii</i> . Fig. 59	1853, 150	
XXIV.	— <i>solitaria</i> . Fig. 60	
	— <i>germana</i> . Fig. 61	
	— <i>flavescens</i> . Fig. 62	1853, 151
	— <i>helena</i> . Fig. 63	
	— <i>physa</i> . Fig. 64	1853, 152
	— <i>dubia</i> . Fig. 65	

No. of Plate.		Page
XXIV.	<i>Achatinella grisea</i> . Fig. 66	1853, 153
	— <i>mastersii</i> . Fig. 67	
	— <i>decipiens</i> . Fig. 68	1853, 154
	— <i>rubiginosa</i> . Fig. 69	
	— <i>variabilis</i> . Fig. 70	1853, 155
	— <i>crassa</i> . Fig. 71	
	— <i>baldwini</i> . Fig. 72	1853, 156
	— <i>buddii</i> . Fig. 73	
	— <i>emersonii</i> . Fig. 74	1853, 157
	— <i>biplicata</i> . Fig. 75	
— <i>semicarinata</i> . Fig. 76	1853, 157	
— <i>mæsta</i> . Fig. 77		
XXV.	— <i>obscura</i> . Fig. 78	1853, 91
	— <i>concinna</i> . Fig. 79	
	<i>Ancylus eumingianus</i> . Figs. 1 to 9	1853, 92
	— <i>drouetianus</i> . Figs. 10 to 17	1853, 89
XXVI.	— <i>baconii</i> . Figs. 18 to 25	1853, 92
	— <i>sauleyanus</i> . Figs. 26 to 33	1854, 73
XXVII.	<i>Voluta deshayesii</i> , Reeve	1854, 37
	<i>Turcica monilifera</i> . Fig. 1	1854, 39
	<i>Clanculus nodulosus</i> . Fig. 2	1854, 41
	<i>Larina strangei</i> . Fig. 3	1854, 42
	<i>Typhis grandis</i> . Fig. 4	
	<i>Eudora coronata</i> . Fig. 5	1854, 37
	<i>Desmoulea ringens</i> . Fig. 6	1854, 42
XXVIII.	<i>Ziziphinus spectabilis</i> . Fig. 7	1854, 138
	<i>Delphinula martinii</i> . Fig. 8	
	<i>Rostellaria melanocheilus</i> . Fig. 9	1854, 133
	<i>Rapana rhodostoma</i> . Fig. 1	1854, 136
	<i>Stomatia decorata</i> . Fig. 2	1854, 135
	<i>Clypidella baikiei</i> . Fig. 3	1854, 134
	<i>Tudicla recurva</i> . Fig. 4	1854, 136
	<i>Mitra morchii</i> . Fig. 5	1854, 130
	<i>Sconsia grayi</i> . Fig. 6	
XXIX.	<i>Pisania rhodia</i> . Fig. 7	1854, 129
	<i>Amphiperas rhodia hermannsenii</i> . Fig. 8 ..	
	<i>Volva rosea</i> . Fig. 9	1854, 152
	<i>Mulleria lobata</i> . Figs. 1, 2, 2 a, 3, 3 a	1855, 1
	<i>Bulimus bivaricosus</i> , Gask. Figs. 4, 5	1855, 6
XXX.	<i>Achatinella</i> (<i>Newcombia</i>) <i>aptycha</i> . Fig. 1 ..	1855, 2
	— (<i>Achatinellastrum</i>) <i>pulchella</i> . Fig. 2 ..	
	— (<i>Frickella</i>) <i>amœna</i> . Fig. 3	1855, 3
	— (<i>Bulimella</i>) <i>candida</i> . Fig. 4	
	— (—) <i>cinerosa</i> . Fig. 5	1855, 4
	— (—) <i>macrostoma</i> . Fig. 6	
	— (—) <i>frickii</i> . Fig. 7	1855, 3
	— (—) <i>planospira</i> . Fig. 8	
	— (—) <i>monacha</i> . Fig. 9	1855, 4
	— (—) <i>vidua</i> . Fig. 10	
— (—) <i>multicolor</i> . Fig. 11		

No. of Plate.		Page
XXX.	<i>Achatinella (Bulimella) attenuata</i> . Fig. 12 ..	1855, 4
	— (—) <i>swainsonii</i> . Fig. 13	
	— (—) <i>sowerbyana</i> . Fig. 14	
	— (—) <i>dolium</i> . Fig. 15	
	— (—) <i>forbesiana</i> . Fig. 16	1855, 5
	— (<i>Laminella</i>) <i>rudis</i> . Fig. 17	
	— (—) <i>fusiformis</i> . Fig. 18	
	— (<i>Achatinellastrum</i>) <i>napus</i> . Fig. 19	1855, 6
	— (—) <i>ventrosa</i> . Fig. 20	
	— (<i>Auriculella</i>) <i>cerea</i> . Fig. 21	1855, 2
	— (—) <i>gracilis</i> . Fig. 22	1855, 6
	— (—) <i>crassidentata</i> . Fig. 23	
	— (—) <i>valida</i> . Fig. 24	1855, 7
	— (—) <i>globosa</i> . Fig. 25	
— (—) <i>conspersa</i> . Fig. 26		
— (<i>Labiella</i>) <i>dentata</i> . Fig. 27		
XXXI.	<i>Bulimus protractus</i> . Fig. 1	1855, 94
	— <i>saccatus</i> . Fig. 2	1855, 95
	— <i>musivus</i> . Fig. 3	1855, 96
	— <i>amandus</i> . Fig. 4	1855, 93
	— <i>yatesii</i> . Fig. 5	1855, 94
	— <i>serratus</i> . Fig. 6	1855, 96
	— <i>rectilinearis</i> . Fig. 7	1855, 91
	— <i>melanacme</i> . Fig. 8	1855, 92
	<i>Helix mozambicensis</i> . Fig. 9	1855, 100
	— <i>matura</i> . Fig. 10	1855, 92
	<i>Achatina insignis</i> . Figs. 11, 12	1855, 92
	<i>Helix yatesii</i> . Figs. 13, 14	1855, 94
	<i>Bulimus lacerta</i> . Fig. 15	1855, 106
	<i>Spiraxis cumingiana</i> . Fig. 1	1855, 108
<i>Bulimus macgillivrayi</i> . Fig. 2	1855, 107	
<i>Helix migratoria</i> . Fig. 3	1855, 106	
— <i>traillii</i> . Fig. 4	1855, 107	
<i>Bulimus cinerosus</i> . Fig. 5	1855, 107	
— <i>traillii</i> . Fig. 6	1855, 108	
<i>Helix palawanica</i> . Fig. 7	1855, 108	
— <i>meleagris</i> . Fig. 8	1855, 105	
— <i>vitensis</i> . Fig. 9	1856, 2	
<i>Anaulus bombycinus</i> . Fig. 10		
XXXIII.	<i>Voluta americana</i> . Figs. 1, 2	1856, 2
	— <i>africana</i> . Figs. 3, 4	
	— <i>cathartica</i> . Figs. 5, 6	
XXXIV.	<i>Haliotis albicans</i>	1856, 147
	<i>Cylindrella boucardii</i> . Fig. 1	1856, 321
XXXV.	— <i>polygyra</i> . Figs. 2, 3	1856, 322
	— <i>apiostoma</i> . Figs. 4, 5	
	<i>Achatina (Varicella) orizabæ</i> . Fig. 6	1856, 320
	— (—) <i>speciosa</i> . Fig. 7	1856, 321
	<i>Spiraxis shuttleworthii</i> . Fig. 8	1856, 320
— <i>turgidula</i> . Fig. 9	1856, 319	
<i>Bulimus aurifluus</i> . Fig. 10		

No. of Plate.		Page
XXXV.	<i>Bulimus sulphureus</i> . Fig. 11	1856, 318
	— <i>drouëtii</i> . Fig. 12	1856, 319
	<i>Helix caduca</i> and var. Figs. 13, 14	
	<i>Simpulopsis salleana</i> . Figs. 15, 16	1856, 319
	<i>Helicina heloisæ</i> . Fig. 17	1856, 322
	— <i>notata</i> . Figs. 18, 19, 20	1856, 323
	<i>Proserpina (Ceres) salleana</i> . Figs. 21, 22 ..	1856, 322
	— <i>colina</i> . Figs. 23, 24	1856, 324
	<i>Cyclostoma (Cyclophorus) boucardii</i> . Fig. 25	1856, 323
	XXXVI.	<i>Cylindrella gheisbreghtii</i> , Pfr. Fig. 1
— <i>turris</i> , Pfr. Fig. 2		
— <i>clava</i> , Pfr. Fig. 3		
<i>Helix meta</i> , Pfr. Figs. 4, 5		1856, 381
— <i>lombei</i> , Pfr. Figs. 6, 7		1856, 382
XXXVII.	— <i>grevillei</i> , Pfr. Fig. 8	1856, 387
	<i>Cyclostoma eugeniæ</i> , Reeve. Fig. 1	1857, 209
	— <i>tubulum</i> , Reeve. Fig. 2	
XXXVIII.	<i>Strombus taurus</i> , Reeve. Fig. 3	1857, 207
	<i>Trochus (Euchele) alabastrum</i> , Reeve. Fig. 1	1857, 209
	<i>Murex barclayi</i> , Reeve. Fig. 2	
	<i>Pyrula (Rhizochilus) duburghia</i> , Reeve. Fig. 3	1857, 208
XXXIX.	<i>Cypræa barclayi</i> , Reeve. Fig. 4	
	<i>Furcella gigantea</i> . Figs. 1, 2, 3	
	<i>Chæna annulata</i> . Fig. 4	1857, 248
	— <i>tessellata</i> . Fig. 5	
	<i>Cylindrella eximia</i> . Fig. 1	1858, 23
XL.	<i>Bulimus maricæ</i> . Fig. 2	
	<i>Helix frickii</i> . Fig. 3	1858, 21
	— <i>purchasii</i> . Fig. 4	
	— <i>wallacei</i> . Fig. 5	1858, 20
	— <i>testudo</i> . Fig. 6	1858, 21
	— <i>congrua</i> . Fig. 7	
	<i>Achatinella gemma</i> . Fig. 8	
	— <i>cinnamomea</i> . Fig. 9	
	— <i>minuscula</i> . Fig. 10	1858, 22
	— <i>sulcata</i> . Fig. 11	
	XLI.	<i>Stavelia torta</i> , Gray. Figs. 1, 1a
<i>Hyria lanceolata</i> . Figs. 2, 3		
<i>Bulimus williamsii</i> , Pfr. Fig. 1		1858, 257
XLII.	— <i>platystomus</i> , Pfr. Fig. 2	1858, 256
	— <i>vespertinus</i> , Pfr. Fig. 3	
	— <i>binneyanus</i> , Pfr. Fig. 4	1858, 257
	— <i>catamarcanus</i> , Pfr. Fig. 5	1858, 256
	— <i>patasensis</i> , Pfr. Fig. 6	1858, 257
XLIII.	— <i>ptychostylus</i> , Pfr. Fig. 7	1858, 256
	— <i>farrisii</i> , Pfr. Fig. 8	1858, 258
	<i>Oniscia ponderosa</i> , Hanley. Figs. 9, 10	1858, 255
	<i>Helix rejecta</i> , Pfr. Fig. 1	1859, 25
	— <i>entodonta</i> , Pfr. Fig. 2	1859, 24
XLIII.	— <i>plagioglossa</i> , Pfr. Fig. 3	1859, 26
	— <i>brevibarbis</i> , Pfr. Fig. 4	1859, 25

No. of Plate.		Page
XLIII.	<i>Achatina layardii</i> , Pfr. Fig. 5	1859, 27
	<i>Helix patasensis</i> , Pfr. Fig. 6	1859, 24
	— <i>monacha</i> , Pfr. Fig. 7	1859, 25
XLIV.	— <i>ciliosa</i> , Pfr. Fig. 8	1859, 25
	<i>Cyclostoma fraserii</i> , Pfr. Fig. 1	1859, 28
	<i>Helix aphrodite</i> , Pfr. Fig. 2	1859, 26
	— <i>farrisii</i> , Pfr. Fig. 3	1859, 23
	— <i>patricia</i> , Pfr. Fig. 4	1859, 24
	— <i>jaspidea</i> , Pfr. Fig. 5	1859, 24
XLV.	— <i>vipera</i> , Pfr. Fig. 6	1859, 27
	<i>Cyclostoma principalis</i> , Pfr. Fig. 7	1859, 34
XLVI.	<i>Voluta mamilla</i>	1859, 34
	<i>Scissurella elegans</i> , D'Orb. Figs. 1 to 7	1859, 202
	— <i>mantellii</i> , Fig. 8	1859, 203
XLVII.	— <i>crispata</i> , Flem. Fig. 9	1859, 204
	<i>Cyclostoma articulatum</i> , Figs. 10 to 13	1859, 349
	<i>Unio burtonii</i> , Fig. 1	1859, 348
XLVIII.	<i>Iridina (Pleiodon) spekii</i> , Fig. 2	1859, 349
	<i>Lithoglyphus zonatus</i> , Fig. 3	1859, 349
XLIX.	<i>Melania nassa</i> , Fig. 4	1859, 230
	<i>Scapha maria-emma</i>	1859, 429
L.	<i>Conus proximus</i> , Fig. 1	1859, 428
	— <i>nigrescens</i> , Fig. 2	1859, 429
	<i>Murex tæniatus</i> , Fig. 3	1859, 428
	— <i>nubilus</i> , Fig. 4	1859, 429
	— <i>expansus</i> , Fig. 5	1859, 428
	— <i>roseotinctus</i> , Fig. 6	1859, 428
	— <i>octogonus</i> , Fig. 7	1859, 428
LI.	<i>Spondylus victoriæ</i> , Fig. 8	1860, 139
	<i>Cylindrella splendida</i> , Pfr. Fig. 1	1860, 135
	— <i>arctospira</i> , Pfr. Fig. 2	1860, 136
	— <i>grandis</i> , Pfr. Fig. 3	1860, 133
	<i>Helix acmella</i> , Pfr. Fig. 4	1860, 133
	— <i>mouhoti</i> , Pfr. Fig. 5	1860, 133
	— <i>æquatoria</i> , Pfr. Fig. 6	1860, 189
	— <i>bougainvillei</i> , Pfr. Fig. 7	1860, 189
	— <i>isis</i> , Pfr. Fig. 8	1860, 138
— <i>apollo</i> , Pfr. Fig. 9	1860, 137	
LII.	<i>Cypræa compta</i> , Pease. Fig. 1	1860, 136
	<i>Turcica coreensis</i> , Pease. Fig. 2	1860, 138
	<i>Neptunea fuscolineata</i> , Pease. Fig. 3	1860, 137
	<i>Bulinus colubrinus</i> , Pfr. Fig. 4	1860, 136
	— <i>fraserii</i> , Pfr. Fig. 5	1860, 138
	— <i>saturanus</i> , Fig. 6	1860, 137
	— <i>boucardii</i> , Pfr. Fig. 7	1860, 137
	— <i>stutchburyi</i> , Pfr. Fig. 8	1860, 137
	— <i>schomburgkii</i> , Pfr. Fig. 9	1860, 138
	— <i>turnerii</i> , Pfr. Fig. 10	1860, 138

ANNULOSA.

I.	<i>Agrias ædon</i> , Hewitson	1848,	46
II.	<i>Echinocerus cibarius</i> , White	} 1848,	48
	— —, White. Figs. 1 to 4		
III.	<i>Scalpellum ornatum</i> } Fig. 5	} 1848,	44
	<i>Thaliella ornatum</i> , Gray. }		
	<i>Anatifa ovalis</i> . Fig. 6		
IV.	<i>Corades enyo</i> , Hewitson	1848,	117
V.	<i>Hyleora eucalypti</i> , Doubleday	1848,	118
VI.	<i>Squilla multica rinata</i> , White. Fig. 1	} 1848,	144
	<i>Cancer (Galene) dorsalis</i> , White. Fig. 2.... }		
VII.	<i>Saturnia vacuna</i> , Westw. Fig. 1.....	1849,	39
	— <i>arata</i> , Westw. Fig. 2.....	1849,	41
	— <i>tyrrhena</i> , Westw. Fig. 1	1849,	51
VIII.	— <i>belina</i> , Westw. Fig. 2	1849,	41
	— <i>mythimnia</i> , Westw. Fig. 3.....	1849,	40
	— <i>hersilia</i> , Westw. Fig. 1	1849,	42
IX.	— <i>menippe</i> , Westw. Fig. 2.....	1849,	43
	— <i>nenia</i> , Westw. Fig. 3.....	1849,	57
	— <i>ethra</i> , Westw. Fig. 1	1849,	56
X.	— <i>sinope</i> , Westw. Fig. 2	1849,	60
	— <i>herilla</i> , Westw. Fig. 3	1849,	57
	— <i>delegorguei</i> , Westw. Fig. 4	1849,	59
	<i>Limnadia hermannii</i> , Brong. Fig. 1	1849,	86
	<i>Estheria melitensis</i> , Baird. Fig. 2	} 1849,	88
	— <i>polita</i> , Baird. Fig. 3		
XI.	— <i>brasiliensis</i> , Baird. Fig. 4	} 1849,	89
	— <i>donaciformis</i> , Parreyss. Fig. 5		
	— <i>boysii</i> , Baird. Fig. 6		
	— <i>sinilis</i> , Baird. Fig. 7.....		
XII.	<i>Sirex gigas</i>	1849,	95
	<i>Lamia (Cerosterna) trifasciella</i> . Fig. 1 ...	1850,	13
	<i>Bimia bicolor</i> . Fig. 2	1850,	13
XIII.	<i>Calocomus morosus</i> . Fig. 3	1850,	11
	<i>Prionacalus atys</i> . Fig. 4	1850,	10
	<i>Pyrodes tenuicornis</i> . Fig. 5	1850,	11
	<i>Calloctenus pulcher</i> . Fig. 6	1850,	12
XIV.	<i>Trichomaplata vittata</i> , Wing. Fig. 1	1849,	105
	<i>Caligatus angasii</i> , Wing. Figs. 2, 3	1849,	104
	<i>Palparia lambertella</i> , Wing. Figs. 4, 5 ...	1849,	105
XV.	<i>Potamobius serratus</i>	1850,	95
XVI.	<i>Gonodactylus cultrifer</i> . Figs. 1, 2	1850,	96
	<i>Acanthonotus testudo</i> . Figs. 3 to 5	1850,	97
	<i>Lepidurus viridis</i> . Fig. 1.....	1850,	254
	<i>Estheria dahalacensis</i> . Figs. 2, 3, 4	} 1850,	257
XVII.	<i>Cypridina maria</i> . Figs. 5, 6, 7		
	— <i>interpuncta</i> . Figs. 8, 9, 10		
	— <i>zealandica</i> . Figs. 11, 12, 13	1850,	{ 102 257

No. of Plate.		Page
XVIII.	<i>Cythereis fistulosa</i> . Figs. 1, 2, 3	1850, 256
	— <i>deformis</i> . Figs. 4, 5, 6	
	— <i>runcinata</i> . Figs. 7, 8, 9	1850, 255
	— <i>australis</i> . Figs. 10, 11, 12	
	— <i>prava</i> . Figs. 13, 14, 15	1850, 256
	— <i>senticosa</i> . Figs. 16, 17, 18	
	<i>Cypris donnetii</i> . Figs. 19, 20, 21	1850, 254
	— <i>cuneata</i> . Figs. 22, 23, 24	1850, 255
	<i>Candona lactea</i> . Figs. 25, 26, 27	
	<i>Cythere setosa</i> . Figs. 28, 29, 30	
	— <i>tarentina</i> . Figs. 31, 32, 33	
XIX.	<i>Glossina morsitans</i> , Westw. Fig. 1	1850, 261
	— <i>tachinoides</i> , Westw. Fig. 2	1850, 267
	— <i>tabaniformis</i> , Westw. Fig. 3	1850, 268
	<i>Stylomyia leonum</i> , Westw. Fig. 4	1850, 269
XX.	<i>Distichocera kirbii</i> ♂, Newman	1851, 79
XXI.	<i>Cystocoma saundersii</i>	1852, 14
XXII.	<i>Apus domingensis</i> . Fig. 1	1852, 5
	<i>Lepidurus glacialis</i> . Fig. 2	1852, 6
	<i>Streptocephalus similis</i> . Figs. 3, 4	1852, 22
XXIII.	<i>Limnadia antillarum</i> . Fig. 1	1852, 30
	<i>Cypris cuneata?</i> Fig. 2	1852,
	— <i>schomburgkii</i> . Fig. 3	1852, 8
	— <i>belcheri</i> . Fig. 4	1852, 7
	<i>Estheria dallasii</i> . Fig. 5	1852, 30
XXIV.	<i>Cladiscus longipennis</i> . Fig. 1	1852, 39
	— <i>parrianus</i> . Fig. 2	
	— <i>bipectinatus</i> . Fig. 3	
	<i>Clerus (Xylobius?) albo-varius</i> . Fig. 4	1852, 40
	<i>Tillus (Tillecerus) chalybeus</i> . Fig. 5	1852, 41
	<i>Clerus (Xylobius?) dulcis</i> . Fig. 6	1852, 40
	<i>Tillus afzelii</i> . Fig. 7	1852, 38
	<i>Enoplium pustuliferum</i> . Fig. 8	1852, 52
	<i>Tillus (Macrotelus, Monophylla) uniformis</i> . Fig. 9	1852, 37
	<i>Clerus (Xylotretus) excavatus</i> . Fig. 10	1852, 46
	<i>Tillus dux</i> . Fig. 11	
	<i>Erymanthus horridus</i> . Fig. 12	1852, 35
	— <i>Clerus (Hoploclerus) biaculeatus</i> . Fig. 1	1852, 52
	— (<i>Lemidius</i>) <i>corallipennis</i> . Fig. 2	1852, 47
— (—) <i>festivus</i> . Fig. 3		
XXV.	<i>Thanasimus irregularis</i> . Fig. 4	1852, 38
	— <i>cursorius</i> . Fig. 5	1852, 53
	— <i>subscutellaris</i> . Fig. 6	1852, 44
	<i>Clerus sanguinalis</i> . Fig. 7	1852, 36
	<i>Thanasimus sellatus</i> . Fig. 8	1852, 42
	<i>Clerus sepulcralis</i> . Fig. 9	1852, 52
	— <i>subfasciatus</i> . Fig. 10	1852, 41
	— <i>bengala</i> . Fig. 11	
— <i>posticalis</i> . Fig. 12	1852, 42	
XXVI.	— (<i>Omaclius</i>) <i>mediofasciatus</i> . Fig. 1	1852, 44

No. of Platc.		Page
XXVI.	<i>Clerus (Omadius) prasinus</i> . Fig. 2.....	1852, 53
	— (—) <i>olivaceus</i> . Fig. 3.....	1852, 44
	— (<i>Stigmatius</i>) <i>nebulifer</i> . Fig. 4.....	1852, 36
	— (—) <i>rufiventris</i> . Fig. 5.....	} 1852, 45
	— (—) <i>elaphroides</i> . Fig. 6.....	
	<i>Opilus 6-notatus</i> . Fig. 7.....	1852, 51
	<i>Clerus (Stigmatius) dorsiger</i> . Fig. 8.....	1852, 37
	<i>Opilus sordidus</i> . Fig. 9.....	1852, 42
	— <i>mærens</i> . Fig. 10.....	1852, 50
	<i>Clerus zebratus</i> . Fig. 11.....	1852, 43
<i>Opilus hilaris</i> . Fig. 12.....	1852, 50	
XXVII.	<i>Clerus (Hydnocerus?) flavo-lineatus</i> . Fig. 1.	1852, 48
	— (<i>Hydnocerus</i>) <i>bellus</i> . Fig. 2.....	1852, 47
	— (<i>Hydnocerus?</i>) <i>flavo-varius</i> . Fig. 3..	1852, 49
	— (<i>Hydnocerus</i>) <i>exilis</i> . Fig. 4.....	} 1852, 48
	— (—) <i>V-reversus</i> . Fig. 5.....	
	— (—) <i>pectoralis</i> . Fig. 6.....	1852, 49
	<i>Corynetes compactus</i> . Fig. 7.....	1852, 54
	<i>Thanasimus anthicoïdes</i> . Fig. 8.....	1852, 43
	<i>Clerus novem-guttatus</i> . Fig. 9.....	1852, 49
	<i>Necrobia pinguis</i> . Fig. 10.....	1852, 52
<i>Opetiopalpus obesus</i> . Fig. 11.....	1852, 46	
<i>Necrobia eximia</i> . Fig. 12.....	1852, 54	
XXVIII.	Development of <i>Echinococcus</i>	1852, 110
XXIX.		
XXX.	<i>Ascaris lævissima</i> , Baird. Fig. 1.....	} 1853, 19
	<i>Mermis rigidus</i> , Baird. Fig. 2.....	
	<i>Gordius violaceus</i> , Baird. Fig. 3.....	} 1853, 20
	— <i>pustulosus</i> , Baird. Fig. 4.....	
	— <i>sphaerura</i> , Baird. Fig. 5.....	
— <i>fasciatus</i> , Baird. Fig. 6.....	} 1853, 21	
<i>Pentastoma annulatum</i> , Baird. Fig. 7.....	1853, 22	
XXXI.	<i>Tænia calva</i> , Baird. Fig. 1.....	} 1853, 24
	— <i>zederi</i> , Baird. Fig. 2.....	
	— <i>falciformis</i> , Baird. Fig. 3.....	
<i>Bothriocephalus antarcticus</i> , Baird. Fig. 4..	1853, 25	
XXXII.	<i>Saturnia jorulla</i> . Fig. 1.....	1853, 159
	— <i>orizaba</i> . Fig. 2.....	1853, 158
	— <i>lavendera</i> . Fig. 3.....	1853, 160
	— <i>sapatoza</i> . Fig. 1.....	1853, 163
XXXIII.	— <i>calleta</i> . Fig. 2.....	1853, 161
	— <i>janeira</i> . Fig. 3.....	1853, 164
	— <i>zacateca</i> . Fig. 4.....	1853, 159
	<i>Oiketicus nigricans</i> . Fig. 1 and details....	1854, 220
XXXIV.	— <i>kirbii</i> . Fig. 2 and details.....	1854, 221
	— <i>macleaii</i> . Fig. 3 and details.....	1854, 222
	— <i>doubledaii</i> . Fig. 4 and details.....	1854, 235
	— <i>saundersii</i>	1854, 223
XXXV.	— <i>hübnerii</i> . Fig. 1 and details.....	1854, 228
	— <i>templetonii</i> . Fig. 2 and details.....	1854, 234
XXXVI.	— <i>consortus</i> . Fig. 3 and details.....	1854, 235

No. of Plate.		Page
XXXVII.	<i>Oiketicus lewini</i> . Fig. 1 and details	1854, 231
	— <i>boisdwalii</i> . Fig. 2 and details	1854, 232
	— <i>herrichii</i> . Fig. 3 and details	1854, 236
	— <i>cramerii</i> . Fig. 4 and details	1855, 20
XXXVIII.	<i>Stigmatium ignavum</i> . Fig. 1	1855, 21
	— <i>torulentum</i> . Fig. 2	1855, 22
	— <i>fervidum</i> . Fig. 3	1855, 23
	— <i>granulosum</i> . Fig. 4	1855, 22
	— <i>ambulator</i> . Fig. 5	1855, 23
	— <i>cylindrinum</i> . Fig. 6	1855, 22
	— <i>cursor</i> . Fig. 7	1855, 23
	— <i>Omadius ctenostomoides</i> . Fig. 8	1855, 24
XXXIX.	— <i>fasciipes</i> . Fig. 9	1855, 25
	— <i>vigilans</i> . Fig. 10	1855, 26
	— <i>seticornis</i> . Fig. 11	1856, 7
	— <i>clytiformis</i> . Fig. 12	1856, 7
	<i>Papilio (Ornithoptera) victoriæ</i> , G. R. Gray ..	1856, 7
XL.	<i>Tragocephala comitessa</i> . Fig. 1	1856, 13
	— <i>chevolatii</i> . Fig. 2	1856, 14
	— <i>ducalis</i> . Fig. 3	1856, 14
	— <i>genmaria</i> . Fig. 4	1856, 406
	— <i>querinii</i> . Fig. 5	1856, 406
	<i>Deucalion wollastonii</i> . Fig. 6	1856, 407
	<i>Moneilema albopictum</i> . Fig. 7	1856, 407
	— <i>Anisocerus onca</i> . Fig. 8	1856, 408
	— <i>capucinus</i> . Fig. 9	1856, 408
	— <i>dulcissimus</i> . Fig. 10	1856, 409
XLI.	<i>Phædinus xanthomelas</i> . Fig. 11	1856, 409
	<i>Phæbe concinna</i> . Fig. 12	1856, 410
	<i>Agelasta callizona</i> . Fig. 13	1856, 410
	— <i>amica</i> . Fig. 14	1856, 410
	— <i>newmannii</i> . Fig. 15	1856, 14
	<i>Trigonophorus hookeri</i> , ♂, ♀. Figs. 1, 2 ..	1856, 15
	<i>Stethodesma servillei</i> . Fig. 3	1856, 15
	<i>Clinteria ducalis</i> . Fig. 4	1856, 17
	— <i>hoffmeisterii</i> . Fig. 5	1856, 17
	<i>Cetonia procera</i> . Fig. 6	1856, 16
	<i>Schizorhina idæ</i> . Fig. 7	1856, 16
	— <i>bassii</i> . Fig. 8	1856, 17
— <i>emilia</i> . Fig. 9	1856, 17	
<i>Cetonia schaumii</i> . Fig. 10	1856, 132	
XLII. <i>Lithodes (Petalocerus) bellianus</i> , White	1856, 132	
XLIII. <i>Mygale emilia</i> , White	1856, 183	
XLIV.	<i>Pieris nama</i> , Moore, ♂, ♀. Figs. 1, 2 ..	1857, 102
	— <i>seta</i> , Moore. Fig. 3	1857, 103
	— <i>sanaca</i> , Moore. Fig. 4	1857, 103
	— <i>indra</i> , Moore. Fig. 5	1857, 103
XLV. — <i>durvasa</i> , Moore, ♀. Fig. 6	1857, 104	
XLVI. <i>Papilio janaka</i> , Moore	1857, 115	
XLVI.	<i>Pentastoma multicinctum</i> , Harley	1857, 115
	— <i>polyzonum</i> , Harley	1857, 115

No. of Plate.		Page	
XLVII.	<i>Pentastoma multicinctum</i> . Ova in different stages of development	1857, 115	
XLVIII.	<i>Lineus beatticei</i> , Gray	1857, 210	
XLIX.	<i>Neptis pata</i> , Moore. Fig. 1	} 1858, 4	
	— <i>antara</i> , Moore. Fig. 2		
	— <i>narayana</i> , Moore. Fig. 3	1858, 6	
	— <i>amba</i> , Moore. Fig. 4	} 1858, 7	
	— <i>columella</i> , ♂, ♀. Fig. 5		
	— <i>soma</i> . Fig. 6	1858, 9	
	— <i>ida</i> , Moore. Fig. 7	} 1858, 10	
	— <i>duryodana</i> , Moore. Fig. 8		
	L.	— <i>shepherdii</i> , Newm. Fig. 1	1858, 8
		<i>Athyma bahula</i> , Moore. Fig. 2	} 1858, 12
— <i>reta</i> , Moore. Fig. 3			
— <i>kresna</i> , Moore. Fig. 4		} 1858, 13	
— <i>nefte</i> , ♂, ♀. Fig. 5			
— <i>inara</i> , Bd., ♂, ♀. Fig. 6		1858, 16	
— <i>abiasa</i> , Moore. Fig. 7		1858, 13	
— <i>subrata</i> , Moore, ♀. Fig. 1		1858, 17	
— <i>kanwa</i> , Moore. Fig. 2		1858, 16	
— <i>idita</i> , Moore. Fig. 3		} 1858, 19	
— <i>illigera</i> , Esch. Fig. 4			
LI.	— <i>dama</i> , Moore. Fig. 5	1858, 19	
	— <i>kasa</i> . Fig. 6	} 1858, 20	
	— <i>gutama</i> , Moore. Fig. 7		
LII.	<i>Hedruris siredonis</i> . Figs. 1, 2, 3, 4	1858, 225	
	Tail of <i>Hedruris androphora</i> . Fig. 5	1858, 224	
	<i>Leptodera elongata</i> . Figs. 6, 7, 8, 9	1858; 225	
LIII.	<i>Monohammus bouringii</i> . Fig. 1	} 1858, 398	
	— <i>championi</i> . Fig. 2		
	<i>Phymasterna leucostictica</i> . Fig. 3	} 1858, 402	
	<i>Diastocera catherina</i> . Fig. 4		
	<i>Anoplostheta jardinei</i> . Fig. 5	1858, 405	
	<i>Batocera una</i> . Fig. 6	1858, 399	
	<i>Cereopsius helena</i> . Fig. 7	1858, 412	
<i>Acrocera ferruginosa</i> . Fig. 8	1858, 400		
LIV.	<i>Diadema pandarus</i> . Figs. 1, 2	} 1858, 464	
	— <i>deois</i> . Figs. 3, 4, 5		
LV.	<i>Melanitis melane</i>	1858, 465	
LVI.	<i>Ascaris halichoris</i> , Owen. Figs. 2, 2a, 2b, 2c	1859, 148	
	<i>Tænia sulciiceps</i> , Baird. Figs. 1, 1a, 1b	1859, 111	
LVII.	<i>Attacus edwardsii</i>	1859, 115	
LVIII.	<i>Platysma sturtii</i> . Fig. 1	} 1859, 117	
	— <i>flindersii</i> . Fig. 2		
	<i>Catadromus elseyi</i> . Fig. 3	} 1859, 118	
	<i>Oryctes müllleranus</i> . Fig. 4		
	<i>Aulacopris reichii</i> . Fig. 5	} 1859, 122	
	<i>Distichocera thomsonella</i> . Fig. 6		
	<i>Schizorhina bakewellii</i> . Fig. 7	1859, 119	
	<i>Diaphonia metallescens</i> . Fig. 8	} 1859, 120	
<i>Chrysodema louisae</i> . Fig. 1			
LIX.			

No. of Plate.		Page
LIX.	<i>Stigmodera gulielmi</i> . Fig. 2	1859, 120
	— <i>parallela</i> . Fig. 3.....	1859, 119
	— <i>bakewellii</i> . Fig. 4	
	<i>Temognatha imperatrix</i> . Fig. 5	1859, 120
	<i>Zopherosis georgii</i> . Fig. 6	1859, 121
	<i>Rhytiphora amricula</i> . Fig. 7	1859, 122
<i>Platymopsis armatula</i> . Fig. 8		
LX.	<i>Trypanophora semihyalina</i> , ♂, ♀. Figs. 1, 2	1859, 197
	<i>Syntomis marsdenii</i> , Moore. Fig. 3.....	
	— <i>vigorsii</i> , Moore. Fig. 4	1859, 198
	— <i>pfeifferæ</i> , Moore. Fig. 5	
	— <i>wallacii</i> , Moore. Fig. 6	
	— <i>penangæ</i> , Moore. Fig. 7.....	
	— <i>rafflesii</i> , Moore. Fig. 8	
	— <i>walkerii</i> , Moore. Fig. 9	
	— <i>pravata</i> , Moore. Fig. 10	1859, 199
	— <i>crawfordii</i> , Moore. Fig. 11	
	— <i>cantorii</i> , Moore. Fig. 12	
	LXI.	<i>Phalanna horsfieldii</i> , Moore. Fig. 13
<i>Phauda mahisa</i> , Moore. Fig. 14.....		1859, 207
LXII.	<i>Hyphantidium sericarium</i>	1859, 209
LXIII.	<i>Perga eucalypti</i>	1859, 232
	<i>Estheria histopi</i> . Figs. 1, 1 a, 1 d	1859, 233
	<i>Cypris subglobosa</i> . Figs. 2, 2 a, 2 e	
	— <i>cylindrica</i> . Figs. 3, 3 a, 3 c	
	— —, var. <i>major</i> . Figs. 4, 4 a, 4 f....	
— <i>marginato-dentata</i> . Figs. 5, 5 a, 5 e ..	1859, 256	
— — —, var. Figs. 5 d, 5 f		
LXIV.	<i>Antheræa roylii</i> . Fig. 1	1859, 257
	— <i>helferi</i> . Fig. 2	1859, 256
LXV.	— <i>frithii</i> . Fig. 1	1859, 265
	<i>Saturnia grotei</i> . Fig. 2	1859, 269
LXVI.	<i>Attacus guerini</i> . Fig. 3	1859, 422
	<i>Papilio paradoxa</i> , var. Fig. 4.....	1859, 423
LXVII.	— <i>noctis</i> . Figs. 5, 6	1859, 422
LXVIII.	— <i>paradoxa</i> , var. Figs. 1, 2, 3	1859, 424
LXIX.	— <i>cresus</i> , ♂	1860, 37
	— —, ♀	
LXX.	<i>Peasia reticulata</i> . Figs. 1, 2	1860, 38
	— <i>inconspicua</i> . Figs. 3, 4	
	— <i>tentaculata</i> . Figs. 5, 6	
	— <i>maculata</i> . Figs. 7, 8	
	— <i>irrorata</i> . Figs. 9, 10	
LXXI.	<i>Cypridina albomaculata</i> . Figs. 1, 1 a to 1 d	1860, 201
	— <i>godehevi</i> . Figs. 2, 2 a to 2 c	1860, 201
	— <i>ovum</i> . Figs. 3, 3 a, 3 b	1860, 200
	— <i>norvegica</i> . Figs. 4, 4 a to 4 d.....	1860, 202
	<i>Philomedes longicornis</i> . Figs. 5, 5 a to 5 c ..	1860, 188
	<i>Estheria compressa</i> . Figs. 6, 6 a, 6 b	1860, 392
LXXII.	— <i>birchii</i> . Figs. 1, 1 e.....	1860, 445
	<i>Streptocephalus dichotomus</i> . Figs. 2, 2 a....	1860, 446
	<i>Daphnia neuportii</i> . Figs. 3, 3 c	1860, 446

RADIATA.

I.	<i>Sarcoptilus grandis</i> , Gray	1848,	45
	{ <i>Heterocyathus cochlea</i> (Gm.). Figs. 1, 2, 2 a. }		
	{ — <i>hemisphaerica</i> , Gray. Figs. 3, 3 a, 4 . . }	1849,	77
II.	{ — <i>eupsannmides</i> , Gr., & var. Figs. 5, 5 a, 6, 7 }		
	{ <i>Prinnoa australasiae</i> , Gray. Figs. 8, 9 . . . }	1849,	146
	{ <i>Flabellum macandrewii</i> , Gray. Figs. 10, 11. }	1849,	75
III.	{ <i>Gonigoria clavata</i> , Gray. Fig. 1 }	1851,	125
	{ <i>Nidalia occidentalis</i> , Gray. Fig. 2 }		
IV.	<i>Æquorea forskalea</i> , Peron	1851,	272
	{ <i>Scolanthus sphaeroïdes</i> . Figs. 1, 2, 3 }	1855,	85
V.	<i>Actinia pallida</i> . Fig. 4.	1855,	236
	{ — <i>ornata</i> . Figs. 5, 6, 7 }	1855,	237
	{ —, var. Fig. 8. }		
VI.	<i>Antipathes spiralis</i> ?	1857,	114
VII.	<i>Nidalia occidentalis</i> , Gray	1857,	128
VIII.	<i>Sarcogorgia phidippus</i> , Gray	1857,	158
IX.	<i>Hyalonema mirabilis</i> , Gray	1857,	279
	{ <i>Aphroceras alcicornis</i> , Gray. Figs. 1, 2 }	1858,	113
X.	{ <i>Zoanthus couchii</i> , Johnston. Figs. 3-7. }	1858,	557
	{ <i>Sidisia barleci</i> , Gray. Fig. 8 }	1858,	531
XI.	<i>Aphrocallistes beatrix</i> , Gray	1858,	114
XII.	<i>Xenospongia patelliformis</i> , Gray	1858,	229
XIII.	<i>Electra verticillata</i>	1858,	306
	{ <i>Synapta digitata</i> . Figs. 1-17 }	1858,	361
	{ — <i>inhærens</i> . Figs. 18-22. }	1858,	363
XIV.	{ — <i>bidentata</i> . Figs. 23-25 }	1858,	365
	{ <i>Chiridota lavis</i> . Fig. 26 }		
	{ <i>Myriotrochus rinkii</i> . Figs. 27-31 }	1858,	366
XV.	<i>Macandrewia azorica</i>	1858,	438
XVI.	<i>Myliusia callocyathes</i>	1859,	439
XVII.	<i>Distichopora coccinea</i>	1860,	244
XVIII.	<i>Corallium johnsonii</i>	1860,	393

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

INDEX OF SPECIES

DESCRIBED AND REFERRED TO.

1848—60.

	Page		Page	
<i>Ablabes collaris</i>	1858,	}	1854,	
	1860,		116	
	1860,		161	
	1860,		168	
	1860,		170	
	1860,		167	
	1860,		155	
	1860,		161	
	1860,		172	
	1860,		154	
1860,	161	}	1854,	
1860,	168			120
1860,	171			117
1860,	428			119
1854,	106			119
1854,	106			118
1854,	106			118
1854,	106			118
1857,	19			118
1858,	76			118
1860,	272	119		
1859,	485	1854,	119	
1859,	161	1859,	185	
1849,	76	1854,	118	
1857,	128	1854,	117	
1850,	97	1854,	260	
1858,	384	1854,	260	
1854,	110	1859,	150	
1858,	60	1859,	151	
1854,	266	1854,	260	
1854,	110	1850,	215	
1854,	266	1851,	42	
1855,	135	1859,	389	
1858,	9	1854,	260	
1858,	7	1858,	473	
1858,	8	1860,	344	
1858,	9	1855,	134	
1858,	18	1860,	96	
1854,	116	1850,	215	
1854,	117	1854,	260	
1854,	120	1857,	125	
1854,	119	1858,	295	
1854,	120	1860,	343	
		1858,	473	
		1860,	416	
		1859,	389	
		1860,	72	
		1860,	298	
		1858,	170	
		1859,	153	
		1850,	215	

	Page		Page
<i>Accipiter virgatus</i>	1854,	<i>Achatina triticea</i>	1854,
<i>Acheus torquatus</i>	1840,	<i>trypanodes</i>	1856,
<i>Achatina acicula</i>	1854,	<i>tuberculata</i>	1854,
<i>albersii</i>	1854,	<i>vestita</i>	1854,
<i>albicans</i>	1851,	<i>violacea</i>	1851,
<i>ambigua</i>	1856,	<i>virens</i>	1854,
<i>atramentaria</i>	1855,	<i>yatesii</i>	1855,
<i>attenuata</i>	1851,	(<i>Glandina</i>) <i>contularis</i> 1855,	100
<i>aurora</i>	1854,	(—) <i>filosa</i>	1855,
<i>capillacea</i>	1854,	(—) <i>insignis</i>	1855,
<i>carnea</i>	1852,	(—) <i>nystiana</i>	1855,
<i>cerea</i>	1852,	(<i>Oleacina</i>) <i>binneyana</i> 1855,	117
<i>chiapensis</i>	1856,	(—) <i>ghiesbreghtii</i> 1856,	379
<i>chinensis</i>	1854,	(—) <i>pulchella</i>	1856,
<i>chrysalis</i>	1855,	(<i>Varicella</i>) <i>cordovana</i> 1856,	321
<i>conspersa</i>	1852,	(—) <i>guadeloupensis</i> 1856,	335
<i>corrosula</i>	1856,	(—) <i>orizabæ</i>	1856,
<i>cylichna</i>	1854,	(—) <i>speciosa</i>	1856,
<i>deshayesi</i>	1852,	<i>Achatinella acuta</i>	1853,
<i>dunkeri</i>	1851,	<i>adamsii</i>	1854,
<i>erecta</i>	1855,	<i>adansonii</i>	1853,
<i>eulima</i>	1854,	<i>affinis</i>	1853,
<i>flexuosa</i>	1854,	<i>alba</i>	1850,
<i>folliculus</i>	1854,	<i>albida</i>	1855,
<i>fulgens</i>	1859,	<i>albolabris</i>	1853,
<i>fulgurata</i>	1851,	<i>amœna</i>	1855,
<i>fuliginæa</i>	1852,	<i>ampla</i>	1853,
<i>fusca</i>	1852,	<i>apicata</i>	1855,
<i>glutinosa</i>	1852,	<i>aplustre</i>	1853,
<i>gracilis</i>	1854,	<i>aptycha</i>	1855,
<i>granulata</i>	1852,	<i>assimilis</i>	1853,
<i>grevillei</i>	1860,	<i>attenuata</i>	1855,
<i>impressa</i>	1851,	<i>baldwini</i>	1853,
<i>inæqualis</i>	1855,	<i>buddii</i>	1853,
<i>inornata</i>	1851,	<i>candida</i>	1855,
<i>isotoma</i>	1852,	<i>cerea</i>	1855,
<i>lævigata</i>	1854,	<i>cestus</i>	1853,
<i>layardii</i>	1859,	<i>chamissoi</i>	1855,
<i>leacociana</i>	1854,	<i>chlorotica</i>	1855,
<i>maderensis</i>	1854,	<i>cinerosa</i>	1855,
<i>maniensis</i>	1854,	<i>clementina</i>	1855,
<i>margaritacea</i>	1856,	<i>conconvospira</i>	1859,
<i>melampoides</i>	1854,	<i>concinna</i>	1853,
<i>mitriformis</i>	1854,	<i>conspersa</i>	1855,
<i>natalensis</i>	1854,	<i>cornea</i>	1853,
<i>newcombii</i>	1851,	<i>crassa</i>	1853,
<i>oryza</i>	1854,	<i>crassidentata</i>	1855,
<i>ovuliformis</i>	1854,	<i>crassilabrum</i>	1853,
<i>pallens</i>	1856,	<i>cumingii</i>	1853,
<i>plicatula</i>	1851,	<i>cuneus</i>	1855,
<i>portoricensis</i>	1848,	<i>curta</i>	1853,
<i>producta</i>	1854,	<i>cylindrica</i>	1853,
<i>reeveana</i>	1848,	<i>decipiens</i>	1853,
<i>richardi</i>	1852,	<i>dentata</i>	1855,
<i>shuttleworthii</i>	1856,	<i>dimidiata</i>	1855,
<i>tornatellina</i>	1854,		

	Page		Page
<i>Achatinella dolium</i>	1855,	<i>Achatinella morbida</i>	1859,
<i>dubia</i>	1853,	<i>mucronata</i>	1853,
<i>dunkeri</i>	1855,	<i>multicolor</i>	1855,
<i>duplicata</i>	1853,	<i>multilineata</i>	1853,
<i>dwrightii</i>	1855,	<i>napus</i>	1855,
<i>elegans</i>	1853,	<i>nigra</i>	1855,
<i>elevata</i>	1855,	<i>nitida</i>	1853,
<i>emersonii</i>	1853,	<i>nivosa</i>	1853,
<i>extincta</i>	1855,	<i>nobilis</i>	1855,
<i>faba</i>	1859,	<i>obelavata</i>	1855,
<i>ferussaci</i>	1855,	<i>obelisca</i>	1855,
<i>flavescens</i>	1853,	<i>obosa</i>	1853,
<i>forbesiana</i>	1855,	<i>obscura</i>	1853,
<i>frickii</i>	1855,	<i>obtusa</i>	1855,
<i>fulgens</i>	1853,	<i>ornata</i>	1853,
<i>fulva</i>	1855,	<i>oryza</i>	1855,
<i>fumosa</i>	1853,	<i>ovata</i>	1853,
<i>fusca</i>	1853,	<i>oviformis</i>	1855,
<i>fusiformis</i>	1855,	<i>perdix</i>	1854,
<i>germana</i>	1853,	<i>petricola</i>	1855,
<i>gigantea</i>	1853,	<i>pfeifferi</i>	1853,
<i>glabra</i>	1853,	<i>physa</i>	1853,
<i>globosa</i>	1855,	<i>picta</i>	1854,
<i>glutinosa</i>	1855,	<i>planospira</i>	1855,
<i>goniostoma</i>	1855,	<i>plicata</i>	1851,
<i>gouldii</i>	1853,	<i>polita</i>	1853,
<i>gracilis</i>	1855,	<i>porcellana</i>	1853,
<i>grana</i>	1853,	<i>porphyrea</i>	1853,
<i>grayana</i>	1855,	<i>pulchella</i>	1855,
<i>grisea</i>	1853,	<i>pulla</i>	1855,
<i>grossa</i>	1855,	<i>pupoidea</i>	1853,
<i>hanleyana</i>	1855,	<i>radiata</i>	1854,
<i>helena</i>	1853,	<i>recta</i>	1853,
<i>humilis</i>	1855,	<i>redfieldii</i>	1853,
<i>hybrida</i>	1853,	<i>remyii</i>	1855,
<i>inflata</i>	1855,	<i>reticulata</i>	1853,
<i>intermedia</i>	1853,	<i>rubens</i>	1854,
<i>irregularis</i>	1855,	<i>rubiginosa</i>	1853,
<i>johnsonii</i>	1853,	<i>rudis</i>	1855,
<i>labiata</i>	1853,	<i>rufa</i>	1853,
<i>liliacea</i>	1859,	<i>rugosa</i>	1853,
<i>lineolata</i>	1853,	<i>rutila</i>	1853,
<i>livida</i>	1850,	<i>saccata</i>	1859,
<i>luctuosa</i>	1855,	<i>sanguinea</i>	1853,
<i>lurida</i>	1855,	<i>semicarinata</i>	1853,
<i>macrostoma</i>	1855,	<i>semicostata</i>	1855,
<i>maniensis</i>	1855,	<i>sericea</i>	1859,
<i>margarita</i>	1855,	<i>solitaria</i>	1853,
<i>mastersii</i>	1853,	<i>sordida</i>	1853,
<i>melampoides</i>	1854,	<i>soror</i>	1853,
<i>melanostoma</i>	1851,	<i>sowerbyana</i>	1855,
<i>melanotis</i>	1853,	<i>splendida</i>	1853,
<i>micans</i>	1859,		
<i>moesta</i>	1853,		
<i>monacha</i>	1855,		

	Page		Page
<i>Achatinella subrostrata</i>	1859, 31	<i>Aciculina glabrata</i>	1851, 114
<i>subvirens</i>	{ 1853, 136 1854, 310	<i>labiata</i>	1851, 114
<i>succincta</i>	1855, 209	<i>maculata</i>	1851, 114
<i>swainsonii</i>	1855, 4	<i>striata</i>	1851, 114
<i>swiftii</i>	1853, 133	<i>vittata</i>	1851, 114
<i>tæniolata</i>	1854, 310	<i>Aclesia areola</i>	1860, 24
<i>terebra</i>	1853, 144	<i>Aclis acuminata</i>	1860, 241
<i>teres</i>	1855, 206	<i>Acmaea ancyclus</i>	1856, 221
<i>tessellata</i>	{ 1853, 139 1854, 311	<i>mammillata</i>	1856, 222
<i>tetrao</i>	{ 1854, 311 1855, 207	<i>marmorea</i>	1856, 222
<i>transversalis</i>	1855, 204	<i>mitra</i>	1856, 222
<i>turgida</i>	1853, 134	<i>paleacea</i>	1856, 204
<i>umbilicata</i>	1855, 205	<i>patina</i>	1856, 221
<i>undulata</i>	1855, 209	<i>pelta</i>	1856, 221
<i>valida</i>	1855, 6	<i>persona</i>	1856, 221
<i>variabilis</i>	1853, 154	<i>radiata</i>	1856, 221
<i>ventrosa</i>	1855, 6	<i>scabra</i>	1856, 222
<i>venulata</i>	1853, 146	<i>scurra</i>	1856, 222
<i>vidua</i>	1855, 3	<i>scutum</i>	1856, 222
<i>violacea</i>	1853, 135	<i>spectrum</i>	1856, 222
<i>virgulata</i>	1854, 311	<i>Acmocera ferruginosa</i>	1858, 400
<i>viridans</i>	1854, 310	<i>triangularis</i>	1858, 400
<i>vitrea</i>	1853, 142	<i>Acontias elegans</i>	1858, 156
<i>zebrina</i>	1855, 202	<i>punctata</i>	1858, 157
(<i>Achatinellastrum</i>)		<i>Acostæa guadasana</i>	1854, 129
<i>ovum</i>	1856, 334	<i>Acridotheres cristatellus</i>	1859, 433
(<i>Auriculella</i>) <i>chamissoi</i>	1855, 98	<i>fuscus</i>	{ 1859, 150 445
(<i>Labiella</i>) <i>callosa</i>	1856, 334	<i>ginginianus</i>	{ 1858, 480 1859, 173 1860, 372
(<i>Laminella</i>) <i>farcimen</i>	1856, 334	<i>griseus</i>	1859, 445
(<i>Leptachatina</i>) <i>obclavata</i>	1855, 98	<i>javanicus</i>	1859, 151
(<i>Newcombia</i>) <i>cinamomea</i>	1858, 22	<i>nigricollis</i>	1859, 151
(—) <i>gemma</i>	1858, 22	<i>tristis</i>	{ 1857, 97 1858, 480 1859, 173
(—) <i>minuscula</i>	1858, 22	<i>Acrilla acuminata</i>	1860, 241
(—) <i>sulcata</i>	1858, 22	<i>gracilis</i>	1860, 241
<i>Achatinellastrum clementinum</i>	1855, 205	<i>Acrocephalus arundinaceus</i>	1858, 493
<i>conspersum</i>	1855, 7	<i>brunnescens</i>	1859, 183
<i>crassidentatum</i>	1855, 6	<i>fasciolatus</i>	1860, 349
<i>cuneum</i>	1855, 205	<i>orientalis</i>	1860, 349
<i>globosum</i>	1855, 7	<i>Acrocinus longimanus</i>	1860, 372
<i>gracile</i>	1855, 6	<i>Acronotus bubalis</i>	1850, 139
<i>hiliaceum</i>	1859, 31	<i>caama</i>	1850, 140
<i>ovum</i>	1856, 334	<i>Actæon bevaletii</i>	1854, 59
<i>napus</i>	1855, 5	<i>cumingii</i>	1854, 59
<i>pulchellum</i>	1855, 6	<i>denticulata</i>	1854, 32
<i>saccatum</i>	1859, 30	<i>dianæ</i>	1854, 59
<i>validum</i>	1855, 6	<i>flammeus</i>	1854, 59
<i>ventrosum</i>	1855, 6	<i>mariaë</i>	1854, 60
<i>Acheus torquatus</i>	1849, 67	<i>modestus</i>	1854, 60
<i>Acicula acicula</i>	1854, 201	<i>oryza</i>	1854, 59
<i>eulima</i>	1854, 201	<i>pudicus</i>	1854, 60
<i>Aciculina costata</i>	1851, 114	<i>punctostriatus</i>	1854, 59
		<i>senegalensis</i>	1854, 59

	Page		Page
<i>Actæon sieboldii</i>	1854, 59	<i>Adamsiella longicollis</i> ..	1854, 128
<i>tornatilis</i>	1854, 59	<i>Addax nasomaculata</i> ..	1850, { 135
<i>venustus</i>	1854, 59		175
<i>virgatus</i>	1854, 59		1855, 140
<i>Actias lima</i>	1849, 36	<i>Adelomyia melano-</i>	1859, 145
<i>luna</i>	1856, 5	<i>genys</i>	{ 1860, 63
<i>mænas</i>	1859, 264		1860, 70
<i>selenè</i>	{ 1856, 5		1860, 94
<i>sinensis</i>	1859, 264	<i>Adenota kob</i>	1850, 129
<i>Actinella actinophora</i> ..	1854, 180	<i>lechè</i>	1850, 130
<i>arcta</i>	1854, 180	<i>Admete borealis</i>	1855, 122
<i>arridens</i>	1854, 180	<i>viridula</i>	1855, 122
<i>lentiginosa</i>	1854, 180	<i>Ægialites cantianus</i>	1860, 415
<i>stellaris</i>	1854, 180	<i>falklandicus</i>	1860, 386
	{ 145		1857, 127
<i>Actinia bellis</i>	1858, 146	<i>vociferus</i>	{ 1857, 206
	{ 149		1857, 236
<i>biserialis</i>	1858, 148		1859, 369
<i>candida</i>	1855, 235		1859, 393
<i>clavata</i>	1858, 146	<i>Ægithalus flammiceps</i> ..	1858, 480
	{ 148	<i>flaviceps</i>	{ 1855, 75
<i>coriacea</i>	1858, 146		1856, 37
	{ 148	<i>Ægoceros argali</i>	1850, 404
<i>crassicornis</i>	{ 1855, 85		1860, 129
	{ 1859, 435	<i>Ægosoma cingalense</i> ..	1853, 27
	{ 145	<i>marginale</i>	1853, 27
<i>dianthus</i>	1858, 146	<i>ornaticolle</i>	1853, 27
	{ 149	<i>scabricorne</i>	1853, 26
<i>equina</i>	1858, 146	<i>sinicum</i>	1853, 27
<i>gemmacea</i>	1858, 146	<i>sulcipenne</i>	1853, 28
<i>mesembryanthemum</i> ..	1858, 148	<i>tibiale</i>	1853, 28
<i>ornata</i>	1855, 237	<i>Ægotheles wallacii</i>	1859, 154
<i>pallida</i>	1855, 236	<i>Æolis parvula</i>	1860, 35
	{ 145	<i>semidecora</i>	1860, 36
<i>parasitica</i>	1858, 146	<i>Æpyceros melampus</i> ..	1850, 116
	{ 149	<i>Æquorea atlantica</i>	1851, 275
<i>rubida</i>	1855, 237	<i>ciliata</i>	1851, 275
<i>trogloidytes</i>	1859, 434	<i>danica</i>	1851, 275
	{ 146	<i>forskalea</i>	1851, 275
<i>viduata</i>	1858, 148	<i>forskalina</i>	1851, 275
	{ 148	<i>groenlandica</i>	1851, 275
<i>vinosa</i>	1856, 172	<i>stauroglypha</i>	1851, 275
<i>Actiniloba dianthus</i>	1858, 149	<i>violacea</i>	1851, 275
<i>Actinodura rufifrons</i>	1854, 105	<i>Æthopyga miles</i>	1858, 496
<i>Actitis brevipes</i>	1860, 364	<i>siparaja</i>	1859, 461
	{ 1855, 50	<i>Agama colonorum</i>	{ 1858, 157
<i>hypoleuca</i>	1859, 150		1859, 470
	{ 1859, 151	<i>cristata</i>	1860, 453
	{ 1858, 506	<i>occipitalis</i>	1858, 157
<i>hypoleucus</i>	1860, 364	<i>torquata</i>	1860, 454
<i>ochropus</i>	1858, 506	<i>Agapornis azureus</i>	1859, 452
<i>schlegelii</i>	1860, 365	<i>cana</i>	1860, 242
<i>Actiturus bartramius</i> ..	1860, 253	<i>pullaria</i>	1859, 212
<i>Acus sartoria</i>	1859, 316	<i>Agaronia cincta</i>	1858, 51
	{ 1858, 149	<i>contortuplicata</i>	1858, 52
<i>Adamsia palliata</i>	1859, 68	<i>hiatula</i>	1858, 52
	{ 1859, 432	<i>indusica</i>	1858, 51
<i>typica</i>	1856, 357	<i>nitelina</i>	1858, 52

	Page		Page
Agaronia testacea	1858, 51	Aglaiia nigrocincta	1850, 261
Agathirses dubius	1860, 411	nigroviridis	1856, 260
florina	1860, 411	paradisea	1856, 244
furcellus	1860, 411	peruviana	1856, 255
lima	1860, 413	ruficervix	1856, 259
multistriatus	1860, 411	schrankii	1856, 248
occlusus	1860, 411	striata	1856, 235
striatus	1860, 411	tatao	1858, 453
sulcatus	1860, 411	tau	1856, 244
Agathopus micropterus ..	1858, 69	viridissima	1849, 34
1857, 127		vittata	1856, 265
Agelæus gubernator ..	1857, 213	wilsonii	1855, 158
1859, 365		yeni	1856, 18
1857, 205		1856, 261	
1859, 58		1856, 245	
phœniceus	1859, 381	Agrias ædon	1848, 46
1860, 243		Agriilorhinus bonapartei.	1855, 138
Agelaius coronatus	1856, 114	Agriornis andicola	1860, 78
Agelasta amica	1856, 410	1860, 92	
callizona	1856, 409	solitaria	1858, 553
newmannii	1856, 410	1860, 78	
polynesus	1856, 410	1860, 92	
wallacii	1856, 409	Agrodroma spraguii	1857, 5
Agelastes meleagrides ..	1849, 145	Ahætulla irregularis....	1858, 161
Aglaëctis caumatonotus	1848, 12	lateralis	1858, 380
1857, 17		liocercus	1859, 412
1860, 63		occidentalis	1859, 412
cupreipennis	1860, 70	mexicana	1860, 457
1860, 81		smaragdina	1858, 161
Aglaia atricapilla	1856, 259	Aigocerus equinus	1850, 132
aurulenta	1856, 250	leucophæus	1850, 133
cæruleocephala	1856, 262	1850, 175	
cayana	1856, 254	niger	1850, 133
chilensis	1856, 245	1850, 175	
chrysoptera	1856, 255	Ailurus fulgens	1848, 80
citrinella	1856, 247	ochraceus	1856, 399
cucullata	1856, 253	Aimophila rufescens ..	1856, 305
cyanicollis	1856, 262	1857, 7	
cyanocephala	1856, 247	ruficauda	1857, 7
1856, 236		superciliosa	1856, 305
cyanoptera	1856, 254	Aix galericulata	1859, 206
diva	1856, 264	1859, 206	
erythrotis	1855, 157	sponsa	1859, 477
1856, 241		1860, 442	
fanny	1856, 142	1851, 145	
1856, 261		1857, 12	
flava	1856, 253	Alauda arvensis	1858, 484
gyrola	1856, 255	1859, 184	
gyroloides	1856, 255	1860, 442	
igniventris	1856, 242	chendoola	1857, 95
labradorides	1856, 262	chrysolæma	1855, 66
melanota	1856, 254	deva	1854, 161
melanotis	1856, 248	erythropterygia	1850, 219
mexicana	1856, 258	minor	1855, 66
montana	1856, 239	pratensis	1854, 285

	Page		Page
<i>Alauda raytal</i>	1859,	<i>Alcyonium glaucum</i>	1859,
<i>spraguii</i>	1857,	<i>latum</i>	1859,
<i>trivialis</i>	1860,	<i>ocellatum</i>	1858,
<i>Alcaldia rhamphostyla</i> ..	1856,	<i>Alecthelia urvillii</i>	1860,
<i>rubella</i>	1853,	<i>Alectrion complanata</i> ..	1851,
<i>Alcedo asiatica</i>	1854,	<i>crenulata</i>	1851,
<i>atricapilla</i>	1854,	<i>hirta</i>	1851,
	1858,	<i>jacksoniana</i>	1851,
<i>bengalensis</i>	1859,	<i>monilis</i>	1851,
	1859,	<i>nassoides</i>	1851,
	1859,	<i>nodifera</i>	1851,
<i>chlorocephala</i>	1854,	<i>papillosa</i>	1851,
	1854,	<i>seminodosa</i>	1851,
<i>collaris</i>	1858,	<i>variabilis</i>	1851,
	1860,	<i>Aletes squamigerus</i>	1856,
	1859,	<i>Alexia acuta</i>	1854,
<i>dea</i>	1860,	<i>bermudensis</i>	1854,
<i>diops</i>	1860,	<i>biasolettiana</i>	1854,
<i>erythaca</i>	1854,	<i>denticulata</i>	1854,
<i>fusca</i>	1854,	<i>kutschigiana</i>	1854,
<i>gaudichaudi</i>	1858,	<i>myosotis</i>	1854,
	1851,	<i>personata</i>	1854,
	1859,	<i>reflexilabris</i>	1854,
<i>ispida</i>	1859,	<i>Alopecion fasciatum</i> ...	1858,
	1860,	<i>Alopias vulpes</i>	1850,
	1860,	<i>Alsodes monticola</i> ...	1858,
<i>lazuli</i>	1860,	<i>Alvearella abbreviata</i> ..	1854,
<i>leucocephala</i>	1854,	<i>cassidula</i>	1854,
<i>meninting</i>	1854,	<i>concinna</i>	1854,
<i>purpurea</i>	1854,	<i>gibba</i>	1854,
<i>rubra</i>	1854,	<i>Alyceus distortus</i>	1860,
<i>rudis</i>	1854,	<i>Alytes obstetricans</i> ...	1858,
<i>sacra</i>	1854,	<i>Amadina acuticauda</i> ...	1859,
<i>senegalensis</i>	1854,	<i>cantans</i>	1850,
<i>smyrnensis</i>	1854,	<i>fasciata</i>	1850,
<i>tridactyla</i>	1854,	<i>molucca</i>	1860,
<i>Alcelaphus bubalis</i>	1850,	<i>nitens</i>	1850,
<i>caama</i>	1850,	<i>punctularia</i>	1859,
<i>lunatus</i>	1850,	<i>Amalthea effodiens</i> ...	1856,
<i>pygargus</i>	1850,	<i>grayana</i>	1856,
<i>senegalensis</i>	1850,	<i>panamensis</i>	1856,
<i>Alces malchis</i>	1850,	<i>Amastira irregularis</i> ...	1855,
<i>Alcippe affinis</i>	1854,	<i>Amathella biserialis</i> ...	1858,
<i>albogularis</i>	1854,	<i>uniserialis</i>	1858,
<i>cantorii</i>	1854,	<i>Amathia cornuta</i>	1858,
<i>cinerea</i>	1854,	<i>lendigera</i>	1858,
<i>magnirostris</i>	1854,	<i>Amathina bicarinata</i> ..	1860,
<i>monacha</i>	1858,	<i>Amazilia alticola</i>	1860,
<i>striata</i>	1854,	<i>dumerilii</i>	1860,
<i>Alcira elegans</i>	1860,		94
<i>Alcyna rubra</i>	1860,	<i>riefferii</i>	1860,
<i>subangulata</i>	1860,		283
<i>Alcyone affinis</i>	1860,		296
	1858,		287
<i>azurea</i>	1859,	<i>Amazilius arsinoë</i> ...	1857,
<i>lessonii</i>	1859,		1858,
	1857,		1859,
<i>pulchra</i>	1858,		1859,
	1858,	<i>castaneiventris</i>	1856,

	Page		Page
<i>Amazilius castaneiventris</i>	1857, 16	<i>Ampelis garrula</i>	1860, 183
<i>cerviniiventris</i>	1856, 150	<i>riefferii</i>	1854, 113
<i>corallirostris</i>	1858, 358	<i>Amphidesma decisa</i>	1856, 213
<i>dubusii</i>	1859, 386	<i>flavescens</i>	1856, 199
<i>ocai</i>	1859, 367	<i>roseum</i>	1856, 213
<i>riefferii</i>	1856, 140	<i>rubrolineata</i>	1856, 212
	1856, 287	<i>Amphiperas bimaculata</i>	1854, 131
	1859, 386	<i>concinna</i>	1854, 131
	1859, 367	<i>margarita</i>	1854, 130
	1856, 140	<i>ovum</i>	1853, 40
	1856, 287	<i>pudica</i>	1854, 131
	1857, 16	<i>pyrulina</i>	1854, 131
	1859, 145	<i>rhodia</i>	1854, 130
<i>Ambassia thermalis</i>	1856, 372	<i>scitula</i>	1854, 131
<i>Amblypneustes ovum</i>	1855, 36	<i>traillii</i>	1855, 222
<i>Ambystoma californiense</i>	1853, 11	<i>Amphisbæna fuliginosa</i>	1859, { 80
<i>carolinæ</i>	1853, 11		{ 402
<i>punctulatum</i>	1853, 11	<i>Amphorella melampoidea</i>	1854, 203
<i>opacum</i>	1858, 144	<i>mitriformis</i>	1854, 203
<i>Ameiva dorsalis</i>	1848, { 24	<i>tornatellina</i>	1854, 203
	{ 27	<i>Ampullaria celebensis</i>	{ 1851, 74
<i>sexscutata</i>	{ 1859, 402		{ 1860, 12
	{ 1860, 233	<i>corrugata</i>	1860, 12
	{ 1860, 234	<i>globosa</i>	1860, 12
<i>Ammocetes bicolor</i>	1851, 241	<i>modesta</i>	1859, 168
<i>branchialis</i>	1851, 240	<i>novæ-granadæ</i>	1859, 169
<i>concolor</i>	1851, 241	<i>quitensis</i>	1859, 168
<i>ruber</i>	1851, 241	<i>polita</i>	1860, 12
<i>unicolor</i>	1851, 241	<i>solida</i>	1859, 168
<i>Ammodromus ruficeps</i>	{ 1857, 214	<i>tischbeini</i>	1858, 134
	{ 1859, 380	<i>woodwardii</i>	1858, 134
<i>Ammoperdix bonhami</i>	1858, 503	<i>(Lanistes) sinistrorsa</i>	1859, 349
<i>Amnicola</i> ? <i>antipodarum</i>	1849, 169	<i>Anabasitta squamigera</i>	1855, 142
<i>zelandiæ</i>	1849, 169	<i>Anabates amazonus</i>	1858, 61
<i>Amoria lineata</i>	1855, 64	<i>atricapillus</i>	1856, 288
<i>maculata</i>	1855, 64	<i>boissoneauui</i>	1855, 141
<i>marmorata</i>	1855, 64	<i>cervinigularis</i>	{ 1856, 288
<i>reticulata</i>	1855, 64		{ 1859, 382
<i>turnerii</i>	1855, 64	<i>erythropterus</i>	{ 1856, 27
<i>undulata</i>	1855, 64		{ 1858, 61
<i>zebra</i>	1855, 64	<i>erythrophthalmus</i>	1858, 62
	{ 1855, 152	<i>ferruginolentus</i>	1856, 288
<i>Ampelion arcuatus</i>	{ 1858, 553	<i>flammulatus</i>	1855, 141
	{ 1860, 89	<i>guianensis</i>	{ 1856, 27
	{ 1855, 152		{ 1858, 62
<i>cinctus</i>	{ 1860, 67	<i>gutturatus</i>	1858, 62
	{ 1860, 89	<i>infuscatus</i>	1858, 61
<i>rubricristatus</i>	1855, 152	<i>lineaticeps</i>	1858, 61
	{ 1858, 553	<i>melanopezus</i>	1858, 61
<i>rubrocristatus</i>	{ 1860, 78	<i>melanorhynchus</i>	1858, 61
	{ 1860, 89	<i>ochraceus</i>	1858, 62
<i>rufocristatus</i>	1855, 152	<i>ochrolemus</i>	1858, 61
	{ 1856, 299	<i>pulvericolor</i>	1858, 62
<i>Ampelis cedrorum</i>	{ 1858, 302	<i>pyrrhodes</i>	1858, 62
	{ 1859, 364	<i>rubiginosus</i>	{ 1856, 288
<i>cincta</i>	{ 1855, 152		{ 1859, 365
	{ 1860, 67	<i>ruficaudatus</i>	{ 1856, 26
<i>garrula</i>	1859, { 212		{ 1858, 61
	{ 432		

	Page		Page
<i>Anabates ruficaudus</i>	1858,		456
<i>squamiger</i>	1856,		27
<i>striaticollis</i>	1857,		17
<i>subalaris</i>	1859,		141
<i>temporalis</i>	1859,		141
<i>Anabazenops guttulatus</i>	1857,		272
<i>rufo-superciliaris</i>	1856,		289
<i>variegaticeps</i>	1856,		289
	1859,		382
<i>Anadema cælata</i>	1854,		39
	1858,		510
<i>Anas acuta</i>	1860,		258
<i>antarctica</i>	1860,		388
	1851,		146
	1858,		510
	1859,		190
	1859,		437
<i>boschas</i>	1860,		303
	1860,		333
	1860,		337
	1860,		338
	1859,		96
<i>brachyptera</i>	1860,		389
<i>cæruleata</i>	1860,		389
<i>chiloensis</i>	1860,		389
<i>cinereus</i>	1860,		389
<i>clangula</i>	1860,		336
<i>clypeata</i>	1858,		510
	1860,		258
	1851,		146
<i>crecca</i>	1860,		258
<i>creccoides</i>	1860,		389
<i>cristata</i>	1859,		96
	1860,		389
<i>cyanopterus</i>	1860,		389
<i>erythropus</i>	1860,		339
<i>fretensis</i>	1860,		389
<i>gambensis</i>	1860,		41
	1857,		128
	1858,		290
<i>inornata</i>	1860,		388
<i>inornatus</i>	1860,		337
<i>intermedia</i>	1860,		365
<i>leucomelas</i>	1859,		166
<i>leucophrys</i>	1860,		389
<i>maculirostris</i>	1860,		389
<i>magellanica</i>	1859,		369
<i>maxima</i>	1860,		336
<i>mergoides</i>	1857,		215
<i>mollissima</i>	1860,		338
<i>nigricollis</i>	1859,		442
	1860,		117
	1860,		337
<i>obscura</i>	1860,		387
<i>picta</i>	1858,		510
<i>pæcilorhyncha</i>	1859,		166
<i>punctata</i>	1860,		389
<i>pyrogaster</i>	1860,		365
<i>radjah</i>	1859,		166
	1860,		389
	1860,		365
<i>Anas rafflesii</i>	1859,		96
	1860,		389
<i>spinosa</i>	1860,		41
	1859,		166
<i>superciliosa</i>	1860,		371
	1860,		389
<i>urophasianus</i>	1860,		389
<i>versicolor</i>	1860,		389
<i>Anastomus lamelligerus</i>	1860,		197
<i>Anatifa crassa</i>	1848,		44
<i>Anatinella dilatata</i>	1850,		41
<i>sibbaldii</i>	1850,		40
<i>ventricosa</i>	1850,		41
<i>Anatomus angulatus</i>	1859,		203
<i>asper</i>	1859,		203
<i>bertheloti</i>	1859,		203
<i>conicus</i>	1859,		203
<i>costatus</i>	1859,		203
<i>crispatus</i>	1859,		203
<i>d'orbigny</i>	1859,		203
<i>indicus</i>	1859,		203
<i>lævigatus</i>	1859,		203
<i>reticulatus</i>	1859,		203
<i>striatulus</i>	1859,		203
<i>Anaulus bombycinus</i>	1855,		105
<i>lorrainii</i>	1856,		36
<i>Anazola acuminata</i>	1858,		50
<i>gibbosa</i>	1858,		50
<i>leucozonalis</i>	1858,		50
<i>paniculata</i>	1858,		51
<i>pulchella</i>	1858,		51
<i>subulata</i>	1858,		50
<i>undatella</i>	1858,		51
<i>Ancilla maculata</i>	1858,		52
<i>Ancillaria candida</i>	1853,		35
<i>lineolata</i>	1851,		271
<i>Anculotus carinatus</i>	1854,		94
<i>Ancylus acutus</i>	1853,		89
<i>albus</i>	1853,		87
<i>aduncus</i>	1853,		80
<i>baconii</i>	1853,		89
<i>bahiensis</i>	1853,		84
<i>barilensis</i>	1853,		81
<i>beani</i>	1853,		81
<i>caffer</i>	1853,		81
<i>calcarius</i>	1853,		81
<i>capuloides</i>	1853,		83
<i>charpentierianus</i>	1853,		81
<i>compressus</i>	1853,		81
<i>concentricus</i>	1853,		81
<i>corneus</i>	1853,		87
<i>costatus</i>	1853,		86
<i>costulatus</i>	1853,		81
<i>crassus</i>	1853,		81
<i>culicoides</i>	1853,		81
<i>cumingianus</i>	1853,		91
<i>cyclostoma</i>	1853,		82
<i>decussatus</i>	1853,		88
<i>deperditus</i>	1853,		82

	Page		Page
<i>Ancylus depressus</i>	1853, 88	<i>Ancylus vitraceus</i>	1853, 88
<i>deshayesianus</i>	1853, 82	<i>Andigena baillonii</i>	1850, 93
<i>diaphanus</i>	1853, 82	<i>cucullatus</i>	1850, 93
<i>drouetianus</i>	1853, 92	<i>hypoglaucus</i>	1850, 93
<i>elegans</i>	1853, 88	<i>laminirostris</i>	1850, 93
<i>excentricus</i>	1853, 85	<i>nigrirostris</i>	1859, 146
<i>fabræi</i>	1853, 86	<i>spilorhynchus</i>	1860, 95
<i>filosus</i>	1853, 82	<i>Andropadus erythropterus</i>	1850, 93
<i>fluviatilis</i>	1853, 83	<i>Andropadus erythropterus</i>	1854, 115
<i>frayssianus</i>	1854, 218	<i>Andropadus erythropterus</i>	1855, 161
<i>fuscus</i>	1853, 87	<i>Andropadus erythropterus</i>	1858, 75
<i>gayanus</i>	1853, 82	<i>Andropadus erythropterus</i>	1858, 149
<i>gibbosus</i>	1853, 84	<i>Andropadus erythropterus</i>	1858, 149
<i>gussonii</i>	1853, 82	<i>Anguinaria obtusa</i>	1860, 407
<i>haldemanii</i>	1853, 83	<i>rubra</i>	1860, 414
<i>havanensis</i>	1853, 83	<i>Anguis fragilis</i>	1860, 403
<i>hermannii</i>	1853, 89	<i>Anisocerus capucinus</i>	1856, 407
<i>irroratus</i>	1853, 83	<i>dulcissimus</i>	1856, 407
<i>janii</i>	1853, 83	<i>onca</i>	1856, 407
<i>lacustris</i>	1853, 88	<i>Anisognathus igniventris</i>	1856, 242
<i>luteolus</i>	1853, 86	<i>lacrimosus</i>	1855, 157
<i>marginatus</i>	1853, 83	<i>lacrimosus</i>	1856, 242
<i>matheronii</i>	1853, 89	<i>Annella reticulata</i>	1857, 287
<i>meridionalis</i>	1853, 86	<i>Annella reticulata</i>	1859, 483
<i>moquinianus</i>	1853, 89	<i>Anodon ciconia</i>	1856, 202
<i>moreletii</i>	1853, 83	<i>nuttalliana</i>	1856, 218
<i>moriciandii</i>	1853, 84	<i>oregonensis</i>	1856, 218
<i>navicula</i>	1853, 84	<i>wahlmatensis</i>	1856, 218
<i>nuttalii</i>	1853, 89	<i>Anodonta arcuata</i>	1850, 199
<i>obliquus</i>	1853, 84	<i>callifera</i>	1860, 15
<i>oblongus</i>	1853, 83	<i>crepera</i>	1850, 198
<i>oblongus</i>	1853, 89	<i>cumingii</i>	1850, 199
<i>obscurus</i>	1853, 84	<i>gracilis</i>	1850, 197
<i>obtusus</i>	1853, 84	<i>latomarginata</i>	1850, 199
<i>orbignyanus</i>	1853, 84	<i>subcrassa</i>	1850, 198
<i>parallelus</i>	1853, 84	<i>tenuis</i>	1850, 198
<i>petitianus</i>	1853, 85	(<i>Lamproscapha</i>)	
<i>pileolus</i>	1853, 85	<i>schomburgkii</i>	1860, 15
<i>radiatilis</i>	1853, 85	<i>Anodus alburnus</i>	1859, 419
<i>radiatus</i>	1853, 85	<i>troschelii</i>	1859, 418
<i>radiolatus</i>	1853, 89	<i>Anolis æneus</i>	1859, 89
<i>raymondii</i>	1853, 85	<i>crisatellus</i>	1859, 402
<i>recurvus</i>	1853, 83	<i>crisatellus</i>	1859, 89
<i>riparius</i>	1853, 85	<i>fraserii</i>	1859, 402
<i>rivularis</i>	1853, 85	<i>fraserii</i>	1859, 407
<i>rotundatus</i>	1853, 89	<i>fraserii</i>	1860, 233
<i>rubicola</i>	1853, 87	<i>fraserii</i>	1860, 234
<i>sauleyanus</i>	1853, 92	<i>fraserii</i>	1860, 454
<i>simplex</i>	1853, 86	<i>fraserii</i>	1859, 421
<i>sinuosus</i>	1853, 87	<i>sallæi</i>	1860, 453
<i>spina-rosæ</i>	1853, 82	<i>Anomala angulata</i>	1854, 22
<i>stagnalis</i>	1853, 89	<i>cumingii</i>	1854, 22
<i>striatus</i>	1853, 88	<i>inflata</i>	1854, 23
<i>strictus</i>	1853, 88		
<i>strigatus</i>	1853, 88		
<i>tardus</i>	1853, 88		
<i>thermalis</i>	1853, 87		

	Page		Page
<i>Anomala insignis</i>	1854,		20
<i>isocardioides</i>	1854,		22
<i>maritima</i>	1854,		345
<i>nitidula</i>	1854,		21
<i>notabilis</i>	1854,		21
<i>Anomalurus beecroftii</i> ..	1852,		17
<i>fraserii</i>	1852,		16
<i>peli</i>	1852,		17
<i>Anomia achæus</i>	1849,		116
<i>acontes</i>	1849,		116
<i>aculeata</i>	1849,		115
<i>adamas</i>	1849,		117
<i>ænigmatica</i>	1849,		118
<i>alectus</i>	1849,		117
<i>amabæus</i>	1849,		115
<i>aspera</i>	1849,		115
<i>belesis</i>	1849,		116
<i>bifida</i>	1849,		115
<i>cepa</i>	1849,		114
<i>coronata</i>	1849,		115
<i>costata</i>	1849,		114
<i>cucullata</i>	1849,		115
<i>cylindrica</i>	1849,		115
<i>cymbiformis</i>	1849,		115
<i>cytæum</i>	1849,		115
<i>dryas</i>	1849,		115
<i>electrica</i>	1849,		114
<i>elegans</i>	1849,		115
<i>elyros</i>	1849,		118
<i>ephippium</i>	1849,		114
			118
<i>fidenas</i>	1849,		116
<i>fornicata</i>	1849,		115
<i>hamillus</i>	1849,		117
<i>lampe</i>	1849,		117
<i>larbas</i>	1849,		117
<i>lens</i>	1849,		115
<i>macrochisma</i>	1849,		121
<i>margaritacea</i>	1849,		114
<i>membranacea</i>	1849,		115
<i>naviformis</i>	1849,		118
<i>pacilus</i>	1849,		117
<i>patellaris</i>	1849,		115
<i>patelliformis</i>	1849,		115
			122
<i>pectiniformis</i>	1849,		114
<i>plicata</i>	1849,		114
<i>polymorpha</i>	1849,		114
<i>punctata</i>	1849,		115
<i>pyriformis</i>	1849,		115
<i>radiata</i>	1849,		114
<i>rosea</i>	1849,		118
<i>scabra</i>	1849,		115
<i>scabrella</i>	1849,		114
<i>sella</i>	1848,		114
<i>squama</i>	1849,		122
<i>squamula</i>	1849,		115
<i>striata</i>	1849,		122
<i>Anomia striatula</i>	1849,		115
			118
<i>sulcata</i>	1849,		114
<i>tenuistriata</i>	1849,		118
<i>undulata</i>	1849,		122
<i>violacea</i>	1849,		114
<i>Anoplosthæta jardinei</i> ..	1858,		405
<i>Anorrhinus galeritus</i> ..	1859,		450
<i>Anostoma carinatum</i> ..	1853,		57
<i>Anoura geoffroyii</i>	1858,		547
<i>Anser albifrons</i>	1858,		509
	1860,		340
<i>cygnoïdes</i>	1859,		435
<i>ferus</i>	1859,		189
<i>finmarchicus</i>	1860,		341
<i>gambensis</i>	1860,		41
<i>leucopsis</i>	1860,		341
<i>minutus</i>	1860,		341
	1851,		146
<i>segetum</i>	1857,		215
	1859,		477
	1860,		340
<i>temminckii</i>	1860,		341
<i>Antechinus maculatus</i> ..	1851,		284
<i>minutissimus</i>	1851,		284
<i>Anthea cereus</i>	1858,		148
	1859,		434
<i>Antheræa assama</i>	1859,		258
<i>frithii</i>	1859,		256
<i>helferi</i>	1859,		257
<i>jana</i>	1859,		256
<i>katinka</i>	1859,		260
<i>larissa</i>	1859,		258
<i>lola</i>	1859,		246
<i>mylitta</i>	1859,		247
<i>paphia</i>	1859,		247
<i>pernyi</i>	1859,		255
<i>perrotteti</i>	1859,		257
<i>roylii</i>	1859,		256
<i>simla</i>	1859,		257
<i>thibeta</i>	1859,		260
<i>zuleika</i>	1859,		245
<i>Anthias buphthalmos</i> ..	1849,		145
<i>gibbiceps</i>	1849,		145
<i>Anthochaera senex</i>	1860,		349
<i>Anthothreptes malaccen-</i> <i>sis</i>	1859,		461
<i>Anthreptes flavigaster</i> ..	1859,		460
<i>hypogrammica</i>	1859,		461
<i>macularia</i>	1859,		461
<i>malaccensis</i>	1859,		151
			461
<i>modesta</i>	1859,		460
<i>nuchalis</i>	1859,		461
<i>phænicotis</i>	1859,		463
<i>Anthropoides virgo</i> ..	1855,		34
	1859,		436
<i>Anthus agilis</i>	1858,		485

	Page		Page
<i>Anthus aquaticus</i>	1860, 417		
<i>arboreus</i>	{ 1857, 13 1860, 350 1855, 109	<i>Antilope caama</i>	{ 1850, 132 1850, 139 1860, 182
<i>bogotensis</i>	{ 1855, 144 1858, 550 1859, 95	<i>campestris</i>	1850, 118
<i>corredera</i>	{ 1860, 384 1854, 285	<i>capreolus</i>	1850, 126
<i>euonyx</i>	1854, 285	<i>cervicapra</i>	1850, { 135 167
<i>gouldii</i>	1860, 110	<i>chicara</i>	1850, 117
<i>ludovicianus</i>	{ 1856, 293 1857, 126 1854, 285	<i>chickara</i>	1850, 117
<i>malayensis</i>	{ 1859, 150 1851, 142	<i>chiru</i>	1850, 112
<i>pratensis</i>	{ 1859, 151 150	<i>christii</i>	1850, 116
<i>richardii</i>	1859, { 150 151	<i>cinerea</i>	1850, 127
<i>rufescens</i>	1858, 550	<i>coerulea</i>	1850, 124
<i>rufulus</i>	{ 1854, 285 1858, 485 1859, 151	<i>colus</i>	1850, { 112 167
<i>trivialis</i>	1858, 485	<i>cora</i>	1850, 112
<i>Antidorcas euchore</i>	1850, 116	<i>corrugum</i>	1850, 140
<i>Antilocapra americana</i>	{ 1850, 137 1855, 10	<i>crispa</i>	1850, 136
<i>anteflexa</i>	1855, 10	<i>cuvieri</i>	1850, 113
<i>Antilope addax</i>	{ 1850, 135 1860, 183	<i>dama</i>	1850, 114
<i>adenota</i>	1850, { 129 167	<i>dammah</i>	1850, 134
<i>albifrons</i>	1850, 141	<i>decula</i>	1850, 145
<i>albipes</i>	1850, 146	<i>defassa</i>	1850, { 131 141
<i>algazella</i>	1850, 134		{ 1849, 94 1850, 112
<i>americana</i>	1850, { 136 137	<i>dorcas</i>	{ 1850, 113 1850, 140 1850, 141
<i>andra</i>	1850, { 114 115	<i>doria</i>	1850, 142
<i>annulipes</i>	1850, 129	<i>dorsata</i>	1850, 116
<i>arabica</i>	1850, 113	<i>duvaucellii</i>	1850, 136
<i>arundinacea</i>	1850, 127	<i>eleotragus</i>	1850, { 127 134
<i>aurita</i>	1850, 132	<i>ellipsiprymnus</i>	1850, 131
<i>barbata</i>	1850, { 132 133	<i>ensicornis</i>	1850, 134
<i>beisa</i>	1850, 134	<i>euchore</i>	1850, { 116 168
<i>bennettii</i>	1850, { 116 168	<i>euryceros</i>	{ 1848, 88 1850, 144
<i>bezoartica</i>	{ 1850, 117 1850, 134 1858, 522	<i>forfex</i>	1850, { 130 167
<i>bharatensis</i>	1850, 116	<i>frederici</i>	1850, 124
<i>bilineata</i>	1850, 117	<i>fulvo-rubescens</i>	1850, 118
<i>bohor</i>	1850, 128	<i>furcifer</i>	1850, 137
<i>bubalina</i>	{ 1850, 135 1856, 403 1860, 183	<i>gazella</i>	1850, 112
<i>bubalis</i>	1850, 139	<i>gibbosa</i>	1850, 135
<i>burchellii</i>	1850, 120	<i>glauca</i>	1850, 132
		<i>gnu</i>	1850, 138
		<i>goral</i>	{ 1850, 136 1856, 403
		<i>gorgon</i>	1850, 139
		<i>goural</i>	1850, 136
		<i>grimmia</i>	1850, { 120 124
		<i>grisea</i>	1850, 118
		<i>gutturosa</i>	1850, { 115 167

	Page		Page
<i>Antilope harrissii</i>	1850,	<i>Antilope osanne</i>	1850,
<i>hazenna</i>	1850,	<i>ourebi</i>	1850,
<i>hemprichianus</i>	1850,	<i>pallida</i>	1850,
<i>hemprichii</i>	1850,	<i>palmata</i>	1850,
<i>hodgsonii</i>	} 1850,	<i>pediotragus</i>	1850,
<i>ibex</i>	1856,	<i>perpusilla</i>	1850,
<i>interscapularis</i>	1850,	<i>persica</i>	1850,
<i>iridis</i>	1850,	<i>personata</i>	1850,
<i>isabellina</i>	1850,	<i>philantomba</i>	1850,
<i>kemas</i>	} 127,	<i>picta</i>	1850,
<i>kob</i>	} 128,	<i>platous</i>	1850,
<i>koba</i>	} 112,	<i>ptoox</i>	1850,
<i>lævipes</i>	1850,	<i>pygarga</i>	1850,
<i>lalandiana</i>	1850,	<i>pygargus</i>	1850,
<i>lalandii</i>	1850,	<i>pygmæa</i>	1850,
<i>lanata</i>	1850,	<i>quadricornis</i>	1850,
<i>lanigera</i>	1850,	<i>recticornis</i>	1850,
<i>leptoceros</i>	1850,	<i>redunca</i>	1850,
<i>leucophaeus</i>	1850,	<i>regia</i>	1850,
<i>leucopus</i>	1850,	<i>reversa</i>	1850,
<i>leucoryx</i>	} 1849,	<i>rubra</i>	1850,
<i>leucotis</i>	94	<i>rubro-albescens</i> ...	1850,
<i>lunata</i>	} 1850,	<i>rufa</i>	1850,
<i>maculata</i>	1860,	<i>rufescens</i>	1850,
<i>madoqua</i>	1860,	<i>ruficollis</i>	1850,
<i>marsupialis</i>	1860,	<i>rupestris</i>	1850,
<i>maxwellii</i>	1860,	<i>rupicapra</i>	1850,
<i>mazama</i>	1860,	<i>saiga</i>	1850,
<i>melampus</i>	} 116,	<i>saliens</i>	1850,
<i>melanotis</i>	1850,	<i>saltatrix</i>	1850,
<i>melanura</i>	1850,	<i>saltiana</i>	1850,
<i>mergens</i>	} 120,	<i>scoparius</i>	1850,
<i>mohr</i>	1850,	<i>scripta</i>	1850,
<i>montanus</i>	1850,	<i>senegalensis</i>	1850,
<i>monticola</i>	1850,	<i>sing-sing</i>	1850,
<i>mytilopes</i>	1850,	<i>soemmeringii</i>	1850,
<i>nasomaculata</i>	1849,	<i>spiniger</i>	1850,
<i>nasomaculatus</i>	94	<i>striaticollis</i>	1850,
<i>natalensis</i>	1850,	<i>subgutturosa</i>	1850,
<i>nictitans</i>	1850,	<i>subquadricornutus</i> ..	1850,
<i>niger</i>	} 120,	<i>sumatrensis</i>	1850,
<i>ogilbii</i>	121,	<i>suturosa</i>	1850,
<i>oreas</i>	} 123,	<i>sylvatica</i>	1850,
<i>oreotragus</i>	1850,	<i>sylvicultrix</i>	1850,
<i>oryx</i>	} 133,	<i>tao</i>	1850,
	134,	<i>taurina</i>	1850,
	143	<i>tetracornis</i>	1850,
		<i>thar</i>	1850,
		<i>tragocamelus</i>	1850,
		<i>tragulus</i>	1850,

	Page		Page
<i>Antilope truteri</i>	1850,	<i>Aphantochroa gularis</i> ..	1860,
<i>unctuosa</i>	1850,	<i>Aphelia apollinaris</i>	1849,
<i>villosa</i>	1850,	<i>Aphriza virgata</i>	1859,
<i>zebra</i>	1850,	<i>Aphrocallistes beatrix</i> ..	1858,
<i>zebrata</i>	1850,	<i>Aphroceras albicornis</i> ..	1858,
(<i>Mazama</i>) <i>temma-</i>		<i>Aphrodita aculeata</i>	1856,
<i>mazama</i>	1850,	<i>Apistes panduratus</i>	1850,
(<i>Tragelaphus</i>) <i>phale-</i>		<i>Aploactis aspera</i>	1850,
<i>rata</i>	1850,	<i>milesii</i>	1850,
(—) <i>scripta</i>	1850,	<i>Aplocerus americanus</i> ..	1850,
<i>Antiope cristata</i>	1859,	<i>femmamazama</i>	1850,
<i>Antipathes abies</i>	1857,	<i>Aplocnemia bispecularis</i>	1858,
<i>alopecuroides</i>	1857,	<i>Aplonis atronitens</i>	1859,
<i>anguina</i>	1857,	<i>brevirostris</i>	1859,
<i>arborea</i>	1857,	<i>cassinii</i>	1859,
<i>atlantica</i>	1857,	<i>fusca</i>	1859,
<i>boscii</i>	1857,	<i>marginatus</i>	1859,
<i>clathrata</i>	1857,	<i>nigroviridis</i>	1859,
<i>compressa</i>	1857,	<i>obscura</i>	1859,
<i>corticula</i>	1857,	<i>striata</i>	1859,
<i>cupressina</i>	1857,	<i>tabuensis</i>	1859,
<i>cupressus</i>	1857,	<i>viridigrisea</i>	1859,
<i>dichotoma</i>	1857,	<i>zealandica</i>	1859,
<i>ericoides</i>	1857,	<i>Aplysia depilans</i>	1856,
<i>flabellum</i>	1857,	<i>Aporrhais pes-pellicani</i> ..	1853,
<i>foeniculacea</i>	1857,	<i>Aprosmictus dorsalis</i> ..	1860,
<i>fruticosa</i>	1857,	<i>erythropterus</i>	1857,
<i>furcata</i>	1857,	<i>hypophonius</i>	1860,
<i>glaberrima</i>	1857,	<i>vulneratus</i>	1860,
<i>gracilis</i>	1857,	<i>Aptenodytes chrysocome</i>	1860,
<i>hirta</i>	1857,	<i>magellanicus</i>	1860,
<i>lacerata</i>	1857,	<i>papua</i>	1860,
<i>larix</i>	1857,	<i>patachonica</i>	1860,
<i>lingulata</i>	1857,	<i>pennantii</i>	1859,
<i>mimosella</i>	1857,		1860,
<i>myriophyllum</i>	1857,	<i>Apteronotus albifrons</i> ..	1853,
<i>paniculata</i>	1857,	<i>Apteryx australis</i>	1850,
<i>pectinata</i>	1857,	<i>mantellii</i>	1850,
<i>pedata</i>	1857,		1859,
<i>pinnacea</i>	1857,		1860,
<i>pinnatifida</i>	1857,	<i>owenii</i>	1850,
<i>pluma</i>	1857,	<i>Apus cancriformis</i>	1852,
<i>pyramidata</i>	1857,	<i>domingensis</i>	1852,
<i>reticulata</i>	1857,	<i>guldinigi</i>	1852,
<i>scoparia</i>	1857,	<i>longicaudatus</i>	1852,
<i>spinescens</i>	1857,	<i>obtusus</i>	1852,
<i>spiralis</i>	1857,	<i>pisciformis</i>	1852,
<i>subpinnata</i>	1857,	<i>Aquila audax</i>	1850,
<i>triquetra</i>	1857,	<i>bifasciata</i>	1858,
<i>ulex</i>	1857,	<i>bonellii</i>	1859,
<i>wollastonii</i>	1857,		1860,
<i>Antrostomus macromy-</i>		<i>canadensis</i>	1860,
<i>stax</i>	1858,		1855,
<i>vociferus</i>	1859,	<i>chrysaëtos</i>	1858,
<i>Aonyx sikimensis</i>	1856,		1860,

	Page		Page
<i>Aquila fusca</i>	1854, 3		
	1855, 128	<i>Arctocephalus gilliespii</i> .	1859, { 103
<i>imperialis</i>	{ 1857, 85		{ 110
	1860, 416	<i>hookerii</i>	1859, { 358
<i>malayensis</i>	{ 1858, 471		{ 109
	1859, 170	<i>lobatus</i>	1859, { 360
<i>nævia</i>	{ 1850, 215		{ 110
	1854, 3	<i>monteriensis</i>	1859, { 358
	1858, 470		{ 360
<i>nævioides</i>	{ 1860, 415	<i>nigrescens</i>	1859, { 109
	417		{ 358
<i>pennata</i>	1850, 215	<i>ursinus</i>	1859, { 360
(<i>Heteropus</i>) <i>gurneyi</i>	1860, 342		{ 103
	1857, 266		{ 108
<i>Ara aracanga</i>	{ 1859, 59		{ 358
	1859, 435	<i>Arctomys bobac</i>	1858, 521
<i>ararauna</i>	1859, 433	<i>tibetanus</i>	{ 1856, 403
<i>chloroptera</i>	1859, 433		{ 1858, 521
<i>glauca</i>	1860, 372	<i>Arctonetta fischerii</i> ...	1855, 212
	1857, 230	<i>Arctonyx collaris</i>	1856, 398
<i>militaris</i>	{ 1858, 76	<i>isonyx</i>	1856, 398
	1860, 372	<i>Arctopithecus blainvillei</i>	1849, { 71
<i>pachyrhyncha</i>	1859, 368		{ 73
	1857, 266	<i>blainvillii</i>	1851, 208
<i>severa</i>	{ 1860, 242	<i>flaccidus</i>	1849, 72
	1860, 371	<i>gularis</i>	{ 1849, 70
<i>Arachnoïdes antipodarum</i>	1851, 126		{ 1851, 208
<i>Arachnoraphis flavigaster</i>	1859, 460	<i>marmoratus</i>	{ 1849, 71
<i>Arachnothera chryso-</i>			{ 1851, 208
<i>genys</i>	1859, 460	<i>problematicus</i> ...	1849, 73
<i>flavigastra</i>	1859, 460	<i>Ardea affinis</i>	1850, 221
<i>flavigenys</i>	1859, 460	<i>alba</i>	1860, 363
<i>latirostris</i>	1859, 460	<i>albolineata</i>	1859, 166
<i>modesta</i>	1859, 460	<i>aruensis</i>	1858, 188
<i>novæ-guineæ</i>	1858, 173	<i>bicolor</i>	1860, 221
	1856, 143	<i>bubulcus</i>	1850, 221
<i>Aramides cayennensis</i> .	{ 1857, 206	<i>caboga</i>	{ 1850, 221
	1859, 64		{ 1855, 70
	1859, 393	<i>caledonica</i>	{ 1859, 166
	1857, 236		{ 1860, 364
<i>Aramus scolopaceus</i> ..	{ 1859, 64	<i>chloriceps</i>	1860, 364
	1860, 290		{ 1851, 146
<i>Arbelorhina cæreicolor</i> .	1854, 252		{ 1855, 35
<i>Arboricola torqueola</i> .	1858, 503		{ 1857, 215
<i>Arca grânosa</i>	1860, 17	<i>cinerea</i>	{ 1858, 508
<i>nodifera</i>	1860, 17		{ 1859, 188
<i>semitorta</i>	1858, 91		{ 1859, 435
<i>tortuosa</i>	1858, 91		{ 1860, 372
<i>Archiplanus leucorham-</i>		<i>comata</i>	1858, 508
<i>phus</i>	1855, 153	<i>coromandelensis</i> ..	1850, 221
<i>Arctibeus leucomus</i>	1848, 57	<i>coromandelica</i>	1860, 363
<i>lilium</i>	1860, 212	<i>ferruginea</i>	1859, 166
<i>perspicillatus</i>	1860, 260	<i>flavicollis</i>	1860, 364
<i>pusillus</i>	1860, 260	<i>goliath</i>	1849, 106
	{ 107	<i>javanica</i>	1860, 364
	{ 109	<i>jugularis</i>	1859, 166
<i>Arctocephalus delalandii</i>	1859, { 358	<i>leucophaea</i>	1848, 58
	{ 360		

	Page		Page
<i>Ardea lucida</i>	1850,	<i>Arremon assimilis</i>	1856,
<i>minuta</i>	221, 146	<i>atripileus</i>	1856,
<i>nigra</i>	1859, 188	<i>aurantiirostis</i>	1854, 114
<i>nycticorax</i>	1860, 364	<i>axillaris</i>	1856, 83
<i>purpurea</i>	1851, 146	<i>conirostris</i>	1859, 377
<i>robusta</i>	1851, 71	<i>devillii</i>	1854, 97
<i>ruficapilla</i>	1855, 146	<i>d'orbignii</i>	1855, 154
<i>russata</i>	1851, 146	<i>erythrorhynchus</i> ..	1856, 82
<i>scapularis</i>	1860, 363	<i>flavipectus</i>	1855, 154
<i>sparrmannii</i>	1860, 364	<i>flavirostris</i>	1856, 143
<i>stellaris</i>	1859, 166	<i>giganteus</i>	1860, 275
<i>syrmatophorus</i>	1851, 146	<i>gutturalis</i>	1856, 81
<i>typhon</i>	1860, 363	<i>leucopterus</i>	1856, 81
<i>verrani</i>	1860, 363	<i>mystacalis</i>	1855, 83
<i>virgo</i>	1850, 221	<i>ophthalmicus</i>	1855, 154
(<i>Ardeola</i>) <i>coromanda</i>	1858, 507	<i>pallidinucha</i>	1856, 83
(—) <i>russata</i>	1860, 221	<i>palmarum</i>	1856, 86
(<i>Ardetta</i>) <i>flavicollis</i>	1860, 363	<i>personatus</i>	1856, 86
(<i>Butorides</i>) <i>viridi-</i>	1860, 364	<i>polionotus</i>	1856, 87
<i>ceps</i>	1860, 364	<i>rubrirostris</i>	1855, 155
(<i>Egretta</i>) <i>alba</i>	1860, 363	<i>rufinucha</i>	1856, 88
<i>Ardeola bubulcus</i>	1860, 197	<i>rufivertex</i>	1855, 155
<i>coromanda</i>	1850, 221	<i>schistaceus</i>	1856, 89
<i>Ardetta cinnamomea</i> ..	1859, 150	<i>schlegelii</i>	1856, 87
<i>flavicollis</i>	1859, 150	<i>semirufus</i>	1856, 84
<i>javanica</i>	1859, 151	<i>semitorquatus</i>	1854, 97
<i>macrorhyncha</i>	1860, 364	<i>semitorquatus</i>	1856, 82
<i>minuta</i>	1848, 40	<i>silens</i>	1856, 80
<i>scapularis</i>	1858, 508	<i>spectabilis</i>	1854, 114
<i>Areopagia siamensis</i> ..	1860, 18	<i>superciliaris</i>	1855, 83
<i>Argala javanica</i>	1860, 364	<i>tæniatus</i>	1856, 82
<i>Arges brachycephalus</i> ..	1859, 92	<i>torquatus</i>	1858, 72
<i>Argiope cistellula</i>	1852, 81	<i>superciliaris</i>	1856, 92
<i>cuneata</i>	1852, 81	<i>tæniatus</i>	1856, 237
<i>decollata</i>	1852, 81	<i>torquatus</i>	1856, 80
<i>forbesii</i>	1852, 81	<i>Arsenura erythrinæ</i> ..	1849, 36
<i>neapolitana</i>	1852, 81	<i>Arses kaupii</i>	1850, 278
<i>Argobuccinum nodosum</i>	1856, 209	<i>chrysomelas</i>	1858, 177
<i>Argonauta cornu</i>	1850, 45	<i>telescopthalmus</i> ..	1858, 177
<i>Argyropelicus hemigym-</i>		<i>Artamus cucullatus</i>	1851, 196
<i>nus</i>	1850, 248	<i>fuscus</i>	1859, 151
<i>olfersii</i>	1850, 247	<i>fuscus</i>	1860, 354
<i>Argyrophis horsfieldii</i> ..	1860, 160		
<i>Arion ater</i>	1854, 162		
<i>empiricorum</i>	1854, 162		
<i>Aromochelys carinata</i> ..	1855, 199		
<i>odorata</i>	1855, 199		
<i>Arremon abeillii</i>	1856, 82		
<i>affinis</i>	1856, 84		
<i>albifrenatus</i>	1856, 88		

	Page		Page
<i>Artamus leucorhynchus</i>	1860,	<i>Aspergillum vaginiferum</i>	1858,
<i>melaleucus</i>	1859,	<i>zeluensis</i>	1858,
<i>papuensis</i>	1858,	<i>Aspidelaps lubricus</i>	1859,
<i>Artemia arietina</i>	1852,		88
<i>eulimene</i>	1852,	<i>Aspidochelys livingstonii</i>	1860,
<i>guldinngii</i>	1852,		314
<i>koppeniana</i>	1852,		316
<i>milhausenii</i>	1852,		431
<i>salina</i>	1852,	<i>Aspis intestinalis</i>	1859,
<i>Artemis guldinngii</i>	1852,		82
<i>Arthemis saccata</i>	1856,	<i>Assiminea franciscii</i>	1860,
<i>Arvicola amphibius</i>	1857,	<i>Assiminia fasciata</i>	1856,
<i>myothrix</i>	1856,		23
<i>Arytene tuberculatum</i>	1858,	<i>grayana</i>	1853,
<i>Ascaris bifaria</i>	1853,		43
<i>boddaërtii</i>	1860,		20
<i>dugonis</i>	1859,		21
<i>halichloris</i>	1859,	<i>Asterope elliptica</i>	1850,
<i>lævissima</i>	1853,	<i>Astraliun calcar</i>	1851,
<i>leptocephala</i>	1858,	<i>deplanatum</i>	1851,
<i>lonchoptera</i>	1859,	<i>Astropyga depressa</i>	1855,
<i>obconica</i>	1860,	<i>Astur atricapillus</i>	1858,
<i>osculata</i>	1853,	<i>griseogularis</i>	1860,
<i>salvini</i>	1860,	<i>henicogrammus</i>	1860,
<i>similis</i>	1853,	<i>iogaster</i>	1860,
<i>Asinus hemionus</i>	1856,	<i>longicauda</i>	1859,
<i>kiang</i>	1858,	<i>novæ-hollandiæ</i>	1859,
<i>Asio brachyotus</i>	1858,		432
<i>Aspergillum agglutinans</i>	1858,		371
<i>annulus</i>	1858,	<i>palumbarius</i>	1855,
<i>australe</i>	1858,		128
<i>clavatum</i>	1858,	<i>unicolor</i>	1858,
<i>cumingianum</i>	1858,	<i>Asturina albifrons</i>	1854,
<i>delessertianum</i>	1858,		368
<i>dichotomus</i>	1858,		285
<i>gracilis</i>	1858,		261
<i>incertum</i>	1858,		451
<i>incrassatum</i>	1858,	<i>magnirostris</i>	1859,
<i>javanum</i>	1858,		52
<i>listeri</i>	1858,		147
<i>novæ-hollandiæ</i>	1858,		368
<i>novæ-zelandiæ</i>	1858,		288
<i>ornatum</i>	1858,		201
<i>philippense</i>	1858,		227
<i>pulchellum</i>	1858,	<i>nitida</i>	1859,
<i>pulchrum</i>	1858,		368
<i>radix</i>	1858,		389
<i>recluzianum</i>	1858,		288
<i>semifimbriatum</i>	1858,	<i>schistacea</i>	1858,
<i>sparsum</i>	1858,	<i>Asynchronia modestella</i>	1854,
<i>strangei</i>	1852,	<i>Atalanta peronii</i>	1850,
	91	<i>Atalapha americana</i>	1857,
	1858,	<i>Ateles beelzebub</i>	1860,
	317	<i>paniscus</i>	1852,
<i>strangulatum</i>	1858,		107
<i>tuberculatum</i>	1858,		422
<i>vaginiferum</i>	1858,	<i>pentadactylus</i>	1860,
	308		183
			372
			422
		<i>Athene brahma</i>	1857,
			86
		<i>brodiei</i>	1858,
			474
		<i>cuculoïdes</i>	1857,
			86
			474
		<i>dominicensis</i>	1859,
			150
		<i>humeralis</i>	1857,
			231
		<i>hypogæa</i>	1858,
			170
			201

	Page		Page
<i>Athene hypogramma</i> ..	1860,	<i>Attila bolivianus</i>	1859,
<i>infuscata</i>	1856,	<i>brasiliensis</i>	1859,
<i>malayensis</i>	1854,	<i>cinereus</i>	1859,
<i>noctua</i>	1860,	<i>citreopygia</i>	1857,
<i>radiata</i>	1854,		228
<i>rufostrigata</i>	1860,	<i>citreopygius</i>	1859,
<i>squamipila</i>	1860,		41
<i>theomacha</i>	1858,		366
<i>undulata</i>	1854,		383
<i>Atherura africana</i>	1859,	<i>citriniventris</i>	1859,
<i>Athyma abiasa</i>	1858,	<i>flammulatus</i>	1859,
<i>asita</i>	1858,	<i>rufus</i>	1859,
<i>asura</i>	1858,	<i>spadiceus</i>	1859,
<i>bahula</i>	1858,	<i>thamnophiloides</i> ..	1859,
<i>cama</i>	1858,	<i>torrida</i>	1860,
<i>dama</i>	1858,	<i>Attus abbreviatus</i>	1849,
<i>eurynome</i>	1858,	<i>cookii</i>	1849,
<i>gutama</i>	1858,	<i>darwinii</i>	1849,
<i>helicopis</i>	1858,	<i>phrinoïdes</i>	1849,
<i>idita</i>	1858,	<i>Atys debilis</i>	1860,
<i>illigera</i>	1858,	<i>elongata</i>	1860,
<i>inara</i>	1858,	<i>semistriata</i>	1860,
<i>inara</i>	1858,	<i>Auchenia huamel</i>	1850,
<i>jina</i>	1858,	<i>Augasma smaragdineum</i>	1860,
<i>kanwa</i>	1858,	<i>Aulacopris reichii</i>	1859,
<i>kasa</i>	1858,	<i>Aulacorhampus albivitta</i>	1855,
<i>kresna</i>	1858,	<i>albivittatus</i>	1858,
<i>larymna</i>	1858,	<i>cæruleogularis</i>	1853,
<i>leucothoë</i>	1858,	<i>castaneirhynchus</i> ..	1855,
<i>mehesa</i>	1858,	<i>hæmatopygius</i>	1859,
<i>nefte</i>	1858,	<i>prasinus</i>	1856,
<i>opalina</i>	1858,		1859,
<i>pravara</i>	1858,	<i>wagleri</i>	1859,
<i>ranga</i>	1858,	<i>Aulapoma grande</i>	1855,
<i>reta</i>	1858,	<i>Aulica aulica</i>	1855,
<i>sankara</i>	1858,	<i>luteostoma</i>	1855,
<i>selenophora</i>	1858,	<i>marmorata</i>	1855,
<i>strophia</i>	1858,	<i>nivosa</i>	1855,
<i>subrata</i>	1858,	<i>norrisii</i>	1855,
<i>sulpitia</i>	1858,	<i>piperita</i>	1855,
<i>venilia</i>	1858,	<i>pulchella</i>	1855,
<i>vikasi</i>	1858,	<i>punctata</i>	1855,
<i>Atlapetes albinucha</i>	1856,	<i>rutila</i>	1855,
<i>chrysopogon</i>	1856,	<i>scapha</i>	1855,
<i>pallidinucha</i>	1856,	<i>vespertilio</i>	1855,
<i>pileatus</i>	1858,	<i>Aurelia aurita</i>	1859,
	1859,	<i>Auricella carychium</i> ..	1854,
<i>schistaceus</i>	1856,	<i>Auricella auricula</i>	1855,
<i>Atractaspis corpulentus</i> ..	1858,	<i>cerea</i>	1855,
<i>Atropis undulatus</i>	1860,	<i>chamissoi</i>	1855,
<i>Attacus atlas</i>	1859,	<i>lurida</i>	1855,
	115,	<i>obelisca</i>	1855,
<i>edwardsii</i>	266,	<i>petitiana</i>	1855,
<i>guerinii</i>	1859,	<i>pusilla</i>	1855,
<i>lunula</i>	1859,	<i>Auricula acuta</i>	1854,
<i>mylitta</i>	1859,	<i>æqualis</i>	1854,
<i>ricini</i>	1859,	<i>alba</i>	1854,
<i>Attagis chimborazensis</i> ..	1860,	<i>angiostoma</i>	1854,
<i>Atticora pileata</i>	1858,	<i>angulifera</i>	1854,
	355	<i>auricella</i>	1854,
			217

	Page		Page
<i>Auricula australis</i>	1854,	<i>Auricula olivula</i>	1854,
avena	1854,	ovata	1854,
bidentata	1854,	ovula	1854,
bivonæ	1854,	pallescens	1854,
caffra	1854,	pallida	1854,
callavensis	1854,	panamensis	1854,
ceylanica	1854,	papillifera	1854,
chinensis	1854,	pellucens	1854,
cingulata	1854,	pepita	1854,
columbiensis	1854,	personata	1854,
concinna	1854,	petiveriana	1850,
coniformis	1854,	philippi	1854,
cornea	1854,	plicata	1850,
coronula	1854,	polita	1851,
costata	1854,	protracta	1854,
cymbæformis	1854,	pulchella	1954,
dactyla	1854,	pygmæa	1854,
densata	1854,	pyriformis	1854,
doliolum	1854,	recluziana	1854,
elongata	1854,	reflexilabris	1854,
erosa	1854,	reticulata	1854,
exigua	1854,	rugata	1854,
fabæ	1854,	saccata	1854,
fasciata	1854,	sandwichensis	1854,
felis	1851,	sayi	1854,
firminii	1854,	scarabæus	1850,
floridiana	1854,	sheepmakerii	1854,
frumentum	1854,	sowerbyana	1854,
fusca	1854,	stagnalis	1854,
gracilis	1854,	sterna	1856,
granifera	1854,	subnodosa	1851,
granulina	1854,	subula	1854,
helvæa	1854,	sulculosa	1854,
infrequens	1854,	tenella	1854,
judæ	1854,	tobagensis	1854,
kraussii	1854,	tornatelliformis	1854,
küsterii	1854,	turrita	1854,
kutschigiana	1854,	umlaasiana	1854,
leucodon	1854,	villosa	1854,
leucodonta	1854,	<i>Auxis vulgaris</i>	1850,
livida	1854,	<i>Auxocrossa hopfferii</i>	1854,
lutea	1854,	<i>Aviceda reinwardtii</i>	1860,
marinella	1854,	sumatrensis	1860,
micheli	1854,	<i>Avocettinus eurypterus</i>	1857,
microstoma	1854,	<i>Axis ceylonensis</i>	1850,
midæ	1854,	maculata	1850,
minima	1854,	major	1850,
monile	1854,	medius	1850,
mustelina	1851,	minor	1850,
myosotis	1854,	porcinus	1856,
nigra	1854,		
nitens	1854,		
nucleus	1854,		
oliva	1854,		

	Page		Page
Babirusa	1848, 69	Basileuterus brasieri ..	1856, 292
	1849, 158		1859, 374
	1852, 131	chrysogaster	1859, 137
alfurus	1860, 442		1860, 273
	1860, 443		1855, 65
	fig — 1851, 2	chrysophrys	1857, 202
	1859, 353		1859, 374
	1860, 195	coronatus	1855, 144
Balæniceps rex	1860, 243		1859, 137
	1860, 324		1855, 66
	1860, 377	culicivorus	1856, 292
	1860, 461		1859, 374
Balantia orientalis	1858, 104		1855, 144
Balea dominicensis	1851, 148	delatrii	1860, 250
fragilis	1854, 215	mesochrysus	1860, 251
newcombii	1852, 67	nigricapillus	1860, 74
perversa	1854, 215	nigricristatus	1859, 440
Balearica pavonina ..	1859, 433	rubrifrons	1859, 363
	1860, 183	ruffrons	1856, 291
	1856, 301		1858, 299
Bananivorus affinis ..	1859, 365	semicervinus	1860, 84
Bankivia major	1851, 171		291
nitida	1851, 172	vermivorus	1855, 144
purpurascens	1851, 171	Basilinna leucotis	1856, 287
varians	1851, 171	Basiliscus americanus ..	1860, 453
Barbastellus communis ..	1856, 395	bivittatus	1860, 85
daubentonii	1856, 395	seemannii	1860, 233
Barbatula atroflava	1859, 398	Bassaris astuta	1848, 81
chrysocoma	1859, 398	Batagur baska	1856, 182
duchailui	1859, 397	ocellata	1856, 182
erythronotus	1859, 398	Batara cinerea	1858, 207
flavimentum	1859, 398	othello	1858, 208
flavisquamata	1859, 397	striata	1858, 207
formosa	1859, 398	Bathmidura d'orbignyi ..	1859, 197
fuliginosa	1859, 397	Bathmidurus atricapillus	1857, 77
leucolaima	1859, 398		1851, 48
minuta	1859, 399	major	1857, 78
nana	1859, 399	marginatus	1851, 48
pusilla	1859, 399	melanoleucus	1857, 79
stellata	1859, 397	minor	1851, 48
subsulfurea	1859, 398	niger	1857, 76
Barita quoyi	1858, 180	surinamus	1857, 74
	150	tristis	1851, 48
	161	variegatus	1857, 77
	167	Batissa atrata	1854, 14
Barycephalus sykesii ..	1860, 170	australis	1854, 346
	171	compressa	1860, 320
	172	corbiculoides	1854, 14
	173	elongata	1860, 320
Baryphonus cyanocephalus	1857, 250	fortis	1860, 320
	255	fuscata	1860, 319
ruficapillus	1857, 258	gracilis	1860, 319
semirufus	1857, 254	humerosa	1854, 14
	1855, 65	inflata	1860, 320
Basileuterus bellii	1859, 374	insignis	1854, 13
	1859, 137	lenticularis	1854, 14
bivittatus	1859, 137	megadesma	1854, 14
brasieri	1855, 66	minor	1860, 320

	Page		Page
<i>Batissa producta</i>	1854, 13	<i>Biophorus paradisiacus</i> ..	1850, 84
<i>triquetra</i>	1854, 13	<i>Bison americanus</i>	1849, 90
<i>unioniformis</i>	1860, 319	<i>europæus</i>	1848, 126
<i>Batocera hercules</i>	1858, 399	<i>poëphagus</i>	1856, 133
<i>rubus</i>	1858, 399	<i>poëphagus</i>	1856, 405
<i>una</i>	1858, 399	<i>Bithynia inconspicua</i> ..	1857, 123
<i>Batrachia anura</i>	1858, 341	<i>orcula</i>	1857, 123
<i>Batrachians</i>	1850, 9	<i>stenothyroides</i>	1857, 123
<i>Batrachostomus auritus</i> ..	1854, 266	<i>tentaculata</i>	1857, 123
<i>cornutus</i>	1854, 266	<i>truncata</i>	1860, 13
<i>javanensis</i>	1854, 266	<i>Bittium tricarinarum</i> ..	1860, 433
<i>psilopterus</i>	1860, 345	<i>Blagrus leucogaster</i>	1854, 261
<i>stellatus</i>	1854, 266	<i>Blandia bairdiana</i>	1857, 169
<i>Baza jerdonii</i>	1860, 342	<i>blandiana</i>	1857, 198
<i>lophotes</i>	1857, 86	<i>hilliana</i>	1857, 169
<i>reinwardtii</i>	1860, 342	<i>hilliana</i>	1857, 199
<i>stenozona</i>	1858, 169	<i>jeffreysiana</i>	1857, 169
<i>stenozona</i>	1859, 153	<i>macgillivrayana</i> ..	1857, 197
<i>Bela arctica</i>	1855, 121	<i>trailliana</i>	1857, 169
<i>Belideus ariel</i>	1858, 109	<i>troscheliana</i>	1857, 199
<i>flaviventris</i>	1860, 5	<i>Blastocerus campestris</i> ..	1850, 237
<i>flaviventris</i>	1859, 212	<i>paludosus</i>	1850, 237
<i>flaviventris</i>	1859, 218	<i>Blastotrochus nutrix</i> ..	1849, 76
<i>flaviventris</i>	1860, 416	<i>Blauneria gracilis</i>	1860, 145
<i>Berenicornis comatus</i> ..	1859, 450	<i>Blennius palmicornis</i> ..	1859, 432
<i>Bernicla antarctica</i> ..	1857, 128	<i>viviparus</i>	1859, 432
<i>canadensis</i>	1859, 96	<i>Blue Hawk of the Cata-</i>	
<i>hutchinsii</i>	1860, 388	<i>racts, The</i>	1851, 55
<i>indica</i>	1860, 418	<i>Boa</i>	1858, 386
<i>indica</i>	1858, 509	<i>constrictor</i>	1859, 212
<i>inornata</i>	1857, 128	<i>constrictor</i>	1860, 233
<i>inornata</i>	1858, 290	<i>constrictor</i>	1860, 372
<i>inornata</i>	1859, 96	<i>diviniloqua</i>	1860, 416
<i>inornata</i>	1860, 387	<i>diviniloqua</i>	1849, 103
<i>inornata</i>	1859, 477	<i>hieroglyphica</i>	1858, 164
<i>inornata</i>	1860, 442	<i>liberiensis</i>	1858, 164
<i>inornata</i>	1860, 183	<i>regia</i>	1858, 164
<i>inornata</i>	1860, 442	<i>Boædon geometricus</i> ..	1858, 159
<i>inornata</i>	1860, 387	<i>lineatus</i>	1858, 158
<i>inornata</i>	1859, 477	<i>niger</i>	1858, 158
<i>inornata</i>	1860, 442	<i>quadrivirgatus</i>	1858, 158
<i>inornata</i>	1860, 183	<i>quadrivittatus</i>	1858, 158
<i>inornata</i>	1860, 442	<i>unicolor</i>	1858, 159
<i>inornata</i>	1860, 387	<i>Boggo</i>	1848, 27
<i>inornata</i>	1859, 477	<i>Bolborhynchus catharina</i>	1857, 225
<i>inornata</i>	1860, 442	<i>Boletia pileolus</i>	1855, 36
<i>inornata</i>	1860, 387	<i>Bolitoglossa mexicana</i> ..	1858, 144
<i>inornata</i>	1857, 128	<i>rubra</i>	1858, 144
<i>inornata</i>	1860, 242	<i>rubra</i>	1858, 342
<i>inornata</i>	1859, 206	<i>Bombinator igneus</i>	1858, 343
<i>inornata</i>	1858, 288	<i>rubra</i>	1858, 395
<i>Bethylus leverianus</i>	1856, 79		
<i>medius</i>	1856, 79		
<i>picatus</i>	1856, 79		
<i>Bettongia cuniculus</i> ...	1860, 323		
<i>ogilbyi</i>	1860, 371		
<i>penicillata</i>	1860, 417		
<i>Bhuchanga annectans</i> ..	1854, 160		
<i>Biancia nigra</i>	1860, 167		
<i>Bibos frontalis</i>	1856, 405		
<i>Bimia bicolor</i>	1850, 13		
<i>Binoculus caudatus</i>	1852, 7		

	Page		Page
Bombinator sikkimensis	1860,	165	
Bombycilla garrula	1857,	55	
Bombycistomus fullertonii	1854,	206	
Bombyx alcinöe	1849,	50	
argus	1849,	49	
atlas	1859,	265	
caffraria	1849,	50	
certhia	1849,	37	
cynthia	1859,	267	
cytherea	1849,	44	
dione	1849,	45	
horsfieldii	1859,	244	
huttonii	1859,	243	
jana	1859,	256	
lugubris	1859,	244	
mori	1859,	237	
mylitta	1859,	247	
nictitans	1849,	55	
paphia	1859,	247	
perrotteti	1859,	257	
petiveri	1849,	46	
polyphemus	1849,	45	
religiosa	1859,	242	
spectabilis	1849,	37	
subnotata	1859,	244	
tyrreha	1849,	44	
wallichii	1849,	37	
Bonasa sabinii	1859,	236	
Bornia corbuloides	1856,	340	
Borsonia bifasciata	1860,	143	
crassicostata	1860,	143	
lutea	1860,	143	
nebulosa	1860,	143	
Bos arnee	1855,	17	
connochætes	1850,	138	
frontalis	1852,	96	
gaurus	1850,	157	
grunniens	1856,	405	
pegaseus	1850,	139	
taurus	1848,	127	
urus	1850,	157	
zebu	1859,	436	
zebu	1860,	415	
zebu	1860,	417	
Boselaphus bubalis	1850,	139	
caama	1850,	139	
derbianus	1850,	144	
Botaurus heliosylus	1859,	159	
lentiginosus	1856,	310	
lentiginosus	1857,	127	
lentiginosus	1859,	369	
lentiginosus	1850,	221	
stellaris	1856,	54	
stellaris	1857,	12	
Botaurus stellaris	1858,	188	
Botaurus stellaris	1859,	188	
Bothriocephalus antarcticus	1853,	25	
Bothriophis distinctus ..	1858,	160	
Bourciera fraseri	1859,	28	
Bourciera fulgidigula .	1859,	145	
Bourciera fulgidigula .	1860,	81	
prunellii	1857,	16	
torquata	1857,	16	
Brachycephalus ephippium	1858,	343	
Brachycranion corpulentum	1858,	163	
Brachygalba albigularis .	1857,	262	
albiventris	1855,	15	
albiventris	1855,	15	
inornata	1857,	16	
inornata	1857,	262	
inornata	1855,	15	
melanosterna	1857,	262	
Brachymerus fasciatus ..	1858,	374	
Brachyorrhos tenuiceps .	1860,	161	
Brachyorrhos tenuiceps .	1860,	167	
Brachyorrhos tenuiceps .	1860,	171	
Brachyotus cassinii	1859,	390	
Brachypodius melanocephalus	1854,	278	
Brachypodius melanocephalus	1859,	150	
tristis	1854,	279	
Brachypternus auran- tius	1857,	100	
Brachypternus auran- tius	1858,	475	
Brachypternus auran- tius	1859,	174	
Brachypteryx acutirostris	1854,	276	
albogularis	1854,	275	
cruralis	1854,	74	
nigrocapitata	1854,	273	
nigrogularis	1854,	276	
nipalensis	1854,	74	
scapularis	1854,	75	
Brachyrhamphus mar- moratus	1859,	237	
Brachyurus calvus	1849,	10	
couxiu	1852,	107	
macklotii	1858,	175	
novæ-guineæ	1858,	175	
novæ-guineæ	1849,	8	
ouakari	1849,	10	
ouakari	1852,	107	
rubicundus	1852,	107	
Bradybates ventricosus .	1858,	138	
Bradypus affinis	1849,	68	
Bradypus affinis	1849,	67	
crinitus	1849,	69	
crinitus	1851,	207	
didactylus	1848,	37	
didactylus	1849,	66	
torquatus	1849,	66	
torquatus	1849,	68	

	Page		Page
<i>Bradypus tridactylus</i> ..	1849,		68
<i>Branchiopoda stagnalis</i> .	1852,		19
<i>Branchipus birostratus</i> ..	1852,		24
<i>cafer</i>	1852,		21
<i>ferox</i>	1852,		29
<i>lacunæ</i>	1852,		24
<i>melanurus</i>	1852,		19
<i>middendorffianus</i> ..	1852,		25
<i>milhausenii</i>	1852,		27
<i>pisciformis</i>	1852,		19
<i>schæfferii</i>	1852,		19
<i>spinosus</i>	1852,		20
<i>stagnalis</i>	1852,		19
<i>torvicornis</i>	1852,		21
<i>Breviceps gouldii</i>	1850,		10
<i>Briarea scolopendra</i>	1853,		94
<i>Briareum suberosum</i>	1859,		482
<i>Brochina glabra</i>	1858,	{	435
<i>glabriformis</i>	1858,	{	437
		{	437
<i>Brochus annulatus</i>	1858,	{	414
		{	423
<i>arcuatus</i>	1858,	{	414
		{	436
<i>glaber</i>	1858,	{	436
<i>glabrus</i>	1858,	{	414
<i>lævis</i>	1858,	{	414
		{	436
<i>reticulatus</i>	1858,	{	414
		{	423
<i>striatus</i>	1858,	{	414
		{	425
<i>trachiformis</i>	1858,	{	414
		{	416
		{	425
<i>Broderipia cumingii</i>	1850,		39
<i>iridescens</i>	1850,		39
<i>rosea</i>	1850,		39
<i>Brotogerys pyrrhopterus</i> .	1860,		287
<i>Brycon dentex</i>	1860,	{	234
		{	240
<i>Bryopa aperta</i>	1858,		314
<i>lata</i>	1858,		315
<i>melitensis</i>	1857,		244
<i>Buarremon albifrenatus</i> }	1855,		155
	1856,		88
	1855,		155
	1856,		86
<i>albinuchus</i>	1857,		205
	1859,		364
	1859,		377
	1855,		155
<i>assimilis</i>	1856,		85
	1859,		441
	1860,		76
	1856,		85
<i>brunneinuchus</i> ..	1856,		302
	1858,		72
<i>Buarremon brunneinuchus</i>	{	1858,	303
	{	1859,	138
	{	1859,	364
	{	1859,	377
	{	1859,	441
<i>castaneiceps</i>	{	1860,	86
<i>chrysopogon</i>	{	1856,	86
<i>fulviceps</i>	{	1856,	88
<i>gutturalis</i>	{	1856,	86
	{	1856,	87
	{	1858,	293
<i>latinuchus</i>	{	1860,	76
	{	1860,	85
	{	1855,	214
<i>leucopterus</i>	{	1856,	87
	{	1859,	138
	{	1855,	155
	{	1855,	214
<i>pallidinuchus</i>	{	1856,	87
	{	1858,	551
<i>personatus</i>	{	1856,	89
<i>phæopleurus</i>	{	1856,	85
<i>rufinuchus</i>	{	1856,	87
	{	1858,	293
	{	1855,	155
	{	1855,	214
<i>schistaceus</i>	{	1856,	88
	{	1858,	551
<i>semirufus</i>	{	1856,	88
<i>torquatus</i>	{	1856,	84
<i>virenticeps</i>	{	1856,	85
<i>xanthogenys</i>	{	1856,	86
<i>Bubalis albifrons</i>	{	1850,	141
<i>buffelus</i>	{	1850,	157
<i>koba</i>	{	1850,	140
<i>lunata</i>	{	1850,	140
<i>mauretanica</i>	{	1850,	139
<i>pygarga</i>	{	1850,	141
	{	1848,	98
<i>Bubo bengalensis</i>	{	1857,	86
	{	1858,	473
<i>crassirostris</i>	{	1858,	451
<i>maculosus</i>	{	1859,	435
<i>maximus</i>	{	1860,	99
<i>nudipes</i>	{	1858,	133
<i>orientalis</i>	{	1854,	262
<i>poënsis</i>	{	1853,	13
<i>virginianus</i>	{	1859,	390
	{	1860,	253
<i>Bubulus coromandensis</i>	{	1860,	363
<i>Buccanodon duchaillui</i> ..	{	1859,	397
<i>Buccinum</i>	{	1851,	109
<i>abbreviatum</i>	{	1851,	113
<i>acicula</i>	{	1859,	316
<i>aciculatum</i>	{	1859,	275
	{	1859,	299
<i>acus</i>	{	1859,	316

	Page		Page
Buccinum aethiops	1853, 182	Buccinum graniferum ..	1851, 101
albescens	1851, 96	gruneri	1851, 96
allium	1859, 489	hastatum	1859, 282
ambiguum	1851, 101	hecticum	1859, 318
angulatum	1851, 104	hirtum	1851, 103
antillarum	1851, 95	horridum	1851, 101
arabicum	1855, 58	incrassatum	1851, 111
arcularia	1851, 94	isabellei	1851, 95
ascanias	1851, 111	jacksonianum	1851, 103
asperulum	1851, 111	jonasii	1851, 96
asperum	1859, 316	lacepedii	1851, 111
bifasciatum	1859, 290	lanceatum	1859, 283
bronnii	1851, 104	letum	1851, 104
canaliculatum	{ 1851, 106 1859, 316	livescens	1851, 95
caperatum	1851, 96	lividulum	1859, 318
chalybeum	1859, 317	luteostoma	1851, 95
chinense	1859, 491	lyratum	1850, 205
cinereum	1859, 291	macula	1851, 111
clathratum	1851, 101	maculatum	1859, 280
coccinella	1851, 111	margaritiferum	1851, 96
commaculatum	1859, { 309 317	marginatum	1851, 94
concinnum	{ 1850, 205 1859, 287	miga	1851, 109
coronatum	1851, 94	minutum	1851, 111
corrugatum	1851, 104	monile	{ 1851, 103 1859, 319
costatum	1854, 313	mucronotum	1859, 319
costulatum	1851, 104	multigranum	1851, 112
crassum	1851, 96	muricatum	1851, 101
crenulatum	{ 1851, 103 1859, 276	muricinum	1859, 319
cuspidatum	1859, 317	murinum	1859, 319
cuvieri	1851, 104	mutabile	1851, 94
decussatum	1851, 111	nassoides	1851, 103
digitellum	1859, 317	niveum	1859, { 290 319
dimidiatum	1859, 281	nodiferum	1851, 95
dolium	1859, 491	noduliferum	1851, 109
duplicatum	1859, 292	nucleolus	1851, 109
echinophora	1851, 229	obliqueplicatum	1851, 112
edentulum	1859, 290	obliquum	1859, 319
elegans	1851, 104	olearium	1859, 488
elongatum	1859, 280	olivaceum	1851, 106
erinaceum	1851, 229	ornatum	1851, 106
fasciatum	1851, 111	papillosum	1851, 103
fasciolatum	1859, 317	pauperatum	1851, 95
felinum	1859, 281	perdix	1859, 492
ferussacii	1851, 104	pertusum	1859, 298
flumineum	1859, 318	phallus	1859, 319
fluviatile	1859, 318	pictum	1851, 104
galea	1859, 487	plumbeum	1853, 182
geminum	1859, 318	polygonatum	1851, 94
gemma	1851, 96	poulsonii	1856, 227
gemmulatum	1851, 95	pugio	1859, 319
gibbosulum	1851, 101	pullus	1851, 94
glans	1851, 104	punctulatum	1859, 320
glaucum	1851, 229	pyrostoma	1850, 153
grana	1850, 205	radiatum	1859, 320
		reevianum	1851, 105
		retusum	1851, 113

	Page		Page
<i>Buccinum roissyi</i>	1851,		109
rudis	1851,	<i>Bucco hyperrhynchus</i> .	1855, 196
rufulum	1851,		1858, 60
scalariforme	1851,	indicus	1859, 454
semigranosum	1851,	lanceolatus	1855, 196
senticosum	1850,	leucocrissus	1860, 284
sepimentum	1853,	leuconotus	1859, 395
signatum	1851,	levaillantii	1859, 395
splendidulum	1851,		1855, 136
stolatum	1851,	macroductylus ..	1855, 193
	1859,		1857, 261
strigilatum	1859,		1858, 60
	287,		1854, 110
	291,	macrorhynchus ..	1855, 193
sturmii	1851,		1855, 196
subdiaphanum	1851,	maculatus	1855, 196
subspinosum	1851,	margaritatus	1859, 399
subulatum	1859,	mystacophanes	1859, 454
succinctum	1859,	nanus	1859, 399
sulcosum	1859,	niger	1859, 395
suturale	1851,		1855, 196
tessellatum	1859,	ordi	1857, 262
thersites	1851,	parvus	1859, 399
tiarula	1851,	pectoralis	1855, 196
tigrinum	1859,	personatus	1859, 395
tritoniformis	1851,		1855, 194
tuberculatum	1859,	picatus	1855, 196
unicolor	1851,		1855, 194
variabile	1851,		1855, 196
	1859,	pulmentum	1857, 262
varicosum	1859,		1859, 399
	276,	pusillus	1859, 454
	321,	quadricolor	1853, 122
venustum	1851,		1855, 136
vibex	1851,	radiatus	1855, 196
virgineum	1859,		1859, 454
zonale	1851,	rafflesii	1853, 124
<i>Bucco atroflavus</i>	1859,	rubecula	1855, 196
	1857,	ruficollis	1859, 395
aurovirens	1859,	rufifrons	1859, 397
australis	1859,	scolopaceus	1853, 123
barbatula	1859,		1855, 196
bicinctus	1855,	striatipectus	1859, 398
calvus	1859,	subsulfureus	1860, 296
cayennensis	1857,	subtactus	1855, 196
chacuru	1855,	swainsonii	1855, 196
chrysopogon	1859,		1855, 194
chrysopterus	1859,	tamatia	1855, 196
chrysozonicus	1859,	tectus	1855, 196
	1854,	trimaculatus	1859, 455
	1855,	versicolor	1859, 454
collaris	1859,	<i>Bucephalus capensis</i>	1858, 162
	1859,	<i>Buceros africanus</i>	1859, 446
cyanotis	1859,		1859, 448
dubius	1859,	annulatus	1859, 451
duvaucelli	1859,	anthracinus	1859, 449
	1855,	bicolor	1859, 449
dysonii	1855,	bicornis	1859, 447
	193,	carinatus	1859, 450
elegans	1857,	cavatus	1859, 447
erythronotus	1859,		
frontalis	1859,		
gigas	1855,		
grandis	1859,		
hayii	1859,		
hyperrhynchus	1855,		

	Page		Page
<i>Buceros comatus</i>	1859, 450		233
<i>convexus</i>	1859, 448	<i>Bufo aqua</i>	1860, 452
<i>diadematus</i>	1859, 446		460
<i>elliotti</i>	1859, 449	<i>arabicus</i>	1858, 166
<i>exaratus</i>	1860, 356	<i>cæruleostictus</i>	1859, 415
<i>galeatus</i>	1859, 446	<i>calamita</i>	1858, 345
<i>galeritus</i>	1859, 450	<i>chilensis</i>	1858, 395
<i>ginginianus</i>	{ 1850, 276	<i>cinereus</i>	1858, 165
	{ 1857, 99	<i>gargarizans</i>	1860, 173
<i>homrai</i>	1859, 447	<i>granulosus</i>	{ 1858, 395
<i>hydrocorax</i>	1860, 356		{ 1860, 460
<i>intermedius</i>	1859, 448	<i>guineensis</i>	1858, 166
<i>javanicus</i>	1859, 451	<i>intermedius</i>	1859, 89
<i>javanus</i>	1859, 451		{ 415
<i>lugubris</i>	1859, 450	<i>kelaartii</i>	1858, 393
<i>lunatus</i>	{ 1859, 446	<i>lævis</i>	1858, 166
	{ 1860, 356	<i>lentiginosus</i>	1858, 395
<i>malabaricus</i>	1859, 448	<i>maculatus</i>	1858, 165
<i>malayanus</i>	1859, 448		{ 1858, 393
<i>niger</i>	1859, 446		{ 1860, 116
	{ 451		{ 1860, 165
<i>nigrirostris</i>	1859, 449	<i>melanostictus</i>	{ 1860, 168
<i>obscurus</i>	1859, 451		{ 1860, 169
<i>pusaran</i>	1859, 451		{ 1860, 170
<i>payanensis</i>	1860, 356		{ 1860, 171
<i>plicatus</i>	{ 1859, 451		{ 1860, 172
	{ 1860, 356	<i>nebulifer</i>	1860, 452
<i>poënsis</i>	1853, 14		{ 460
<i>rhinoceros</i>	1859, 446	<i>pantherinus</i>	1858, 166
<i>ruficollis</i>	{ 1859, 158	<i>tuberosus</i>	1858, 165
	{ 1860, 356	<i>viridis</i>	1859, 470
<i>scutatus</i>	1859, 446		{ 473
<i>sylvestris</i>	1859, 446		{ 1858, 390
<i>undulatus</i>	1859, 451		{ 1858, 391
<i>violaceus</i>	1859, 448		{ 1858, 395
<i>Bucorax abyssinicus</i>	1860, 197		{ 1860, 165
	{ 1850, 173	<i>vulgaris</i>	{ 1860, 167
<i>Budorcas taxicolor</i>	{ 1853, 191		{ 1860, 168
	{ 1856, 405		{ 1860, 169
<i>Budytes anthoïdes</i>	1854, 285		{ 1860, 170
<i>beema</i>	1854, 285		{ 1860, 171
<i>citreola</i>	{ 1858, 486		{ 1860, 172
	{ 1859, 179		{ 1860, 174
<i>dubia</i>	1854, 285	<i>Buglodytes albicilius</i> ..	1856, 97
<i>flava</i>	1854, 285	<i>Bulimella attenuata</i>	1855, 4
<i>flaviventer</i>	1854, 285	<i>candida</i>	1855, 2
<i>melanocephala</i> ..	{ 1850, 217	<i>cinerosa</i>	1855, 2
	{ 1858, 486	<i>concarospira</i>	1859, 30
<i>neglecta</i>	1854, 285	<i>dolium</i>	1855, 5
<i>rayi</i>	1860, 371	<i>fabæ</i>	1859, 30
<i>schisticeps</i>	1854, 285	<i>forbesiana</i>	1855, 5
	{ 1854, 285	<i>frickii</i>	1855, 3
	{ 1857, 95	<i>hanleyana</i>	1855, 202
<i>viridis</i>	{ 1858, 486	<i>monacha</i>	1855, 3
	{ 1859, 150	<i>morbida</i>	1859, 30
	{ 1859, 179	<i>multicolor</i>	1855, 4
<i>Bufo aqua</i>	1859, 89	<i>nobilis</i>	1855, 202
	{ 415	<i>planospira</i>	1855, 3

	Page		Page
<i>Bulimella sowerbyana</i> ..	1855,	<i>Bulimus clausilioides</i> ..	1850,
<i>swainsonii</i>	1855,	<i>clouei</i>	1856,
<i>vidua</i>	1855,	<i>cocapatensis</i>	1855,
<i>Bulimus abscissus</i>	1855,	<i>cochinchinensis</i>	1856,
<i>acalles</i>	1851,	<i>colubrinus</i>	1860,
<i>achatellinus</i>	1850,	<i>columbiensis</i>	1854,
<i>achilles</i>	1852,	<i>columellaris</i>	1849,
<i>acus</i>	1852,	{ 1850,	100
<i>acutus</i>	1854,	{ 1850,	56
<i>adumbratus</i>	1854,	<i>confluens</i>	1855,
<i>æquatorius</i>	1852,	<i>coniformis</i>	1854,
<i>æstivus</i>	1856,	<i>convexus</i>	1855,
<i>alto-peruvianus</i> ..	1849,	<i>cordovanus</i>	1856,
<i>alutaceus</i>	1849,	<i>coriaceus</i>	1856,
<i>amandus</i>	1855,	<i>costato-striatus</i>	1856,
<i>anthisanensis</i>	1852,	<i>costatus</i>	1848,
<i>antioquiensis</i>	1854,	<i>cotopaxiensis</i>	1852,
<i>arcuatostriatus</i> ..	1855,	<i>cretaceus</i>	1854,
<i>ascendens</i>	1852,	<i>cuencanus</i>	1859,
<i>attenuatus</i>	1851,	<i>cuneus</i>	1852,
<i>aulacostylus</i>	1852,	<i>cuticula</i>	1855,
<i>aureus</i>	1858,	<i>cuzeoensis</i>	1849,
<i>aurifluus</i>	1856,	<i>cyathostomus</i>	1856,
<i>auris-felis</i>	1854,	<i>cyrtopleurus</i>	1852,
<i>auris-judæ</i>	1854,	<i>darnaudi</i>	1856,
<i>auris-midæ</i>	1854,	<i>deburghiæ</i>	1859,
<i>australis</i>	1854,	<i>decollatus</i>	1854,
<i>baranguillanus</i> ..	1852,	<i>decussatus</i>	1849,
<i>barbadensis</i>	1852,	<i>denickei</i>	1851,
<i>belcheri</i>	1851,	{ 92	93
<i>blandii</i>	1852,	<i>denticulatus</i>	1852,
<i>binneyanus</i>	1858,	<i>depstus</i>	1849,
<i>bivaricosus</i>	1854,	<i>diaphanus</i>	1854,
<i>bogotensis</i>	1855,	<i>dillwynianus</i>	1851,
<i>bourcierii</i>	1852,	<i>distans</i>	1856,
<i>cærulescens</i>	1858,	<i>drouëti</i>	1856,
<i>cæsar</i>	1854,	<i>dubius</i>	1851,
<i>caillaudii</i>	1859,	<i>dutaillyi</i>	1856,
<i>calvus</i>	1850,	<i>eddystonensis</i>	1855,
<i>candelaris</i>	1856,	<i>eganus</i>	1851,
<i>candidissimus</i>	1859,	<i>elæodes</i>	1851,
<i>capillaceus</i>	1855,	<i>episcopalis</i>	1855,
<i>cardinalis</i>	1852,	<i>eschariferus</i>	1850,
<i>castloneaui</i>	1856,	<i>excelsus</i>	1856,
<i>catamarcanus</i>	1858,	<i>excoriatus</i>	1854,
<i>catharinæ</i>	1856,	<i>fairbankii</i>	1857,
<i>catlovivæ</i>	1852,	<i>fallax</i>	1852,
<i>ceratacme</i>	1855,	<i>farrisi</i>	1858,
<i>chamæleon</i>	1855,	<i>filaris</i>	1853,
<i>charbonnieri</i>	1856,	<i>fimbriatus</i>	1850,
<i>chemnitzioides</i> ..	1850,	<i>flexilabris</i>	1853,
<i>chion</i>	1856,	<i>flexuosus</i>	1852,
<i>chloris</i>	1851,	<i>floridanus</i>	1856,
<i>cinerosus</i>	1855,	<i>fortunei</i>	1852,
<i>citrinus</i>	1851,	<i>foveolatus</i>	1849,
<i>clarus</i>	1856,	<i>fraserii</i>	1860,
<i>clathratus</i>	1858,	<i>fuliginus</i>	1852,
<i>clausilioides</i>	1849,	<i>galapaganus</i>	1854,
	96	<i>gayi</i>	1856,
			389

	Page		Page
<i>Bulimus glaucophthalmus</i>	1851, 255	<i>Bulimus meobambensis</i>	1855, 96
<i>gracillimus</i>	1850, 56	<i>mercurius</i>	1852, 59
<i>grandis</i>	1859, 350	<i>microdon</i>	1851, 261
<i>gueinzii</i>	1856, 330	<i>miltecheilus</i>	1850, 54
<i>guttula</i>	1852, 154	<i>minimus</i>	1854, 33
<i>hæmastoma</i>	1849, 97	<i>monachus</i>	1856, 333
<i>hainesii</i>	1855, 115	<i>monile</i>	1854, 9
<i>haplochrous</i>	1854, 125	<i>monozonus</i>	1848, 110
<i>hartwegii</i>	1850, 54	<i>moussonii</i>	1851, 147
<i>hebraicus</i>	1852, 60	<i>musivus</i>	1855, 95
<i>hermannii</i>	1852, 140	<i>myristicus</i>	1849, 99
<i>histrio</i>	1854, 124	<i>newcombianus</i>	1851, 261
<i>hololeucus</i>	1855, 93	<i>nigroapicatus</i>	1856, 333
<i>hyaloideus</i>	1854, 292	<i>nigrolimbiatus</i>	1851, 257
<i>imperator</i>	1848, 110	<i>nigropileatus</i>	1849, 97
<i>inaequalis</i>	1856, 330	<i>nubeculatus</i>	1851, 257
<i>incarnatus</i>	1855, 95	<i>nucula</i>	1852, 60
<i>incrassatus</i>	1852, 157	<i>nux</i>	1850, 54
<i>infundibulum</i>	1851, 255	<i>nystianus</i>	1852, 154
<i>integer</i>	1855, 114	<i>otostomus</i>	1854, 291
<i>intermedius</i>	1854, 291	<i>ovoideus</i>	1859, 350
<i>iostomus</i>	1850, 54	<i>ovulus</i>	1854, 10
<i>iris</i>	1852, 136	<i>palawanensis</i>	1856, 388
<i>irroratus</i>	1849, 16	<i>pallidior</i>	1856, 203
<i>janus</i>	1852, 85	<i>parallelus</i>	1856, 389
<i>jucundus</i>	1854, 290	<i>patasensis</i>	1858, 257
<i>juvenilis</i>	1855, 97	<i>peelii</i>	1859, 123
<i>kanaïensis</i>	1856, 332	<i>peregrinus</i>	1855, 59
<i>kelletii</i>	1850, 54	<i>pervariabilis</i>	1852, 59
<i>keppellii</i>	1853, 50	<i>perversus</i>	1860, 9
<i>lacerta</i>	1855, 94	<i>pervius</i>	1853, 50
<i>lactifluus</i>	1856, 330	<i>petersii</i>	1855, 97
<i>lanceolatus</i>	1854, 292	<i>phæostylus</i>	1856, 329
<i>lardeus</i>	1852, 157	<i>pictus</i>	1854, 58
<i>laticlavis</i>	1855, 7	<i>planospirus</i>	1852, 60
<i>leptochilus</i>	1848, 111	<i>platystomus</i>	1858, 256
<i>liberianus</i>	1859, 350	<i>plicatus</i>	1851, 261
<i>librosus</i>	1856, 388	<i>pliculatus</i>	1856, 390
<i>lindstedii</i>	1856, 388	<i>plumbeus</i>	1855, 114
<i>liratus</i>	1851, 261	<i>porphyrostomus</i>	1851, 261
<i>lobbii</i>	1849, 98	<i>prætextus</i>	1849, 98
<i>loricatus</i>	1854, 293	<i>primularis</i>	1849, 100
<i>lorraini</i>	1856, 332	<i>pringii</i>	1854, 292
<i>loxostomus</i>	1852, 59	<i>proletarius</i>	1854, 292
<i>luctuosus</i>	1851, 255	<i>protractus</i>	1855, 94
<i>ludovici</i>	1852, 139	<i>ptychostylus</i>	1858, 256
<i>lusorius</i>	1854, 291	<i>puncticulatus</i>	1856, 390
<i>macgillivrayii</i>	1855, 108	<i>purpuratus</i>	1849, 98
<i>maconellii</i>	1851, 198	<i>pyrostomus</i>	1860, 137
<i>mahogani</i>	1849, 97	<i>radiatus</i>	1854, 58
<i>marcidus</i>	1852, 67	<i>rectilinearis</i>	1855, 96
<i>mariae</i>	1858, 23	<i>requieni</i>	1852, 137
<i>marmatensis</i>	1854, 125	<i>reversalis</i>	1860, 9
<i>martensii</i>	1856, 318	<i>rhodolarynx</i>	1849, 98
<i>mauritanus</i>	1852, 150	<i>riparius</i>	1852, 155
<i>melanacme</i>	1855, 96	<i>rosaceus</i>	1849, 97
<i>meleagris</i>	1851, 257	<i>rugulosus</i>	1850, 54
		<i>sabatierii</i>	1856, 380

	Page		Page
<i>Bulimus saccatus</i>	1855,	<i>Bullia elegans</i>	1856,
<i>saquinensis</i>	1854,	<i>Bullina lauta</i>	1860,
<i>saturanus</i>	1860,	<i>undata</i>	1860,
<i>scarabæus</i>	1850,	<i>vitrea</i>	1860,
<i>schomburgki</i>	1860,	<i>Bungarus annularis</i>	1855,
<i>scitulus</i>	1849,	<i>fasciatus</i>	1858,
<i>scytodes</i>	1851,	<i>Buprestis louisa</i>	1859,
<i>segregatus</i>	1856,	<i>Buselaphus caji</i>	1850,
<i>seiratus</i>	1855,	<i>Bustramantia capitaurea</i>	1855,
<i>siamensis</i>	1860,	<i>Butalis lugens</i>	1860,
<i>signifer</i>	1855,	<i>Buteo abbreviatus</i>	1858,
<i>simpliculus</i>	1854,	<i>albonotatus</i>	1858,
<i>singaporensis</i>	1855,	<i>borealis</i>	1860,
<i>solidulus</i>	1854,	<i>erythronotus</i>	1857,
<i>speciosus</i>	1854,	<i>fuliginosus</i>	1859,
<i>stenacme</i>	1856,	<i>ghiesbreghti</i>	1859,
<i>strangei</i>	1855,	<i>harlani</i>	1860,
<i>stutchburyi</i>	1860,	<i>insignatus</i>	1857,
<i>subfasciatus</i>	1852,	<i>lineatus</i>	1859,
<i>subinterruptus</i>	1851,	<i>montanus</i>	1857,
<i>sugillatus</i>	1856,	<i>pennsylvanicus</i> ..	1857,
<i>sulphureus</i>	1856,	<i>poliosoma</i>	1858,
<i>suturalis</i>	1851,	<i>rufipennis</i>	1860,
<i>tasmanicus</i>	1851,	<i>scolopterus</i>	1850,
<i>tenuiplicatus</i>	1852,	<i>swainsonii</i>	1855,
<i>terebralis</i>	1850,	<i>tachardus</i>	1857,
<i>tibetanus</i>	1856,	<i>teesa</i>	1860,
<i>tornatilis</i>	1854,	<i>tricolor</i>	1854,
<i>traillii</i>	1855,	<i>varius</i>	1859,
<i>tricolor</i>	1852,	<i>vulgaris</i>	1860,
<i>tristis</i>	1854,	<i>zonocercus</i>	1858,
<i>turnerii</i>	1860,	<i>Buteogallus æquinoctialis</i>	1858,
<i>unifasciatus</i>	1850,	<i>meridionalis</i>	1860,
<i>varicosus</i>	1851,	<i>nigricollis</i>	1858,
<i>variegatus</i>	1854,	<i>eximia</i>	1860,
<i>vegetus</i>	1856,	<i>eximia</i>	1854,
<i>ventrosus</i>	1854,	<i>eximia</i>	1858,
<i>verrucosus</i>	1855,	<i>eximia</i>	1855,
<i>vesicalis</i>	1856,	<i>eximia</i>	1856,
<i>vespertinus</i>	1858,	<i>eximia</i>	1857,
<i>victor</i>	1853,	<i>eximia</i>	1858,
<i>vitellinus</i>	1854,	<i>eximia</i>	1859,
<i>williamsii</i>	1858,	<i>eximia</i>	1860,
<i>woodwardii</i>	1856,	<i>eximia</i>	1860,
<i>yatesii</i>	1855,	<i>eximia</i>	1860,
(<i>Laoma</i>) <i>leimonias</i> ..	1849,	<i>eximia</i>	1860,
(<i>Partula</i>) <i>decussatu-</i>		<i>eximia</i>	1860,
<i>lus</i>	1849,	<i>eximia</i>	1860,
(—) <i>navigatorius</i> ..	1849,	<i>eximia</i>	1860,
<i>Bulla canaliculata</i>	1859,	<i>eximia</i>	1860,
<i>carpenterii</i>	1858,	<i>eximia</i>	1860,
<i>culcitella</i>	1856,	<i>eximia</i>	1860,
<i>marmorea</i>	1860,	<i>eximia</i>	1860,
<i>nebulosa</i>	1856,	<i>eximia</i>	1860,
<i>solidula</i>	1854,	<i>eximia</i>	1860,
(<i>Akera</i>) <i>culcitella</i> ..	1856,	<i>eximia</i>	1860,
(<i>Tornatina</i>) <i>cerealis</i>	1856,	<i>eximia</i>	1860,
<i>Bullia cumingiana</i>	1856,	<i>eximia</i>	1860,

	Page		Page
<i>Buthraupis montana</i> ..	1856, 239	<i>Cadus sepa</i>	1859, 489
	1856, 310	<i>Cæcella chinensis</i>	1854, 334
<i>Butorides virescens</i> ..	1857, 236	<i>convexa</i>	1854, 334
	1859, 63	<i>cumingiana</i>	1854, 334
	1859, 369	<i>horsfieldii</i>	1854, 335
<i>Butreron capellii</i>	1859, 464	<i>lata</i>	1854, 334
<i>Buzzard, The long and</i>		<i>oblonga</i>	1854, 335
<i>slender-legged</i> ..	1851, 58	<i>tenuis</i>	1854, 336
<i>The Parrot-beaked</i>	1851, 59	<i>transversalis</i>	1854, 335
<i>Byssoarca pernoïdes</i>	1856, 202	<i>turgida</i>	1854, 333
		<i>zebuensis</i>	1854, 334
		<i>zelandica</i>	1854, 335
<i>Cabestana africana</i>	1854, 312	<i>Cæcilia rostrata</i>	1858, 164
<i>bolteniana</i>	1854, 311	<i>Cæcum abnormale</i>	1858, 420
<i>Cacatua æquatorialis</i> ..	1860, 226	<i>annulatum</i>	1858, 423
<i>citrinocristata</i>	1860, 226	<i>antillarum</i>	1858, 433
	1860, 227	<i>bimarginatum</i>	1858, 431
<i>cristata</i>	1860, 358	<i>clarkii</i>	1858, 432
	1859, 436	<i>clathratum</i>	1858, 428
<i>ducorspii</i>	1860, 228	<i>corrugulatum</i>	1858, 433
	1857, 26	<i>dextroversum</i>	1858, 433
<i>eos</i>	1857, 26	<i>diminutum</i>	1858, 427
<i>galerita</i>	1860, 415	<i>eburneum</i>	1858, 427
<i>leadbeaterii</i>	1857, 26	<i>elegantissimum</i>	1858, 429
<i>leucolopha</i>	1860, 358	<i>elongatum</i>	1858, 424
	1859, 436	<i>farcimen</i>	1858, 431
<i>moluccensis</i>	1860, 226	<i>firmatum</i>	1858, 427
	1860, 358	<i>floridanum</i>	1858, 428
<i>philippinarum</i>	1860, 225	<i>glabrum</i>	1858, 436
<i>sanguinea</i>	1857, 26	<i>gracile</i>	1858, 429
<i>sulphurata</i>	1860, 358	<i>gurgulio</i>	1858, 426
	1858, 184	<i>heptagonum</i>	1858, 422
<i>triton</i>	1859, 159	<i>imbricatum</i>	1858, 422
	1860, 227	<i>imperforatum</i>	1858, 413
	1860, 371	<i>incurvatum</i>	1858, 434
<i>Caccabis barbara</i>	1859, 436	<i>insculptum</i>	1858, 420
<i>chukar</i>	1858, 502	<i>læve</i>	1858, 431
	1859, 185	<i>laqueatum</i>	1858, 420
<i>Cacia antennata</i>	1858, 401	<i>liratocinctum</i>	1858, 421
<i>grisella</i>	1858, 401	<i>liratum</i>	1858, 421
<i>latifasciata</i>	1858, 401	<i>mamillatum</i>	1858, 434
<i>Cacicus bifasciatus</i>	1856, 300	<i>monstrosum</i>	1858, 427
<i>cristatus</i>	1858, 72	<i>nitidum</i>	1858, 439
<i>devillii</i>	1857, 265	<i>obsoletum</i>	1858, 426
<i>icteronotus</i>	1858, 455	<i>obtusum</i>	1858, 421
	1856, 300	<i>plicatum</i>	1858, 421
	1858, 358	<i>pollicare</i>	1858, 432
<i>montezumæ</i>	1859, 57	<i>pulchellum</i>	1858, 424
	1859, 365	<i>pygmæum</i>	1858, 427
<i>persicus</i>	1854, 114	<i>quadratum</i>	1858, 428
<i>uropygialis</i>	1855, 173	<i>regulare</i>	1858, 428
<i>yuracarium</i>	1858, 72	<i>reversum</i>	1858, 434
<i>yuracarius</i>	1857, 265	<i>searles-woodii</i>	1858, 430
<i>Cacomantis bronzinus</i> ..	1859, 164	<i>subimpressum</i>	1858, 424
<i>sepulcralis</i>	1860, 359	<i>subquadratum</i>	1858, 433
<i>tymbonotus</i>	1860, 359	<i>subspirale</i>	1858, 419
<i>Cadus cassius</i>	1859, 491	<i>subulatum</i>	1858, 434
<i>dolium</i>	1859, 491		

	Page		Page
<i>Calliste cucullata</i>	1856, { 19 253	<i>Calliste icterocephala</i>	1860, 87
	{ 1856, 18	<i>inornata</i>	{ 1855, 158 1856, 19
<i>cyaneicollis</i>	{ 1856, 19 1856, 262 1858, 452 1860, 292	<i>labradorides</i>	{ 1856, 258 1855, 158 1856, 19
<i>cyaneiventris</i>	1856, { 19 247	<i>lamprotis</i>	{ 1856, 262 1858, 294 1854, 248
<i>cyanescens</i>	1856, 260		{ 1856, 264
<i>cyanicollis</i>	{ 1854, 115 1855, 158	<i>larvata</i>	1856, { 18 19 142 260
<i>cyanolama</i>	1856, { 19 252	<i>leucotis</i>	1856, 259
<i>cyanoptera</i>	1856, { 19 254 255	<i>lunigera</i>	{ 1856, 19 1856, 263 1860, 87
<i>cyanotis</i>	{ 1858, 294 1859, 441	<i>melanonota</i>	1856, { 254 265
<i>cyanovertris</i>	1856, 255	<i>mexicana</i>	{ 1855, 158 1856, 257
<i>desmaresti</i>	1856, { 19 256	<i>nigricincta</i>	1856, 261
<i>diaconus</i>	1856, 233	<i>nigriviridis</i>	{ 1855, 158 1856, 19 1856, 260
<i>fanny</i>	1856, 261		{ 1854, 115 1855, 158
<i>fastuosa</i>	1856, { 19 266	<i>parzudaki</i>	{ 1856, 19 1856, 263
<i>festiva</i>	1856, { 19 246	<i>peruviana</i>	1856, { 19 254
<i>flava</i>	1856, { 19 253	<i>phœnicotis</i>	1856, 266
<i>flaviventris</i>	1856, { 19 257	<i>pretiosa</i>	1856, 254
<i>franciscæ</i>	1856, { 142 261		{ 1856, 19 1856, 251
<i>frugilegus</i>	{ 1856, 235 1858, 453	<i>pulchra</i>	{ 1856, 251 1858, 74
<i>graminea</i>	1856, { 19 250	<i>punctata</i>	1856, { 19 248
<i>guttata</i>	1856, 249		{ 1855, 158 1856, 19
<i>guttulata</i>	{ 1855, 157 1856, 19 1856, 249	<i>ruficapilla</i>	{ 1856, 252 1855, 158
<i>gyrola</i>	1856, { 19 255	<i>ruficervix</i>	{ 1856, 19 1856, 259 1859, 139
	{ 1854, 115 1855, 158 1856, 18 1856, 19 1856, 142	<i>rufigena</i>	1857, 66
<i>gyroloides</i>	{ 1856, 255 1857, 264 1858, 74 1858, 453 1859, 139 1860, 87 1860, 292	<i>rufigenis</i>	1856, 311
		<i>rufigula</i>	1856, 19
<i>icterocephala</i>	1856, { 19 251	<i>ruficularis</i>	{ 1856, 250 1859, 440 1860, 86 1854, 115 1856, 19
		<i>schranksi</i>	{ 1856, 248 1857, 264 1858, 74 1858, 453

	Page		Page	
Calliste sclateri	1855, 158	Callopoma depressum ..	1855, 234	
	1856, 19		fluctuatum	1855, 234
	1856, 251		saxosum	1856, 44
tatao	1856, 19	Callorhinus ursinus	1859, 359	
	1856, 244	Callospiza barbadensis ..	1856, 256	
thalassina	1854, 115	boliviana	1856, 258	
	1855, 158	brasiliensis	1856, 256	
	1856, 18	calliparæa	1856, 266	
	1856, 19	cayennensis	1856, 257	
thoracica	1856, 261	cyanicollis	1856, 262	
	19	guttata	1856, 249	
tricolor	247	gyrola	1856, 255	
	19	mexicana	1856, 257	
vassorii	246	schranksii	1856, 248	
	1856, 264	xanthocephala ..	1854, 248	
venusta	1854, 248	zeni	1856, 264	
	1855, 158	Calobates sulphurea	1856, 245	
	1856, 19	Calocitta bullockii	1854, 248	
	1856, 264	formosa	1858, 358	
	1858, 74	sinensis	1859, 381	
vieilloti	1858, 294	Calocomus desmarestii ..	1850, 84	
	1856, 257	kreuckelyi	1850, 11	
virescens	1856, 250	lycius	1850, 11	
viridissima	1856, 256	morosus	1850, 11	
vitriolina	1856, 252	Calopsitta novæ hollan-		
	1860, 86	diæ	1860, 242	
vittata	1856, 265	Calornis amboinensis ..	1860, 355	
wilsoni	1856, 261	chalybeus	1859, 445	
	1854, 115	dauricus	1859, 445	
xanthocephala ..	1854, 248	metallica	1859, 158	
	1856, 19	metallicus	1860, 355	
	1856, 264	obscura	1860, 355	
	1858, 294	virescens	1859, 158	
	1854, 115	viridescens	1858, 181	
xanthogastra	1855, 157	Calospiza cayana	1856, 252	
	1856, 19	pulchra	1856, 251	
zeni	1856, 249		160	
	1856, 19	Calotes mariæ	1860, 166	
	1856, 245		167	
1858, 453		170		
Callithea layardii	1854, 135		160	
Callithrix personatus ..	1852, 107	minor	1860, 166	
	1852, 107		167	
	1852, 107		173	
Callocephalon galeatum ..	1859, 433		174	
Calloctenus pulcher	1850, 12		160	
Callogorgia flabella	1859, 484	tricarinatus	1860, 167	
	1859, 484		174	
	1859, 484		114	
	1857, 286		16c	
verticillata	1859, 484	versicolor	1860, 167	
Callophid bivirgatus	1859, 81		169	
calligaster	1859, 84		170	
gracilis	1859, 83	Calothorax decoratus ..	1860, 309	
intestinalis	1859, 82	eliza	1856, 288	
maculiceps	1859, 84	fanniæ	1858, 450	
trimaculatus	1859, 83		459	
univirgatus	1859, 83			

	Page		Page
<i>Calothorax heliodori</i> ..	1855, 141	<i>Campylopterus pampa</i> ..	1859, 385
<i>lucifer</i> ..	1856, 288	<i>Campylorhynchus brevi-</i>	
<i>micrurus</i> ..	1853, 109	<i>rostris</i> ..	1855, 143
<i>mulsanti</i> ..	{ 1855, 141 1859, 146	<i>capistratus</i> ..	1859, { 363 371
<i>pulchra</i> ..	1859, 386	<i>griseus</i> ..	1856, 97
<i>Calotragus melanotis</i> ..	1850, 118	<i>gularis</i> ..	1860, 462
<i>tragulus</i> ..	1850, 118	<i>hypostictus</i> ..	1855, 68
<i>Calotriton punctulatus</i> ..	1858, 139	<i>jocosus</i> ..	1859, 371
<i>Calurus antisianus</i> ..	1855, 137	<i>megalopterus</i> ..	{ 1858, 298 1859, 363
<i>auriceps</i> ..	1854, 110	<i>nigriceps</i> ..	{ 1859, 371 1860, 461
<i>fulgidus</i> ..	1855, 137	<i>nuchalis</i> ..	1857, 272
<i>neoxenus</i> ..	1856, 63	<i>pardus</i> ..	1857, 271
<i>resplendens</i> ..	1859, 52	<i>scolopaceus</i> ..	1855, 68
<i>Calyptomena caudacuta</i> ..	1854, 267	<i>striaticollis</i> ..	1857, 272
<i>rafflesii</i> ..	1854, 267	<i>zonatoïdes</i> ..	{ 1855, 143 1860, 272
<i>viridis</i> ..	1854, 267	<i>zonatus</i> ..	{ 1856, 290 1859, 363
<i>Calyptraea imbricata</i> ..	1856, 169	<i>Cancellaria clathrata</i> ..	1855, 123
<i>sinensis</i> ..	1853, 44	<i>crenulata</i> ..	1855, 124
	{ 1849, 7	<i>excavata</i> ..	1848, 137
<i>Camelopardalis giraffa</i> ..	1849, 94	<i>foveolata</i> ..	{ 1848, 137 1855, 123
	{ 1860, 99	<i>melanostoma</i> ..	1848, 137
<i>Camelus dromedarius</i> ..	1849, 94	<i>nitidula</i> ..	1855, 123
<i>equinus</i> ..	1850, 236	<i>tæniata</i> ..	1848, 137
<i>Camilia jamaicensis</i> ..	1860, 233	<i>tenuis</i> ..	1855, 123
<i>Camitia grayi</i> ..	1854, 42	<i>undulata</i> ..	1848, 136
<i>Campephaga atriceps</i> ..	1860, 353	<i>Cancer paludosus</i> ..	1852, 29
<i>aurea</i> ..	1860, 353	<i>salinus</i> ..	1852, 26
<i>bicolor</i> ..	1860, 354	<i>serratus</i> ..	1850, 95
<i>cæruleo-grisea</i> ..	1858, 179	<i>stagnatilis</i> ..	1852, 19
<i>caledonica</i> ..	1859, 102	(<i>Galene</i>) <i>dorsalis</i> ..	1848, 144
<i>ceramensis</i> ..	1860, 354	<i>Cancilla mörchii</i> ..	1854, 134
<i>fimbriata</i> ..	1860, 354		{ 1857, 206 1857, 230
<i>hypoleuca</i> ..	1858, 179	<i>Cancroma cochlearia</i> ..	{ 1859, 369 1860, 324
<i>magnirostris</i> ..	1860, 353		{ 1860, 328 1850, 255
<i>melanolora</i> ..	1860, 353	<i>Candona lactea</i> ..	1850, 255
<i>melanops</i> ..	1858, 179	<i>reptans</i> ..	1850, 255
<i>melanotis</i> ..	1860, 353		{ 1850, 156 1856, 397
<i>nævia</i> ..	1859, 163	<i>familiaris</i> ..	{ 1850, 156 1858, 515
<i>novæ guineæ</i> ..	1860, 353	<i>lupus</i> ..	1858, 515
<i>papuensis</i> ..	1860, 354	<i>niloticus</i> ..	1860, 415
<i>polygrammica</i> ..	1858, 179	<i>Canrena neritoïdea</i> ..	1851, 231
(<i>Lalage</i>) <i>aurea</i> ..	1860, 353	<i>Canthiridus articularis</i> ..	1851, 169
<i>Campephilus malherbii</i> ..	1855, 161		{ 1851, 170 1851, 169
<i>Camptostoma imberbe</i> ..	1857, 203	<i>cinguliger</i> ..	1851, 169
<i>Campylæa hispana</i> ..	1854, 169	<i>iridis</i> ..	1851, 169
<i>lowei</i> ..	1854, 169	<i>moniliger</i> ..	1851, 169
<i>porto-sanctiana</i> ..	1854, 169	<i>nigricans</i> ..	1851, 170
<i>Campylopterus cuvieri</i> ..	1856, 140		
	{ 53		
<i>delatirii</i> ..	1859, { 367 385		
<i>latipennis</i> ..	1848, 14		
<i>lazulus</i> ..	1857, 16		
<i>obscurus</i> ..	1848, 13		
<i>pampa</i> ..	{ 1856, 287 1859, 367		

	Page		Page
<i>Canthiridus nitidulus</i> ..	1851,	<i>Capricornis thar</i>	1856,
<i>pallidulus</i>	1851,	<i>Caprimulgus cinerascens</i>	1854,
<i>punctulosus</i>	1851,	<i>europæus</i>	1851,
<i>purpuratus</i>	1851,	<i>fulviventris</i>	1857,
<i>rufozona</i>	1851,	<i>imberbis</i>	1860,
<i>tenebrosus</i>	1851,	<i>indicus</i>	1854,
<i>variegatus</i>	1851,	<i>infuscatus</i>	1850,
<i>zealandicus</i>	1851,	<i>ironatus</i>	1854,
<i>Capito amazonius</i>	1857,	<i>macromystax</i>	1858,
<i>aurovirens</i>	1857,	<i>macrourus</i>	1854,
<i>bourcierii</i>	1855,	<i>macrurus</i>	1858,
<i>capistratus</i>	1857,	<i>pulcher</i>	1854,
<i>gayennensis</i>	1857,	<i>saturatior</i>	1854,
<i>glaucogularis</i>	1857,	<i>Caprolagus hispidus</i>	1856,
<i>hartlaubi</i>	1855,	<i>Capromys prehensilis</i> ..	1860,
<i>margaritatus</i>	1859,	<i>Caprovis argali</i>	1856,
<i>maynanensis</i>	1857,	<i>vignei</i>	1858,
<i>peruvianus</i>	1854,	<i>Capsa chinensis</i>	1854,
<i>richardsoni</i>	1855,	<i>crassula</i>	1854,
<i>rubrifrons</i>	1859,	<i>difficilis</i>	1854,
<i>subsulfureus</i>	1859,	<i>layardii</i>	1854,
<i>Capra æthiopica</i>	1850,	<i>lumulata</i>	1854,
<i>ahu</i>	1850,	<i>minor</i>	1854,
<i>americana</i>	1850,	<i>radiata</i>	1854,
<i>bezoartica</i>	1850,	<i>rosacea</i>	1854,
<i>caucasica</i>	1858,	<i>rufa</i>	1854,
<i>cervicapra</i>	1850,	<i>solenella</i>	1854,
<i>columbiana</i>	1850,	<i>tenuis</i>	1854,
<i>dorcas</i>	1850,	<i>virescens</i>	1854,
<i>gazella</i>	1850,	<i>Capsella violacea</i>	1860,
<i>grimmia</i>	1850,	<i>Capulus hungaricus</i>	1853,
<i>himalayana</i>	1858,	<i>mitrula</i>	1856,
<i>hircus</i>	1850,	<i>subrufus</i>	1856,
<i>jemlaïca</i>	1856,	<i>Caragola laticida</i>	1851,
<i>montana</i>	1850,	<i>Carapus brachyurus</i>	1853,
<i>perpusilla</i>	1850,	<i>Carbo cormoranus</i>	1859,
<i>rupicapra</i>	1850,	<i>sulcirostris</i>	1860,
<i>sylvestris africana</i> ..	1850,	<i>Carcharias leucas</i>	1859,
<i>tatarica</i>	1850,	<i>Cardellina amicta</i>	1855,
<i>Capreolus capræa</i>	1850,	<i>rubra</i>	1858,
<i>europæus</i>	1850,	<i>rubrifrons</i>	1859,
<i>leucotis</i>	1849,	<i>rubrifrons</i>	1855,
<i>pygargus</i>	1849,	<i>Cardinalia virgata</i>	1851,
<i>pygargus</i>	1850,	<i>Cardinalis virginiana</i> ..	1860,
<i>pygargus</i>	1850,	<i>virginianus</i>	1856,
<i>Capricornis bubalina</i> ..	1856,	<i>virginianus</i>	1859,
<i>crispa</i>	1858,	<i>virginianus</i>	1859,
<i>sumatrensis</i>	1850,	<i>Cardita amabilis</i>	1852,
<i>sumatrensis</i>	1850,	<i>belcheri</i>	1852,
<i>sumatrensis</i>	1850,		101

innota

	Page		Page
<i>Cardita bimaculata</i>	1852,	<i>Cariama cristata</i>	1856,
<i>californica</i>	1852,	<i>Carmione ventricosa</i> ..	1858,
<i>castanea</i>	1852,	<i>Carocolla lapicida</i>	1854,
<i>corensis</i>	1852,	<i>Carpenteria balaniformis</i>	1858,
<i>crenulata</i>	1852,		269
<i>cumingii</i>	1852,	<i>Carpodacus erythrinus</i> {	1857,
<i>difficilis</i>	1852,		97
<i>elegantula</i>	1852,	<i>familiaris</i>	1858,
<i>essingtoniensis</i>	1852,	<i>frontalis</i>	1856,
<i>excavata</i>	1852,		304
<i>gunnii</i>	1852,	<i>hæmorrhous</i>	1858,
<i>jukesii</i>	1852,		303
<i>purpurata</i>	1852,	<i>rhodochrous</i>	1859,
<i>quoyi</i>	1852,		380
<i>sowerbyi</i>	1852,	<i>rhodocolpus</i>	1858,
<i>umbilicata</i>	1852,		482
<i>variegata</i>	1858,	<i>roseus</i>	1856,
<i>vestita</i>	1852,	<i>thura</i>	1857,
<i>zelandica</i>	1852,		127
<i>Cardium aculeatum</i>	1858,		304
<i>æquale</i>	1854,	<i>Carpophaga ænea</i>	1856,
<i>bicolor</i>	1854,	<i>alba</i>	1859,
<i>californianum</i>	1856,	<i>albogularis</i>	1860,
<i>cruentatum</i>	1856,	<i>assimilis</i>	1860,
<i>cygnorum</i>	1854,	<i>basalica</i>	201
<i>debile</i>	1854,	<i>chalybura</i>	360
<i>fabricii</i>	1854,	<i>goliath</i>	1858,
<i>festivum</i>	1854,	<i>hypœnochroma</i>	187
<i>gossei</i>	1854,	<i>leucomela</i>	1859,
<i>gratosum</i>	1854,	<i>luctuosa</i>	165
<i>hudsoniense</i>	1854,	<i>magnifica</i>	165
<i>lobulatum</i>	1854,	<i>mülleri</i>	27
<i>luteolabrum</i>	1856,	<i>myristicivora</i>	186
<i>mauritanum</i>	1854,	<i>perspicillata</i>	1850,
<i>mirabile</i>	1854,	<i>pinon</i>	1860,
<i>nuttallii</i>	1856,	<i>puella</i>	1858,
<i>productum</i>	1854,	<i>rufigastrea</i>	1859,
<i>quadrigenarium</i>	1856,	<i>spilorrhœa</i>	159
<i>rusticum</i>	1858,	<i>sylvatica</i>	186
<i>scruposum</i>	1854,	<i>zoeæ</i>	1858,
<i>serrulatum</i>	1854,		159
<i>substriatum</i>	1856,	(Ducula) <i>basalis</i> ..	1859,
<i>transversale</i>	1854,	(Megaloprepia) <i>for-</i>	1860,
<i>tumidum</i>	1854,	<i>mosa</i>	360
<i>xanthocheilum</i>	1856,	(Myristicivora) <i>me-</i>	
	201	<i>lanura</i>	1860,
	217	<i>Carracarra Hawk</i>	1851,
	483	the Red-headed	55
<i>Carduelis caniceps</i>	1858,	the Yellow-headed	56
<i>magellanica</i>	1859,	<i>Carracolina barbula</i>	1854,
<i>mexicana</i>	1856,	<i>lenticula</i>	1854,
	1858,	<i>Carrion Crow, the Com-</i>	196
	303	<i>mon</i>	1851,
	65	the Yellow-necked	1851,
<i>Cariacus lewisii</i>	1850,	<i>Carychium exiguum</i>	1854,
<i>macrotis</i>	1850,	<i>indicum</i>	33
<i>punctulatus</i>	1850,	<i>minimum</i>	1854,
<i>virginianus</i>	1850,	<i>myosotis</i>	33
<i>Cariama</i> —	1860,		22
	334		

	Page		Page
<i>Carychium nanum</i>	1854,	<i>Cassidula sowerbyana</i> ..	1854,
<i>personatum</i>	1854,	<i>sulculosa</i>	1854,
<i>pygmæum</i>	1854,	<i>triticea</i>	1854,
<i>spectabile</i>	1854,	<i>zonata</i>	1854,
<i>speleum</i>	1854,	(<i>Siona</i>) <i>avena</i>	1854,
<i>Caryophyllea ramea</i>	1849,	(—) <i>frumentum</i> ..	1854,
<i>Caryothraustes atro-oli-</i>	77	(—) <i>triticea</i>	1854,
<i>vaceus</i>	1856,	<i>Cassidulus morio</i>	1853,
<i>brasilienis</i>	1855,	<i>Cassia umbilicata</i>	1860,
<i>cayanensis</i>	1856,	<i>Castor americanus</i>	1860,
<i>episcopus</i>	1856,	<i>fiber</i>	1860,
<i>Casarca cana</i>	1859,	<i>Casuarium australe</i>	1857,
<i>leucoptera</i>	1860,	<i>bennettii</i>	1860,
<i>rutila</i>	1859,	<i>bicarunculatus</i>	1860,
<i>Caseolus abjectus</i>	1859,	<i>emu</i>	1848,
<i>calculus</i>	1854,	<i>galeatus</i>	1849,
<i>commixtus</i>	1854,	<i>prevosti</i>	1858,
<i>compactus</i>	1854,	<i>emula</i>	1860,
<i>consors</i>	1854,	<i>galeatus</i>	1857,
<i>sphaerulus</i>	1854,	<i>prevosti</i>	1858,
<i>Casiornis typus</i>	1859,	<i>emula</i>	1860,
<i>Cassidulus flavicrissus</i>	1860,	<i>emula</i>	1860,
<i>leucorhamphus</i>	1858,	<i>Catadromus elseyi</i>	1859,
<i>melanicterus</i>	1859,	<i>Catamblyrhynchus dia-</i>	
<i>prevosti</i>	1856,	<i>dema</i>	1855,
<i>prevosti</i>	1859,	<i>Catamenia analis</i>	1855,
<i>prevosti</i>	1859,	<i>analoïdes</i>	1858,
<i>prevosti</i>	1860,	<i>homochroa</i>	1858,
<i>prevosti</i>	1860,	<i>Cataulus aureus</i>	1855,
<i>Cassidea cornuta</i>	1851,	<i>cumingii</i>	1856,
<i>flammea</i>	1851,	<i>duplicatus</i>	1854,
<i>pennata</i>	1851,	<i>eurytrema</i>	1852,
<i>rufa</i>	1851,	<i>hæmastomus</i>	1856,
<i>testicula</i>	1851,	<i>layardii</i>	1852,
<i>Cassidix crassirostris</i>	1859,	<i>marginatus</i>	1853,
<i>oryzivora</i>	1858,	<i>pyramidatus</i>	1852,
<i>oryzivora</i>	1859,	<i>thwaitesi</i>	1852,
<i>oryzivora</i>	1859,	<i>thwaitesi</i>	1857,
<i>Cassidula angulifera</i>	1854,	<i>thwaitesi</i>	1857,
<i>avena</i>	1854,	<i>Cathartes atratus</i>	1859,
<i>chemnitzii</i>	1854,	<i>auratus</i>	1860,
<i>coffea</i>	1854,	<i>auratus</i>	1860,
<i>cumingiana</i>	1854,	<i>auratus</i>	1860,
<i>decussata</i>	1854,	<i>auratus</i>	1860,
<i>doliolum</i>	1854,	<i>auratus</i>	1860,
<i>faba</i>	1854,	<i>auratus</i>	1860,
<i>frumentum</i>	1854,	<i>auratus</i>	1860,
<i>kraussii</i>	1854,	<i>auratus</i>	1860,
<i>mustelina</i>	1854,	<i>auratus</i>	1860,
<i>nucleus</i>	1854,	<i>auratus</i>	1860,
<i>rugata</i>	1854,	<i>auratus</i>	1860,

	Page		Page				
Cathartes aura	1860,	{	287	Celeus castaneus	1859,	388	
			383	grammicus.....	1858,	74	
burroviannus	1857,		3	jumana	1858,	74	
	1851,		53	undatus	1860,	286	
iota	{		3	verreauxii	1858,	74	
	1857,			Cemoria flemingii	1851,	228	
percnopterus	1851,		145	noachina	1851,	228	
	{		294	princeps	1851,	228	
Catharus aurantiro-	1858,		97	Cenchrus piscivorus	1860,	452	
stris	1859,		136	Centrolophus britannicus	1860,	302	
	{		323	morio	1860,	302	
	1859,		137	Centrophorus squamosus	1850,	253	
dryas	1859,		324	Centropus affinis	1859,	458	
	{		136	bicolor	1860,	359	
	1859,		137	goliath	1860,	359	
fuscata	{		324	lepidus	1859,	458	
	1856,		294	medius	1860,	359	
immaculatus	{		64	menebiki.....	1858,	184	
	1858,		137		1859,	159	
maculatus	1859,		324	milo	1856,	136	
	{		64		{	1854,	257
	1858,		97	philippensis	1859,	150	
	1859,		136		1859,	151	
melpomene	1859,		323	rufipennis	1857,	100	
	1859,		362		1858,	470	
	1859,		370	spilopterus.....	1858,	184	
mexicanus	1859,		136	viridis.....	1859,	457	
	{		323	Centurus carolinus	1857,	8	
occidentalis	1859,		370	flaviventris	1857,	8	
Catoblepas brookesii....	1850,		139		1860,	252	
	{		138		1857,	229	
gnu	1850,		173	pucheranii	1859,	60	
	{		243		1860,	286	
gorgon	1850,		139		1860,	297	
	{		138	rubriventris	1855,	162	
taurina	1850,		139		1856,	307	
	{		173	santacruzii	1857,	8	
	1858,		499		1858,	359	
Catreus wallichii	1858,		545		1859,	60	
	{		205	striatus	1859,	367	
	1859,		163		1857,	234	
Causus rhombeatus ..	1860,		415	subelegans	1855,	162	
Cavia cobaya.....	1850,		157		1856,	143	
Ceblephyrus aureus	1860,		353	uropygialis.....	1857,	8	
plumbea	1858,		179		1857,	277	
striga	1854,		272	Cephalophus burchellii	{	1860,	417
	{		107	campbelliæ	1850,	121	
Cebus apella	1860,		183	coronatus	1850,	{	122
	{		416		1850,	170	
	1860,		422	dorsalis	1850,	123	
capucinus	1860,		422	grimmia	1850,	{	120
cirrifer	1860,		422		1857,	277	
gracilis	1852,		107	grimmii	1850,	122	
satanus	1849,		9	madoqua	{	1850,	124
Celeopicus verreauxii ..	1858,		74		1850,	170	
	{		229	maxwellii	1859,	435	
Celeus badioides	1858,		359		1860,	371	
	{		359				
castaneus	1859,		60				

	Page		Page
<i>Cephalophus melanorheus</i>	1850, 125	<i>Cercopithecus griseoviri-</i>	
<i>monticola</i>	{ 1850, 124 1850, 170 1860, 417	<i>dis</i>	1860, 421
<i>natalensis</i>	{ 1850, 123 1850, 170	<i>ludio</i>	1849, 8
<i>niger</i>	1850, 123	<i>melanogenys</i>	{ 1849, 7 1860, 112 1860, 246
<i>ogilbyi</i>	{ 1850, 123 1850, 170	<i>mona</i>	1860, { 371 422
<i>philantomba</i>	1850, 125	<i>nictitans</i>	1849, 8
<i>punctulatus</i>	{ 1850, 125 1850, 170	<i>petaurista</i>	{ 1849, 8 1860, 416 1860, 422
<i>quadriscopa</i>	1850, 120	<i>pluto</i>	1848, 56
<i>rufilatus</i>	{ 1850, 123 1850, 170	<i>pygerythrus</i>	{ 1849, 28 1860, 183 1860, 242 1860, 421
<i>sylvicultrix</i>	1850, 122	<i>ruber</i>	1860, 179
<i>whitfieldii</i>	{ 1850, 125 1850, 170	<i>rufoviridis</i>	1860, { 372 420
? <i>zebra</i>	1850, 142	<i>sabæus</i>	1860, 422
<i>Cephalopterus glabri-</i>	1850, 92	<i>Cercosaurus gaudichaudi</i>	1859, { 89 405
<i>collis</i>	{ 1850, 143 1850, 206 1857, 18	<i>rhombifer</i>	1859, 405
<i>ornatus</i>	{ 1857, 265 1858, 71 1859, 143	<i>Cereopsis novæ-hollan-</i>	{ 1857, 215 1859, 206
<i>penduliger</i>	{ 1859, 142 1860, 67 1860, 92	<i>diæ</i>	1859, 206
<i>Cephalotes peronii</i>	1859, 38	<i>Cereopsius helena</i> ,	1858, 412
<i>Cerambyx formosus</i> ,	1856, 12	<i>Ceres eolina</i>	1856, { 100 102
<i>marginalis</i>	1853, 27	<i>salleana</i>	1856, { 100 102
<i>scabricornis</i>	1853, 26	<i>Cereus gemmaceus</i>	1858, 148
<i>Cerastes hasselquistii</i>	1849, 95	<i>Ceriornis cabotii</i> ,	1857, 161
<i>nasicornis</i>	1858, 163	<i>melanocephala</i>	{ 1858, 498 1859, 185
<i>Ceratites piperita</i>	1858, 403	<i>Cerithidea albivaricosa</i>	1854, 85
<i>Ceratophrys cornutus</i>	1859, 434	<i>albonodosa</i>	1856, 205
<i>Cercocebus fuliginosus</i> { 1859, 433 1860, 422		<i>balteata</i>	1854, 84
<i>Cercoleptes caudivolu-</i>		<i>bicarinata</i>	1854, 84
<i>lus</i>	1848, 76	<i>caillaudii</i>	1854, 83
<i>Cercomacra atrothorax</i>	1858, { 245 288	<i>charbonnieri</i>	1854, 83
<i>cærulescens</i>	1858, 244	<i>conica</i>	1854, 84
<i>cinerascens</i>	1858, 245	<i>cornea</i>	1854, 85
<i>maculosa</i>	1860, { 279 294	<i>crassilabrum</i>	1854, 84
<i>nigricans</i>	1858, 245	<i>decollata</i>	1854, 83
<i>tyrannina</i>	{ 1858, 245 1859, 55 1859, 383 1860, 294	<i>diemenensis</i>	1854, 84
<i>Cercopithecus delalandii</i>	1860, 421	<i>fortunei</i>	1854, 85
<i>diana</i>	{ 1848, 56 1860, 415 1860, 422	<i>fuscata</i>	1856, 206
<i>engythithia</i>	1859, 212	<i>hegewischii</i>	1854, 83
		<i>lafondii</i>	1854, 83
		<i>largilliertii</i>	1854, 84
		<i>layardii</i>	1854, 86
		<i>montagnei</i>	1854, 83
		<i>obtusa</i>	1854, 83
		<i>pauvilla</i>	1854, 86
		<i>pulchra</i>	1854, 83
		<i>raricostata</i>	1854, 85

	Page		Page
<i>Cerithidea rhizophora-</i>		<i>Certhia mexicana</i>	1859, { 362
rum	1854, 85	<i>siparaja</i>	1859, 461
<i>sacrata</i>	1856, { 206	<i>sperata</i>	1859, 462
<i>similis</i>	1854, 84	<i>Certhilauda bifasciata</i> . .	1855, 47
<i>sinensis</i>	1854, 83	<i>dumetorum</i>	1855, 50
<i>varicosa</i>	1854, 83	<i>Certhiola luteola</i>	{ 1855, 138
<i>Cerithium asperum</i>	1860, 433	<i>mexicana</i>	{ 1858, 452
<i>bæticum</i>	1860, 433	<i>Cervequus andicus</i>	{ 1860, 85
<i>bicarinatum</i>	1854, 84	<i>Cervicapra bezoartica</i> . .	{ 1860, 292
<i>caillaudii</i>	1854, 83	<i>Cervulus moschatus</i> . . .	{ 1856, 286
<i>charbonnierii</i>	1854, 83	<i>reevesii</i>	{ 1859, 364
<i>conicum</i>	1854, 84	<i>vaginalis</i>	{ 1859, 376
<i>decollatum</i>	1854, 83	<i>Cervus affinis</i>	{ 1850, 236
<i>diemenense</i>	1854, 84	<i>ahu</i>	1850, 236
<i>dislocatum</i>	1859, 295	<i>albipes</i>	1850, 117
<i>fucatum</i>	1860, 432	<i>alces</i>	{ 1850, 224
<i>giganteum</i>	1860, 401	<i>antisiensis</i>	{ 1860, 183
<i>gracile</i>	1860, 432	<i>aristotelis</i>	1850, 236
<i>hegewischii</i>	1854, 83	<i>aureus</i>	1850, 231
<i>lafondii</i>	1854, 83	<i>auritus</i>	1850, 234
<i>largilliertii</i>	1854, 84	<i>axis</i>	{ 1850, 240
<i>lutulentum</i>	1854, 84	<i>barbarus</i>	{ 1850, 233
<i>macrostoma</i>	1853, 176	<i>bengalensis</i>	{ 1856, 151
<i>montagnei</i>	1854, 83	<i>bezoarticus</i>	{ 1850, 227
<i>obtusum</i>	{ 1851, 73	<i>bifurcatus</i>	{ 1860, 183
<i>paxillum</i>	{ 1854, 83	<i>canadensis</i>	{ 1850, 237
<i>pulchrum</i>	{ 1860, 17	<i>capreolus</i>	{ 1850, 226
<i>reevianum</i>	1860, 433	<i>cashmeriensis</i>	{ 1860, 322
<i>sardoum</i>	1854, 83	<i>caspianus</i>	{ 1850, 235
<i>sinense</i>	1854, 83	<i>chilensis</i>	{ 1850, 236
<i>unicarinatum</i>	{ 1851, 73	<i>clavatus</i>	{ 1850, 237
<i>unilineatum</i>	{ 1854, 83	<i>coronatus</i>	{ 1850, 137
<i>validum</i>	1860, 432	<i>campestris</i>	{ 1850, 237
<i>varicosum</i>	1854, 83	<i>canadensis</i>	{ 1850, 226
(Potamis) <i>sacratum</i>	1856, { 206	<i>capreolus</i>	{ 1860, 322
<i>Cerosterna imitator</i>	1856, { 226	<i>cashmeriensis</i>	{ 1850, 236
<i>javana</i>	1858, 404	<i>caspianus</i>	{ 1850, 228
<i>plagiata</i>	1858, 403	<i>chilensis</i>	{ 1850, 236
<i>tessellata</i>	1858, 404	<i>clavatus</i>	{ 1850, 238
<i>Cerostoma nuttallii</i>	1856, 229	<i>coronatus</i>	{ 1850, 229
<i>Certhia albifrons</i>	1855, 66	<i>dama</i>	{ 1850, 229
<i>americana</i>	{ 1856, 290	<i>dichotomus</i>	{ 1856, 151
<i>brasiliana</i>	{ 1859, 235	<i>dimorphe</i>	{ 1850, 237
<i>chlorophæa</i>	1859, 462	<i>dolichurus</i>	{ 1850, 231
<i>fasciata</i>	1859, 160	<i>eedii</i>	{ 1850, 241
<i>himalayana</i>	1859, 174	<i>elaphus</i>	{ 1850, 229
<i>incana</i>	1859, 160	<i>elaphus</i>	{ 1850, 133
<i>lepida</i>	1859, 461		
<i>longirostra</i>	1859, 460		
<i>malaccensis</i>	1859, 461		
<i>mexicana</i>	{ 1856, 290		
	{ 1858, 297		

	Page		Page
<i>Cervus elaphus</i>	1850,	<i>Cervus pygargus</i>	1850, 236
— v. <i>canadensis</i>	1850,	<i>ramosicornis</i>	1850, 238
— <i>β. hippelaphus</i>	1850,	<i>rangifer</i>	1850, 225
<i>equinus</i>	1850,	<i>ratwa</i>	1850, 235
<i>germanicus</i>	1850,	<i>reevesii</i>	1850, 235
<i>gymnotis</i>	1850,	<i>rufus</i>	1850, { 241
<i>hamatus</i>	1850,	<i>rusa</i>	1850, { 242
<i>heteroceros</i>	1850,	<i>sika</i>	{ 1850, 228
<i>hippelaphus</i>	{ 1849, 94	<i>simplicicornis</i>	{ 1860, 376
<i>humilis</i>	1850, 231	<i>smithii</i>	{ 1860, 415
<i>kuhlii</i>	1850, 232	<i>strongyloceros</i>	{ 1850, 241
<i>leschenaultii</i>	1850, 232	<i>subcornutus</i>	{ 1850, 229
<i>leucogaster</i>	1850, 237	<i>taiouanus</i>	{ 1860, 226
<i>leucurus</i>	1850, 238	<i>tarandus</i>	{ 1850, 238
<i>lewisii</i>	1850, 239	— <i>americanus</i>	{ 1860, 182
<i>lyratus</i>	1850, 229	— <i>var. arctica</i>	{ 1850, 225
<i>macrootis</i>	1850, 239	<i>tibetanus</i>	{ 1856, 405
— <i>β. columbiana</i>	1850, 239	<i>tunjuc</i>	{ 1850, 232
<i>macrourus</i>	1850, 239	<i>unicolor</i>	{ 1850, 157
<i>major</i>	1850, 226	<i>vaginalis</i>	{ 1850, 231
<i>malaccensis</i>	1850, 231	<i>virginianus</i>	{ 1849, 94
<i>mangivorus</i>	1850, 238	<i>vulgaris</i>	{ 1850, 238
<i>marianus</i>	1850, 232	<i>wallichii</i>	{ 1850, 239
<i>melas</i>	{ 1850, 235	<i>wapiti</i>	{ 1850, 227
<i>mexicanus</i>	1850, 238	— <i>(Capreolus) leucotis</i>	{ 1850, 228
<i>mirabilis</i>	1850, 225	— <i>(Dama) americanus</i>	{ 1858, 529
<i>moschus</i>	1850, 235	— <i>(Hippelaphus) lepida</i>	{ 1850, 226
<i>muntjac</i>	1850, 234	— <i>(Mazama) leucurus</i>	{ 1850, 238
<i>memoralis</i>	1850, 238	— <i>(—) virginianus</i>	{ 1850, 238
<i>nemorivagus</i>	{ 1848, 37	— <i>(Rusa) frontalis</i>	{ 1850, 230
<i>nemorum</i>	1850, 240	<i>Ceryle alcyon</i>	{ 1857, 233
<i>niger</i>	1850, 241	—	{ 1859, 53
<i>nobilis</i>	1850, 227	—	{ 1859, 236
<i>nudipalpebra</i>	1850, 233	—	{ 1859, 367
<i>occidentalis</i>	1850, 226	—	{ 1860, 252
<i>palmatus</i>	1850, 225	—	{ 1855, 136
<i>paludosus</i>	1850, 237	<i>amazona</i>	{ 1857, 202
<i>palustris</i>	1850, 237	—	{ 1859, 53
<i>peronii</i>	1850, 232	—	{ 1855, 136
<i>philippinus</i>	1850, 232	—	{ 1856, 139
<i>platyceros</i>	1850, 229	—	{ 1856, 286
<i>platyrhynchos</i>	1850, 225	—	{ 1858, 358
—	{ 1850, 157	<i>americana</i>	{ 1859, 53
<i>porcinus</i>	{ 1850, 234	—	{ 1859, 367
—	{ 1856, 406	—	{ 1860, 284
<i>pseudaxis</i>	{ 1850, 233	—	{ 1860, 296
—	{ 1860, 376	<i>domingensis</i>	{ 1857, 233
<i>pudu</i>	{ 1850, 235		
—	{ 1860, 376		
<i>pygargus</i>	1850, 227		

	Page		Page
<i>Ceryle rudis</i>	1850, 216	<i>Chalcopsitta rubiginosa</i> {	1850, 26
	1859, 174		1860, 227
	1857, 227	<i>rubrifrons</i>	1858, 182
<i>superciliosa</i>	1859, 53	<i>scintillans</i>	1860, 227
	1859, 387	<i>Chalcothraupis argentea</i>	1856, 259
	1856, 139	<i>atricapilla</i>	1856, 259
<i>torquata</i>	1857, 202	<i>atrocaerulea</i>	1856, 258
	1859, 53	<i>nigrocincta</i>	1856, 261
	1860, 284	<i>nigroviridis</i>	1856, 260
	1857, 89	<i>ruficervix</i>	1856, 259
<i>varia</i>	1859, 150	<i>Chama exogyra</i>	1856, 217
<i>Cetonia (Protætia) procerata</i>	1856, 17	<i>frondosa</i>	1856, 217
(—) <i>schaumii</i> ..	1856, 17	<i>glycimeris</i>	1855, 218
<i>Ceyx azurea</i>	1858, 172	<i>mexicana</i>	1856, 217
<i>lepida</i>	1860, 348	<i>pellucida</i>	1856, 217
<i>lessonii</i>	1858, 172		1859, 434
<i>luzoniensis</i>	1854, 269		1859, 435
<i>meninting</i>	1858, 172	<i>Chamæleo africanus</i> ..	1859, 436
<i>microsoma</i>	1854, 269		1860, 416
<i>pusilla</i>	1858, 172		1860, 442
<i>rufidorsa</i>	1854, 270	<i>bironii</i>	1858, 158
	1858, 172	<i>burchellii</i>	1858, 158
<i>solitaria</i>	1859, 155	<i>cristatus</i>	1858, 157
<i>tridactyla</i>	1854, 269	<i>dilepis</i>	1858, 157
<i>uropygialis</i>	1860, 348	<i>gracilis</i>	1858, 158
<i>Chæna agglutinans</i>	1854, 330	<i>granulosus</i>	1858, 158
<i>annulata</i>	1858, 316	<i>owenii</i>	1858, 158
	1857, { 247	<i>planiceps</i>	1858, 157
<i>annulosa</i>	248	<i>senegalensis</i>	1858, 157
<i>grandis</i>	1854, 330	<i>tricornis</i>	1858, 158
<i>mumia</i>	1857, { 244		1849, 95
	247		1851, 203
	1857, 247	<i>vulgaris</i>	1858, 157
<i>tessellata</i>	1857, 248		1859, 470
	1858, 315		1859, 473
<i>Chætodon gibbosus</i>	1850, 65		1859, 475
<i>monodactylus</i>	1850, 65	<i>Chamæospiza torquata</i>	1858, 304
<i>Chætostoma lobarhynchus</i>	1859, 420		1859, 365
<i>Chætura brunneitorques</i>	1855, 135	<i>Chamæpelia amazilia</i> ..	1856, 30
	1850, 221	<i>granatina</i>	1855, 163
<i>Chætusia gregaria</i>	1858, 505		1858, 556
<i>Chaimarronis leucocephalus</i>	1854, 30		1855, 163
<i>Chalceus alburnus</i>	1859, 419		1857, 205
<i>brevirostris</i>	1859, 420	<i>passerina</i>	1857, 236
<i>Chalcites smaragdineus</i>	1860, 112		1859, 369
<i>xanthorhynchus</i> ..	1859, 151		1859, 391
<i>Chalcopteria cingalensis</i>	1859, 463		1860, 243
<i>phoenicotis</i>	1859, 463		1860, 417
<i>Chalcophaps angusta</i> ..	1859, 467	<i>rufipennis</i>	1857, 19
<i>chrysochlora</i>	1859, 165		1858, 359
	1859, { 150		1859, 61
<i>indica</i>	467		1859, 369
<i>javanica</i>	1860, 361	<i>Chamæpetes goudoti</i> ..	1856, 30
<i>moluccensis</i>	1860, 361	<i>Chamæza brevicauda</i> ..	1858, 278
<i>stephanii</i>	1859, 159	<i>guatemalensis</i>	1856, 294
<i>Chalcopsitta atra</i>	1860, 227	<i>marginata</i>	1855, 145
		<i>meruloides</i>	1858, 278
		<i>mollissima</i>	1855, 89

	Page		Page
<i>Chamæza mollissima</i> ..	{ 1855, 145	<i>Cheilodactylus nigricans</i>	1850, 63
	{ 1858, 279	<i>nigripes</i>	1850, 66
<i>monticola</i>	1858, 281	<i>zonatus</i>	1850, 66
<i>nana</i>	1858, 284	<i>Cheilotrema lapicida</i> ..	1854, 197
	{ 1855, 68	<i>midas</i>	1860, 372
<i>nobilis</i>	{ 1858, 68		{ 1858, 356
	{ 1858, 279	<i>Chelidon cashmeriensis</i>	{ 1858, 494
<i>olivacea</i>	{ 1855, 145		{ 1859, 175
	{ 1858, 279	<i>Chelidoptera albipennis</i> .	1855, 196
<i>Chamæzosa brevicauda</i> .	1858, 278	<i>tenebrosa</i>	1855, } 136
<i>marginata</i>	1858, 278		196
<i>olivacea</i>	1858, 279	<i>Chelifer pallipes</i>	1849, 6
<i>Chaptia malayensis</i>	1854, 271	<i>Chelodina colliei</i>	1856, 370
<i>Charadella trifida</i>	1858, } 320	<i>expansa</i>	1856, 370
	{ 321	<i>longicollis</i>	1856, 370
<i>Charadrius alexandrinus</i>	1850, 221	<i>oblonga</i>	1856, 370
<i>annuligerus</i>	1860, 386	<i>sulcata</i>	1855, 206
<i>azaræ</i>	1860, 290	<i>sulcifera</i>	1856, 370
<i>cantianus</i>	1850, 221	<i>Chelonia imbricata</i>	1859, 432
<i>cirrhipedesmus</i>	1860, 363	<i>Chelydra colliei</i>	1855, 200
<i>falklandicus</i>	1860, 386	<i>longicollis</i>	1855, 200
<i>geoffroyi</i>	1860, 363	<i>oblonga</i>	1855, 200
<i>glaucopus</i>	1859, 165	<i>serpentina</i>	1855, 200
<i>hiaticula</i>	{ 1850, 221	<i>Chelymys macquaria</i> ..	1856, 371
	{ 1851, 146	<i>Chemnitzia acicularis</i> ..	1853, 181
<i>inornatus</i>	1858, 187	<i>bicarinata</i>	1856, 171
<i>leschenaultii</i>	{ 1858, 505	<i>bittiformis</i>	1856, 171
	{ 1859, 188	<i>boholensis</i>	1853, 180
<i>magnirostris</i>	1858, 187	<i>candida</i>	1853, 181
<i>minor</i>	1855, 80	<i>clathrata</i>	1853, 180
<i>pecuarius</i>	1850, 221	<i>communis</i>	1856, 170
<i>pluvialis</i>	{ 1851, 146	<i>concinna</i>	1853, 181
	{ 1855, 80	<i>cornea</i>	1853, 181
<i>pluvialis orientalis</i> .	1860, 363	<i>costulata</i>	1853, 180
<i>resplendens</i>	1858, 556	<i>cumingii</i>	1856, 170
<i>rubecola</i>	1860, 386	<i>curvicostata</i>	1853, 180
<i>veredus</i>	1848, 38	<i>densecostata</i>	1853, 180
	{ 1859, 150	<i>elegantissima</i>	1853, 179
<i>virginicus</i>	{ 1859, 369	<i>fenestrata</i>	1853, 179
	{ 1860, 108	<i>formosa</i>	1853, 179
<i>vociferus</i>	1859, 63	<i>fulvocincta</i>	1853, 179
<i>xanthocheilus</i>	1858, 187	<i>fusa</i>	1853, 181
<i>Charmosyna papuana</i> ..	1860, 227	<i>gracilis</i>	1853, 179
<i>pulchella</i>	{ 1859, 158		{ 1853, 180
	{ 1860, 227	<i>grandis</i>	{ 1860, 241
<i>Chaulcyon gaudichaudi</i>	1858, 171	<i>indistincta</i>	1853, 179
<i>Chaunax pictus</i>	1850, 250	<i>interrupta</i>	1853, 179
<i>Chaus lybicus</i>	{ 1856, 396	<i>lirata</i>	1853, 181
	{ 1858, 514	<i>obliquata</i>	1853, 180
<i>Cheilodactylus aspersus</i> .	1850, 64	<i>pallida</i>	1853, 180
<i>brachydactylus</i>	1850, 67	<i>polyzonata</i>	1856, 170
<i>carponemus</i>	1850, 61	<i>pusilla</i>	1853, 179
<i>ciliaris</i>	1850, 67	<i>rubrofusca</i>	1856, 171
<i>fasciatus</i>	1850, 65	<i>rufa</i>	1853, 179
<i>gibbosus</i>	1850, 65	<i>rufescens</i>	1853, 179
<i>hecateius</i>	1850, 67	<i>scalaris</i>	1853, 179
<i>lineatus</i>	1850, 68	<i>tenuicula</i>	1856, 207
<i>macropterus</i>	1850, 62	<i>torquata</i>	1856, 207

	Page		Page
<i>Chemnitzia trilineata</i> ..	1853,	<i>Chlamydotherium gigan-</i>	
<i>turritella</i>	1853,	<i>teum</i>	1851, 216
<i>varicosa</i>	1853,	<i>humboldtii</i>	1851, 216
	221,	<i>Chlamyphorus trunca-</i>	1851, 213
<i>Chenalopex ægyptiacus</i> }	1850,	<i>tus</i>	1857, 8
	1859,		1857, 128
<i>Chione californiensis</i> ..	1856,		1858, 289
<i>callosa</i>	1856,	<i>Chloëphaga magella-</i>	1859, 96
<i>gibbosa</i>	1853,	<i>nica</i>	1860, 387
<i>nuttallii</i>	1856,		1860, 416
<i>regularis</i>	1853,		1857, 128
<i>sphæricula</i>	1853,		1858, 289
<i>straminea</i>	1856,	<i>poliocephala</i>	1859, 96
<i>ustulata</i>	1853,		1859, 206
	1858,		387
<i>Chionis alba</i>	1859,	<i>rubidiceps</i>	1860, 415
	1860,		1855, 158
<i>Chiradota discolor</i>	1858,	<i>Chlorochrysa callipa-</i>	1856, 266
<i>lævis</i>	1858,	<i>ræa</i>	1858, 74
<i>lumbricus</i>	1858,	<i>phœnicotis</i>	1856, 266
<i>purpurea</i>	1858,		1860, 87
<i>verrucosa</i>	1858,	<i>Chlorœnas albilinea</i> ..	1855, 163
<i>violacea</i>	1858,		1858, 556
<i>Chirocephalus birostra-</i>		<i>bicolor</i>	1856, 30
<i>tus</i>	1852,	<i>fasciata</i>	1858, 305
<i>claviger</i>	1852,	<i>flavirostris</i>	1856, 309
<i>diaphanus</i>	1852,	<i>rufina</i>	1856, 143
<i>lactinæ</i>	1852,		1857, 19
<i>middendorffianus</i> ..	1852,	<i>speciosa</i>	1856, 309
<i>Chiromachæris gutturosa</i>	1854,		1858, 76
	{	<i>Chloronerpes ærugino-</i>	
<i>manacus</i>	1860,	<i>sus</i>	1859, 388
	89	<i>callonotus</i>	1860, 286
	279		1855, 161
	296	<i>cecilii</i>	1856, 143
<i>Chiromys madagascari-</i>			1860, 286
<i>ensis</i>	1859,	<i>erythrope</i>	1857, 268
<i>Chiroxiphia melanoce-</i>	1855,	<i>fumigatus</i>	1855, 161
<i>phala</i>	1856,		1859, 146
<i>regina</i>	1857,	<i>oleagineus</i>	1856, 307
	266		1859, 367
<i>Chiton acutus</i>	1855,	<i>passerinus</i>	1859, 388
	1856,	<i>rubiginosus</i>	1857, 234
<i>armatus</i>	1856,		1856, 307
<i>articulatus</i>	1855,	<i>sanguinolentus</i>	1860, 286
<i>hartwegii</i>	1855,	<i>selysi</i>	1859, 60
<i>insculptus</i>	1852,		1858, 74
<i>macgillivrayii</i>	91		1856, 307
<i>macgillivrayii</i>	1855,	<i>yucatanensis</i>	1859, 60
<i>montereyensis</i>	120		1859, 367
<i>montereyensis</i>	1855,		1855, 137
<i>muricatus</i>	231	<i>Chlorophanes atrica-</i>	1857, 263
<i>muscosus</i>	1852,	<i>pillæ</i>	1858, 61
<i>nuttallii</i>	91		1858, 452
	1856,		1859, 138
	221		
	1855,		
<i>ornatus</i>	232		
	1856,		
<i>regularis</i>	221		
<i>versicolor</i>	1855,		
	232		
<i>Chlamydera cerviniven-</i>	1852,		
<i>tris</i>	92		
<i>maculata</i>	1850,		
	201		
<i>nuchalis</i>	1850,		
	201		
	1850,		
	201		
	1857,		
	26		

	Page		Page
<i>Chlorophanes atricapilla</i>	1860, 292	<i>Chlorospingus superci-</i>	1860, { 65
<i>Chlorophis heterodermus</i>	1858, 158	<i>liaris</i>	} 86
<i>Chlorophonia frontalis</i> ..	1856, 270	<i>verticalis</i>	} 1855, 155
<i>longipennis</i>	} 1855, 158	} 1856, 30	
	} 1856, 270	<i>xanthophrys</i>	} 1856, 93
<i>occipitalis</i>	} 1856, 270		} 30
	} 1857, 205		} 93
<i>pretrei</i>	} 1859, 364	<i>Chlorospiza chloris</i>	1857, 223
<i>viridis</i>	} 1855, 159	<i>melanodera</i>	1860, 385
<i>Chloropsaris atricapillus</i>	1851, 45	<i>xanthogramma</i>	1860, 385
<i>cuvierii</i>	1851, 45	<i>Chlorostilbon acuticau-</i>	
<i>versicolor</i>	1851, 45	<i>du</i>	1860, 308
<i>Chloropsis gampso</i> rhy-		<i>atala</i>	} 1859, 145
<i>chus</i>	1854, 280	} 1860, 94	
<i>malabaricus</i>	1858, 475	<i>melanorhynchus</i> ..	1860, 308
<i>zosterops</i>	1854, 280	<i>osberti</i>	1860, 309
<i>Chlorornis prasina</i>	1856, 78	<i>Chlorostoma agreste</i> ..	1851, 180
<i>riefferii</i>	1855, 154	<i>argyrostoma</i>	1851, 180
<i>Chlorospingus albitem-</i>	} 1855, 155	<i>articulatum</i>	1851, 183
<i>poralis</i>	} 1856, 89	<i>atrum</i>	1851, 180
	} 1858, 293	<i>bicanaliculatum</i> ..	1851, 181
	} 1854, 157	<i>carinatum</i>	1851, 181
<i>atripileus</i>	} 1855, 155	<i>castaneum</i>	1851, 182
	} 1856, 91	<i>cicer</i>	1851, 181
	} 1860, 76	} 1851, 182	
	} 1860, 86	<i>corrugatum</i>	} 1854, 40
<i>canigularis</i>	} 1855, 155	<i>euryomphalus</i>	1851, 181
	} 1856, 90	<i>funebre</i>	1854, 316
<i>castaneicollis</i>	} 1859, 138	<i>fuscum</i>	1854, 305
	} 1858, 293	<i>gallina</i>	1851, 182
<i>flavigularis</i>	} 1855, 155	<i>impervium</i>	1851, 182
	} 1856, 91	<i>laeve</i>	1851, 181
	} 1860, 86	} 1851, 183	
<i>flavipectus</i>	} 1855, 155	<i>maculosum</i>	} 1856, 204
	} 1856, 90	<i>marginatum</i>	1851, 181
<i>flaviventris</i>	1856, 91	<i>merula</i>	1851, 181
<i>leucophrys</i>	1856, 89	} 1851, 180	
<i>lichtensteinii</i>	} 1856, 30	<i>mcestum</i>	} 1854, 317
	} 93	} 1851, 180	
	} 1854, 157	<i>nigerrimum</i>	} 1854, 40
<i>melanotis</i>	} 1855, 155	} 1851, 182	
	} 1856, 92	<i>odontis</i>	1851, 182
<i>olivaceus</i>	} 1858, 294	<i>pfeifferii</i>	1851, 181
	} 1856, 90	<i>pulligo</i>	1851, 182
	} 1856, 89	<i>rugosum</i>	1851, 182
<i>ophthalmicus</i>	} 1856, 302	<i>sagittiferum</i>	1851, 181
	} 1859, 364	<i>sauciatum</i>	1851, 181
	} 1859, 377	<i>seminodosum</i>	1851, 183
<i>rubrirostris</i>	} 1855, 155	<i>stenomphalus</i>	1851, 181
	} 1856, 92	<i>tabulare</i>	1851, 181
	} 1858, 294	<i>tigrinum</i>	1851, 180
<i>spodocephalus</i>	} 1856, 91	<i>tropidophorum</i>	1851, 183
	} 1855, 155	} 1851, 182	
<i>superciliaris</i>	} 1856, 30	<i>turbinatum</i>	} 1851, 183
	} 1856, 92	} 1851, 182	
	} 1860, 63	<i>undulosum</i>	1851, 182
		<i>xanthostigma</i>	1851, 183
		<i>Choanopoma chittyi</i>	1857, 165
		<i>fimbriatum</i>	1857, 165
		<i>Choiropotamus africanus</i>	1852, 131

	Page		Page
<i>Choiropotamus larvatus</i>	1852,	<i>Chrysothraupis frugile-</i>	1856,
<i>pictus</i>	1852,	<i>gus</i>	236
	1849,	<i>icterocephala</i>	1858,
	1851,	<i>parzudaki</i>	1856,
<i>Cholcepus didactylus</i>	1851,	<i>schranksii</i>	1856,
	1856,	<i>thalassina</i>	1856,
<i>Chondestes grammica</i>	1859,	<i>thoracica</i>	1856,
<i>ruficauda</i>	1857,	<i>xanthocephala</i>	1856,
<i>Chondropoma angusta-</i>		<i>Chrysotis albifrons</i>	1858,
<i>tum</i>	1854,	<i>amazonica</i>	1858,
<i>puncticulatum</i>	1854,		1857,
<i>venezuelense</i>	1853,		1857,
<i>Chromis fenestrata</i>	1860,	<i>autumnalis</i>	1859,
<i>nebulifera</i>	1860,		1859,
	1859,	<i>coccineifrons</i>	1857,
<i>rivulata</i>	1860,	<i>dominicensis</i>	1857,
<i>Chrysallida communis</i>	1856,	<i>farinosa</i>	1858,
<i>crebristriata</i>	1856,	<i>guatemalæ</i>	1860,
<i>Chrysenis batesii</i>	1860,	<i>leucocephala</i>	1857,
<i>Chrysococcyx basalis</i>	1859,	<i>mercenaria</i>	1858,
	1859,	<i>ochroptera</i>	1857,
<i>lucidus</i>	1859,	<i>ochropterus</i>	1859,
	1860,		1857,
<i>minutillus</i>	1859,	<i>sallæi</i>	1857,
<i>Chrysocolaptes sultaneus</i>	1859,	<i>vinaceicollis</i>	1857,
<i>Chrysodema louisa</i>	1859,	<i>viridigenalis</i>	1857,
<i>Chrysodomus despectus</i>	1850,	<i>vittata</i>	1857,
<i>heros</i>	1850,		1857,
<i>Chrysolampis moschitus</i>	1859,	<i>Chrysuronias josephinae</i>	1857,
<i>Chrysomitris columbiana</i>	1855,		1854,
	1858,	<i>œnone</i>	1855,
<i>icterica</i>	1860,		1858,
	1855,	<i>Ciccaba gisella</i>	1856,
	1856,	<i>huhula</i>	1858,
<i>mexicana</i>	1858,	<i>nigrolineata</i>	1859,
	1859,	<i>torquata</i>	1857,
	1859,	<i>Cichalopia vulpina</i>	1855,
	1856,	<i>Cichla lineata</i>	1850,
<i>notata</i>	1858,	<i>Cichlerminia bonapartii</i>	1859,
	1859,	<i>fuscata</i>	1859,
<i>spinescens</i>	1855,		1857,
<i>spinoides</i>	1859,	<i>Cichlopsis leucogonys</i>	1858,
<i>yarellii</i>	1857,		1851,
<i>Chrysomus icterocephalus</i>	1857,	<i>Cicindela megalocephala</i>	1858,
<i>Chrysonotus intermedius</i>	1859,	<i>Ciccinnurus spinturnix</i>	1850,
<i>rafflesii</i>	1859,		1858,
	1858,	<i>Ciconia alba</i>	1855,
<i>Chrysopelea ornata</i>	1860,		1855,
	1860,	<i>leucocephala</i>	1855,
<i>præornata</i>	1858,		1858,
<i>Chrysopoga typica</i>	1856,		1851,
<i>Chrysoptilus canipileus</i>	1855,	<i>nigra</i>	1858,
<i>cayanensis</i>	1855,		1858,
<i>punctigula</i>	1855,	<i>Cidaris annulata</i>	1855,
<i>Chrysothraupis arthus</i>	1856,	<i>ornata</i>	1855,
<i>aurulenta</i>	1856,	<i>spinulosa</i>	1855,
<i>chrysotis</i>	1856,	<i>verticillata</i>	1855,
<i>citrinella</i>	1856,	<i>Cimoliornis diomedæus</i>	1851,
	247	<i>Cinclidium frontale</i>	1854,

	Page		Page
<i>Cinlocerthia brachyura</i>	1855, 214	<i>Circus pallidus</i>	1854, 5
<i>gutturalis</i>	1855, 214 1859, 338	<i>swainsonii</i>	1858, 472
<i>ruficauda</i>	1855, 214 1859, 338	<i>Cirrihippra filicauda</i>	1857, 265 1858, 71
<i>Cinclodes albidiventris</i>	1860, 77	<i>Cirripathes sieboldii</i>	1857, 291
<i>antarcticus</i>	1860, 385	<i>Cirsotrema attenuatum</i>	1860, 400
<i>bifasciatus</i>	1858, 448	<i>Cissopsis bicolor</i>	1856, 79
<i>excelsior</i>	1860, 77	<i>leveriana</i>	1856, 78
<i>vulgaris</i>	1860, 385	<i>media</i>	1856, 79
<i>Cincllops melanoleucus</i>	1855, 214 1859, 338	<i>minor</i>	1855, 154 1856, 79 1858, 454
<i>Cinclosoma castaneotho-</i> <i>rax</i>	1848, 139	<i>Cistothorus platensis</i>	1860, 384
<i>setifer</i>	1858, 488	<i>Cistudo carolinensis</i>	1855, 197
<i>Cinclus americanus</i>	1858, 3	<i>clausa</i>	1860, 415
<i>aquaticus</i>	1859, 200 1860, 258	<i>dentata</i>	1856, 183
<i>cashmeriensis</i>	1859, 494	<i>mexicana</i>	1849, 17 1855, 197
<i>interpres</i>	1860, 363	<i>Cistula cinclidodes</i>	1852, 142
<i>leucocephalus</i>	1857, 274	<i>Cithara sinuata</i>	1856, 162
<i>leucototus</i>	1857, 274	<i>Cladiscus bipectinatus</i>	1852, 39
<i>mexicanus</i>	1859, 362	<i>longipennis</i>	1852, 39
<i>sordidus</i>	1859, 494	<i>parriani</i>	1852, 39
<i>Cinnicerthia canifrons</i>	1855, 143	<i>Cladoscopus temmincki</i>	1855, 142
<i>unibrunnea</i>	1858, 550 1860, 74	<i>Clanculus acuminatus</i>	1851, 160
<i>unicolor</i>	1855, 143	<i>agrestis</i>	1851, 158
<i>unirufa</i>	1855, 143	<i>albinus</i>	1851, 160
<i>Cinnyricincla javanica</i>	1859, 461	<i>anus</i>	1851, 159
<i>Cinnyris aspasia</i>	1858, 173	<i>brunneus</i>	1851, 161
<i>clementiæ</i>	1858, 173	<i>carinatus</i>	1851, 162
<i>novæ-guineæ</i>	1858, 173	<i>cingulifer</i>	1851, 160
<i>orientalis</i>	1854, 257	<i>clanguloides</i>	1851, 158
<i>sericea</i>	1858, 173	<i>conspersus</i>	1851, 163
<i>zenobia</i>	1858, 173	<i>corallinus</i>	1851, 158
<i>Cinyxis denticulata</i>	1858, 166	<i>corrugatus</i>	1851, 159
<i>homeana</i>	1858, 166	<i>couturii</i>	1851, 158
<i>Circaëtus brachydactylus</i>	1850, 215	<i>depictus</i>	1854, 316
<i>gallicus</i>	1858, 472	<i>edentulus</i>	1851, 162
<i>solitarius</i>	1856, 145	<i>floridus</i>	1851, 158
<i>Circe latirostris</i>	1858, 297 1859, 367	<i>gibbosus</i>	1851, 162
<i>lenticularis</i>	1853, 7	<i>guanicus</i>	1851, 158
<i>metcalfei</i>	1853, 7	<i>jussieui</i>	1851, 159
<i>personata</i>	1853, 6	<i>kraussii</i>	1851, 159
<i>pulchra</i>	1853, 6	<i>limbatus</i>	1851, 158
<i>transversaria</i>	1853, 6	<i>ludwigii</i>	1851, 159
<i>Circus æruginosus</i>	1858, 472	<i>lupinus</i>	1851, 159
<i>cinereus</i>	1859, 94 1860, 384	<i>maculosus</i>	1851, 160
<i>cyaneus</i>	1854, 5	<i>margaritarius</i>	1851, 159
<i>hudsonius</i>	1857, 125 1857, 211 1859, 390	<i>maugeri</i>	1851, 158
<i>montagui</i>	1854, 5 1858, 472	<i>mediterraneus</i>	1851, 158
<i>pallidus</i>	1850, 216	<i>microdon</i>	1851, 162
		<i>minor</i>	1851, 161
		<i>nigricans</i>	1851, 162
		<i>nodiliratus</i>	1851, 163
		<i>nodulosus</i>	1854, 39
		<i>ochroleucus</i>	1851, 159
		<i>omalomphalus</i>	1851, 162
		<i>ormophorus</i>	1851, 159

	Page		Page
<i>Clanculus patagonicus</i> ..	1851,	<i>Clausilia strigata</i>	1849,
<i>personatus</i>	1851,	<i>thermopylarum</i>	1849,
<i>pharaonis</i>	1851,	<i>tristrami</i>	1860,
<i>ringens</i>	1851,	<i>turrita</i>	1849,
<i>scabrosus</i>	1851,	<i>Clausilla borneensis</i>	1854,
<i>smithii</i>	1851,	<i>crispa</i>	1854,
<i>spadiceus</i>	1851,	<i>deltostoma</i>	1854,
<i>stigmatarius</i>	1851,	<i>eburnea</i>	1854,
<i>sulcarius</i>	1851,	<i>exigua</i>	1854,
<i>textilosus</i>	1851,	<i>nivea</i>	1854,
<i>turbinoides</i>	1851,	<i>Clavagella aperta</i>	1858,
<i>turgidulus</i>	1851,	<i>australis</i>	1858,
<i>unedo</i>	1851,	<i>caillate</i>	1858,
<i>variegatus</i>	1851,	<i>coronata</i>	1858,
<i>zebrides</i>	1851,	<i>cristata</i>	1858,
<i>Claneophila auricularia</i> ..	1858,	<i>echinata</i>	1858,
<i>brasiliana</i>	1858,	<i>elongata</i>	1858,
<i>gibbosa</i>	1858,	<i>lagenalis</i>	1858,
<i>Clangula angustirostris</i> ..	1860,	<i>lata</i>	1858,
<i>glaucon</i>	1860,	<i>mammoi</i>	1858,
<i>Clathraria rubrinodis</i> ..	1859,	<i>melitensis</i>	1858,
<i>Clathurella balteata</i>	1860,	<i>rape</i>	1858,
<i>brunnea</i>	1860,	<i>vivens</i>	1858,
<i>buccinoides</i>	1860,	<i>Clea nigricans</i>	1855,
<i>cylindrica</i>	1860,	<i>Clementia cumingii</i>	1854,
<i>elegans</i>	1860,	<i>moretonensis</i>	1853,
<i>exilis</i>	1860,	<i>strangei</i>	1853,
<i>fuscomaculata</i>	1860,	<i>Clepsydra strangulata</i> ..	1858,
<i>harpa</i>	1860,	<i>Clerus æruginosus</i>	1852,
<i>paucicostata</i>	1860,	<i>atricornis</i>	1852,
<i>producta</i>	1860,	<i>bengala</i>	1852,
<i>pulchella</i>	1860,	<i>hilaris</i>	1852,
<i>Clausilia adamsiana</i>	1860,	<i>novemguttatus</i>	1852,
<i>belcheri</i>	1849,	<i>posticalis</i>	1852,
<i>bourcierii</i>	1852,	<i>sanguinalis</i>	1852,
<i>charpentieri</i>	1849,	<i>sepulchralis</i>	1852,
<i>claviformis</i>	1849,	<i>subfasciatus</i>	1852,
<i>canaliculata</i>	1849,	<i>ventralis</i>	1852,
<i>candida</i>	1849,	<i>zebratus</i>	1852,
<i>compressa</i>	1849,	(<i>Hoploclerus</i>) <i>biacu-</i>	
<i>cyclostoma</i>	1849,	<i>leatus</i>	1852,
<i>dunkeri</i>	1849,	(<i>Hydnocerus</i>) <i>bel-</i>	
<i>græca</i>	1849,	<i>lus</i>	1852,
<i>hanleyana</i>	1849,	(—) <i>exilis</i>	1852,
<i>homalorhapse</i>	1849,	(—) <i>flavolineatus</i>	1852,
<i>idæa</i>	1849,	(—) <i>flavovarius</i>	1852,
<i>lunellaris</i>	1849,	(—) <i>pectoralis</i>	1852,
<i>millerii</i>	1849,	(—) <i>V-reversus</i>	1852,
<i>negropontina</i>	1849,	(<i>Lemidius</i>) <i>coralli-</i>	
<i>puella</i>	1849,	<i>pennis</i>	1852,
<i>reeveana</i>	1849,	(—) <i>festivus</i>	1852,
<i>scalaris</i>	1849,	(<i>Omadius</i>) <i>medio-</i>	
<i>semidenticulata</i>	1849,	<i>fasciatus</i>	1852,
<i>sennaariensis</i>	1856,	(—) <i>olivaceus</i>	1852,
<i>sericata</i>	1849,	(—) <i>prasinus</i>	1852,
<i>shanghaiensis</i>	1852,	(<i>Stigmatius</i>) <i>dorsi-</i>	
<i>sieboldtii</i>	1848,	<i>ger</i>	1852,
<i>sowerbyana</i>	1849,	(—) <i>elaphroides</i>	1852,

	Page		Page
<i>Clerus</i> (<i>Stigmatius</i>) <i>ne-</i>		<i>Coccothraustes</i> <i>viridis</i> ..	1856, 66
<i>bulifer</i>	1852, 36	<i>Coccytes</i> <i>coromandus</i> ..	1859, 459
(—) <i>rufiventris</i> ..	1852, 45	<i>melanoleucos</i>	1857, 100
(<i>Xylobius</i>) <i>albova-</i>		<i>Coccyzus</i> <i>americanus</i> ..	1860, 252
<i>rius</i>	1852, 40	<i>badius</i>	1859, 485
(—) <i>dulcis</i>	1852, 40	<i>dominicus</i>	1857, 234
(<i>Xylotretus</i>) <i>chrysi-</i>		<i>erythrophthalmus</i> ..	1857, 214
<i>dens</i>	1852, 50	<i>geoffroyi</i>	1860, 252
(—) <i>excavatus</i> ..	1852, 46	<i>seniculus</i>	1849, 63
<i>Clinteria</i> <i>atra</i>	1856, 15	<i>viridirostris</i>	1857, 234
<i>biguttata</i>	1856, 15	<i>viridirostris</i>	1856, 308
<i>ducalis</i>	1856, 15	<i>Cochlea</i> <i>bengalensis</i> ...	1850, 148
<i>funeraria</i>	1856, 15	<i>Cochleophasia</i> <i>tesselata</i> ..	1849, 35
<i>hoffmeisteri</i>	1856, 15	<i>Cochlodesma</i> <i>leana</i>	1855, 229
<i>Clotho</i> <i>arietans</i>	1860, 193	<i>Cœcilia</i> <i>gracilis</i>	1859, 417
<i>lateristriga</i>	1858, 163	<i>pachynema</i>	1859, 417
<i>nasicornis</i>	1858, 163	<i>rostrata</i>	1859, 417
<i>Clothonia</i> <i>johnii</i>	1860, 164	<i>Cœligena</i> <i>fulgens</i>	1856, 287
	167	<i>typica</i>	1858, 297
	169	<i>wilsoni</i>	1859, 367
	170		1859, 386
	171		1854, 111
	172		1855, 140
<i>Clypidella</i> <i>baikiei</i>	1854, 136	<i>Cœlogenys</i> <i>fulvus</i>	1859, 145
<i>Clypidina</i> <i>acuminata</i> ..	1851, 88	<i>paca</i>	1860, 94
<i>annulata</i>	1851, 88		1860, 268
<i>aspera</i>	1851, 87	<i>Cœlopeltis</i> <i>lacertina</i> ...	1849, 28
<i>candida</i>	1851, 88	<i>virgata</i>	1860, 268
<i>fungina</i>	1851, 87	<i>Cœnurus</i> <i>cerebralis</i> ...	1858, 160
<i>notata</i>	1851, 87	<i>Cœpola</i> <i>rubescens</i>	1858, 158
<i>rudis</i>	1851, 87		1860, 185
<i>rugosa</i>	1851, 87	<i>Cœreba</i> <i>cœrulea</i>	1849, 83
<i>scabricula</i>	1851, 88	<i>cyanea</i>	1855, 137
<i>stellata</i>	1851, 87	<i>nitida</i>	1857, 263
<i>sulcifera</i>	1851, 87		1856, 140
<i>Clytolæma</i> <i>rubinoides</i> ..	1855, 140		1856, 286
<i>Cnemidophorus</i> <i>undu-</i>			1857, 263
<i>latus</i>	1860, 233		1857, 264
<i>Coassus</i> <i>auritus</i>	1850, 242		1855, 162
<i>nemorivagus</i>	1850, 240	<i>Colaptes</i> <i>elegans</i>	1858, 555
<i>pudu</i>	1850, 242	<i>mexicanus</i>	1860, 81
<i>rufus</i>	1850, 241		1860, 95
<i>superciliaris</i>	1850, 242		1856, 307
<i>Cobitis</i> <i>barbatula</i>	1859, 435		1857, 127
<i>fossilis</i>	1860, 442		1858, 305
<i>Cocoborus</i> <i>chrysopeplus</i> ..	1858, 454		1859, 236
<i>Coccothraustes</i> <i>abeillii</i> ..	1859, 365		1859, 367
<i>americana</i> <i>cœrulea</i> ..	1856, 64	<i>Colaris</i> <i>orientalis</i>	1860, 345
<i>cœrulescens</i>	1856, 64	<i>Colibri</i> <i>anais</i>	1855, 139
<i>canadensis</i>	1856, 65	<i>cyanotis</i>	1855, 139
<i>chrysopeplus</i>	1858, 454	<i>delphinæ</i>	1855, 139
<i>erythromelas</i>	1856, 65	<i>Colibris</i> <i>thalassina</i> ...	1856, 287
<i>maculipennis</i>	1860, 251	<i>Colina</i> <i>costata</i>	1854, 86
<i>melanurus</i>	1860, 242	<i>macrostoma</i>	1853, 176
<i>olivaceus</i>	1858, 291	<i>pinguis</i>	1854, 86
<i>sinensis</i>	1859, 444	<i>pupiformis</i>	1853, 176
<i>vespertinus</i>	1860, 251	<i>Colius</i> <i>macrurus</i>	1850, 219
		<i>senegalensis</i>	1850, 219

	Page		Page
<i>Colius senegalensis</i>	1860,	<i>Columba albilinea</i>	1860,
	197		72
<i>Collaris purpurascens</i>	1850,	<i>amboinensis</i>	1860,
	216		361
<i>Collocalia arborea</i>	1858,	<i>bantamensis</i>	1859,
	171		467
<i>esculenta</i>	1860,	<i>basalis</i>	1860,
	345		360
<i>hypoleuca</i>	1858,	<i>bicolor</i>	1856,
	170		30
<i>nidifica</i>	1860,		1859,
	345	<i>cæruleocephala</i>	1859,
<i>Collonia candida</i>	1858,		467
	170	<i>capellei</i>	1859,
<i>Colluria candida</i>	1860,		464
	436	<i>chalcoptera</i>	1860,
<i>Colluricincla fusca</i>	1860,		258
	436	<i>corensis</i>	1857,
<i>Collurio lahtora</i>	1859,		235
	335	<i>erythroptera</i>	1856,
<i>Colobathris macularia</i>	1859,		6
	180	<i>fasciata</i>	1859,
<i>Colobathris macularia</i>	1858,		236
	282		369
<i>rex</i>	1858,		369
	280	<i>flavirostris</i>	1859,
<i>tinniens</i>	1858,		391
	281	<i>gallus</i>	1860,
<i>Colcburis rufiventris</i>	1860,		362
	350	<i>guinea</i>	1850,
<i>Colobus angolensis</i>	1860,		219
	245	<i>hodgsonii</i>	1855,
<i>guereza</i>	1860,		126
	184	<i>holosericea</i>	1859,
	246		165
<i>leucomeros</i>	1860,	<i>hyogastra</i>	1860,
	246		359
<i>satanas</i>	1860,	<i>indica</i>	1859,
	246		467
<i>ursinus</i>	1860,	<i>intermedia</i>	1859,
	245		151
<i>vellerosus</i>	1860,	<i>jambu</i>	1859,
	246		465
<i>Colopterus cristatus</i>	1858,	<i>javanica</i>	1859,
	70		467
<i>Coluber annulatus</i>	1860,		235
	457		61
<i>boddaërtii</i>	1860,		1859,
	456		432
<i>callicephalus</i>	1860,		1860,
	162		417
<i>cenchoa</i>	1860,		1855,
	458		126
<i>cliffordii</i>	1858,		1858,
	162		497
<i>conspicillatus</i>	1858,		1859,
	383		187
<i>constrictor</i>	1849,		1856,
	102		7
	106	<i>leucophrys</i>	1859,
<i>corais</i>	1860,		61
	456	<i>leucoptera</i>	1859,
<i>corallinus</i>	1859,		466
	84		1851,
<i>crucifer</i>	1858,		142
	160		1858,
<i>dhumnades</i>	1860,		497
	163	<i>livia</i>	1859,
<i>elegans</i>	1858,		187
	160		1860,
<i>fulvus</i>	1859,		258
	85		1860,
<i>irregularis</i>	1858,		333
	161	<i>malaccensis</i>	1859,
<i>irrorata</i>	1858,		466
	159		1860,
<i>lacteus</i>	1859,		359
	88	<i>müllerii</i>	1858,
<i>lævis</i>	1858,		186
	161	<i>nicobarica</i>	1860,
<i>latonia</i>	1859,		362
	89	<i>nigrirostris</i>	1859,
<i>lemniscatus</i>	1859,		390
	85		1851,
<i>melanurus</i>	1859,		146
	83		1855,
<i>naja</i>	1860,		187
	117	<i>olax</i>	1859,
<i>nasicornis</i>	1858,		465
	163		1851,
<i>nigromarginatus</i>	1860,		142
	163		1857,
<i>palmarum</i>	1858,		12
	161	<i>palumbus</i>	1859,
<i>philippsii</i>	1858,		187
	160		1860,
<i>quadrilineatus</i>	1858,		258
	378		1860,
<i>rufescens</i>	1858,		416
	161	<i>perlata</i>	1858,
<i>scaber</i>	1858,		185
	161	<i>perspicillata</i>	1860,
<i>sebæ</i>	1858,		360
	164	<i>phasianella</i>	1858,
<i>sibilans</i>	1858,		187
	160	<i>pinon</i>	1858,
<i>Columba alba</i>	1858,		186
	186	<i>purpurea</i>	1859,
<i>albicapilla</i>	1859,		465
	466		
<i>albilinea</i>	1860,		
	63		

	Page		Page
<i>Columba reinwardtii</i> ..	1860, 361	<i>Colymbus glacialis</i>	1859, 206
	{ 1859, 147	<i>pacificus</i>	1859, 207
<i>rufina</i>	{ 1860, 97	<i>Comatula rosea</i>	1859, 494
	{ 1860, 289	<i>Cominella crocea</i>	1853, 97
<i>rupestris</i>	1859, 400	<i>elongata</i>	1856, 356
	{ 1859, 61	<i>maura</i>	1854, 313
<i>speciosa</i>	{ 1860, 298	<i>quoyana</i>	1854, 313
	{ 1860, 415	<i>Cominia maculata</i>	1854, 102
<i>striata</i>	1859, 466	<i>Compsocoma elegans</i> ..	1856, 238
	{ 1858, 184	<i>flavinucha</i>	{ 1855, 84
<i>superba</i>	{ 1860, 360	{ 1856, 238	
<i>superciliaris</i>	1859, 467	{ 1855, 84	
<i>suratensis</i>	1860, 361	<i>notabilis</i>	{ 1856, 239
<i>sylvatica</i>	1859, 466	{ 1855, 84	
<i>tigrina</i>	1859, 467	{ 1856, 238	
<i>trigonigera</i>	1850, 219	<i>sumptuosa</i>	{ 1859, 139
<i>trocaz</i>	1851, 142	{ 1860, 86	
<i>trudeauii</i>	1856, 309	{ 1855, 84	
	{ 1851, 146	<i>victorinii</i>	{ 1855, 157
<i>turtur</i>	{ 1857, 12	{ 1856, 238	
<i>vernans</i>	1859, 465	<i>Compsothlypis brasiliانا</i>	1855, 143
	{ 1856, 30	<i>mexicana</i>	1858, 299
<i>vinacea</i>	{ 1860, 289	<i>Conchoderma virgata</i> ..	1858, 372
<i>viridis</i>	1859, 465	<i>Concholepas antiquatus</i>	1856, 3
<i>zoeae</i>	1858, 186	<i>subrufus</i>	1856, 4
<i>Columbella albinodulosa</i>	1851, 3	(<i>Corallioba</i>) <i>fimbri-</i>	
<i>australis</i>	1851, 5	<i>ata</i>	1852, 93
<i>austrina</i>	1851, 9	{ 1855, 75	
<i>baccata</i>	1851, 9	<i>Conirostrum albifrons</i> .	{ 1855, 138
<i>californiana</i>	1851, 12	{ 1859, 138	
<i>cancellata</i>	1851, 6	<i>atrocyaneum</i>	{ 1855, 75
<i>conspersa</i>	1851, 11	{ 138	
<i>contaminata</i>	1851, 7	<i>bicolor</i>	1855, 75
<i>formosa</i>	1851, 11	<i>ceruleifrons</i>	{ 1855, 75
<i>hirundo</i>	1851, 12	{ 138	
<i>interrupta</i>	1851, 3	<i>cinereum</i>	1855, 75
<i>intexta</i>	1851, 7	<i>columbianum</i>	1855, 75
<i>iodostoma</i>	1851, 13	<i>ferrugineiventre</i> ..	1855, 74
<i>leucostoma</i>	1851, 4	<i>flaviventre</i>	1854, 252
<i>lineata</i>	1860, 399	{ 1858, 452	
<i>marquesa</i>	1851, 8	<i>fraserii</i>	{ 1860, 63
<i>pacifica</i>	1851, 4	{ 1860, 65	
<i>pellucida</i>	1860, 399	<i>fuscum</i>	1855, 75
<i>pulla</i>	1851, 6	<i>ornatum</i>	{ 1855, 75
<i>sagitta</i>	1851, 10	{ 1856, 37	
<i>santa-barbarensis</i> ..	1856, 208	<i>rufum</i>	{ 1855, 75
<i>tenuis</i>	1851, 2	{ 138	
<i>varicosa</i>	1851, 5	<i>sitticolor</i>	1855, 75
	{ 1858, 450	{ 138	
<i>Columbula cruziana</i> ..	{ 1858, 461	<i>superciliosum</i>	{ 1855, 75
	{ 1860, 289	{ 1858, 299	
<i>Colus strabonis</i>	1850, 112	<i>Conopophaga angusti-</i>	1855, 146
<i>tartarica</i>	1850, 112	<i>rostris</i>	1858, 252
	{ 167	{ 1855, 145	
<i>Colymbus adamsii</i>	1859, 201	<i>ardesiaca</i>	{ 1857, 47
	{ 206	{ 1858, 286	
<i>arcticus</i>	1859, 207	<i>aurita</i>	{ 1854, 113
<i>glacialis</i>	1851, 146	{ 1858, 285	

	Page		Page
<i>Conopophaga castaneiceps</i>	1857, 47	<i>Conurus astec</i>	1850, 388
	1858, 286	<i>aureus</i>	1857, 230
<i>cucullata</i>	1856, 29	<i>callipterus</i>	1855, 162
<i>dorsalis</i>	1858, 287	<i>chloropterus</i>	1857, { 225 234
<i>leucotis</i>	1858, 285	<i>erythrogenys</i>	{ 1859, 146 1860, 71 1860, 287
<i>lineata</i>	1858, { 68 285	<i>guianensis</i>	1857, { 225 266
<i>melanogastra</i>	1858, 285	<i>holochlorus</i>	1859, 368
<i>melanops</i>	1858, 286	<i>jugularis</i>	1858, 76
<i>nævia</i>	1858, 253	<i>maugæi</i>	1857, 225
<i>nævioides</i>	1858, 254	<i>melanurus</i>	1857, 266
<i>nana</i>	{ 1855, 145 1858, 284	<i>murinus</i>	{ 1859, 434 1860, 417
<i>nigrogenys</i>	1858, 287	<i>nanus</i>	1857, 225
<i>perspicillata</i>	1858, 286	<i>petzi</i>	1857, 230
<i>peruviana</i>	{ 1857, 47 1858, 68 1858, 286	<i>placens</i>	1860, 357
<i>ruficeps</i>	{ 1855, 149 1858, 287	<i>rubrilaryvatus</i>	1859, 146
<i>theresæ</i>	1858, 253	<i>wagleri</i>	1855, 162
<i>torrida</i>	1858, { 68 285	<i>weddellii</i>	1858, 76
<i>vulgaris</i>	1858, 285	<i>Conus achatinus</i>	1856, 206
<i>Conops stylatus</i>	1850, 270	<i>anceps</i>	1853, 119
<i>Conopsis nasus</i>	1860, 316	<i>angulatus</i>	1853, 118
<i>Conovulus ater</i>	1854, 10	<i>assimilis</i>	1853, 118
<i>coffeus</i>	1854, 9	<i>cælatus</i>	1853, 117
<i>coniformis</i>	1854, 9	<i>commodus</i>	1853, 117
<i>cumingianus</i>	1854, 31	<i>comptus</i>	{ 1853, 119 1856, 206
<i>elongatus</i>	1854, 11	<i>connectens</i>	1854, 136
<i>fasciatus</i>	1854, 11	<i>cyanostomus</i>	1853, 116
<i>fuscus</i>	1854, 9	<i>dealbatus</i>	1853, 117
<i>globulus</i>	1854, 11	<i>desidiosus</i>	1853, 119
<i>luteus</i>	1854, 10	<i>fasciatus</i>	1853, 119
<i>maurus</i>	1854, 11	<i>fusiformis</i>	1860, 398
<i>nitens</i>	1854, 10	<i>hevassii</i>	1853, 118
<i>pellucidus</i>	1854, 11	<i>inexus</i>	1853, 118
<i>sciari</i>	1854, 10	<i>lithoglyphus</i>	1854, 136
<i>triplicatus</i>	1854, 35	<i>luridus</i>	1853, 118
	1859, 44	<i>neglectus</i>	{ 1853, 117 1860, 398
<i>Contopus ardesiacus</i> ..	{ 1859, 144 1860, 92	<i>nigrescens</i>	1859, 429
<i>bogotensis</i>	{ 1858, 459 1859, 44	<i>novæ-hollandiæ</i> ..	1853, 119
<i>borealis</i>	{ 1858, 301 1859, 43 1859, 44 1859, 366 1859, 384	<i>optabilis</i>	1853, 116
<i>mesoleucos</i>	1859, { 43 44	<i>præcellens</i>	1853, 119
<i>sordidulus</i>	1859, { 43 44	<i>proximus</i>	1859, 429
<i>virens</i>	1859, 44	<i>pulchellus</i>	1853, 118
<i>Conurus astec</i>	{ 1857, 230 1859, 59	<i>pulcher</i>	1853, 117
		<i>purpurascens</i>	1856, 206
		<i>pusillus</i>	1856, 206
		<i>ravus</i>	1856, 206
		<i>selectus</i>	1855, 121
		<i>siamensis</i>	1860, 17
		<i>spectabilis</i>	1853, 117
		<i>sticticus</i>	1853, 117
		<i>stigmaticus</i>	1853, 119
		<i>succinctus</i>	1853, 118

	Page		Page		
<i>Conus sulciferus</i>	1853,	116	<i>Corbicula cyreniformis</i> ..	1860,	321
<i>traillii</i>	1855,	121	<i>grandis</i>	1854,	344
<i>vinctus</i>	1853,	118	<i>incrassata</i>	1854,	342
<i>Copiopteryx semiramis</i> ..	1849,	36	<i>malaccensis</i>	1854,	343
<i>Copsychus amoenus</i>	1854,	282	<i>maxima</i>	1860,	321
<i>mindanensis</i>	1854,	282	<i>obscura</i>	1854,	342
<i>sularis</i>	1857,	94	<i>obsoleta</i>	1854,	343
<i>sularis</i>	1858,	491	<i>orientalis</i>	1860,	16
<i>sularis</i>	1859,	150	<i>ovalina</i>	1854,	343
<i>sularis</i>	1859,	151	<i>ovalis</i>	1860,	321
<i>sularis</i>	1854,	113	<i>regularis</i>	1860,	321
<i>Copurus filicauda</i>	1855,	148	<i>semisulcata</i>	1854,	343
<i>leuconotus</i>	1855,	148	<i>squalida</i>	1854,	342
<i>leuconotus</i>	1858,	71	<i>striatella</i>	1854,	344
<i>leuconotus</i>	1860,	294	<i>sulcatina</i>	1854,	345
<i>pœcilonotus</i>	1860,	294	<i>tenuistriata</i>	1860,	322
<i>Coracia micans</i>	1853,	110	<i>triangularis</i>	1854,	345
<i>Coracias abyssinica</i> ..	1850,	216	<i>trigona</i>	1854,	344
<i>abyssinica</i>	1860,	197	<i>tumida</i>	1854,	343
<i>affinis</i>	1859,	150	<i>Corbis cœlatus</i>	1853,	69
<i>affinis</i>	1859,	151	<i>scitulus</i>	1853,	70
<i>caudata</i>	1850,	216	<i>Corbula decussata</i>	1850,	86
<i>caudata</i>	1860,	109	<i>polychroma</i>	1856,	198
<i>cayana</i>	1856,	70	<i>Corethrura cayennensis</i> {	1854,	115
<i>cayennensis</i>	1856,	70	<i>cayennensis</i>	1859,	64
<i>garrula</i>	1859,	172	<i>rubra</i>	1860,	300
<i>garrula</i>	1857,	98	<i>Coriocyella perspicua</i> ...	1853,	35
<i>indica</i>	1858,	474	<i>perspicua</i>	1858,	182
<i>indica</i>	1859,	172	<i>Coriphilus placentis</i> ..	1860,	357
<i>levaillantii</i>	1850,	216	<i>placentis</i>	1860,	357
<i>naevia</i>	1850,	216	<i>solitarius</i>	1860,	357
<i>nuchalis</i>	1850,	216	<i>Cornalia australasie</i> ..	1858,	321
<i>nuchalis</i>	1854,	267	<i>Cornufer unicolor</i>	1858,	396
<i>orientalis</i>	1860,	345	<i>unicolor</i>	1858,	414
<i>orientalis</i>	1858,	171	<i>Cornuoides major</i>	1858,	416
<i>orientalis</i>	1859,	163	<i>major</i>	1858,	425
<i>pacifica</i>	1859,	164	<i>minor</i>	1858,	414
<i>striata</i>	1854,	267	<i>minor</i>	1858,	436
<i>sumatranus</i>	1854,	267	<i>Coronaria coronata</i>	1854,	194
<i>varians</i>	1858,	180	<i>coronata</i>	1854,	194
<i>Coracopsis ? personata</i> ..	1848,	21	<i>coronula</i>	1854,	194
<i>Corades enyo</i>	1848,	117	<i>tiarella</i>	1854,	194
<i>Coralliobia cancellata</i> ..	1860,	399	<i>Coronella australis</i>	1858,	384
<i>Coralliophila californica</i>	1855,	121	<i>australis</i>	1858,	378
<i>californica</i>	1854,	137	<i>austriaca</i>	1860,	162
<i>Corallium johnsonii</i>	1860,	393	<i>callicephala</i>	1858,	378
<i>johnsonii</i>	1857,	287	<i>cucullata</i>	1859,	470
<i>nobile</i>	1857,	285	<i>cucullata</i>	1860,	428
<i>nobile</i>	1857,	287	<i>cucullata</i>	1859,	412
<i>nobile</i>	1859,	480	<i>decorata</i>	1860,	455
<i>nobile</i>	1860,	394	<i>decorata</i>	1858,	162
<i>nobile</i>	1857,	287	<i>fuliginoides</i>	1860,	428
<i>rubrum</i>	1859,	480	<i>fuliginoides</i>	1860,	428
<i>rubrum</i>	1860,	394	<i>girundica</i>	1858,	378
<i>rubrum</i>	1857,	287	<i>olivacea</i>	1860,	428
<i>secundum</i>	1859,	480	<i>puncticulata</i>	1860,	161
<i>secundum</i>	1860,	394	<i>semionata</i>	1860,	428
<i>Corbicula ambigua</i>	1854,	345	<i>triangularis</i>	1858,	161
<i>ambigua</i>	1854,	344	<i>triangularis</i>	1858,	161
<i>bengalensis</i>	1854,	345	<i>(Meizodon) bitor-</i>		
<i>bensonii</i>	1854,	345	<i>quata</i>	1860,	428
<i>cashmiriensis</i>	1854,	344	<i>(—) dumerilii</i> ..	1860,	429
<i>convexa</i>	1854,	342			

	Page		Page
Coronella (Meizodon) re-		Corvus pyrrhopterus ...	1860, 355
gularis	1860, 428	scapulatus	1850, 127
Corotoca melantho ...	1853, 102	{ 1854, 143	
phylo	1853, 102	{ 1855, 127	
Corucia zebrata	1855, 218	splendens	1857, 97
Corvus balicassius ...	1854, 271	{ 1858, 477	
caesius	1859, 162	{ 1859, 171	
caledonicus	{ 1850, 86	thibetanus	{ 1858, 477
{ 1859, 162		{ 1859, 171	
carnivorus	1860, 252	umbrinus	1850, 217
cinereus	1859, 162	validissimus	1860, 354
collurio	1856, 79	validus	1860, 354
{ 1851, 145		violaceus	1860, 354
{ 1858, 477		yncas	1854, 114
corax	{ 1859, 171	Corsira caudata	1856, 400
{ 1859, 436		newera ellia	1850, { 156
{ 1858, 477		{ 1850, 156	
cornix	{ 1860, 258	{ 1850, 159	
{ 1851, 145		{ 1856, 400	
{ 1858, 478		Corydon sumatranus ..	1854, 267
corone	{ 1859, 163	temminckii	1854, 267
{ 1859, 171		Corynactis allmanni ...	1859, 434
coronoides	1859, 157	heterocera	1853, 107
{ 1854, 144		Corynetes compactus ..	1852, 54
{ 1855, 127		{ 1858, 382	
culminatus	{ 1857, 98	{ 1860, 115	
{ 1858, 477		{ 1860, 163	
{ 1859, 171		Coryphodon blumen-	{ 1860, 168
{ 1859, 445		bachii	{ 1860, 170
cyaneus	1850, 85	{ 1860, 171	
enca	1860, 354	{ 1860, 163	
{ 1856, 40		carinatus	1860, { 167
{ 1858, 477		{ 1860, 163	
frugilegus	{ 1859, 171	fasciolatus	1860, { 115
{ 1860, 258		korros	{ 1860, 163
fuscicapillus	1859, 157	{ 1860, 233	
galericulatus ...	{ 1850, 79	{ 1860, 236	
{ 1859, 446		Coryphospingus cruentus	1860, 276
{ 1850, 81		Coryphospiza pileata ..	1855, 160
glandarius	{ 1857, 215	Corystes cassivelaunus ..	1859, 494
{ 1859, 163		Corythaix buffonii ...	1860, 183
intermedius	1859, 171	Corythophanes cristata ..	1860, 453
jamaicensis	1857, 232	Corythopsis anthoides ..	1858, 288
javanensis	1859, 444	calcarata	1858, 287
leucognaphalus ...	1857, 232	nigricincta	1858, 288
leuconotus	1850, 217	torquata	1858, 288
leverianus	1856, 79	Cossypha natalensis ...	1860, 110
{ 1858, 180		Cossyphus darwinii ...	1850, 249
{ 1859, 446		gouldii	1850, 72
macrorhynchus ..	{ 1859, 446	maldat	1850, 72
{ 1857, 12		vulpinus	1850, 71
melanops	1858, 179	Cotinga amabilis	{ 1857, 64
{ 1857, 12		{ 1860, 252	
monedula	{ 1858, 478	cincta	1857, 65
{ 1859, 171		maynana	{ 1857, 65
moneduloides ...	1859, 163	{ 1857, 265	
orru	{ 1858, 180		
{ 1859, 157			
peruvianus	1854, 114		
pica	1857, 12		

	Page		Page
<i>Cotinga maynana</i>	1858, 71	<i>Craticula calathisca</i>	1854, 212
<i>nattererii</i>	1855, 152	<i>ferraria</i>	1854, 211
<i>tshudii</i>	1855, 152	<i>fusca</i>	1854, 211
<i>Coturniculus henslowii</i>	1856, 305	<i>millegrana</i>	1854, 211
<i>passerinus</i>	1857, 82	<i>monticola</i>	1854, 212
<i>peruanus</i>	1859, 379	<i>Crax albertii</i>	1850, 246
<i>Coturnix argoondah</i>	1855, 31	<i>alector</i>	1850, 246
<i>communis</i>	1858, 504	<i>alector</i>	1857, 19
<i>coromandelica</i>	1858, 504	<i>alector</i>	1859, 61
<i>dactylisonans</i>	1850, 220	<i>alector</i>	1859, 212
<i>pentah</i>	1855, 31	<i>alector</i>	1860, 253
<i>textilis</i>	1858, 504	<i>globicera</i>	1860, 206
<i>Cotyle flavigastra</i>	1857, 212	<i>Crenella bulla</i>	1856, 366
<i>fulvipennis</i>	1859, 364	<i>undulata</i>	1854, 108
<i>riparia</i>	1860, 274	<i>Crenidens zebra</i>	1850, 67
<i>ruficollis</i>	1859, 186	<i>Crepidula aculeata</i>	1856, 225
<i>serripennis</i>	1858, 495	<i>californica</i>	1856, 225
<i>sinensis</i>	1859, 176	<i>explanata</i>	1856, 205
<i>subscata</i>	1860, 292	<i>explanata</i>	1856, 225
<i>Coua cristata</i>	1857, 8	<i>exuviata</i>	1856, 205
<i>madagascariensis</i>	1857, 8	<i>lacustris</i>	1853, 87
<i>reynaudii</i>	1857, 8	<i>minuta</i>	1856, 225
<i>ruficeps</i>	1857, 8	<i>navicelloides</i>	1856, 225
<i>Crab-eater, The</i>	1851, 59	<i>nummaria</i>	1856, 225
<i>Cracticus destructor</i>	1860, 242	<i>oblonga</i>	1853, 87
<i>nigrogularis</i>	1848, 40	<i>perforans</i>	1856, 205
<i>personatus</i>	1858, 180	<i>perforans</i>	1856, 225
<i>picatus</i>	1859, 157	<i>perforans</i>	1856, 224
<i>quoyi</i>	1848, 40	<i>Creseis rugulosa</i>	1858, 425
<i>Craneosaura seemanni</i>	1860, 234	<i>Creurgops verticalis</i>	1858, 73
<i>Craspedaria delphinula</i>	1854, 193	<i>Crex baillonii</i>	1851, 146
<i>Craspedocephalus atrox</i>	1849, 100	<i>pratensis</i>	1858, 560
<i>atrox</i>	1849, 106	<i>pratensis</i>	1850, 221
<i>atrox</i>	1859, 89	<i>Cribrina coriacea</i>	1858, 148
<i>atrox</i>	1859, 414	<i>Cricula trifenestrata</i>	1859, 245
<i>bilineatus</i>	1859, 414	<i>Criniger cantori</i>	1854, 279
<i>leucurus</i>	1859, 89	<i>flavicaudus</i>	1860, 351
<i>Craspedopoma lucidum</i>	1854, 216	<i>gularis</i>	1854, 279
<i>lyonnetianum</i>	1854, 217	<i>Crithragra brasiliensis</i>	1859, 100
<i>Crassatella bellula</i>	1852, 95	<i>lutea</i>	1850, 218
<i>compta</i>	1852, 95	<i>Crocodylus acutus</i>	1858, 319
<i>concinna</i>	1852, 95	<i>americanus</i>	1859, 402
<i>cumingii</i>	1852, 90	<i>americanus</i>	1859, 434
<i>lævis</i>	1852, 94	<i>binuensis</i>	1857, 50
<i>obesa</i>	1852, 90	<i>binuensis</i>	1857, 57
<i>obscura</i>	1852, 94	<i>cataphractus</i>	1858, 167
<i>speciosa</i>	1852, 94	<i>cataphractus</i>	1860, 116
<i>truncata</i>	1852, 95	<i>cataphractus</i>	1857, 57
		<i>cataphractus</i>	1858, 167
		<i>galeatus</i>	1860, 116
		<i>leptorhynchus</i>	1857, 57
		<i>leptorhynchus</i>	1858, 167
		<i>marginatus</i>	1857, 49
		<i>vulgaris</i>	1857, 49
		<i>Crotalus durissus</i>	1849, 93
		<i>horridus</i>	1858, 386
		<i>horridus</i>	1857, 234
		<i>Crotophaga ani</i>	1860, 285

	Page		Page
<i>Crotophaga major</i>	1857,	<i>Cuculus curvirostris</i>	1859, 458
<i>rugirostris</i>	1858,	<i>dumetorum</i>	1857, 26
	1856,	<i>flavus</i>	1859, 458
	1859,	<i>fugax</i>	1859, 459
<i>sulcirostris</i>	1859,	<i>hyperythrus</i>	1856, 96
	1859,	<i>inornatus</i>	1859, 222
	1860,	<i>lathamii</i>	1859, 459
	1860,	<i>lucidus</i>	1859, 459
<i>Crucibulum auriculatum</i>	1856,	<i>lugubris</i>	1859, 459
<i>corrugatum</i>	1856,	<i>malayanus</i>	1859, 459
<i>cumingii</i> , var. <i>carib-</i>		<i>megarhynchus</i>	1858, 184
<i>beense</i>	1856,	<i>melanoleucus</i>	1850, 219
<i>imbricatum</i> , var. <i>bro-</i>		<i>merulinus</i>	1859, 458
<i>deripii</i>	1856,	<i>mexicanus</i>	1859, 388
<i>imbricatum</i> , var. <i>cu-</i>		<i>micropterus</i>	1859, 459
<i>mingii</i>	1856,	<i>nisicolor</i>	1859, 459
<i>pectinatum</i>	1856,	<i>passerinus</i>	1850, 219
<i>rude</i>	1856,	<i>pica</i>	1850, 219
<i>spinosum</i>	1856,	<i>poliogaster</i>	1860, 359
<i>spinosum</i> , var. <i>com-</i>		<i>praesagus</i>	1860, 359
<i>presso-conicum</i>	1856,	<i>pravata</i>	1859, 458
<i>umbrella</i>	1856,	<i>sepulcralis</i>	1860, 359
<i>violascens</i>	1856,	<i>sonneratii</i>	1859, } 150
	1859,		} 458
<i>Crypsirhina varians</i>	1860,	<i>strenuus</i>	1856, 96
	1860,	<i>striatus</i>	1859, 459
<i>Cryptaxis leonina</i>	1854,	<i>sumatranus</i>	1859, 458
<i>undata</i>	1854,	<i>tenuirostris</i>	1859, 458
<i>vulcania</i>	1854,	<i>tymbonotus</i>	1860, 359
<i>Crypticus apiaster</i>	1857,	<i>varius</i>	1859, 459
<i>carinatus</i>	1857,	<i>venustus</i>	1859, 458
<i>martii</i>	1857,	<i>viridis</i>	1859, 457
	1857,	(<i>Cacomantis</i>) <i>sepul-</i>	
<i>superciliaris</i>	1857,	<i>cralis</i>	1860, 359
	1857,	(—) <i>tymbonotus</i>	1860, 359
<i>Cryptodon nuttallii</i>	1856,	<i>Culex equinus</i>	1850, 258
<i>Cryptolopha cinereoca-</i>		<i>Culicipeta poliogenys</i>	1854, 106
<i>pilla</i>	1854,	<i>Culicivora atricapilla</i>	1855, 12
<i>Cryptomya californica</i>	1856,	<i>bilineata</i>	1855, 12
<i>Cryptopodus aubryi</i>	1858,	<i>boliviana</i>	1852, 34
<i>Cryptopus aubryi</i>	1860,		1855, 12
	1858,	<i>dumicola</i>	1855, 12
<i>senegalensis</i>	1860,	<i>leucogastra</i>	1855, 12
	1860,	<i>mexicana</i>	1855, 12
	1860,	<i>stenura</i>	1855, 11
<i>Crystallus crystallina</i>	1854,	<i>Cultellus caribbaeus</i>	1856, 212
<i>Cteniza antipodum</i>	1849,	<i>cultellus</i>	1860, 369
<i>hexops</i>	1849,	<i>dombeii</i>	1856, 212
<i>Cubina grandis</i>	1860,	<i>strigillatus</i>	1856, 212
<i>Cuculus albopunctatus</i>	1859,	<i>Cultrides rufipennis</i>	1849, 63
<i>assimilis</i>	1858,	<i>Cuma sulcata</i>	1856, 42
<i>bengalensis</i>	1859,	<i>Cumingia antillarum</i>	1850, 24
<i>bronzinus</i>	1859,	<i>californica</i>	1856, 213
<i>canorooides</i>	1860,	<i>clerii</i>	1850, 24
	1851,	<i>fragilis</i>	1850, 25
	1857,	<i>similis</i>	1850, 24
<i>canorus</i>	1858,	<i>sinuosa</i>	1850, 25
	1859,	<i>striata</i>	1850, 25
	1859,		
<i>chlorophæus</i>	1859,		
<i>collaris</i>	1859,		
<i>coromandus</i>	1859,		

	Page		Page
<i>Cuncuma leucogaster</i> ..	1858,	<i>Cyanocorax hyacinthinus</i>	1855,
<i>Cuneus truncatus</i>	1853,	incas	1855,
<i>Cuon primævus</i>	{ 1856,	luxuosus	{ 1856,
<i>Cuora amboinensis</i>	1858,	melanoeyaneus	1858,
trifasciata	1855,	nanus	{ 1857,
<i>Curimatus gilberti</i>	1859,	ornatus	{ 1859,
<i>Cursorius chalcopterus</i> ..	1850,	peruvianus.....	1856,
coromandelicus	1858,	pileatus	1855,
<i>Curruca conspicillata</i> ..	1851,	pumilo	1857,
heinekenii	1851,	turcosus	1857,
<i>Cuscus albus</i>	1858,	ultramarinus	{ 1857,
amboinensis	1858,	unicolor	{ 1859,
brevicaudatus	1858,	violaceus.....	{ 1855,
celebensis	{ 1858,	yncas	1858,
macrourus	1860,	<i>Cyanoloxia parellina</i> ..	1854,
maculatus	{ 1860,	<i>Cyanomyia cyanoce-</i>	1856,
orientalis.....	1858,	phala	1857,
ornatus	{ 1858,	franciæ	1859,
quoyii	1860,	quadricolor	1855,
ursinus	{ 1860,	sordida	{ 1856,
<i>Custa bicarinata</i>	1858,	violiceps.....	1859,
<i>Cyanalcyon funebris</i>	1859,	<i>Cyanophonia aureata</i> ..	1856,
<i>Cyanecula suecica</i>	1859,	musica	1856,
<i>Cyanicterus venustus</i> ..	404,	<i>Cyanopica cookii</i>	1850,
<i>Cyanocitta californica</i> .	346,	cyanea	1850,
coronata	1857,	melanocephala	1850,
crassirostris	1858,	pallasi	1850,
diademata	1859,	vallanti.....	1850,
floridana	{ 1859,	<i>Cyanopolius cooki</i>	1850,
nana	302,	<i>Cyanoptera discors</i>	1860,
ornata	381,	<i>Cyanospiza ciris</i>	1859,
stelleri	1857,	cyanea	1859,
turcosa	127,	versicolor	1859,
ultramarina	{ 1858,	<i>Cyanotreron monachus</i> .	1860,
<i>Cyanocorax armillatus</i> .	1860,	<i>Cyanura coronata</i>	1859,
azureus	88,	<i>Cyanurus bullocki</i>	1850,
bicolor	1857,	colliæ	1850,
coronatus	1857,	coronatus	1859,
cyanocapillus.....	127,	cubo	1850,
guatemalensis	552,	diardi	1850,
harrisii	88,	dimidiatus.....	1859,
	82,	macrolophus	1859,
	153,	stelleri	1859,
	18,	<i>Cyathina smithii</i>	1849,
	265,	<i>Cyclanorbis petersii</i> ...	1852,
	204,		{ 1858,
	365,	<i>Cyclanosteus frenatus</i> .	1860,
	153,		{ 1860,
	57,		1860,
	153,		314

	Page
<i>Cyclanosteus frenatus</i> ..	1860, 431
	1858, 167
<i>petersii</i>	1860, 5
	1860, 314
	1860, 315
<i>Cyclemys dentata</i>	1855, 198
<i>platynota</i>	1855, 198
<i>Cyclina bombycina</i>	1860, 124
<i>pectunculus</i>	1860, 125
<i>producta</i>	1856, 161
<i>sinensis</i>	1853, 25
<i>splendida</i>	1860, 124
<i>subquadrata</i>	1856, 201
<i>Cycloderma frenatum</i> ..	1860, 431
<i>Cyclope (Nasa) neriti-</i> <i>nea</i>	1856, 42
<i>Cyclophis calamaria</i>	1858, 383
<i>Cyclophorus æquivocus</i> ..	1857, 112
<i>alabastrinus</i>	1854, 126
<i>cereus</i>	1854, 301
<i>confluens</i>	1860, 140
<i>convexusculus</i>	1855, 104
<i>cytora</i>	1849, 167
<i>deplanatus</i>	1854, 301
<i>exaltatus</i>	1854, 300
<i>excellens</i>	1854, 126
<i>flavidus</i>	1860, 11
<i>floridus</i>	1854, 300
<i>forbesi</i>	1860, 10
<i>involvulus</i>	1855, 104
<i>labiosus</i>	1860, 11
<i>labiosus</i>	1853, 51
<i>lignarius</i>	1857, 112
<i>piriæanus</i>	1853, 51
<i>polynema</i>	1854, 126
<i>punctatus</i>	1860, 11
<i>shiplayi</i>	1856, 337
<i>siamensis</i>	1860, 10
<i>spironema</i>	1854, 127
<i>sumatranus</i>	1854, 301
<i>teniatus</i>	1854, 301
<i>thwaitesii</i>	1854, 127
<i>Cyclopsitta diophthalma</i>	1858, 183
<i>Cyclorhamphus mar-</i> <i>moratus</i>	1859, 89
	415
<i>Cyclorhis flavipectus</i> ..	1858, 448
	1856, 299
<i>flaviventris</i>	1858, 448
	1859, 363
<i>guianensis</i>	1858, 448
<i>nigrirostris</i>	1855, 151
	1858, 448
<i>ochrocephalus</i>	1858, 448
<i>virenticeps</i>	1860, 274
<i>viridis</i>	1858, 448
<i>Cyclorhynchus æquino-</i> <i>tialis</i>	1858, 70
<i>brevirostris</i>	1856, 296

	Page
<i>Cyclorhynchus breviros-</i> <i>tris</i>	1859, 45
<i>cinereiceps</i>	1859, 384
<i>fulvipectus</i>	1860, 92
<i>olivaceus</i>	1858, 70
	1859, 45
<i>subbrunneus</i>	1860, 282
	295
<i>Cyclostoma adolfii</i>	1852, 142
<i>alabastrinum</i>	1854, 126
<i>alatum</i>	1851, 250
<i>alternans</i>	1851, 249
<i>amboinense</i>	1852, 144
<i>amœnum</i>	1852, 62
<i>angustatum</i>	1854, 128
<i>aplustre</i>	1849, 15
<i>appendiculatum</i>	1852, 61
<i>articulatum</i>	1859, 204
<i>bairdii</i>	1852, 144
<i>barclayanum</i>	1852, 158
<i>belairii</i>	1857, 209
<i>bensonii</i>	1852, 158
<i>biciliatum</i>	1851, 72
<i>bicolor</i>	1852, 145
<i>birostre</i>	1854, 300
<i>blandum</i>	1852, 143
<i>boivini</i>	1857, 209
<i>borneensis</i>	1851, 71
<i>borni</i>	1852, 63
<i>bourcierii</i>	1852, 151
<i>canescens</i>	1851, 245
<i>carinatum</i>	1859, 204
<i>carolinense</i>	1852, 65
<i>castaneum</i>	1851, 251
<i>castum</i>	1854, 150
<i>cattaroënsis</i>	1854, 305
<i>cereum</i>	1854, 301
<i>chinense</i>	1854, 299
<i>chloriticum</i>	1854, 151
<i>chrysalis</i>	1852, 158
<i>cinclodes</i>	1852, 142
<i>comorense</i>	1854, 151
<i>conula</i>	1854, 127
<i>crassum</i>	1851, 242
<i>cumanense</i>	1851, 248
<i>cumingii</i>	1850, 56
<i>cuvierianum</i>	1849, 15
<i>denselineatum</i>	1852, 62
<i>deplanatum</i>	1854, 301
<i>desciscens</i>	1851, 243
<i>diaphanum</i>	1851, 248
<i>disculus</i>	1851, 243
<i>dysoni</i>	1851, 243
<i>elatum</i>	1852, 159
<i>elegans</i>	1856, 147
<i>euchilum</i>	1851, 242
<i>eugeniæ</i>	1857, 209
<i>eusarcum</i>	1852, 143

	Page		Page
<i>Cyclostoma exaltatum</i>	1854, 300	<i>Cyclostoma pirrreanum</i>	1853, 51
<i>excellens</i>	1854, 126	<i>pleurophorum</i>	1851, 245
<i>expansilabre</i>	1852, 150	<i>plicosum</i>	1852, 61
<i>expansum</i>	1851, 242	<i>pœcilum</i>	1854, 302
<i>fallax</i>	1852, 65	<i>polynema</i>	1854, 126
<i>fasciculare</i>	1851, 245	<i>ponderosum</i>	1851, 243
<i>filosum</i>	1857, 210	<i>psilomitum</i>	1851, 250
<i>flammeum</i>	1854, 127	<i>ptero-cycloides</i>	1854, 300
<i>floridum</i>	1854, 300	<i>punctulatum</i>	1854, 128
<i>formosum</i>	1849, 15	<i>purum</i>	1850, 56
<i>fornicatum</i>	1852, 146	<i>quitense</i>	1852, 61
<i>fortunei</i>	1852, 146	<i>radula</i>	1851, 246
<i>fulguratum</i>	1852, 63	<i>recluzianum</i>	1853, 51
<i>fuscum</i>	1851, 251	<i>regulare</i>	1851, 244
<i>gibbosum</i>	1852, 151	<i>rostratum</i>	1852, 66
<i>gradatum</i>	1854, 303	<i>rusticum</i>	1851, 250
<i>grateloupi</i>	1851, 246	<i>saccatum</i>	1852, 65
<i>griseum</i>	1853, 51	<i>scalare</i>	1851, 250
<i>guatemalense</i>	1851, 235	<i>sechellarum</i>	1854, 302
<i>guttatum</i>	1851, 251	<i>semiclausum</i>	1854, 302
<i>harpa</i>	1851, 247	<i>sericatum</i>	1851, 244
<i>heliciniforme</i>	1852, 151	<i>shuttleworthi</i>	1851, 246
<i>hemiotum</i>	1852, 143	<i>simplex</i>	1852, 143
<i>himalayanum</i>	1851, 242	<i>spironema</i>	1854, 127
<i>histrion</i>	1851, 247	<i>striatum</i>	1852, 147
<i>ibyatense</i>	1852, 62	<i>subconicum</i>	1859, 27
<i>ignescens</i>	1851, 251	<i>subliratum</i>	1852, 65
<i>insulare</i>	1852, 64	<i>sumatrense</i>	1854, 301
<i>integrum</i>	1851, 247	<i>tæniatum</i>	1854, 301
<i>jucundum</i>	1852, 66	<i>tenuilabiatum</i>	1851, 71
<i>kienerii</i>	1854, 302	<i>thwaitesii</i>	1854, 127
<i>kraussianum</i>	1852, 64	<i>trochlea</i>	1851, 249
<i>kusteri</i>	1851, 249	<i>truncatum</i>	1856, 22
<i>labiosum</i>	1853, 51	<i>tubuliferum</i>	1853, 51
<i>leucostomum</i>	1852, 144	<i>tubulum</i>	1857, 209
<i>ligatum</i>	1849, 16	<i>turritum</i>	1851, 248
<i>lineatum</i>	1852, 65	<i>undatum</i>	1851, 71
<i>liratum</i>	1852, 64	<i>unicolor</i>	1851, 243
<i>longicolle</i>	1854, 128	<i>venezuelense</i>	1853, 51
<i>loweanum</i>	1852, 142	<i>ventricosum</i>	1854, 304
<i>loxostomum</i>	1852, 146	<i>violaceum</i>	1851, 245
<i>lugubre</i>	1851, 249	<i>virgo</i>	1854, 150
<i>luridum</i>	1852, 63	<i>vitellinum</i>	1852, 64
<i>lutescens</i>	1851, 250	<i>(Aulopoma) grande</i>	1855, 104
<i>magnificum</i>	1852, 142	<i>(Chondropoma) cordovanum</i>	1856, 323
<i>margarita</i>	1851, 244	<i>(Cyclophorus) æquivocum</i>	1857, 112
<i>minutissimum</i>	1854, 305	<i>(—) boucardii</i>	1856, 323
<i>mite</i>	1852, 63	<i>(—) convexiusculum</i>	1855, 104
<i>montanum</i>	1854, 300	<i>(—) forbesianum</i>	1855, 104
<i>multiliratum</i>	1852, 150	<i>(—) lignarium</i>	1857, 112
<i>nobile</i>	1852, 142	<i>(—) shiplayi</i>	1856, 337
<i>orbignyi</i>	1851, 149	<i>(Cyclostomus) anatonense</i>	1855, 105
<i>ovatum</i>	1851, 246	<i>(—) boivini</i>	1856, 338
<i>pallidum</i>	1851, 248	<i>(—) leve</i>	1855, 118
<i>parvispirum</i>	1854, 128		
<i>patera</i>	1852, 61		
<i>picturatum</i>	1852, 62		
<i>pingue</i>	1851, 248		

	Page		Page
<i>Cyclostoma</i> (<i>Cyclostoma</i>) <i>microchasma</i>	1856, 338	<i>Cyclotus bairdianus</i>	1857, 153
(—) <i>principalis</i>	1859, 27	<i>beswickii</i>	1857, { 145 157
(—) <i>sarcodes</i>	1856, 339	<i>birostratus</i>	1854, 300
(—) <i>sinuatum</i>	1855, 104	<i>bogotensis</i>	1855, 117
(<i>Cyclotus</i>) <i>bogotense</i>	1855, 117	<i>chinensis</i>	1854, 299
(—) <i>daucinum</i>	1856, 337	<i>conicus</i>	1860, 10
(—) <i>glaucostomum</i>	1855, 103	<i>corrugatior</i>	1857, { 145 149
(—) <i>irregulare</i>	1855, 117	<i>corrugatissimus</i>	1857, { 145 155
(—) <i>lindstedti</i>	1856, 391		143
(—) <i>macgillivrayi</i>	1855, 103	<i>corrugatus</i>	1857, { 144 145
(—) <i>sordidum</i>	1855, 103		146
(<i>Leptopoma</i>) <i>barbatum</i>	1855, 104		142
(—) <i>duplicatum</i>	1856, 338	<i>crassus</i>	1857, { 143 145
(—) <i>hanleyanum</i>	1856, 384		155
(—) <i>signatum</i>	1856, 338	<i>cycloatus</i>	1857, { 145 148
(—) <i>wallacei</i>	1857, 112	<i>daucinus</i>	1856, 337
(<i>Opisthoporus</i>) <i>cochinchinensis</i>	1856, 337	<i>deburghæanus</i>	1857, { 145 152
(—) <i>euryomphalum</i>	1856, 337		145
(<i>Otopoma</i>) <i>listeri</i>	1859, 204	<i>dentistigmatus</i>	1857, { 145 154
<i>Cyclostomus annatonensis</i>	1855, 105		145
<i>boivini</i>	1856, 338	<i>dubiosus</i>	1857, 149
<i>gradatus</i>	1854, 303	<i>duffianus</i>	1857, 142
<i>kienerii</i>	1854, 302	<i>gemma</i>	1857, { 145 150
<i>levis</i>	1855, 118	<i>glaucostomus</i>	1855, 103
<i>microchasma</i>	1856, 338	<i>inutilis</i>	1857, { 145 155
<i>parvispirus</i>	1854, 128	<i>irregularis</i>	1855, { 117 142
<i>sarcodes</i>	1856, 339		143
<i>sinuatus</i>	1855, 105	<i>jamaicensis</i>	1857, { 144 154
<i>Cyclostrema angulata</i>	1850, 44		144
<i>cancellata</i>	1850, 41	<i>jugosus</i>	1857, { 145 156
<i>cingulifera</i>	1850, 43		391
<i>cobijensis</i>	1850, 42	<i>lindstedti</i>	1856, 391
<i>elegans</i>	1850, 44	<i>macgillivrayi</i>	1855, 103
<i>excavata</i>	1856, 169	<i>montanus</i>	1854, 300
<i>granulata</i>	1853, 183	<i>nodosus</i>	1857, { 145 157
<i>micans</i>	1850, 44		145
<i>nitida</i>	1850, 43	<i>notatus</i>	1857, { 148 145
<i>nivea</i>	1850, 42		145
<i>octolirata</i>	1856, 169	<i>novæ-spei</i>	1857, 148
<i>pentagoniostoma</i>	1856, 169		145
<i>plana</i>	1850, 43	<i>novus-saltus</i>	1857, { 145 154
<i>planorbula</i>	1850, 43		145
<i>reeviana</i>	1850, 42	<i>pallescens</i>	1857, { 156 145
<i>spirula</i>	1850, 42		145
<i>sulcata</i>	1850, 44	<i>parvus</i>	1857, 145
	1851, 219	<i>perpallidus</i>	1857, { 145 157
<i>Cyclothurus didactylus</i>	{ 1856, 139 1859, 450		
<i>Cyclotus asperulus</i>	1857, { 143 145		
<i>bairdianus</i>	1857, 145		

	Page		Page
<i>Cyclotus portlandensis</i> .. 1857,	145	<i>Cylindrella flammulata</i> . 1852,	141
	147	ghiesbreghtii	1856, 380
pretiosus 1857,	145	gouldiana	1851, 149
	153	grandis	1860, 139
ptero-cycloides 1854,	300	greyana	1857, 163
recluzianus 1853,	51	macrostoma	1857, 111
ruber 1857,	145	malleata	1852, 140
	153	menkeana	1852, 140
rudis-planusque .. 1857,	145	mexicana	1860, 139
	152	monilifera	1851, 148
rufilabris 1857,	145	polygyra	1856, 322
	156	punctura	1852, 141
rupis-frontis 1857,	145	salleana	1851, 149
	155	seminula	1860, 410
seminudus 1857,	144	sericea	1849, 134
	145	splendida	1860, 139
sordidus 1855,	152	turris	1856, 380
	103	zebrina	1852, 68
striosus 1857,	145	<i>Cylindrophis maculata</i> . 1858,	383
	156	<i>Cylindrus erythrostoma</i> . 1858,	42
subrugosus 1857,	143	nigellus	1858, 42
	145	<i>Cyllene concinna</i> 1850,	205
	149	fuscata	1850, 205
	143	glabrata	1850, 206
suturalis 1857,	145	grana	1850, 205
	149	grayi	1850, 205
tubulifera 1853,	51	lugubris	1850, 205
	144	lyrata	1850, 205
varians 1857,	145	orientalis	1850, 205
	149	owenii	1850, 205
westmorelandensis . 1857,	145	pallida	1850, 205
	156	pulchella	1850, 205
zigzag 1857,	145	striata	1850, 205
	150	unimaculata	1855, 123
<i>Cyclura collei</i> 1849,	106	<i>Cymatium polygonum</i> .. 1851,	230
lophoma 1848,	99	<i>Cymba cymbium</i> 1855,	52
	1859, 206	gracilis	1855, 52
<i>Cygnus atratus</i> { 1860,	258	neptuni	1855, 52
	416	olla	1855, 51
coscoroba 1860,	388	patula	1855, 52
ferus 1849,	28	porcina	1855, 52
gambensis 1860,	42	proboscidalis 1855,	52
	1859, 98	rubiginosa 1855,	52
nigricollis { 1859,	206	tritoniis	1855, 52
	1860,		112
	388	<i>Cymbilanius lineatus</i> . { 1854,	65
<i>Cylichna carpenteri</i> 1858,	543		1858, 206
<i>Cylichnidia cylichna</i> .. 1854,	206	<i>Cymbiola ancilla</i> 1855,	57
ovuliformis 1854,	206	beckii	1855, 58
<i>Cylindrella adamsiana</i> .. 1851,	148	brasiliانا	1855, 57
apiostoma 1856,	322	colocynthis	1855, 57
arctospira 1860,	139	ferussacii	1855, 58
blandiana 1852,	68	festiva	1855, 61
boucardi 1856,	321	magellanica 1855,	57
carinata 1852,	68	mitis	1855, 56
chordata 1855,	117	nivosa	1855, 56
clava 1856,	380	pacifica	1855, 58
cretacea 1860,	140	tuberculata 1855,	58
eximia 1858,	23		

	Page		Page
<i>Cymbiola turnerii</i>	1853,	36	
<i>vespertilio</i>	1855,	56	
<i>Cymbirhynchus affinis</i> ..	1859,	150	
<i>macrorhynchus</i>	1854,	267	
<i>Cymbium æthiopicum</i> ..	1855,	53	
<i>armatum</i>	1855,	53	
<i>broderipii</i>	1855,	53	
<i>cisium</i>	1855,	52	
<i>coronatum</i>	1855,	54	
<i>cymbium</i>	1855,	52	
<i>diadema</i>	1855,	53	
<i>georginæ</i>	1855,	53	
<i>gracile</i>	1855,	52	
<i>indicum</i>	1855,	53	
<i>manilla</i>	1855,	55	
<i>melo</i>	1855,	53	
<i>miltonis</i>	1855,	53	
<i>neptuni</i>	1855,	52	
<i>olla</i>	1855,	51	
<i>papillatum</i>	1855,	51	
<i>patulum</i>	1855,	52	
<i>porcinum</i>	1855,	52	
<i>proboscidale</i>	1855,	52	
<i>rubiginosum</i>	1855,	52	
<i>tessellatum</i>	1855,	54	
<i>tritonis</i>	1855,	52	
<i>umbilicatum</i>	1855,	53	
		54	
<i>Cymindis cayennensis</i> ..	{ 1859,	52	
<i>uncinata</i>	{ 1860,	289	
<i>wilsonii</i>	{ 1857,	3	
	{ 1857,	3	
<i>Cynanthus cyanurus</i> ..	{ 1855,	140	
	{ 1860,	70	
<i>Cynictis maccarthiæ</i> ..	1851,	131	
<i>Cynocephalus anubis</i> ..	1860,	421	
<i>babuin</i>	1860,	421	
<i>hamadryas</i>	{ 1849,	94	
	{ 1860,	372	
	{ 1860,	422	
<i>olivaceus</i>	1860,	421	
<i>sphinx</i>	{ 1859,	434	
	{ 1860,	421	
<i>thoth</i>	1860,	421	
<i>Cynophis helena</i>	1858,	383	
<i>Cynopithecus nigrescens</i>	1860,	4	
<i>Cynops chinensis</i>	1859,	229	
<i>pyrrhogaster</i>	{ 1858,	138	
	{ 1859,	229	
<i>Cynopteris horsfieldii</i> ..	1858,	537	
<i>marginatus</i>	{ 1850,	156	
	{ 1858,	35	
	{ 1858,	537	
<i>Cyphorinus albigularis</i> }	1855,	76	
	1857,	4	
<i>griseicollis</i>	1860,	64	
<i>leucostictus</i>	{ 1855,	77	
	{ 1858,	63	
	{ 1858,	96	
<i>modulator</i>	1858,	63	
<i>phæocephalus</i>	1860,	291	
	{ 1858,	64	
	{ 1858,	96	
<i>prostheleucus</i>	{ 1859,	363	
	{ 1859,	372	
<i>pusillus</i>	1859,	372	
<i>Cypræa adusta</i>	1848,	97	
<i>barclayi</i>	1857,	208	
<i>bicolor</i>	1848,	92	
<i>clara</i>	1851,	13	
<i>compta</i>	1860,	189	
<i>cribellum</i>	1849,	22	
<i>cribraria</i>	1849,	23	
<i>eximia</i>	1849,	{ 124	
		{ 125	
<i>flaveola, var.</i>	1848,	97	
<i>gracilis</i>	1848,	93	
<i>grando</i>	1848,	96	
<i>helvola</i>	1853,	41	
<i>humphreysii</i>	1848,	98	
<i>marginata</i>	1848,	91	
<i>nivea</i>	1848,	98	
<i>obscura</i>	1848,	94	
<i>onyx</i>	1848,	97	
<i>oryza</i>	1848,	98	
<i>piperita</i>	1848,	97	
<i>producta</i>	1848,	98	
<i>pulex, var.</i>	1849,	23	
<i>pulicaria</i>	1848,	97	
<i>pulla</i>	1848,	97	
<i>quadrimaculata, var.</i>	1848,	97	
<i>sulcata</i>	1848,	95	
<i>thersites</i>	1848,	90	
<i>turdus</i>	1848,	98	
<i>umbilicata</i>	1849,	{ 124	
		{ 125	
<i>vitrea</i>	1848,	95	
<i>Cypræus marinus</i>	1857,	292	
<i>Cypricardia californica</i> ..	1856,	217	
<i>duperryi</i>	1856,	217	
<i>Cypricia nuttallii</i>	1856,	210	
<i>Cypridina adamsi</i>	1860,	199	
<i>albomaculata</i>	1860,	201	
<i>bimaculata</i>	1860,	199	
<i>brenda</i>	1860,	199	
<i>cærulea</i>	1860,	199	
<i>elliptica</i>	1860,	199	
<i>excisa</i>	1860,	200	
<i>formosa</i>	1860,	200	
<i>gibbosa</i>	1860,	200	
<i>globosa</i>	1860,	200	

	Page		Page
<i>Cypridina godehevi</i>	1860, 200	<i>Cypselus niger</i>	1859, 236
<i>hieroglyphica</i>	1850, 256	<i>palmarum</i>	1855, 28
<i>interpuncta</i>	1850, 257	<i>subfurcatus</i>	1854, 264
<i>interpunctata</i>	1860, 199	<i>unicolor</i>	1851, 142
<i>luteola</i>	1860, 200	<i>vittatus</i>	1854, 264
<i>macandrei</i>	1850, 257	<i>Cypsnagra ruficollis</i>	1856, 112
<i>macandrewii</i>	1860, 199	<i>Cyrena æquilatera</i>	1854, 20
<i>mariaë</i>	1850, 257	<i>affinis</i>	1854, 16
<i>mediterranea</i>	1860, 199	<i>altilis</i>	1856, 202
<i>norvegica</i>	1860, 200	<i>ambigua</i>	1856, 186
<i>oblonga</i>	1860, 200	<i>angulata</i>	1854, 22
<i>olivaceus</i>	1860, 200	<i>anomala</i>	1854, 21
<i>ovum</i>	1860, 201	<i>arctata</i>	1854, 20
<i>punctata</i>	1860, 200	<i>brunnea</i>	1860, 321
<i>reynaudii</i>	1860, 199	<i>cochinensis</i>	1858, 543
<i>zealandica</i>	1850, 102	<i>compta</i>	1854, 18
	1860, 257	<i>conjuncta</i>	1854, 15
	1860, 199	<i>consobrina</i>	1856, 186
<i>Cyprinodon dispar</i>	1859, 470	<i>cor</i>	1856, 186
<i>hammonis</i>	1856, 371	<i>cumingii</i>	1854, 22
<i>lunatus</i>	1859, 474	<i>decipiens</i>	1854, 17
<i>moseas</i>	1859, 474	<i>divaricata</i>	1854, 17
<i>Cyprinus auratus</i>	1859, 229	<i>dura</i>	1854, 20
<i>bithynicus</i>	1856, 372	<i>essingtonensis</i>	1854, 19
<i>carpis</i>	1856, 372	<i>euphratica</i>	1856, 186
<i>elatus</i>	1856, 372	<i>fallax</i>	1854, 15
<i>flavipinnis</i>	1856, 372	<i>flava</i>	1860, 320
<i>hungaricus</i>	1856, 372	<i>fluminalis</i>	1856, 186
<i>nordmanni</i>	1856, 372	<i>gemmellarii</i>	1856, 186
<i>Cypris belcherii</i>	1852, 7	<i>imprensa</i>	1854, 18
<i>cuneata</i>	1850, 255	<i>incerta</i>	1854, 19
<i>cylindrica</i>	1859, 233	<i>inflata</i>	1854, 23
—, var. <i>major</i>	1859, 233	<i>inquinata</i>	1854, 15
<i>dentatmarginata</i>	1859, 233	<i>insignis</i>	1854, 20
<i>donnetii</i>	1850, 254	<i>isocardioides</i>	1854, 22
<i>schomburgkii</i>	1852, 8	<i>jukesii</i>	1854, 19
<i>subglobosa</i>	1859, 232	<i>lauta</i>	1854, 15
<i>triangularis</i>	1854, 6	<i>mactroides</i>	1854, 17
<i>Cyprovula eximia</i>	1849, 125	<i>maritima</i>	1854, 345
<i>umbilicata</i>	1849, 125	<i>mexicana</i>	1856, 202
	1854, 265	<i>moretonensis</i>	1854, 341
	1855, 28	<i>nitida</i>	1854, 23
<i>Cypselus affinis</i>	1855, 50	<i>nitidula</i>	1854, 21
	1857, 88	<i>notabilis</i>	1854, 21
	1858, 477	<i>oblonga</i>	1854, 341
	1859, 175	<i>obscura</i>	1860, 321
<i>apus</i>	1858, 477	<i>oviformis</i>	1854, 16
<i>australis</i>	1859, 175	<i>pallida</i>	1854, 17
<i>cayennensis</i>	1854, 264	<i>panormitana</i>	1856, 186
<i>giganteus</i>	1857, 232	<i>philippinarum</i>	1854, 340
<i>melba</i>	1854, 266	<i>pisiformis</i>	1854, 341
<i>murarius</i>	1858, 477	<i>placida</i>	1854, 19
<i>mystaceus</i>	1859, 175	<i>senegalensis</i>	1854, 341
	1851, 142	<i>similis</i>	1854, 16
	1858, 170	<i>sinuosa</i>	1854, 18
	1860, 345	<i>sphaericula</i>	1854, 340
		<i>tennentii</i>	1858, 23
		<i>triangularis</i>	1851, 74

	Page		Page
<i>Cyrena triangularis</i>	1856,		186
<i>trigonula</i>	1856,		186
<i>sublobata</i>	1854,		18
<i>subquadrata</i>	1854,		21
<i>ventricosa</i>	1854,		16
(<i>Corbicula</i>) <i>orientalis</i> 1860,			16
<i>Cyrenella lenticularis</i>	1854,		341
<i>poiocephala</i>	1854,		271
<i>Cyrtactis clavata</i>	1858,		148
<i>Cyrtonops punctipennis</i>	1853,		29
<i>Cyrtonyx massena</i>	1858,		305
<i>Cyrtophis scutatus</i>	1859,		88
<i>Cyrtostomus flammaxil-</i>			
<i>laris</i>	1859,		462
<i>frenatus</i>	1860,		348
<i>Cystignathus senegalen-</i>			
<i>sis</i>	1858,		165
<i>Cystophora antillarum</i>	1849,		93
<i>cristata</i>	1849,		91
			93
<i>Cystosoma saundersii</i>	1852,		14
<i>Cythara garretti</i>	1860,		147
<i>pusilla</i>	1860,		147
<i>varia</i>	1860,		147
<i>Cythere setosa</i>	1850,		255
<i>tarentina</i>	1850,		255
<i>Cytherea callosa</i>	1856,		216
<i>elegans</i>	1853,		6
<i>nobilis</i>	1849,		126
<i>scripta</i>	1853,		6
<i>subtrigona</i>	1856,		357
(<i>Meretrix</i>) <i>impudica</i> 1860,			17
(—) <i>zonaria</i>	1860,		17
(<i>Trigonella</i>) <i>crassa-</i>			
<i>telloides</i>	1856,		216
<i>Cythereis australis</i>	1850,		255
<i>deformis</i>	1850,		256
<i>fistulosa</i>	1850,		256
<i>prava</i>	1850,		256
<i>runcinata</i>	1850,		256
<i>senticosa</i>	1850,		256
<i>Cyzicus</i>	1849,		85
<i>bravaisii</i>	1849,		85
			87
	{ 1858,		383
<i>Dabovia elegans</i>	1860,		164
	1860,		168
	1860,		170
<i>Dacelo buccoides</i>	1854,		268
<i>chlorocephalus</i>	1858,		172
<i>gaudichaudi</i>	{ 1858,		171
	1859,		154
<i>gigas</i>	1860,		371
<i>macrorhinus</i>	1859,		154
<i>pulchella</i>	1854,		268
<i>tyro</i>	1858,		171
<i>Dacnis angelica</i>	1854,		110
<i>Dacnis angelica</i>		{ 1854,	251
		1855,	137
		1857,	263
		1858,	452
<i>archangelica</i>	1857,		263
<i>atricapilla</i>	1854,		110
			252
<i>cærebicolor</i>	{ 1854,		252
	1855,		137
	1854,		110
	1854,		252
<i>cayana</i>	{ 1855,		137
	1857,		263
	1858,		61
	1858,		452
<i>cyanomelas</i>	1854,		252
	1854,		251
	1855,		137
	1860,		65
<i>egregia</i>	{ 1860,		85
	1860,		274
	1860,		292
	1854,		252
<i>flaviventris</i>	{ 1857,		263
<i>hartlaubii</i>	1854,		251
<i>leucogenys</i>	1855,		138
<i>melanotis</i>	1857,		263
<i>nigripes</i>	1857,		263
<i>plumbea</i>	1854,		252
	1854,		252
<i>pulcherrima</i>	{ 1855,		84
	1855,		137
<i>rufocinerea</i>	1855,		75
			138
<i>speciosa</i>	{ 1854,		252
	1855,		138
<i>Dacosta australis</i>	1858,		315
<i>Dactylethra capensis</i>	1858,		166
<i>lævis</i>	1858,		166
<i>mülleri</i>	1858,		166
<i>Dactylocalyx pumiceus</i>	1859,		439
<i>Dactylopsila trivirgata</i>	1858,		111
	1857,		206
	1859,		190
<i>Dafila acuta</i>	{ 1859,		437
	1860,		303
	1860,		337
	1860,		338
<i>urophasianus</i>	1860,		389
<i>Dama vulgaris</i>	1850,		229
<i>Damalis albifrons</i>	1850,		141
<i>lunatus</i>	1850,		140
<i>pygarga</i>	1850,		141
			132
<i>senegalensis</i>	1850,		140
			141
? <i>zebra</i>	1850,		142
(<i>Acronotus</i>) <i>lunatus</i> 1850,			140

	Page		Page
<i>Damalis</i> (<i>Acronotus</i>) <i>se-</i>		<i>Delphinula atrata</i>	1854, 42
<i>negalensis</i>	1850, 140	<i>calcar</i>	1850, 51
(<i>Boselaphus</i>) <i>canna</i>	1850, 143	<i>cobijensis</i>	1850, 42
(—) <i>oreas</i>	1850, 143	<i>costata</i>	1853, 186
(<i>Portax</i>) <i>risia</i>	1850, 146	<i>euracantha</i>	1850, 51
<i>Dandridgia dysderoides</i>	1849, 5	<i>martinii</i>	1854, 42
<i>Daphnella bella</i>	1860, 147	<i>nivea</i>	1850, 42
<i>interrupta</i>	1860, 147	<i>reeviana</i>	1850, 42
<i>maculosa</i>	1860, 148	<i>stellaris</i>	1850, 52
<i>sandwicensis</i>	1860, 148	<i>tyrria</i>	1854, 42
<i>Daphnia gigas</i>	1849, { 84	<i>Delphinus eutropia</i>	1849, 1
	87	<i>globiceps</i>	1853, { 63
	88	<i>orca</i>	1853, 103
<i>newportii</i>	1860, 446	<i>Demiegretta ludoviciana</i>	1860, 253
<i>Dasycephala albifrons</i>	1858, 273	<i>Dendraspis angusticeps</i>	1858, 160
<i>cinerea</i>	1859, 41	<i>jamesonii</i>	1858, 160
<i>citreopyga</i>	1859, 41	<i>Dendrexetastes capitoides</i>	1855, { 77
<i>hæmatodes</i>	1859, 41		142
<i>rubra</i>	1859, 41	<i>Dendrochelidon mysta-</i>	
<i>uropygialis</i>	1859, 41	<i>ceus</i>	1860, 345
<i>Dasypeltis inornata</i>	1858, 161	<i>wallacii</i>	1859, 100
<i>palmarum</i>	1858, 161	<i>Dendrocinclá anabatina</i>	1859, { 54
<i>scabra</i>	1858, { 161		382
	379	<i>Dendrocitta rufa</i>	{ 1857, 98
<i>Dasyprocta aguti</i>	1860, 442		1858, 479
<i>aurea</i>	1859, 436	<i>sinensis</i>	1858, 479
<i>azarae</i>	1849, 64	<i>vagabunda</i>	1859, 172
<i>caudata</i>	1860, 216	<i>Dendrocolaptes atrirostris</i>	1858, 63
<i>fuliginosa</i>	1860, 216	<i>cayennensis</i>	1857, 265
<i>nigra</i>	1860, 216	<i>eytoni</i>	1853, 69
<i>nigricans</i>	1860, 216	<i>lineatocephalus</i>	1855, 142
<i>Dasypylus pecquetii</i>	1860, 227	<i>perrotii</i>	1855, 142
<i>Dasypus encoubert</i>	1860, 372	<i>promeropirhynchus</i>	1855, 142
<i>gigas</i>	1858, 340	<i>sancti-thomæ</i>	{ 1858, 96
<i>minutus</i>	1851, 214		1859, 54
<i>peba</i>	{ 1859, 51	<i>Dendrocops albirostris</i>	1860, 88
	1860, 177		{ 66
<i>punctatus</i>	1851, 213	<i>atrirostris</i>	1860, { 278
<i>sexcinctus</i>	1851, 214		293
<i>villosus</i>	1851, 214	<i>tyranninus</i>	1855, 142
<i>Dasythamnus xantho-</i>		<i>Dendrocops sordidus</i>	1859, 455
<i>pterus</i>	1857, 132	<i>Dendrocoryna arcuata</i>	1859, 150
<i>Dasyurus maculatus</i>	1860, 415	<i>autumnalis</i>	1858, 360
<i>ursinus</i>	1860, 242	<i>badia</i>	1860, 366
<i>Defrancia intercalaris</i>	1856, 163	<i>viduata</i>	1850, 221
<i>serrata</i>	1856, 163	<i>Dendroca æstiva</i>	1859, 363
<i>Delattria clemenciæ</i>	{ 1858, 297	<i>auduboni</i>	1860, 250
	1859, 367	<i>aureola</i>	1860, 291
	1856, 287	<i>blackburniæ</i>	1859, 363
<i>henrici</i>	{ 1858, 297	<i>chrysoparia</i>	1860, 298
	1859, 367	<i>coronata</i>	1859, 363
	1859, 386	<i>icterocephala</i>	1859, { 363
	1856, 287		374
<i>rhami</i>	{ 1857, 212	<i>maculosa</i>	1859, { 363
	1858, 297		374
	1859, 367	<i>nigrescens</i>	1859, 374
<i>Delichon nipalensis</i>	1854, 104	<i>olivacea</i>	1859, 363
<i>Delphinula aculeata</i>	1850, 51		

	Page		Page		
<i>Dendroeca superciliosa</i> ..	1859,	363	<i>Desmodus rufus</i>	1860,	212
		374	<i>Desmognathus fuscus</i> ..	1858,	144
<i>townsendi</i>	1859,	374	<i>Desmophyllum stokesii</i> ..	1849,	74
<i>virens</i>	1859,	363	<i>Desmoulea abbreviata</i> ..	1851,	113
		373	<i>crassa</i>	1851,	113
<i>Dendroica auduboni</i>	1858,	298	<i>japonica</i>	1851,	113
<i>blackburniæ</i>	1860,	64	<i>pinguis</i>	1851,	113
		84	<i>pyramidalis</i>	1851,	113
<i>nigrescens</i>	1858,	298	<i>retusa</i>	1851,	113
<i>olivacea</i>	1858,	298	<i>ringens</i>	1854,	42
		98	<i>Deucalion wollastoni</i> ..	1856,	406
		1852,	<i>Diadema deois</i>	1858,	464
<i>Dendrolagus inustus</i> ..	1858,	103	<i>pandarus</i>	1858,	464
		106	<i>Diaphonia metallescens</i> ..	1859,	119
<i>ursinus</i>	1858,	106	<i>Diardigallus crawfurdi</i> ..	1859,	353
<i>Dendromanes anabatinus</i> ..	1859,	382	<i>fasciolatus</i>	1859,	40
<i>homochrous</i>	1859,	382			353
<i>Dendrophis albovariata</i> ..	1858,	161	<i>prælatius</i>	1859,	353
<i>chenonii</i>	1858,	161	<i>Diastocera catherina</i>	1858,	402
<i>colubrina</i>	1858,	162	<i>Dicæum cruentatum</i> ..	1859,	150
<i>flavigularis</i>	1858,	162			151
<i>liocercus</i>	1859,	413	<i>erythrothorax</i>	1860,	349
<i>nigrolineatus</i>	1858,	160	<i>ignicapillum</i>	1859,	463
		1858,	<i>ignicolle</i>	1858,	173
<i>picta</i>	1860,	163	<i>nigrum</i>	1858,	173
<i>præornatus</i>	1858,	158	<i>rubrocanum</i>	1860,	349
		382	<i>rushie</i>	1858,	291
<i>punctulata</i>	1858,	384	<i>schistaceiceps</i>	1860,	349
		158	<i>trigonostigma</i>	1859,	150
<i>smaragdina</i>	1858,	161	<i>Dicholophus burmeisteri</i> ..	1860,	335
<i>viridis</i>	1859,	412	<i>cristatus</i>	1860,	334
<i>Dendrornis brevirostris</i> ..	1858,	63	<i>Dicotyles albirostris</i>	1860,	262
<i>erythropygia</i>	1859,	366			442
		381	<i>labiatus</i>	1848,	70
<i>flavigastra</i>	1856,	289		1860,	262
		1859,		1859,	51
<i>guttata</i>	1854,	111		1860,	181
<i>pallidirostris</i>	1858,	63		1860,	206
		77	<i>torquatus</i>	1860,	242
<i>temmincki</i>	1855,	142		1860,	262
		142		1860,	417
<i>triangularis</i>	1855,	289		1860,	443
		1859,	<i>Dicranoceros americanus</i> ..	1850,	174
		206			158
<i>Dendrortyx barbata</i> ..	1859,	369	<i>Dicroglossus adolfi</i>	1860,	164
		414			168
<i>Dentalium glabrum</i>	1858,	435			170
		414	<i>Dicrurus affinis</i>	1854,	272
<i>imperforatum</i>	1858,	425	<i>amboinensis</i>	1860,	354
<i>incurvum</i>	1858,	425	<i>assimilis</i>	1858,	179
<i>minutum</i>	1858,	413		1859,	157
		435	<i>atrocæruleus</i>	1860,	354
<i>trachea</i>	1858,	414	<i>aurita</i>	1860,	268
		425	<i>balicassius</i>	1854,	271
<i>Dentiger ponticerianus</i> ..	1854,	262	<i>bracteatus</i>	1858,	179
<i>Dermophrys maja</i>	1859,	444	<i>cærulescens</i>	1858,	495
<i>Desmodus d'orbignyi</i> ..	1858,	547	<i>canipennis</i>	1850,	217
<i>rufus</i>	1858,	547			

	Page		Page
<i>Dicrurus divaricatus</i>	1850, 217	<i>Dinornis casuarinus</i>	1848, 1
<i>longicaudatus</i>	1858, 495 1859, 180	<i>crassus</i>	1856, 55
<i>lugubris</i>	1850, 217	<i>curtus</i>	1848, 1
<i>macrocerus</i>	1854, 47 1857, 90 1859, 150	<i>didiformis</i>	1848, 1
<i>malabaricus</i>	1854, 272	<i>elephantopus</i>	1856, 54 1848, 1 1850, 45
<i>megalornis</i>	1858, 179	<i>giganteus</i>	1850, 208 1852, 10 1856, 55
<i>musicus</i>	1850, 217	<i>gracilis</i>	1854, 244
<i>paradiseus</i>	1857, 90	<i>otidiformis</i>	1848, 1
<i>Didelphys asiaticus</i>	1858, 106	<i>rheides</i>	1850, 45
<i>azaræ</i>	1860, 268	<i>robustus</i>	1856, 55
<i>cancrivora</i>	1848, 37 1860, 268	<i>struthioïdes</i>	1854, 244
<i>cinerea</i>	1858, 548 1860, 60	<i>Diomedea fuliginosa</i>	1859, 98 1860, 390
<i>crassicaudata</i>	1860, 415	<i>melanophrys</i>	1859, 98 1860, 390
<i>noctivaga</i>	1860, 60	<i>Dione crocea</i>	1853, 2
<i>orientalis</i>	1858, 104	<i>phasianella</i>	1853, 2
<i>ornata</i>	1860, 268	<i>rufescens</i>	1853, 2
<i>pusilla</i>	1858, 548	<i>Diphylla ecaudata</i>	1860, 212
<i>virginianus</i>	1860, 183	<i>Diphylloides wilsoni</i>	1857, 6
<i>waterhousii</i>	1860, 58 217, 303	<i>Diplodonta globulosa</i>	1855, 226
	1848, 2	<i>orbella</i>	1856, 202 218
	1848, 3	<i>semiaspersa</i>	1856, 202
<i>Didus</i>	1848, 4	<i>subquadrata</i>	1855, 230
	1848, 5	<i>Diplommatina bensoni</i>	1852, 94
	1860, 443	<i>cantori</i>	1856, 336
<i>ineptus</i>	1851, 281	<i>capillacea</i>	1854, 303
<i>nazarenus</i>	1851, 284	<i>chordata</i>	1855, 105
<i>solitarius</i>	1851, 283	<i>huttoni</i>	1852, 157
	1855, 138	<i>macgillivrayi</i>	1854, 303
<i>Diglossa albilateralis</i>	1859, 138	<i>Diplopterus excellens</i>	1857, 229 1859, 60
	1860, 85	<i>nævius</i>	1860, 285
	1855, 138	<i>Dipsadoboa unicolor</i>	1858, 162
	1858, 551	<i>Dipsadomorphus biscu-</i>	1860, 452
<i>aterrima</i>	1859, 440	<i>tatus</i>	1860, 457
	1860, 76	<i>ceylonensis</i>	1858, 383
	1860, 85	<i> nigromarginatus</i>	1858, 383
	1856, 286	<i>trigonatus</i>	1860, 164
<i>baritula</i>	1859, 364	<i>Dipsas annulata</i>	1859, 89
	1859, 376	<i>biscutata</i>	1860, 457
<i>d'orbignyi</i>	1855, 138	<i>blandingii</i>	1858, 159
<i>humeralis</i>	1855, 138	<i>carinatus</i>	1858, 161
<i>indigotica</i>	1860, 85	<i>cenchoa</i>	1858, 386 1860, 457
<i>intermedia</i>	1855, 138	<i>fasciatus</i>	1858, 162
<i>lafresnayii</i>	1855, 138	<i>ferruginea</i>	1860, 163
	1855, 138	<i>fusca</i>	1858, 384
	1858, 551	<i>globiceps</i>	1858, 161
<i>personata</i>	1859, 138	<i>hippocrepis</i>	1858, 161
	1860, 76	<i>pulverulenta</i>	1858, 162
	1860, 85	<i>regalis</i>	1858, 162
<i>similis</i>	1855, 138	<i>trigonata</i>	1860, 167
<i>Dinophis angusticeps</i>	1858, 160		
<i>hammondii</i>	1858, 160		

	Page		Page
<i>Dipsas trigonata</i>	1860,	}	170 171
<i>valida</i>	1858,		
<i>Dipus ægyptius</i>	{ 1849,	}	24 28 432
	{ 1849,		
	{ 1859,		
<i>Discula attrita</i>	1854,		188
<i>discina</i>	1854,		190
<i>lineta</i>	1854,		189
<i>papilio</i>	1854,		190
<i>polymorpha</i>	1854,		187
<i>pulvinata</i>	1854,		188
<i>senilis</i>	1854,		189
<i>tabellata</i>	1854,		189
<i>testudinalis</i>	1854,		191
<i>Dispholides lalandii</i>	1858,		162
<i>Dispotæa striata</i>	1855,		234
<i>Distichocera ferruginea</i>	1851,		76
<i>fulvipennis</i>	1851,		76
<i>kirbyi</i>	1851,		79
<i>macleayii</i>	1851,		81
<i>maculicollis</i>	1851,		75
<i>par</i>	1851,		78
<i>rufipennis</i>	1851,		76
<i>thomsonella</i>	1859,		122
<i>Distichurus maculatus</i>	1858,		163
<i>Distichopora coccinea</i>	1860,		244
<i>Distoma hepaticum</i>	1859,		427
<i>microcephalum</i>	1853,		22
<i>Distorsio pusilla</i>	1860,		397
<i>Distortrix anus</i>	1851,		231
<i>reticulata</i>	1851,		231
<i>Ditrupa gadus</i>	1858,		413
<i>Diucopsis atra</i>	1856,		67
<i>capistrata</i>	1856,		67
<i>fasciata</i>	1856,		68
<i>leucophæa</i>	1856,		67
<i>speculigera</i>	1856,		68
<i>Diva albiventris</i>	1855,		158
<i>vassori</i>	{ 1855,	}	158 264 87
	{ 1856,		
	{ 1860,		
<i>Docimastes derbianus</i>	1855,		139
<i>ensiferus</i>	{ 1855,	}	139 555 81
	{ 1858,		
	{ 1860,		
<i>Dolabella variegata</i>	1860,		22
<i>Dolabrifera olivacea</i>	1860,		22
<i>Dolichonyx oryzivorus</i>	1858,		72
<i>Dolium amphora</i>	1859,		493
<i>ampulaceum</i>	1859,		491
<i>australe</i>	1859,		491
<i>cepa</i>	1859,		489
<i>chinense</i>	1859,		491
<i>costatum</i>	1859,		489
<i>crenulatum</i>	1859,		488
<i>cumingii</i>	1859,		491
<i>deshayesii</i>	1859,		490
<i>Dolium dunkeri</i>	1859,	}	431 490
<i>fasciatum</i>	1859,		
<i>favannii</i>	1859,	}	430 490
<i>fimbriatum</i>	1859,		
<i>galea</i>	1859,		487
<i>kieneri</i>	1859,		490
<i>latescens</i>	1859,		489
<i>latesulcatum</i>	1859,		489
<i>maculatum</i>	1859,		491
<i>marginatum</i>	1859,		493
<i>marmoreum</i>	1859,		489
<i>melanostoma</i>	1859,		488
<i>minjac</i>	1859,		492
<i>olearium</i>	1859,		488
<i>pennatum</i>	1859,		493
<i>perdix</i>	1859,		492
<i>plumatum</i>	1859,		489
<i>reevei</i>	1859,		493
<i>rufum</i>	1859,		492
<i>tenuè</i>	1859,		488
<i>variegatum</i>	1859,		490
<i>zonatum</i>	1859,		488
<i>Dolomedes lateralis</i>	1849,		4
<i>mirificus</i>	1849,		4
<i>sagittiger</i>	1849,		4
<i>Domicella garrula</i>	1860,		356
<i>punicea</i>	1849,		142
<i>Donacola castaneothorax</i>	1860,		371
<i>flaviprymna</i>	1857,		26
<i>Donax acuminata</i>	1854,		352
<i>acutangula</i>	1854,		350
<i>ænea</i>	1854,		350
<i>affinis</i>	1854,		351
<i>bella</i>	1854,		351
<i>californicus</i>	1856,	}	200 213
<i>clathrata</i>	1854,		
<i>conradi</i>	{ 1854,	}	351 213
<i>culminatus</i>	{ 1856,		
<i>dysonii</i>	1854,		353
<i>flexuosus</i>	1856,		200
<i>granifera</i>	1854,		353
<i>interrupta</i>	1854,		353
<i>keyii</i>	1854,		87
<i>lævigata</i>	1854,		352
<i>nitida</i>	1854,		350
<i>obesula</i>	1854,		352
<i>obesus</i>	1856,	}	200 213
<i>ovalina</i>	1854,		
<i>peruviana</i>	1854,		350
<i>petalina</i>	1854,		350
<i>pulchellus</i>	1855,		230
<i>rostratus</i>	1856,		200
<i>semistriatus</i>	1855,		230

	Page		Page
<i>Donax striatella</i>	1854,	<i>Dromæus irroratus</i>	1860,
<i>truncata</i>	1854,		1859,
	160	<i>novæ-hollandiæ</i> ..	1860,
<i>Dopasia gracilis</i>	1860,		1860,
	172		1860,
<i>Doras costata</i>	1856,		372
<i>Dorcopsis asiaticus</i>	1858,	<i>Dromicus margaritifera</i>	1860,
<i>Dorifera johannæ</i>	1855,	<i>rus</i>	1860,
<i>ludovicæ</i>	1855,	<i>Dromococyx mexica-</i>	1856,
	139	<i>nus</i>	1859,
	139	<i>Drymocataphus nigroca-</i>	
<i>Doriopsis granulosa</i>	1860,	<i>pitatus</i>	1854,
<i>Doris albopustulosa</i>	1860,	<i>Drymodes brunneopygia</i>	1850,
<i>cærulea</i>	1859,	<i>superciliaris</i>	1850,
<i>decora</i>	1860,	<i>Drymoica nipalensis</i>	1854,
<i>echinata</i>	1860,	<i>Drymonax niger</i>	1854,
<i>excavata</i>	1860,	<i>Drymophila atra</i>	1858,
<i>foetida</i>	1860,	<i>cinerascens</i>	1860,
<i>grandiflora</i>	1860,	<i>cinnamomea</i>	1858,
<i>marginata</i>	1860,	<i>leucopus</i>	1858,
<i>nucleola</i>	1860,	<i>longipes</i>	1858,
<i>papillosa</i>	1860,	<i>loricata</i>	1858,
<i>picta</i>	1860,	<i>myiotherina</i>	1858,
<i>pilosa</i>	1860,	<i>ruficauda</i>	1858,
<i>prismatica, var. im-</i>		<i>trifasciata</i>	1858,
<i>perialis</i>	1860,	<i>variegata</i>	1858,
<i>prismatica, var. li-</i>		<i>velata</i>	1854,
<i>neata</i>	1860,		1858,
<i>propinquata</i>	1860,	<i>Dryocopus albirostris</i> ..	1858,
<i>reticulata</i>	1860,		1859,
<i>rugosa</i>	1860,		1860,
<i>scabriuscula</i>	1860,	<i>erythrops</i>	1856,
<i>setosa</i>	1860,		1857,
<i>vibrata</i>	1860,	<i>fuscipennis</i>	1860,
<i>Dorx pentamera</i>	1856,		1855,
<i>Dosinia amethystina</i> ...	1860,	<i>grayi</i>	1859,
<i>callosa</i>	1856,		1857,
<i>coryne</i>	1855,	<i>guatimalensis</i>	1858,
<i>cydippe</i>	1855,		1859,
<i>derupta</i>	1860,		1859,
<i>deshayesii</i>	1855,	<i>hæmatogaster</i>	1855,
<i>dilecta</i>	1855,		1858,
<i>eburnea</i>	1860,	<i>leucorhamphus</i> ..	1857,
<i>erythraea</i>	1860,		1858,
<i>eunice</i>	1855,	<i>pileatus</i>	1858,
<i>lineolata</i>	1855,	<i>pollens</i>	1855,
<i>ovalis</i>	1860,	<i>regius</i>	1857,
<i>rustica</i>	1860,		1856,
<i>salebrosa</i>	1860,	<i>scapularis</i>	1857,
<i>simplex</i>	1855,		1858,
<i>specularis</i>	1860,		1859,
<i>tenella</i>	1860,	<i>sclateri</i>	1860,
<i>traillii</i>	1855,		1859,
<i>tripla</i>	1860,	<i>Dryophis kirtlandii</i>	1858,
<i>Drillia nodifera</i>	1860,		1860,
<i>punctato-striata</i> ..	1856,	<i>prasina</i>	1860,
	164		1859,
	1859,		205
	1860,		205
<i>Dromæus irroratus</i>	1860,		211
	1860,		248
	1860,		417

	Page		Page
Dryophis (Coluber) acuminatus	1860, 233	Echidna nasicornis	1858, 163
Dryoscopus angolensis	1860, 111	Echimypera kalulu	1858, 113
Dubusia auricrissa	1855, 227	Echymys cayennensis	1858, 548
	1856, 236		1860, 265
	1855, 157	semispinosus	1860, 264
cyanocephala	1855, 227	Echinanthus australasie	1851, 34
	1856, 236	coleæ	1851, 35
	1855, 157	explanatus	1851, 35
gigas	1855, 157	oblongus	1851, 35
	1856, 240	productus	1851, 35
	1855, 157	testudinarius	1851, 35
olivicyanea	1856, 237	Echinoceros cibarius	1848, 48
	1856, 237	Echinococcus veterinorum	1852, 110
	1855, 157	Echinocyamus australis	1851, 38
tæniata	1856, 237	Echinoglyphus frondosus	1851, 37
Ducula basalis	1860, 360	Echinolampas depressus	1851, 38
Dujardinia mediterranea	1858, 270	oviformis	1851, 37
Dulus dominicus	1857, 232	Echinus mammillaris	1856, 133
palmarum	1856, 84	Echiodon drummondii	1852, 14
poliocephalus	1856, 84	Echis carinata	1858, 375
Dysactis biserialis	1858, 148		378
Dysidea fragilis	1858, 559	squamigera	1858, 163
		Eclectus aruensis	1858, 182
papillosa	1858, 531	cardinalis	1860, 227
Dysithamnus guttulatus	1858, 557		357
	221	ceylonensis	1849, 143
leucostictus	1858, 66		1860, 357
	223		1849, 143
	1855, 90	cornelia	1849, 146
mentalis	1858, 221		1860, 242
	1860, 67		1860, 357
	1860, 278		1849, 143
olivaceus	1858, 541	grandis	1860, 226
	1860, 89		1860, 357
plumbeus	1858, 222	intermedius	1860, 358
	457		1849, 143
schistaceus	1858, 66	linnæi	1858, 182
	222		1859, 158
	1855, 90	polychlorus	1858, 182
semicinereus	1855, 147		1860, 358
	1858, 66	puniceus	1849, 142
	1858, 222		1858, 182
	1860, 278	westermanni	1860, 358
unicolor	1859, 141	Eclepeopus gaudichaudi	1859, 405
	1860, 89	Ectopistes migratorius	1849, 172
xanthopterus	1857, 132		1860, 416
	1858, 222	Edela ruficeps	1854, 79
Dyticus marginalis	1850, 19	Edolius malabaricus	1854, 272
Eagle, The Crested and		paradiseus	1859, 150
Booted	1851, 59		151
Eburna australis	1853, 182	rangoonensis	1854, 272
Echeneis vittata	1850, 252	retifer	1854, 272
Echidna atricauda	1858, 378	Eglisia cumingii	1850, 204
communiformis cytherea	1849, 44	Egretta leuce	1860, 290
gaboonica	1858, 163	Elainia agilis	1859, 46
hystrix	1848, 37	albiceps	1859, 46
mauritanica	1858, 378	aurifrons	1860, 467

	Page		Page
<i>Elainia cayennensis</i>	1859, 46	<i>Elaps lemniscatus</i>	1859, 85
<i>griseigularis</i>	1858, 554	<i>lubricus</i>	1859, 88
<i>luteiventris</i>	1859, 46	<i>maculiceps</i>	1859, 83
<i>modesta</i>	1859, 46	<i>marcgravi</i>	1859, 85
<i>olivacea</i>	1859, 46	<i>melanurus</i>	1859, 83
<i>pagana</i>	1859, 46	<i>mipartitus</i>	1859, 85
<i>placens</i>	1859, 46	<i>nigrocinctus</i>	1860, 457
<i>riisii</i>	1860, 314	<i>nigromaculatus</i>	1859, 83
<i>stictoptera</i>	1858, 554	<i>occipitalis</i>	1859, 87
<i>texensis</i>	1859, 46	<i>psyche</i>	1859, 84
<i>variegata</i>	1859, 46	<i>semipartitus</i>	1859, 414
<i>Elania cayennensis</i>	1854, 113	<i>subradiatus</i>	1858, 383
<i>Elanus axillaris</i>	1859, 127	<i>surinamensis</i>	1859, 85
<i>hypoleucus</i>	1859, 127	<i>tener</i>	1859, 86
<i>inscriptus</i>	1859, 127	<i>trimaculatus</i>	1859, 83
<i>leucurus</i>	1857, 201	<i>tristis</i>	1859, 85
<i>melanopterus</i>	1859, 126	<i>univirgatus</i>	1859, 83
<i>minor</i>	1854, 3	<i>zonatus</i>	1860, 164
<i>Elaphis quadrivirgatus</i>	1858, 383	<i>Elasmatina reclusiana</i>	1849, 167
<i>subradiatus</i>	1858, 383	<i>Electra verticillata</i>	1858, 306
<i>virgatus</i>	1858, 383	<i>Electrina succinea</i>	1857, 166
<i>Elapomorphus galvensis</i>	1858, 163	<i>Eleotragus adenota</i>	1850, 170
<i>Elaps alternans</i>	1859, 85	<i>arundinaceus</i>	1850, 126
<i>bipunctiger</i>	1859, 85	<i>capreolus</i>	1850, 170
<i>bivirgatus</i>	1859, 81	<i>ellipsiprymnus</i>	1850, 170
<i>calligaster</i>	1859, 81	<i>isabellinus</i>	1850, 170
<i>circinalis</i>	1859, 84	<i>leché</i>	1850, 170
<i>collaris</i>	1859, 84	<i>reduncus</i>	1850, 127
<i>corallinus</i>	1859, 84	<i>sing-sing</i>	1850, 171
<i>decoratus</i>	1860, 452	<i>Elephas indicus</i>	1850, 158
<i>decussatus</i>	1860, 457	<i>sumatranus</i>	1849, 144
<i>diastema</i>	1859, 85	<i>Eleuchus apicinus</i>	1851, 171
<i>divaricatus</i>	1859, 85	<i>australis</i>	1851, 171
<i>dorsalis</i>	1859, 87	<i>badius</i>	1851, 170
<i>epistema</i>	1859, 87	<i>bellulus</i>	1851, 171
<i>fetzingeri</i>	1859, 88	<i>irisodontes</i>	1851, 171
<i>filiformis</i>	1860, 458	<i>leucostigma</i>	1851, 171
<i>flaviceps</i>	1859, 86	<i>lineatus</i>	1851, 170
<i>flavifrons</i>	1859, 81	<i>roseus</i>	1851, 170
<i>fulvius</i>	1859, 85	<i>rutilus</i>	1851, 171
<i>fulvus</i>	1860, 452	<i>splendidulus</i>	1851, 171
<i>fulvus</i>	1860, 457	<i>vulgaris</i>	1851, 171
<i>furcatus</i>	1859, 85	<i>Elisma acutum</i>	1854, 198
<i>gastrodelus</i>	1859, 82	<i>ventrosus</i>	1854, 198
<i>gastrodelus</i>	1859, 87	<i>Ellipura cærulescens</i>	1858, 244
<i>hygiæ</i>	1859, 88	<i>ferruginea</i>	1858, 239
<i>jamesonii</i>	1858, 160	<i>grisea</i>	1858, 238
		<i>maculata</i>	1858, 242
		<i>malura</i>	1858, 241
		<i>rufa</i>	1858, 240
		<i>squamata</i>	1858, 241
		<i>Ellisella coccinea</i>	1857, 287

	Page		Page
<i>Ellisella coccinea</i>	1859,	<i>Emarginula excurvata</i> ..	1851,
<i>elongata</i>	1857, 481	<i>eximia</i>	1851,
<i>juncea</i>	1859, 481	<i>fissura</i>	1851,
<i>pectinata</i>	1857, 481	<i>fissurata</i>	1851,
<i>Ellobium auris-judæ</i> ..	1854,	<i>fuliginea</i>	1851,
<i>auris-midæ</i>	1854,	<i>fungina</i>	1851,
<i>ceylanicum</i>	1854,	<i>galericulata</i>	1851,
<i>elongatum</i>	1854,	<i>huzardii</i>	1851,
<i>granulium</i>	1854,	<i>incisura</i>	1851,
<i>helvaceum</i>	1854,	<i>lævicostata</i>	1851,
<i>incrassatum</i>	1854,	<i>lævis</i>	1851,
<i>oparicum</i>	1854,	<i>micans</i>	1851,
<i>oryx</i>	1854,	<i>obovata</i>	1851,
<i>pallidum</i>	1854,	<i>ossea</i>	1851,
<i>politum</i>	1854,	<i>panihensis</i>	1851,
<i>pusillum</i>	1854,	<i>parmophoroidea</i> ..	1851,
<i>semisculptum</i>	1854,	<i>pileolus</i>	1851,
<i>sheepmakeri</i>	1854,	<i>planulata</i>	1851,
<i>simplex</i>	1854,	<i>pulchra</i>	1851,
<i>simplicatum</i>	1854,	<i>punctata</i>	1851,
<i>subnodosum</i>	1854,	<i>puncticulata</i>	1851,
<i>subula</i>	1854,	<i>retecosa</i>	1851,
<i>tornatelliforme</i>	1854,	<i>reticulata</i>	1851,
<i>Elænia albiceps</i>	1858,	<i>rosea</i>	1851,
<i>cayennensis</i>	1855, 150, 458	<i>rubra</i>	1851,
<i>luteiventris</i>	1858,	<i>rugosa</i>	1851,
<i>pagana</i>	1858,	<i>scabricostata</i>	1851,
<i>texensis</i>	1856,	<i>scabriuscula</i>	1851,
<i>variegata</i>	1856,	<i>solidula</i>	1851,
<i>Elysia ocellata</i>	1860,	<i>striatula</i>	1851,
<i>Emarginula aculeata</i> ..	1851,	<i>vanicorensis</i>	1851,
<i>aspera</i>	1851,	<i>variegata</i>	1851,
<i>australis</i>	1851,	<i>viminea</i>	1851,
<i>bellula</i>	1851,	<i>Emballonura fuliginosa</i> ..	1859,
<i>cancellata</i>	1851,	<i>monticola</i>	1859,
<i>candida</i>	1851,	<i>saxatilis</i>	1859,
<i>capuliformis</i>	1851,	<i>villosa</i>	1859,
<i>cinerea</i>	1851,	<i>Embalonura canina</i>	1860,
<i>clathrata</i>	1851,	<i>Emberiza albida</i>	1859,
<i>clypeus</i>	1851,	<i>aureola</i>	1860,
<i>concinna</i>	1851,	<i>belli</i>	1857,
<i>conica</i>	1851,	<i>bilineata</i>	1857,
<i>conoidea</i>	1851,	<i>caniceps</i>	1858, 483
<i>crassa</i>	1851,	<i>castaniceps</i>	1859,
<i>cucullata</i>	1851,	<i>cia</i>	1855,
<i>curvirostris</i>	1851,	<i>cioides</i>	1859,
<i>cuvieri</i>	1851,	<i>citrinella</i>	1857,
<i>depressa</i>	1851,	<i>cyanopis</i>	1858,
<i>dilecta</i>	1851,	<i>flavifrons</i>	1856,
<i>élargie</i>	1851,	<i>fucata</i>	1860,
<i>elongata</i>	1851,	<i>fulviceps</i>	1856,
<i>emarginata</i>	1851,	<i>melanocephala</i>	1854,
	83	<i>melanodera</i>	1860,
	221	<i>pusilla</i>	1860,
	89	<i>quadricolor</i>	1858,
		<i>rustica</i>	1860,
		<i>schœniclus</i>	1857,

	Page		Page
<i>Emberiza stewartii</i>	1858,	<i>Engina albocincta</i>	1860,
<i>stracheyi</i>	1855,	<i>costata</i>	1860,
<i>striolata</i>	1850,	<i>monilifera</i>	1860,
<i>Emberizoides macrurus</i>	1856,		452
<i>marginalis</i>	1856,	<i>Engystoma carolinense</i>	1860,
<i>Embernagra albinucha</i>	1856,	<i>guttatum</i>	1858,
<i>chlorura</i>	1860,	<i>Enicognathus rhodogaster</i>	380
<i>chrysoma</i>	1860,	<i>ter</i>	1858,
	275	<i>Enicurus frontalis</i>	1854,
	293	<i>leschenaultii</i>	1854,
<i>conirostris</i>	1856,	<i>maculatus</i>	1858,
	143	<i>nigrifrons</i>	1859,
	1860,	<i>scoulerii</i>	1858,
<i>longicauda</i>	1860,		1859,
<i>mexicana</i>	1856,	<i>Ennea anodon</i>	1855,
<i>olivascens</i>	1860,	<i>ceylanica</i>	1855,
<i>platensis</i>	1860,	<i>insignis</i>	1856,
<i>pyrgitoides</i>	1857,	<i>obovata</i>	1855,
<i>rufinucha</i>	1856,	<i>reeveana</i>	1855,
	87	<i>Enneoctonus cristatus</i>	1854,
	1856,	<i>supercilius</i>	1854,
	306	<i>tigrinus</i>	1854,
<i>rufivirgata</i>	1858,	<i>Enoplium pustuliferum</i>	1852,
	304	<i>Ensatina eschscholtzia</i>	1858,
	1859,	<i>Ensiculus cultellus</i>	1860,
	380	<i>Entomophila spilodera</i>	1859,
	1860,		89
<i>silens</i>	1856,	<i>Enyalius laticeps</i>	1859,
<i>striaticeps</i>	1856,		409
<i>torquata</i>	1856,	<i>Eolis adelaidæ</i>	1859,
<i>viridis</i>	1860,	<i>cærulea</i>	1859,
<i>Empagusia flavescens</i>	1860,	<i>coronata</i>	1859,
<i>Empidonax bairdii</i>	1858,	<i>landsburgii</i>	1859,
<i>flaviventris</i>	1859,	<i>papillosa</i>	1859,
	366	<i>Eopsaltria caledonica</i>	1859,
	1858,	<i>capito</i>	1851,
	301	<i>variegata</i>	1859,
<i>fulvifrons</i>	1859,	<i>Eos ater</i>	1860,
	45	<i>cardinalis</i>	1860,
<i>minimus</i>	1859,	<i>cervicalis</i>	1850,
<i>Emyda aubryi</i>	1858,		27
<i>ceylonensis</i>	1855,	<i>coccinea</i>	1850,
	201		1860,
	1855,	<i>cochinchinensis</i>	1850,
<i>punctata</i>	1860,		1860,
	159		1850,
	1860,	<i>cyanogenia</i>	1859,
	168		1860,
	1860,		1860,
	170	<i>cyanostriata</i>	1850,
<i>senegalensis</i>	1858,		1860,
	167	<i>fuscata</i>	1859,
	1860,	<i>guebiensis</i>	1860,
	316		1850,
<i>Emys caspica</i>	1848,	<i>indica</i>	1860,
<i>crassicollis</i>	1856,		1850,
<i>fuliginosus</i>	1860,	<i>isidorii</i>	1860,
<i>hamiltonii</i>	1859,		356
<i>holbrookii</i>	1855,	<i>ornata</i>	1850,
	197		27
<i>laticeps</i>	1852,		
	134		
	1858,		
	166		
<i>nigra</i>	1856,		
<i>ocellata</i>	1856,		
<i>ornata</i>	1855,		
<i>scripta</i>	1855,		
<i>siamensis</i>	1860,		
<i>tectum</i>	1859,		
<i>tentoria</i>	1856,		
<i>trijuga</i>	1848,		
<i>Encope michelini</i>	1851,		
<i>oblonga</i>	1851,		
<i>subclausa</i>	1851,		
<i>valenciennesii</i>	1851,		

	Page		Page
<i>Eos reticulata</i>	1860, 226	<i>Erethizon dorsatum</i>	1860, 181
	1850, 27	<i>Erinaceus collaris</i>	1858, 520
	1850, 29	<i>Erinna newcombi</i>	1855, 120
<i>riciniata</i>	1860, 226	<i>Eriocnemis aureliæ</i>	1855, 140
	1860, 227	<i>isaacsonii</i>	1855, 140
	1860, 356	<i>luciani</i>	1860, { 81
	1850, 28	<i>simplex</i>	1855, 140
<i>rubra</i>	1859, 450	<i>squamata</i>	1860, 311
	1860, 226	<i>vestita</i>	1855, 140
	1860, 356	<i>Eriopus cupreiventris</i>	1849, 96
<i>scintillata</i>	1850, 26	<i>simplex</i>	1849, 96
<i>semilarvata</i>	1850, 27	<i>Erismatura dominica</i>	1857, 206
	1860, 357	<i>rubida</i>	1860, 254
<i>squamata</i>	1860, { 226	<i>rubra</i>	1859, 393
	1860, 357	<i>Erycina australis</i>	1855, 183
<i>unicolor</i>	1860, 357	<i>bullula</i>	1855, 182
<i>variegata</i>	1850, 27	<i>cycladiformis</i>	1855, 181
(Chalcopsitta) <i>tor-</i>		<i>denticulata</i>	1855, 182
<i>rida</i>	1859, 158	<i>donacina</i>	1856, 341
<i>Epeira verrucosa</i>	1849, 5	<i>dubia</i>	1855, 183
<i>Ephialtes albopunctata</i>	1855, 135	<i>grata</i>	1855, 183
<i>flammeola</i>	1858, 96	<i>guttula</i>	1855, 182
<i>lempiji</i>	1854, 262	<i>macrodonta</i>	1855, 182
	1859, 150	<i>papyracea</i>	1855, 183
<i>leucospila</i>	1860, 344	<i>parva</i>	1855, 182
<i>magicus</i>	1860, 345	<i>rotunda</i>	1855, 181
<i>nudipes</i>	1858, 133	<i>zebuensis</i>	1855, 182
<i>Ephippium anglicanum</i>		<i>Erymanthus horridus</i>	1852, 35
<i>maximum</i>	1848, 114	<i>Erythrolamprus venus</i>	1859, { 89
<i>Epimachus magnificus</i>	1859, 155	<i>tissimus</i>	1859, { 402
<i>Epomophorus crypturus</i>	1860, 52	<i>Erythronota elegans</i>	1860, 307
<i>franqueti</i>	1860, 54	<i>Erythrosterina erythaca</i>	1854, 283
<i>gambianus</i>	1860, 52	<i>leucura</i>	1854, 284
<i>labiatus</i>	1860, 55		1858, 492
<i>macrocephalus</i>	1860, 50	<i>Erythrura cyanovirens</i>	1858, 462
<i>schoënsis</i>	1860, 56	<i>pealii</i>	1858, 462
	1860, { 42	<i>phaëton</i>	1858, 462
<i>whitei</i>	1860, { 50	<i>prasina</i>	1858, 461
<i>Eques americanus</i>	1850, 65	<i>psittacea</i>	1858, 462
<i>Equus asinus</i>	1850, 158	<i>pucheranii</i>	1858, 462
<i>burchellii</i>	1849, 30	<i>trichroa</i>	1858, 461
<i>caballus</i>	1850, 158	<i>tricolor</i>	1858, 462
	1848, 62	<i>viridis</i>	1858, 461
<i>hemionus</i>	1849, 29	<i>Eryx jaculus</i>	1858, 278
	1849, 64	<i>reinhardtii</i>	1858, 164
	1849, 29	<i>Esacus magnirostris</i>	1858, 187
<i>kiang</i>	1859, 353	<i>recurvirostris</i>	1859, 151
	1859, 435	<i>Esox lucius</i>	1856, 106
<i>polyodon</i>	1848, 62	<i>boysii</i>	1859, 477
<i>zebra</i>	1849, 30	<i>Estheria birchii</i>	1860, 392
2 / <i>Erato columbella</i>	1856, 206	<i>brasiliensis</i>	1849, 89
<i>fraserii</i>	1851, 47	<i>compressa</i>	1860, 188
<i>inquisitor</i>	1851, 47	<i>cycladoides</i>	1849, 87
<i>Erato leucophaea</i>	1856, 206	<i>dahalacensis</i>	1849, 86
<i>maugerieæ</i> , var. <i>pa-</i>			
<i>namensis</i>	1856, 162		
<i>sandwicensis</i>	1860, 146		
<i>Erethizon dorsatum</i>	1859, 436		

	Page		Page
<i>Estheria dahalacensis</i>	1849, 89	<i>Eudynamis picatus</i>	1860, 359
<i>dallasii</i>	1850, 257	<i>Eudynamys maculatus</i>	1854, 257
<i>donaciformis</i>	1852, 30	<i>orientalis</i>	{ 1857, 101
<i>gigas</i>	1849, { 85	<i>punctatus</i>	{ 1859, 150
<i>lislopi</i>	1849, { 87	<i>ransomi</i>	{ 1859, 459
<i>melitensis</i>	{ 1859, 232	<i>ransomi</i>	{ 1859, 159
<i>polita</i>	{ 1360, 188	<i>ransomi</i>	{ 1860, 359
<i>similis</i>	1849, 88	<i>Eudypetes chrysocome</i>	1860, { 390
<i>tetracera</i>	{ 1849, 88	<i>chrysolophus</i>	{ 1860, 418
<i>Estrela amandava</i>	{ 1858, 481	<i>diadematus</i>	{ 1860, 419
<i>annulosa</i>	{ 1859, 151	<i>nigrivestis</i>	{ 1860, 418
<i>lateralis</i>	1857, 26	<i>pachyrhynchus</i>	1860, 418
<i>musica</i>	1859, 432	<i>papua</i>	1859, 98
<i>psittacea</i>	1850, 218	<i>Eugenes fulgens</i>	1859, 53
<i>ruficauda</i>	1859, 164	<i>Eugenia imperatrix</i>	1855, 192
<i>squamifrons</i>	1860, 371	<i>Eulabeornis castaneo-</i>	
<i>Ethalia guamensis</i>	1860, 371	<i>ventris</i>	1858, 188
<i>striolata</i>	1850, 218	<i>Eulabes javanus</i>	1859, 445
<i>Eubucco aurantiacollis</i>	1853, 189	<i>Eulima aciculata</i>	1860, 438
<i>bourcieri</i>	{ 1857, 267	<i>acilis</i>	1851, 277
<i>erythrocephalus</i>	{ 1854, 115	<i>acuta</i>	1851, 276
<i>glaucogularis</i>	{ 1857, 267	<i>cumingii</i>	1851, 277
<i>hartlaubi</i>	{ 1859, 146	<i>cuspidata</i>	1851, 276
<i>pictus</i>	{ 1860, 95	<i>elegantissima</i>	1853, 179
<i>richardsoni</i>	{ 1860, 297	<i>flexuosa</i>	1851, 277
<i>Eucephala cæruleolavata</i>	1857, 268	<i>grandis</i>	1851, 276
<i>hypocyanea</i>	1857, 268	<i>guldinngii</i>	1851, 277
<i>Euchætes coccineus</i>	{ 1854, 115	<i>modicella</i>	1851, 276
<i>Euchele alabastrum</i>	{ 1857, 267	<i>obesula</i>	1851, 276
<i>Euchelus asper</i>	{ 1858, 75	<i>polygyra</i>	1851, 277
<i>corrugatus</i>	1857, 268	<i>porcellana</i>	1851, 276
<i>denigratus</i>	1857, 267	<i>pyramidalis</i>	1851, 277
<i>fimbriatus</i>	1857, 267	<i>teinostoma</i>	1851, 276
<i>indicus</i>	1857, 267	<i>vitrea</i>	1851, 277
<i>proximus</i>	1860, 306	<i>Eulimene albida</i>	1852, 26
<i>Euchlornis frontalis</i>	1860, 306	<i>Eumomota supercilia-</i>	
<i>sclateri</i>	1858, 73	<i>ris</i>	{ 1857, 257
<i>Eucometis albicollis</i>	1857, 209	<i>ris</i>	{ 1859, 54
<i>cristata</i>	1854, 316	<i>Eunectes murinus</i>	1849, 106
<i>penicillata</i>	1860, 435	<i>Euparypha pisana</i>	1854, 171
<i>Eudæmonia semiramis</i>	1854, 316	<i>ustulata</i>	1854, 171
<i>uroarge</i>	1860, 435	<i>Eupetes macrocerus</i>	1854, 273
<i>Eudromias urvillii</i>	1854, 316	<i>Eupetomena macrura</i>	1857, 263
	1858, 446	<i>Euphemia elegans</i>	1859, 434
	{ 1854, 113	<i>Euphonia ænea</i>	1856, 276
	1859, 441	<i>affinis</i>	{ 1856, 274
	1856, 117	<i>aureata</i>	{ 1856, 272
	1858, 72	<i>bicolor</i>	1856, 279
	1856, 118	<i>brevirostris</i>	1856, 275
	1856, 117	<i>castaneiventris</i>	1856, 279
	1849, 49	<i>cayana</i>	1856, 278
	1849, 49	<i>cayennensis</i>	1856, 279
	1860, 386	<i>chaybea</i>	1856, 276
		<i>chlorotica</i>	1854, 98

	Page		Page
<i>Euphonia chlorotica</i>	1856,	}	1855, 159
			1856, 275
<i>cinerea</i>	1856,		1855, 159
<i>coelestis</i>	1856,		1856, 270
<i>cæruleocephala</i>	1856,		1856, 276
<i>concinna</i>	1854, 98		1856, 276
	1855, 159		1856, 18
	1856, 275		1856, 279
	1856, 277		1857, 66
<i>crassirostris</i>	1857, 19		1858, 74
	1860, 275		1856, 271
	1855, 66		1856, 273
	1856, 272		1856, 303
<i>elegantissima</i>	1856, 303		1855, 159
	1858, 303		1856, 275
	1859, 364		1856, 273
	1859, 378		1856, 274
<i>flavifrons</i>	1856, 271		1856, 279
<i>fortirostris</i>	1854, 98		1854, 98
	1856, 277		1856, 277
<i>frontalis</i>	1856, 270		1856, 269
<i>fulvicrissa</i>	1856, 276		1855, 159
<i>gouldi</i>	1857, 66		1856, 275
	229		1858, 74
	1854, 98		1858, 452
	1856, 275		1859, 140
	1856, 278		1860, 87
<i>hirundinacea</i>	1856, 303		1860, 275
	1859, 364		
	1859, 378		
<i>hirundinirostris</i>	1854, 98		
<i>jamaicensis</i>	1856, 280		
<i>laniirostris</i>	1854, 98		
	1856, 277		
	1856, 278		
<i>leucopyga</i>	1856, 275		
<i>longipennis</i>	1855, 158		
	1856, 270		
	1854, 98		
<i>melanura</i>	1855, 159		
	1856, 278		
	1855, 159		
<i>minuta</i>	1856, 274		
	1856, 271		
<i>musica</i>	1857, 231		
	1855, 159		
	1856, 272		
<i>nigricollis</i>	1858, 551		
	1860, 65		
	1860, 87		
<i>occipitalis</i>	1856, 270		
<i>olivacea</i>	1856, 274		
<i>pardalotes</i>	1856, 276		
<i>pectoralis</i>	1856, 279		
	1857, 66		
<i>plumbea</i>	1856, 281		
<i>poliocephala</i>	1856, 281		
<i>pretrei</i>	1856, 270		
<i>Euphonia pumila</i>		}	1855, 159
			1856, 275
<i>pyrrhophrys</i>			1855, 159
			1856, 270
<i>pyrrhuloides</i>			1856, 276
<i>ruficeps</i>			1856, 276
			1856, 18
			1856, 279
<i>rufiventris</i>			1857, 66
			1858, 74
<i>sclateri</i>			1856, 271
<i>serrirostris</i>			1856, 273
<i>sp. nov. ?</i>			1856, 303
<i>strictifrons</i>			1855, 159
			1856, 275
<i>tibicen</i>			1856, 273
<i>trinitatis</i>			1856, 274
<i>umbilicalis</i>			1856, 279
<i>violacea</i>			1854, 98
			1856, 277
<i>viridis</i>			1856, 269
			1855, 159
			1856, 275
			1858, 74
<i>xanthogastra</i>			1858, 452
			1859, 140
			1860, 87
			1860, 275
<i>Euphranor multifene-</i> <i>strata</i>		1859,	246
<i>trifenestrata</i>		1859,	245
<i>Euplectes bengalensis</i>		1854,	159
<i>flammiceps</i>		1860,	111
<i>Euplocamus albocrista-</i> <i>tus</i>		1858,	499
<i>melanotus</i>		1858,	499
<i>Eupodotis denhami</i>		1850,	220
<i>edwardii</i>		1858,	504
<i>Euprepis albilabris</i>		1858,	156
<i>blandingii</i>		1858,	156
<i>frenatus</i>		1858,	156
<i>harlani</i>		1858,	156
<i>perrotetii</i>		1858,	156
<i>quinqueteniatus</i>		1858,	156
<i>raddoni</i>		1858,	156
<i>stangeri</i>		1858,	156
<i>striata</i>		1858,	156
<i>Euprepiste boliviana</i>		1855,	158
<i>mexicana</i>		1855,	158
<i>Euproctus poireti</i>		1858,	391
<i>rusconi</i>		1858,	139
<i>Eupsilostoma eximium</i>		1860,	69
<i>pusillum</i>		1860,	68
			283
<i>Eupsychortyx hypoleu-</i> <i>cus</i>		1860,	62
<i>leucotis</i>		1855,	163
<i>parvicristatus</i>		1855,	163

	Page		Page
<i>Eurinerhynchus pygmaeus</i>	1859, 201	<i>Falco æruginosus</i>	1857, 215
<i>Euromphala gueriniana</i>	1854, 176	<i>æsalon</i>	1858, 473
<i>pusilla</i>	1854, 176	<i>aguia</i>	1855, 134
<i>rotundata</i>	1854, 176	<i>anthracinus</i>	1858, 129
<i>Eurostopus temminckii</i>	1854, 266	<i>ardesiacus</i>	{ 1857, 261 1858, 128
<i>Eurylaimus corydon</i>	1854, 267	<i>australis</i>	{ 1858, 128 1859, 93
<i>cucullatus</i>	1854, 267	<i>bacha</i>	1854, 260
<i>horsfieldii</i>	1854, 267	<i>biarmicus</i>	1850, 215
<i>javanicus</i>	1854, 267	<i>bido</i>	1854, 260
<i>lemniscatus</i>	1854, 267	<i>blagrus</i>	1854, 261
<i>rafflesii</i>	1854, 267	<i>buteo</i>	{ 1851, 142 1857, 215
<i>Eurydon latidens</i>	1851, 216	<i>cærulescens</i>	1854, 258
<i>Eurypyga helias</i>	{ 1857, 268 1860, 73	<i>caligatus</i>	1854, 260
<i>Eurystomus afer</i>	1850, 216	<i>cenchrus</i>	1859, 170
<i>australis</i>	1858, 171	<i>cervinalis</i>	1850, 215
<i>azureus</i>	1860, 346	<i>chiquera</i>	{ 1854, 6 1858, 473
<i>calornyx</i>	1854, 267	<i>chiqueroides</i>	1850, 215
<i>cyanicollis</i>	1854, 267	<i>cirrhatus</i>	1854, 259
<i>fuscicapillus</i>	1854, 267	<i>cristatellus</i>	1854, 260
<i>orientalis</i>	{ 1850, 216 1854, 267 1858, 171 1860, 345	<i>cuculoides</i>	1860, 344
<i>pacificus</i>	1859, 154	<i>dimidiatus</i>	1854, 261
<i>pileatus</i>	1860, 346	<i>feldeggi</i>	1850, 215
<i>rubescens</i>	1850, 216	<i>fringillarius</i>	1854, 258
<i>Euryta fulgurata</i>	1856, 206	<i>guianensis</i>	1858, 130
<i>Euscarthmus agilis</i>	1856, 28	<i>gyrfalco</i>	1850, 215
<i>albicristatus</i>	1856, 28	<i>haliaëtus</i>	1859, 160
<i>aurifrons</i>	1860, 467	<i>hiogaster</i>	1860, 343
<i>cinereus</i>	1858, 458	<i>histrionicus</i>	1860, 384
<i>cristatus</i>	1857, 84	<i>ichthaëtus</i>	1854, 260
<i>parulus</i>	1856, 28	<i>indus</i>	1854, 261
<i>Euspiza americana</i>	{ 1856, 142 1857, 205	<i>jugger</i>	{ 1850, 215 1850, 215
<i>aureola</i>	1859, 150	<i>lanarius</i>	{ 1855, 128 1858, 169
<i>lathamii</i>	1858, 483	<i>lathamii</i>	1854, 260
<i>luteola</i>	1858, 483	<i>leucogaster</i>	{ 1854, 260 1858, 169 1859, 93
<i>simillima</i>	1858, 483	<i>leucurus</i>	{ 1860, 383 1854, 259
<i>Eustera argus</i>	1849, 36	<i>limnaëtus</i>	1854, 259
<i>Euthlypis lacrymosa</i> ..	{ 1856, 291 1859, 363	<i>lugger</i>	{ 1850, 215 1854, 6
<i>Euthraupis analis</i>	1856, 243	<i>maritimus</i>	1854, 261
<i>dubusia</i>	1856, 243	<i>meridionalis</i>	1858, 130
<i>Eutoxeres aquila</i>	1855, 139	<i>milvus</i>	1857, 215
<i>Excalfactoria minima</i> ..	1859, 128	<i>nisus</i>	{ 1851, 145 1857, 12
<i>Exocetus volitans</i>	1858, 372	<i>novæ-zelandiæ</i>	1859, 93
<i>Fadyenia bowerbankiana</i> ..	1857, { 168 177	<i>peregrinator</i>	1858, 473
<i>fadyeniana</i>	1857, { 168 177	<i>peregrinoides</i>	1850, 215
<i>grayana</i>	1857, { 168 177	<i>peregrinus</i>	{ 1849, 146 1850, 215 1854, 5 1855, 128 1858, 472 1860, 258
<i>Falcinellus igneus</i>	{ 1858, 507 1860, 197		

	Page		Page
<i>Falco peregrinus</i>	1860,	442	
<i>poliosoma</i>	1860,	384	
<i>ponticerianus</i>	1854,	261	
<i>rubeus</i>	1850,	215	
<i>rufipes</i>	1848,	37	
<i>soloensis</i>	1860,	344	
	1851,	142	
	1854,	6	
<i>tinnunculus</i>	1857,	215	
	1859,	170	
	1860,	258	
	1860,	343	
<i>unicinctus</i>	1858,	130	
<i>urubitinga</i>	1858,	129	
<i>virgatus</i>	1854,	260	
<i>zonurus</i>	1858,	129	
(Lophotes) <i>rein-</i>			
<i>wardtii</i>	1860,	342	
<i>Falcon, The Chestnut-</i>			
<i>bellied</i>	1851,	60	
<i>Fasciolaria bistriata</i>	1856,	207	
<i>salmo</i>	1856,	42	
<i>tarentina</i>	1850,	274	
<i>Fastigiella carinata</i>	1848,	15	
<i>Felis charltoni</i>	1856,	396	
<i>chaus?</i>	1850,	156	
	1856,	396	
<i>chaus</i>	1858,	514	
<i>domestica</i>	1850,	156	
<i>duvaucelli</i>	1856,	396	
<i>eyra</i>	1860,	415	
<i>jubata</i>	1849,	94	
	1849,	94	
<i>leo</i>	1860,	243	
	1860,	183	
<i>leopardus</i>	1860,	371	
	1853,	191	
<i>macrosceloides</i> ..	1855,	126	
	1856,	395	
<i>melas</i>	1850,	156	
	1849,	94	
<i>mitis</i>	1859,	433	
	1855,	126	
<i>murmensis</i>	1856,	395	
<i>neglecta</i>	1860,	246	
<i>ogilbyi</i>	1855,	126	
<i>pardalis</i>	1859,	477	
	1860,	416	
<i>pardochrous</i>	1855,	126	
	1856,	396	
<i>pardus</i>	1858,	513	
<i>serval</i>	1859,	435	
<i>servalina</i>	1860,	246	
	1850,	156	
	1855,	129	
<i>tigris</i>	1856,	395	
	1858,	513	
<i>uncia</i>	1856,	395	
<i>Felis uncioides</i>	1856,	395	
<i>viverrina</i>	1849,	1	
	1860,	117	
<i>Ferussacia folliculus</i>	1854,	200	
<i>gracilis</i>	1854,	200	
<i>Feylenia currori</i>	1858,	156	
<i>Fiber zibethicus</i>	1860,	416	
<i>Fibularia australis</i>	1851,	38	
<i>oblonga</i>	1851,	37	
<i>Ficedula bengalensis</i> ..	1854,	281	
<i>phenicura</i>	1854,	25	
<i>Fish-Hawk, The Large</i>			
<i>Awl-beaked</i>	1851,	56	
<i>Small Awl-beaked</i> ..	1851,	57	
<i>Fishing-Hawk, The</i>	1851,	55	
<i>Fissurella alba</i>	1855,	234	
<i>aspera</i>	1856,	223	
<i>crenulata</i>	1856,	223	
<i>densiclathrata</i>	1856,	223	
<i>exarata</i>	1856,	223	
<i>macrochisma</i>	1850,	202	
<i>nigrocincta</i>	1855,	234	
<i>nigropunctata</i>	1855,	234	
<i>noachina</i>	1851,	228	
<i>ornata</i>	1856,	222	
<i>Fistulana clava</i>	1858,	315	
<i>Flabellum aculeatum</i> ..	1849,	76	
<i>affine</i>	1849,	75	
<i>bairdi</i>	1849,	76	
<i>candeanum</i>	1849,	76	
<i>compressum</i>	1849,	76	
<i>crassum</i>	1849,	76	
<i>crenulatum</i>	1849,	76	
<i>cumingii</i>	1849,	76	
<i>debile</i>	1849,	76	
<i>distinctum</i>	1849,	76	
<i>elegans</i>	1849,	76	
<i>elongatum</i>	1849,	76	
<i>macandrewii</i>	1849,	75	
<i>owenii</i>	1849,	76	
<i>pavoninum</i>	1849,	75	
<i>profundum</i>	1849,	76	
<i>spinousum</i>	1849,	76	
<i>stokesii</i>	1849,	76	
<i>sumatrense</i>	1849,	76	
<i>thouarsii</i>	1849,	76	
<i>Florida cærulea</i>	1859,	63	
	1860,	253	
<i>Florisuga mellivora</i> ..	1859,	53	
	1860,	95	
<i>Flustra verticillata</i> ..	1858,	306	
<i>Fluvicola albiventris</i> ..	1855,	148	
<i>atripennis</i>	1860,	280	
<i>bicolor</i>	1855,	148	
<i>leucophrys</i>	1856,	28	
<i>cenanthoides</i>	1856,	28	
<i>pica</i>	1855,	148	
<i>ruficeps</i>	1855,	149	

	Page		Page
<i>Foëgia agglutinans</i>	1858, 313	<i>Formicivora consobrina</i>	1860, 294
	1858, 68	<i>deluzæ</i>	1858, 238
<i>Formicarius analis</i>	1858, 277	<i>domicella</i>	1858, 246
	1860, 294	<i>erythroceræ</i>	1858, 240
<i>brevicauda</i>	1858, 281	<i>erythronota</i>	1858, 236
	1855, 69	<i>ferruginea</i>	1854, 255
<i>cayennensis</i>	1855, 145		1858, 239
	1857, 46	<i>genæi</i>	1858, 239
	1858, 277	<i>grisea</i>	1858, 238
	1855, 69	<i>guttata</i>	1858, 289
<i>erythropterus</i>	1857, 47		1857, 48
	1858, 276	<i>hæmatonota</i>	1858, 235
<i>fuscater</i>	1855, 145		1857, 131
<i>lineatus</i>	1858, 247	<i>håuxwelli</i>	1858, 67
	1856, 294		1858, 236
	1857, 47	<i>hemimelæna</i>	1858, 249
<i>moniliger</i>	1858, 278	<i>intermedia</i>	1858, 238
	1859, 383	<i>lafresnayana</i>	1858, 289
	1855, 68	<i>leucophrys</i>	1858, 238
	1855, 145	<i>loricata</i>	1858, 248
<i>nigrifrons</i>	1857, 47		1855, 90
	1858, 68	<i>maculata</i>	1858, 241
	1858, 277		1858, 242
	1857, 47	<i>malura</i>	1858, 241
<i>nigromaculatus</i>	1858, 68	<i>maura</i>	1858, 246
	1858, 276	<i>melæna</i>	1857, 130
<i>torquatus</i>	1858, 275		1858, 237
	1857, 46	<i>melanaria</i>	1858, 245
<i>trivittatus</i>	1858, 278	<i>melanura</i>	1858, 245
	1858, 280	<i>menetriesi</i>	1858, 67
<i>varius</i>	1858, 280		237
<i>Formicivora alapi</i>	1858, 245	<i>nigricollis</i>	1858, 238
	1858, 246		1855, 147
<i>atra</i>	1858, 288	<i>ornata</i>	1858, 67
	1855, 147		1858, 235
<i>axillaris</i>	1858, 236	<i>pileata</i>	1858, 233
	1858, 300		1855, 147
	1859, 55	<i>pygmæa</i>	1858, 67
<i>boucardi</i>	1859, 383		1858, 234
	1860, 279	<i>quadrivittata</i>	1858, 234
<i>brevicauda</i>	1857, 131		1858, 241
	1858, 237	<i>quixensis</i>	1860, 279
	1854, 112	<i>rufa</i>	1858, 240
<i>cærulescens</i>	1857, 131	<i>rufatra</i>	1858, 239
	1858, 244	<i>rufimarginata</i>	1858, 233
	1855, 89	<i>squamata</i>	1858, 241
<i>callinota</i>	1855, 147	<i>strigilata</i>	1858, 242
	1858, 242		1857, 130
<i>caloptera</i>	1859, 142	<i>urosticta</i>	1858, 238
	1854, 254	<i>Fossar adansonii</i>	1853, 186
	1855, 147	<i>bicarinatus</i>	1853, 187
<i>caudata</i>	1858, 67	<i>clathratus</i>	1853, 186
	1858, 240	<i>costatus</i>	1853, 186
	1859, 142	<i>cumingii</i>	1853, 187
	1857, 131	<i>minutus</i>	1853, 186
<i>cinerascens</i>	1858, 67	<i>multicostatus</i>	1860, 398
	1858, 245		1853, 186
<i>cinnamomea</i>	1858, 249	<i>reticulatus</i>	1856, 205
<i>consobrina</i>	1860, 279		

	Page		Page		
<i>Fusus albinus</i>	1855,	222	<i>Galeola volvarioides</i>	1858,	50
<i>ambustus</i>	1856,	208	<i>Galeomma ambigua</i>	1855,	168
<i>assimilis</i>	1855,	222	<i>angusta</i>	1855,	170
<i>dilectus</i>	1855,	221	<i>argentea</i>	1855,	169
<i>fasciolanus</i>	1858,	144	<i>chloroleuca</i>	1855,	170
<i>kelletii</i>	1850,	274	<i>formosa</i>	1855,	170
<i>nodicinctus</i>	1855,	222	<i>indecora</i>	1855,	169
<i>oregonensis</i>	1850,	274	<i>inflata</i>	1855,	170
<i>pallidus</i>	1856,	41	<i>layardi</i>	1855,	169
<i>salebrosus</i>	1850,	274	<i>macrochisma</i>	1855,	171
<i>spiralis</i>	1855,	221	<i>paucistriata</i>	1855,	170
<i>turbinella</i>	1858,	144	<i>polita</i>	1855,	169
<i>turbinelloides</i>	1856,	41	<i>splendida</i>	1855,	169
<i>turricula</i>	1855,	222	<i>turtoni</i>	1855,	167
<i>Gafrarium cælatum</i>	1853,	69			168
<i>scitulum</i>	1853,	70	<i>Galeoscoptes carolinensis</i>	1859,	336
<i>Galago</i> — ?	1852,	73			362
<i>Galbalcyrrhynchus leuco-</i>					370
<i>tis</i>	1855,	137	<i>plumbeus</i>	1857,	231
<i>Galbula albigularis</i> ...	1855,	15	<i>rubripes</i>	1859,	337
	1857,	262	<i>rubripes</i>	1857,	231
<i>albirostris</i>	1855,	14	<i>rubripes</i>	1859,	336
<i>chalcocephala</i>	1855,	14	<i>Galera barbara</i>	1859,	51
	1857,	262	<i>Galerida chendoola</i> ..	1855,	50
<i>chalcothorax</i>	1854,	110		1858,	485
	1855,	14	<i>cristata</i>	1850,	219
	1858,	61	<i>Galerus fuscus</i>	1855,	233
<i>cyanicollis</i>	1855,	14	<i>mamillaris</i>	1855,	233
<i>cyanopogon</i>	1855,	14	<i>regularis</i>	1855,	233
	1855,	13	<i>sinensis</i>	1855,	233
<i>fuscicapilla</i>	1855,	136	<i>striatus</i>	1855,	234
	1857,	262	<i>subreflexus</i>	1855,	233
<i>leucogaster</i>	1858,	61	<i>Galicdictis striata</i>	1848,	21
<i>maculicauda</i>	1855,	13	<i>vittata</i>	1848,	22
	1855,	13	<i>Gallinago burka</i>	1860,	365
	1856,	139	<i>gallinula</i>	1858,	506
<i>melanogenia</i>	1858,	357	<i>magellanicus</i>	1859,	189
	1859,	53	<i>media</i>	1860,	387
	1859,	387	<i>nemoricola</i>	1860,	365
<i>quadricolor</i>	1855,	13	<i>nobilis</i>	1858,	506
<i>ruficauda</i>	1855,	13	<i>nobilis</i>	1856,	31
	1857,	136	<i>nobilis</i>	1858,	506
<i>rufoviridis</i>	1855,	13	<i>scolopacina</i>	1859,	189
<i>tombacea</i>	1855,	13	<i>solitaria</i>	1860,	365
	1857,	262	<i>solitaria</i>	1859,	189
<i>viridicauda</i>	1855,	13	<i>stenura</i>	1859,	150
<i>viridis</i>	1855,	13	<i>stenura</i>	1856,	310
<i>Galbuloides boersi</i>	1855,	15	<i>wilsoni</i>	1859,	64
<i>Galeodea echinophora</i> ..	1851,	229	<i>wilsoni</i>	1859,	369
<i>Galeola avellana</i>	1858,	49	<i>wilsoni</i>	1851,	146
<i>carniola</i>	1858,	49	<i>Gallinula chloropus</i> ..	1858,	508
<i>dactyola</i>	1858,	49		1859,	188
<i>irisans</i>	1858,	48	<i>crex</i>	1860,	258
<i>lepida</i>	1858,	49	<i>galeata</i>	1857,	237
<i>picta</i>	1858,	50	<i>phœnicura</i>	1859,	150
<i>pygmæa</i>	1858,	50			151
<i>tigrina</i>	1858,	49	<i>Gallopavo sylvestris</i>	1856,	62
			<i>Gallopasis albocristatus</i>	1858,	544

	Page		Page	
Gallopbasis alboerista-	1858,	tus	1850,	
	1859,			83
	1859,			
205	1850,			
	1858,		84	
	1858,		81	
	205		64	
horsfieldii	1858,		369	
	1858,		208	
	205			
melanotus	1859,			
	1858,			
melanotus	1858,			
Gallus æneus	1849,			
	1857,			
	1858,			
	498			
bankiva	1859,			
	1860,			
	442			
ferrugineus	1858,			
	1859,			
	185			
furcatus	1860,			
	417			
	442			
sonneratii	1855,			
	1860,			
	415			
temminckii	1849,			
	62			
Gambetta flavipes	1859,			
	393			
griseopygia	1860,			
	290			
griseopygia	1860,			
	364			
melanoleuca	1859,			
	237			
	1860,			
	253			
Gammarus stagnalis	1852,			
	19			
Ganga dilatata	1854,			
	88			
neritoides	1854,			
	88			
olivacea	1854,			
	88			
Garelia æqualis	1855,			
	38			
clavata	1855,			
	38			
Garrula rufula	1850,			
	79			
	1859,			
	446			
torquata	1850,			
	86			
Garrulax albogularis ..	1859,			
	150			
	151			
Garrulus atricapillus ..	1850,			
	82			
bispecularis	1850,			
	83			
brandti	1850,			
	82			
burneti	1850,			
	84			
californicus	1858,			
	302			
coronatus	1858,			
	302			
cristatus	1859,			
	433			
	1850,			
	81			
glandarius	1850,			
	82			
	1860,			
	442			
gubernatrix	1850,			
	84			
	1850,			
	81			
gularis	1858,			
	479			
	1859,			
	172			
histrionicus	1850,			
	79			
iliceti	1850,			
	82			
japonicus	1850,			
	82			
krynickyi	1850,			
	82			
lanceolatus	1850,			
	81			
lidthi	1850,			
	80			
melanocephalus	1850,			
	82			
Garrulus ornatus	1850,			
	83			
ultramarinus	1850,			
	84			
vigorsii	1850,			
	81			
Garzetta candidissima ..	1859,			
	64			
Gastodon fanellensis ...	1854,			
	208			
Gastrochæna apertissi-				
ma	1854,			
	326			
cucullata	1854,			
	329			
cuneiformis	1858,			
	316			
denticulata	1854,			
	327			
difficilis	1854,			
	328			
hians	1858,			
	316			
humilis	1854,			
	327			
impressa	1854,			
	327			
indistincta	1854,			
	328			
interrupta	1854,			
	329			
intersecta	1854,			
	327			
lævigata	1854,			
	326			
lamellosa	1854,			
	328			
macroschisma	1854,			
	326			
modiolina	1858,			
	316			
philippinensis	1854,			
	328			
plicatilis	1854,			
	329			
pupina	1854,			
	326			
rüppellii	1854,			
	328			
spathulata	1854,			
	329			
sprenylex	1858,			
	316			
tenera	1854,			
	327			
Gastrodon anconostoma ..	1854,			
	208			
fanallensis	1854,			
	208			
umbilicata	1854,			
	207			
Gavia roseiventris	1859,			
	97			
	1860,			
	391			
Gavialis schlegeli	1849,			
	144			
Gazella bennettii	1850,			
	167			
	168			
colus	1850,			
	168			
corinna	1850,			
	112			
cuvierii	1849,			
	62			
dama	1850,			
	114			
	1850,			
	112			
dorcas	1850,			
	115			
	1850,			
	168			
	1860,			
	415			
euchore	1850,			
	168			
gutturosa	1850,			
	115			
	1850,			
	168			
isabella	1850,			
	113			
kemas	1850,			
	168			
kevela	1850,			
	112			
	1850,			
	114			
mohr	1850,			
	115			
	168			
pygarga	1850,			
	141			
ruficollis	1850,			
	114			
rufifrons	1850,			
	115			
soemmeringii	1850,			
	114			

	Page		Page
<i>Gazella soemmeringii</i> ..	1850,	<i>Geophis</i> (Catostoma)	
	{	<i>chalybæa</i>	1860, 316
<i>subgutturosa</i>	1850,	<i>Geospiza cyanovirens</i> ..	1858, 462
	{	<i>prasina</i>	1858, 462
<i>Gazola caledonica</i>	1850,	<i>Geospizopsis melanotis</i> {	1856, 306
<i>Gazzola caledonica</i>	1859,	1858, 98	
<i>Gecinus dimidiatus</i>	1859,	<i>typus</i>	1856, 306
<i>squamatus</i>	1858,	1858, 98	
<i>Gecko rapicauda</i>	1848,	<i>Geothlypis macgillivraii</i> 1859,	{ 363
<i>reevesii</i>	1858,		{ 373
	{	<i>semiflava</i>	1860,
<i>verus</i>	1860,	<i>speciosa</i>	1858,
	{	<i>trichas</i>	1859,
	{	<i>Geotria australis</i>	1851,
<i>Gelochelidon anglicus</i> ..	1858,	<i>Geotriton fuscus</i>	1858,
<i>Gena asperulata</i>	1850,		{ 144
<i>auricula</i>	1850,		{ 391
<i>concinna</i>	1850,	<i>Geotrygon albifacies</i> ..	{ 1858, 98
<i>irasata</i>	1850,	1859, 368	
<i>lineata</i>	1850,	1859, 391	
<i>lintricula</i>	1850,	<i>bourcieri</i>	1860,
<i>minima</i>	1850,	<i>caniceps</i>	1858,
<i>nebulosa</i>	1850,		{ 1856, 143
<i>nigra</i>	1850,	<i>chiriquensis</i>	{ 1857, 206
<i>ornata</i>	1850,	1858, 98	
<i>planulata</i>	1850,	<i>linearis</i>	1855, 163
<i>plumbea</i>	1850,		{ 1856, 309
<i>pulchella</i>	1850,	1857, 19	
<i>striatula</i>	1850,	1857, 235	
<i>strigosa</i>	1850,	1859, 368	
<i>varia</i>	1850,	1859, 433	
<i>Genetta abyssinica</i>	1860,	1860, 416	
<i>bonapartei</i>	1859,	<i>mystacea</i>	1855, 163
<i>Gennæus lineatus</i>	1859,	<i>sylvatica</i>	1860, 416
<i>Geocichla albogularis</i> ..	1854,	<i>Geranoaëtus melanoleucus</i> 1855,	134
<i>innotata</i>	1854,	<i>Geranospiza cærulescens</i> 1860,	288
	{	<i>gracilis</i>	1856, 285
<i>Geoclemmys annulata</i> ..	1860,	<i>Gerbillus indicus</i>	1858, 520
	{	<i>Geronoaëtus aguia</i>	1856, 145
<i>macrocephala</i>	1859,	<i>Geronticus calvus</i>	1859, 435
	{	<i>Gerrhonotus imbricatus</i> .	1860, 316
<i>Geococcyx affinis</i>	{	<i>tessellatus</i>	1860, 316
	{	<i>wiegmanni</i>	1860, 454
<i>mexicanus</i>	1857,	<i>Gerrhosaurus nigrolinea-</i>	
<i>Geomyda spinosa</i>	1860,	<i>tus</i>	1858, 156
<i>Goeffroiis aruensis</i>	1860,	<i>Gerygone chryso-gaster</i> ..	1858, 174
	{	<i>Geryonia æquorea</i>	1851, 272
<i>cyaneicollis</i>	1860,	<i>Gibbula adansonii</i>	1851, 185
	{	<i>adelaidæ</i>	1851, 186
<i>heteroclitus</i>	1860,	<i>agathensis</i>	1851, 185
<i>jukesii</i>	1860,	<i>capensis</i>	1851, 185
<i>personatus</i>	1860,	<i>cineraria</i>	1851, 184
<i>pucheranii</i>	1860,	<i>cinerea</i>	1851, 184
<i>Geoffroyus cyanicollis</i> ..	1860,	<i>declivis</i>	1851, 184
<i>Geomelania greyana</i>	1857,	<i>divaricata</i>	1851, 184
<i>jamaicensis</i>	1849,	<i>fanulum</i>	1851, 184
<i>Geopelia striata</i>	1859,	<i>fasciata</i>	1851, 185
<i>tranquilla</i>	1857,		
<i>Geophaps plumifera</i>	1857,		

	Page		Page
<i>Gibbula fumosa</i>	1851,	<i>Glossina longipalpis</i>	1850,
<i>fuscata</i>	1851,	<i>morsitans</i>	1850,
<i>jucunda</i>	1851,	<i>tabaniformis</i>	1850,
<i>kalinota</i>	1851,	<i>tachinoides</i>	1850,
<i>lehmanni</i>	1854,	<i>Glossiptila ruficollis</i> ...	1856,
<i>leucosticta</i>	1851,	<i>Glossoliga poireti</i>	1858,
<i>magus</i>	1851,	<i>Glossophaga ecaudata</i> ..	1858,
<i>mindorensis</i>	1851,	<i>Glossotherium</i>	1851,
<i>multicolor</i>	1851,		1850,
<i>nivosa</i>	1851,	<i>Glottis canescens</i>	1859,
<i>obliquata</i>	1851,		1859,
<i>philberti</i>	1851,	<i>chloropus</i>	1850,
<i>porcellana</i>	1851,	<i>horsfieldi</i>	1860,
<i>pulcherrima</i>	1854,		1855,
<i>pulchra</i>	1851,	<i>melanoleuca</i>	1857,
<i>puncto-costata</i>	1854,		1858,
<i>quadrata</i>	1851,	<i>Glycimeris margaritaceus</i>	1858,
<i>rotelliformis</i>	1851,	<i>Glyciphila modesta</i> ..	1858,
<i>scabra</i>	1851,		1859,
<i>sulcosa</i>	1851,	<i>ocularis</i>	1858,
<i>tumida</i>	1851,	<i>poliotis</i>	1859,
<i>umbilicata</i>	1851,	<i>Glyphis aspera</i>	1856,
<i>undosa</i>	1851,	<i>Glyphisodon biocellatus</i>	1859,
<i>varia</i>	1851,	<i>Glyphorhynchus castel-</i>	
<i>venusta</i>	1851,	<i>naudi</i>	1859,
<i>vulnerata</i>	1857,		1855,
<i>Gisella harrisi</i>	1856,	<i>cuneatus</i>	1858,
<i>Gladius (Rostellaria) me-</i>	25	<i>pectoralis</i>	1860,
<i>lanocheilus</i>	1854,	<i>Glyptodon clavipes</i>	1851,
<i>Glandina albersii</i>	1854,	<i>ornatus</i>	1851,
<i>conularis</i>	1855,	<i>reticulatus</i>	1851,
<i>filosa</i>	1855,	<i>tuberculatus</i>	1851,
<i>flexuosa</i>	1854,	<i>Gnathodon cuneatus</i> ...	1858,
<i>insignis</i>	1855,	<i>mendica</i>	1856,
<i>nystiana</i>	1855,	<i>trigona</i>	1856,
<i>Glandinaria californica</i> ..	1856,	<i>Goliathus africanus</i>	1856,
<i>Glareola grallaria</i>	1860,	<i>drurii</i>	1856,
<i>limbata</i>	1850,	<i>giganteus</i>	1856,
<i>nuchalis</i>	1849,	<i>Golunda newera</i>	1850,
<i>orientalis</i>	1850,		157
<i>pratincta</i>	1855,		158
	1858,	<i>Gongylophis conicus</i> ..	1860,
<i>Glaucidium californicum</i>	1857,		164
<i>ferrugineum</i>	1860,		168
<i>gnoma</i>	1857,		170
<i>infuscatum</i>	1857,		171
	1860,	<i>Gongylus ocellatus</i> ...	1849,
<i>Glaucis melanura</i>	1860,		1859,
<i>ruckeri</i>	1860,		1859,
<i>Glaucónome psammotella</i>	1853,	<i>Goniaphea cærulea</i>	1856,
<i>rostralis</i>	1853,		1856,
<i>Glaucopsis leucopterus</i> ..	1859,	<i>concreta</i>	1857,
<i>Glenargus leucopterus</i> ..	1859,		1856,
<i>Globiocephalus macro-</i>		<i>parellina</i>	1857,
<i>rhynchus</i>	1860,	<i>Gonigeria clavata</i>	1851,
	423	<i>Gonicidaris pistillaris</i> ..	1855,
		<i>Gonodactylus chiragra</i> ..	1850,
		<i>cultrifer</i>	1850,
		<i>edwardsii</i>	1850,

	Page		Page
Gonodactylus graphurus	1850, 97	Graculus pygmaeus	1858, 509
scyllarus	1850, 96	sinensis	1859, 189
styliferus	1850, 97	sulcirostris	1860, 366
trispinosus	1850, 97		
Gonyosoma frenatum	1860, 163	Grallaria brevicauda	1855, 89
	166	ferrugineipectus	1858, 278
Gordius fasciatus	1853, 21	flavivestris	1858, 281
fulgur	1860, 447	flavivestris	1857, 129
platyura	1853, 20	flavivestris	1858, 284
pustulosus	1853, 20	fusca	1858, 280
sphæruca	1853, 21	guatemalensis	1856, 294
verrucosus	1853, 20	guatemalensis	1858, 280
violacea	1853, 20	guatemalensis	1859, 366
Gorgon fasciatus	1850, 139	guatemalensis	1859, 383
Gorgonella sarmentosa	1857, 289	hypoleuca	1855, 145
violacea	1857, 289	hypoleuca	1858, 281
Gorgonia elongata	1857, 287	imperator	1858, 280
flexuosa	1859, 480	imperator	1857, 129
furcata	1859, 480	loricata	1858, 68
granulata	1857, 289	loricata	1858, 284
juncea	1857, 287	macularia	1858, 282
lepadifera	1857, 285	marginata	1858, 278
myura	1859, 484	marginata	1855, 89
pectinata	1857, 287	marginata	1855, 145
placomus	1848, 44	marginata	1858, 281
pretiosa	1857, 287	marginata	1857, 18
reseda	1857, 285	modesta	1858, 281
richardi	1859, 482	modesta	1857, 18
sarmentosa	1859, 480	modesta	1858, 281
spiralis	1857, 290	modesta	1860, 78
suberosa	1857, 288	modesta	1855, 145
sulcifera	1857, 288	monticola	1858, 284
umbraculum	1857, 289	monticola	1860, 78
verticillans	1859, 484	monticola	1855, 145
verticillata	1857, 286	nuchalis	1859, 441
verticillata	1859, 484	nuchalis	1858, 282
violacea	1859, 480	olivacea	1858, 279
Gorilla gina	1859, 3	olivacea	1858, 281
Gouldia conversi	1855, 141	quitensis	1858, 281
langsdorfii	1854, 111	regulus	1860, 66
popelairi	1855, 141	rex	1858, 280
	1849, 171	rex	1855, 145
	1859, 159	ruficapilla	1858, 282
Goura coronata	1859, 206	ruficapilla	1860, 63
	1860, 192	ruficapilla	1860, 66
	1860, 362	ruficapilla	1855, 145
victoriae	1849, 171	ruficapilla	1858, 283
	1850, 246	ruficapilla	1855, 145
	1858, 182	squamigera	1858, 280
Gracula dumontii	1859, 158	squamigera	1858, 553
glauca	1856, 231	squamigera	1860, 89
intermedia	1859, 436	tinniens	1858, 281
religiosa	1859, 445	tinniens	1858, 280
Graculus carbo	1858, 509	varia	1858, 280
melanoleucus	1859, 189	Grallaricula ferruginei-	
melanops	1860, 366	pectus	1858, 284
	1857, 25	flavivestris	1858, 283
		loricata	1858, 284
		nana	1858, 284
		Grallina australis	1857, 25

	Page		Page		
Granatellus sallæi	1856,	Gymnobucco peli	1859,		
	292		397		
	1858,		97		
venustus	1859,	Gymnocichla nudiceps } 1858,	274		
	1858,		97	1859,	55
	1859,		375	1859,	157
Grantia botryoides	1858,	Gymnocorvus senex	1859,		
Graucalus hypoleucus	1848,	Gymnodactylus caudi- scutatus	1859,		
	1858,		114	1859,	410
	1860,		38	1857,	265
magnirostris	1860,	Gymnoderus foetidus	1851,		
melanotis	1858,	Gymnogaster arcticus	1854,		
Grayia silurophaga	1858,	Gymnomystax mexicanus	1854,		
Grus americana	1857,	Gymnopodus ægyptiacus	1848,		
	8	Gymnorhina tibicen	1860,		
	1860,	162	Gymnotus electricus	1853,	
antigone	1849,	rostratus	1853,		
	95	Gypaëtus barbatus	1858,		
	1857,		467	1859,	170
1858,	215		1859,	51	
cinerea	1860,	Gyparchus papa	1860,		
	507		193	1854,	258
	1860,		329	Gyps bengalensis	1858,
1850,	221	1859,	170		
1858,	507	1858,	468		
fraterculus	1860,	indicus	1859,		
hoiana	1857,	Gyrineum bufonium	1851,		
8	231		1851,	231	
montignesia	1859,		caudatum	1851,	
paradisea	1860,	echinatum	1851,		
pavonina	258	natator	1851,		
	329	rana	1851,		
	1855,	34	scrobiculator	1851,	
virgo	1859,	verrucosum	1851,		
	353	Gyrola chrysoptera	1856,		
	1860,		255	1856,	255
108	1856,		256		
Gryllivora brevirostris	1854,	Habroptila wallacii	1860,		
longicauda	282	Hæmatopota pluvialis	1850,		
magnirostra	1854,	Hæmatopus ater	1860,		
rosea	282	bachmanni	1860,		
Grymæomys scapulatus	1860,	fuliginosus	1860,		
Grypus spixi	303	leucopus	1860,		
Gubernatrix cristatellus	1860,	longirostris	1858,		
Guiraca cærulea	434	luctuosus	1860,		
	1859,	niger	1860,		
	365	ostralegus	1858,		
concreta	378	townsendii	1860,		
melanocephala	1859,	unicolor	1859,		
parellina	378	Hæmatornis cafer	1854,		
Gymnetrus —	1849,		48	1857,	85
	82		lugubris	1850,	217
	1849,	82	1858,	98	
ascanii	82	Hæmophila rufescens	1859,	365	
banksii	1849,		380	1859,	380
	81		superciliosa	1858,	98
	1849,	82	Hælyon albicilla	1859,	154
1849,	83	1854,		268	
1860,	187	atricapillus		1859,	150
glesne	1860,		1859,	151	
gryllii	81		1859,	397	
hawkenii	82	Gymnobucco bonapartii	1859,		
	80		397		
	1849,		80		
hawkensis	1849,	calvus	1859,		
northumbicus	1849,		397		
remipes	1849,		397		

	Page		Page
<i>Halcyon brunniceps</i>	1854,	<i>Haliichthys tæniophora</i>	1859, 39
<i>cinereifrons</i>	1860,	<i>Haliotis albicans</i>	1856, 147
	1854,	<i>californiensis</i>	1856, 223
<i>collaris</i>	1858,	<i>cracherodii</i>	1856, 223
	1859,	<i>splendens</i>	1856, 223
	1860,	<i>Haliplana fuliginosa</i>	1859, 166
<i>diops</i>	1860,	<i>Halmaturus bennettii</i>	1860, 323
<i>fulgidus</i>	1857,		1859, 433
<i>funebri</i>	1860,	<i>billardieri</i>	1860, 323
<i>gural</i>	1854,		1860, 371
<i>javonica</i>	1854,	<i>brunii</i>	1858, 106
<i>lazuli</i>	1860,	<i>ruficollis</i>	1860, 323
	1854,	<i>stigmaticus</i>	1860, 375
<i>leucocephalus</i>	1859,	<i>thetidis</i>	1860, 323
	1859,		371
<i>pileatus</i>	1854,	<i>Hamadryas hannah</i>	1855, 131
	1857,	<i>Haminea crocata</i>	1860, 19
	1858,		432
<i>sanctus</i>	1859,	<i>galba</i>	1860, 432
	1859,	<i>pusilla</i>	1860, 20
	1860,	<i>vesicula</i>	1856, 203
<i>semicærulea</i>	1860,	<i>Hapalotis albipes</i>	1851, 126
	1854,	<i>apicalis</i>	1851, 126
	1855,	<i>cervinus</i>	1851, 127
<i>smyrnensis</i>	1857,	<i>conditor</i>	1851, 127
	1858,	<i>gouldii</i>	1851, 127
<i>sordida</i>	1858,	<i>hemileucura</i>	1857, 243
<i>varia</i>	1854,	<i>hirsutus</i>	1851, 127
<i>(Syma?) flavirostris</i>	1850,	<i>longicaudatus</i>	1851, 127
<i>Haliaëtus aguia</i>	1848,	<i>macrotis</i>	1851, 127
<i>albicillus</i>	1859,	<i>melanura</i>	1857, 243
	1859,	<i>mitchellii</i>	1851, 127
<i>erythronotus</i>	1860,	<i>murinus</i>	1851, 127
	1858,	<i>richardsonii</i>	1851, 127
<i>girrenera</i>	1858,	<i>Hapsidophrys cæruleus</i>	1858, 161
<i>indus</i>	1854,	<i>lineatus</i>	1858, 160
	1854,	<i>Harpa solidula</i>	1853, 173
<i>leucogaster</i>	1858,	<i>striatula</i>	1853, 173
	1858,	<i>Harpactes diardi</i>	1859, 460
<i>leucosternus</i>	1860,	<i>duvaucelli</i>	1859, 459
	1854,	<i>kasumba</i>	1859, 460
<i>lineatus</i>	1858,	<i>Harpagus circumcinctus</i>	1851, 43
<i>macei</i>	1859,	<i>diodon</i>	1857, 261
<i>plumbeus</i>	1854,	<i>Harpes redivivus</i>	1859, 339
<i>sphenurus</i>	1854,	<i>Harpiprion cayennensis</i>	1858, 77
<i>vocifer</i>	1860,	<i>Harporynchus crissalis</i>	1859, 339
<i>(Cuncuma) leuco-</i>		<i>curvirostris</i>	1859, 339
<i>gaster</i>	1860,	<i>leontii</i>	1859, 339
	1857,	<i>longirostris</i>	1859, 339
<i>Haliastur indus</i>	1858,		362
	1859,	<i>redivivus</i>	1859, 339
	1859,	<i>rufus</i>	1859, 340
<i>leucosternus</i>	1853,	<i>Harpula bullata</i>	1855, 62
	1860,	<i>carneolata</i>	1855, 59
<i>Halichærus gryphus</i>	1848,	<i>fulminata</i>	1855, 60
	1856,	<i>fulva</i>	1855, 59
<i>Halicore australis</i>	1858,	<i>guineaica</i>	1855, 59
<i>dugong</i>	1850,		
<i>Haligenes tristrami</i>	1859,		
	471		
	476		

	Page		Page
Harpula harpa	1855,	Heliangelus clarisse	1855,
hebræa	1855,	mavors	1848,
lapponica	1855,	spencei	1848,
lævigata	1855,	strophianus	1848,
lyriformis	1855,	} 1860,	95
nitræformis	1855,	viola	1853,
musica	1855,	Heliania spinescens	1859,
nodulosa	1855,	Helianthea aurigaster ..	1855,
nucleus	1855,	aurora	1853,
polyzonalis	1855,	bonapartii	1848,
sulcata	1855,	} 1855,	139
thiarella	1855,	eos	1848,
vexillum	1855,	helianthea	1848,
Harpya destructor	1851,	iris	1853,
Harrier, The Brown-		lutetiæ	1860,
backed	1851,	typica	1855,
Chestnut	1851,	Helicella nitida	1856,
Hawk, Carracarra	1851,	Helicina acuta	1848,
The Bird	1851,	adamsiana	1848,
of the Cataracts, The		amœna	1848,
Blue	1851,	articulata	1853,
Brown-backed Short-		aruana	1859,
winged	1851,	barbadensis	1853,
Fishing	1851,	behniiana	1859,
Large Awl-beaked		besckei	1848,
Fish-	1851,	bicolor	1852,
Large Sea-fishing ..	1851,	brevilabris	1856,
Laughing	1851,	bulla	1852,
Plaid-chested Short-		campanula	1848,
winged	1851,	chiapensis	1856,
Red-headed Carra-		cingulata	1852,
carra	1851,	concentrica	1848,
Small Awl-beaked		conoidea	1853,
Fish-	1851,	constricta	1848,
Two-toothed Baridi	1851,	convexa	1848,
Yellow-cered Short-		cordillera	1856,
winged	1851,	cumingiana	1848,
Yellow-headed Car-		denticulata	1855,
racarra	1851,	diaphana	1850,
Hedruris androphora ..	1858,	dominicensis	1851,
siredonis	1858,	draytonensis	1856,
		dysonii	1848,
		egregia	1855,
Hedymeles ludoviciana	1856,	electrina	1859,
nus	1859,	exigua	1848,
	1859,	foviata	1853,
	1860,	funckii	1848,
	1857,	ghiesbreghtii	1856,
melanocephalus ..	1858,	gonochila	1848,
	1859,	gossei	1848,
	1859,	gratiosa	1856,
Helarectos malayanus ..	1849,	guldiana	1848,
tibetanus	1858,	hanleyana	1848,
	1859,	heatei	1856,
	435	heloise	1856,
Heleodytes griseus	1856,	idæ	1856,
minor	1856,	inæqualis	1859,
Heliactis bellis	1858,	kienerii	1848,
Heliangelus amethysti-			
collis	1848,		
clarisse	1848,		

	Page		Page
<i>Helicina lindeni</i>	1848,	<i>Heliomaster longirostris</i>	1857,
<i>macgillivrayi</i>	123	<i>mesoleucus</i>	1853,
<i>merdigera</i>	1855,	<i>Heliophoca atlantica</i>	1854,
<i>merguensis</i>	102	<i>Heliothrix auriculatus</i>	1855,
<i>minuscula</i>	1857,	<i>auritus</i>	1855,
<i>modesta</i>	111	<i>barroti</i>	1855,
<i>norfolkensis</i>	1859,	<i>phainolæma</i>	1855,
<i>notata</i>	29	<i>purpureiceps</i>	1855,
<i>oleosa</i>	52		1855,
<i>orbignyi</i>	1856,		1860,
<i>oweniana</i>	391	<i>Heliotrypha parzudakii</i>	1855,
<i>paraensis</i>	1856,	<i>viola</i>	1859,
<i>pictella</i>	323		1860,
<i>pisum</i>	1852,	<i>Helix abjecta</i>	1854,
<i>plicatula</i>	141	<i>abnormis</i>	1854,
<i>reeveana</i>	1848,	<i>acalles</i>	1856,
<i>repanda</i>	123	<i>acmella</i>	1860,
<i>riparia</i>	1859,	<i>actinophora</i>	1854,
<i>rohri</i>	28	<i>acutumargo</i>	1860,
<i>rubella</i>	1853,	<i>adamsi</i>	1850,
<i>rudis</i>	53	<i>adelaidæ</i>	1856,
<i>rufa</i>	1848,	<i>advena</i>	1854,
<i>salleana</i>	124	<i>æquatorialis</i>	1860,
<i>sanguinea</i>	1853,	<i>æruginea</i>	1854,
<i>shanghaiensis</i>	60	<i>afra</i>	1854,
<i>sowerbiana</i>	1855,	<i>africana</i>	1849,
<i>sphæroidea</i>	102	<i>aglaia</i>	1854,
<i>spinifera</i>	1848,	<i>alata</i>	1856,
<i>sprucei</i>	118	<i>albersiana</i>	1851,
<i>suavis</i>	1857,	<i>albersii</i>	1854,
<i>sublævigata</i>	111	<i>albicans</i>	1849,
<i>tenuilabris</i>	1856,	<i>albicostis</i>	1860,
<i>tenuis</i>	385	<i>albizonata</i>	1858,
<i>turbinella</i>	1852,	<i>alpha</i>	1852,
<i>unidentata</i>	141	<i>amazonica</i>	1854,
<i>versicolor</i>	1848,	<i>ambigua</i>	1853,
<i>virens</i>	124	<i>ammiralis</i>	1856,
<i>zebriolata</i>	124	<i>ammonoceras</i>	1854,
(<i>Alcadia</i>) <i>rhamphostyla</i>	1855,	<i>angelica</i>	1856,
(<i>Trochatella</i>) <i>semi-lirata</i>	391	<i>annatonensis</i>	1854,
<i>Helicolimax lamarekii</i>	1848,	<i>annulifera</i>	1851,
<i>Helicomela bowdichiana</i>	124	<i>anomala</i>	1848,
<i>punctulata</i>	1854,	<i>antrorsa</i>	1855,
<i>Helictis nipalensis</i>	172	<i>aphrodite</i>	1859,
	1854,	<i>apollo</i>	1860,
	1853,	<i>appendiculata</i>	1854,
	191	<i>arcinella</i>	1854,
	1856,	<i>arcta</i>	1854,
	398	<i>areolata</i>	1850,
<i>Heliodoxa jacula</i>	1849,	<i>arguta</i>	1856,
	96	<i>armida</i>	1853,
<i>jamesoni</i>	1855,	<i>armillata</i>	1854,
<i>leadbeateri</i>	139	<i>armitageana</i>	1854,
	1860,	<i>arridens</i>	1854,
	94	<i>aspersa</i>	1850,
	1849,	<i>atrata</i>	1852,
	96	<i>atritata</i>	1854,
	1857,	<i>audebardi</i>	1851,
	16	<i>aulica</i>	1852,
<i>otero</i>	1849,		56
<i>rubina</i>	96		
<i>rubinoïdes</i>	96		
<i>Heliomaster constantii</i>	1856,		
	140		
<i>longirostris</i>	1856,		
	140		

	Page		Page
<i>Helix auricula</i>	1855,	<i>Helix castrensis</i>	1856,
auris	1854,	catenifera	1852,
auris-judæ	1854,	cellaria	1854,
auris-midæ	1854,	ceres	1853,
avus	1852,	ceroides	1853,
bactriana	1856,	chamissoi	1855,
barrakporensis	1852,	charpentieri	1853,
basidentata	1856,	cheiranthicola	1854,
baskervillei	1849,	chiapensis	1856,
batesii	1860,	chimmoi	1856,
bella	1854,	chionodiscus	1856,
beta	1852,	chrysomela	1854,
bicarinata	1854,	ciliosa	1859,
biciliata	1855,	cimex	1854,
bicolor	1854,	circe	1853,
biconcava	1852,	cleryi	1856,
bicuris	1857,	coagulata	1856,
bifrons	1854,	coarctata	1849,
binaria	1856,	cobresiana	1854,
birmana	1857,	coffea	1855,
bitulcata	1852,	columbiana	1850,
bituberculata	1852,		1856,
bogotensis	1854,	commixta	1854,
bombycina	1854,	compacta	1854,
borncensis	1849,	compar	1854,
bougainvillei	1860,	concaospira	1853,
bourcieri	1852,	conferta	1856,
bourgnignatii	1856,	confusa	1855,
bowdichiana	1854,	congrua	1858,
brardiana	1851,	connivens	1849,
brevibarbis	1859,	conicoides	1851,
	1849,	conomphala	1853,
	1856,	consors	1854,
	1853,	consul	1854,
	1855,	continua	1853,
bridwilli	1855,	convexiuscula	1855,
brookei	1851,	cordovana	1856,
bullacea	1854,	coronata	1854,
bulveriana	1854,	coronula	1854,
busbyi	1849,	corrugata	1854,
cæcilia	1855,		1854,
calabarica	1856,	costata	1854,
calathus	1854,		1856,
	1848,	costulifera	1854,
	1854,	costulosa	1852,
calcareo	1854,	crassidens	1854,
	1848,	crebriflammis	1852,
	1854,		1852,
calculus	1854,		1854,
	1850,	crystallina	1854,
	1856,		1854,
californensis	1856,	cumulus	1854,
	1856,	curvidens	1854,
calva	1854,	damahoyi	1856,
camelus	1855,	darnaudi	1856,
canicalensis	1854,	dealbata	1854,
caperata	1854,	decidua	1857,
capitanea	1854,	defforata	1854,
capsella	1854,	delphinula	1854,
carneola	1854,	delta	1856,
carychium	1854,	dennisoni	1853,
caseus	1860,		1853,
casta	1848,		1853,

	Page		Page
<i>Helix depauperata</i>	1854,	<i>Helix goniomphala</i>	1854,
<i>difficilis</i>	1853,	<i>granum</i>	1857,
<i>dillwyniana</i>	1851,	<i>greenwoodii</i>	1849,
<i>dimorpha</i>	1852,	<i>grevillei</i>	1856,
<i>discina</i>	1854,	<i>grimardi</i>	1856,
<i>ductilis</i>	1856,	<i>groviana</i>	1854,
<i>dunkeri</i>	1852,	<i>guayaquilensis</i>	1852,
<i>dunniae</i>	1849,	<i>gueinzii</i>	1856,
<i>duplicata</i>	1854,	<i>guerineana</i>	1854,
<i>dupuyana</i>	1852,	<i>guttata</i>	1853,
<i>echinulata</i>	1854,	<i>hainesi</i>	1856,
<i>egesta</i>	1849,	<i>heldiana</i>	1852,
<i>elegantissima</i>	1853,	<i>helicinoides</i>	1856,
<i>ellipsostoma</i>	1854,	<i>helictomphala</i>	1856,
<i>emiliana</i>	1852,	<i>heroica</i>	1855,
<i>entodonta</i>	1859,	<i>hetæra</i>	1860,
<i>epsilon</i>	1852,	<i>hispana</i>	1854,
<i>erubescens</i>	1854,	<i>hombroni</i>	1856,
<i>eta</i>	1852,	<i>hondana</i>	1854,
<i>euspira</i>	1854,	<i>horiomphala</i>	1854,
<i>eustoma</i>	1856,	<i>huaheinensis</i>	1853,
<i>eva</i>	1852,	<i>hyæna</i>	1854,
<i>exalbida</i>	1854,	<i>hyphasma</i>	1853,
<i>exaltata</i>	1855,	<i>hypopolia</i>	1852,
<i>exarata</i>	1857,	<i>hystricella</i>	1859,
<i>excisa</i>	1854,	<i>ide</i>	1849,
<i>exserta</i>	1856,	<i>ignava</i>	1855,
<i>fanelleii</i>	1856,	<i>inaequalis</i>	1854,
<i>fanula</i>	1856,	<i>incisa</i>	1860,
<i>farrisi</i>	1859,	<i>infans</i>	1854,
<i>fatua</i>	1857,	<i>intusplicata</i>	1850,
<i>fausta</i>	1854,	<i>iota</i>	1852,
<i>fictilis</i>	1854,	<i>isabellina</i>	1854,
<i>fidelis</i>	1856,	<i>isis</i>	1860,
<i>flammigera</i>	1852,	<i>isodon</i>	1852,
<i>flexilabris</i>	1856,	<i>jacquinoti</i>	1849,
<i>flexuosa</i>	1855,	<i>jaspidea</i>	1859,
<i>fluctuosa</i>	1854,	<i>jeffreysiana</i>	1852,
<i>forsteriana</i>	1851,	<i>juliformis</i>	1854,
<i>foveata</i>	1853,	<i>kappa</i>	1852,
<i>fraseri</i>	1850,	<i>kawaiensis</i>	1854,
<i>fricki</i>	1858,	<i>kellettii</i>	1850,
<i>fringilla</i>	1855,	<i>keppellii</i>	1854,
	1856,	<i>kermanteci</i>	1856,
<i>fucata</i>	1853,	<i>labyrinthus</i> , var. si-	
<i>funiculata</i>	1854,	<i>punculata</i>	1850,
<i>furva</i>	1854,	<i>lacera</i>	1853,
<i>galactostoma</i>	1849,		1850,
<i>gamma</i>	1852,	<i>laciniosa</i>	1854,
<i>ganoma</i>	1853,		1854,
<i>gartneriana</i>	1851,	<i>lactea</i>	1850,
<i>gaskoini</i>	1851,		243
<i>gemma</i>	1848,	<i>læta</i>	1854,
<i>generalis</i>	1854,	<i>lais</i>	1853,
<i>gramica</i>	1854,	<i>lalloënsis</i>	1855,
<i>glaberrima</i>	1854,	<i>lambda</i>	1852,
<i>glabriuscula</i>	1851,	<i>lamellosa</i>	1858,
<i>glutinosa</i>	1851,		22
	70		

	Page		Page
<i>Helix lampra</i>	1854,	<i>Helix moretonensis</i> ...	1854,
<i>lapidica</i>	1854,	<i>mormonum</i>	1857,
<i>latens</i>	1851,	<i>motacilla</i>	1855,
<i>launcestonensis</i>	1852,	<i>mozambicensis</i>	1855,
<i>layardi</i>	1851,	<i>mucida</i>	1856,
<i>lenticula</i>	1854,	<i>mucronata</i>	1852,
<i>lentiginosa</i>	1854,	<i>mühlfeldtiana</i>	1852,
<i>leonina</i>	1854,	<i>muralis</i>	1854,
<i>leptosticta</i>	1854,	<i>murina</i>	1856,
<i>leucorhaphæ</i>	1851,	<i>mustelina</i>	1854,
<i>leucostyla</i>	1855,	<i>nævia</i>	1854,
<i>lightfootii</i>	1852,	<i>nagporensis</i>	1860,
<i>lincta</i>	1854,	<i>nasuta</i>	1851,
<i>lindstedti</i>	1856,	<i>navigatorum</i>	1854,
<i>liratula</i>	1860,	<i>nematophora</i>	1854,
<i>liturata</i>	1851,	<i>nepos</i>	1855,
<i>livesayi</i>	1860,	<i>newcombi</i>	1854,
<i>lombei</i>	1856,	<i>niciensis</i>	1854,
<i>loweii</i>	1854,	<i>nickliniana</i>	1856,
<i>lucida</i>	1854,	<i>niphæ</i>	1857,
<i>ludersi</i>	1855,	<i>nitida</i>	1854,
<i>lurida</i>	1854,	<i>nitidiuscula</i>	1854,
<i>lutacea</i>	1857,	<i>nivosa</i>	1854,
<i>lutea-cornea</i>	1854,	<i>nobilis</i>	1849,
<i>lyelliana</i>	1854,	<i>novæ-hollandiæ</i> ..	1856,
<i>macandrewiana</i>	1853,	<i>novella</i>	1854,
<i>maculosa</i>	1850,	<i>nucleus</i>	1854,
<i>maderensis</i>	1854,	<i>nuda</i>	1852,
<i>majuscula</i>	1856,	<i>nuttalliana</i>	1850,
<i>malaccana</i>	1854,	<i>nympha</i>	1849,
<i>mansueta</i>	1854,	<i>oblita</i>	1851,
<i>margarita</i>	1851,	<i>obserata</i>	1854,
<i>marmatensis</i>	1854,	<i>obtecta</i>	1854,
<i>martinii</i>	1854,	<i>œnostoma</i>	1854,
<i>matura</i>	1855,	<i>omega</i>	1852,
<i>mauritiana</i>	1852,	<i>omissa</i>	1856,
<i>maxima</i>	1853,	<i>ophelia</i>	1854,
<i>mediocris</i>	1854,	<i>ophiria</i>	1856,
<i>meleagris</i>	1855,	<i>oregonensis</i>	1856,
<i>membranacea</i>	1854,	<i>ornatella</i>	1850,
<i>membranicosta</i>	1854,	<i>otostoma</i>	1851,
<i>mendicaria</i>	1860,	<i>oweniana</i>	1853,
<i>meobambensis</i>	1856,	<i>oxytropis</i>	1854,
<i>merziana</i>	1852,	<i>paciniana</i>	1854,
<i>meta</i>	1856,	<i>pagodula</i>	1854,
<i>micans</i>	1853,	<i>palawanica</i>	1855,
<i>michaudi</i>	1854,	<i>pandoræ</i>	1850,
<i>micromphala</i>	1854,	<i>papilio</i>	1854,
<i>microspira</i>	1853,	<i>partita</i>	1853,
<i>migratoria</i>	1855,	<i>patasensis</i>	1859,
<i>miguelina</i>	1856,	<i>patricia</i>	1859,
<i>militaris</i>	1855,	<i>paupercula</i>	1854,
<i>minerva</i>	1852,	<i>pfeifferi</i>	1856,
<i>monacha</i>	1859,	<i>phædra</i>	1852,
<i>monsoni</i>	1849,	<i>phlebobhora</i>	1854,
	126		166

	Page		Page
<i>Helix phlogophora</i>	1849,	<i>Helix sandvicensis</i>	1849,
<i>phthisica</i>	1856,	<i>sannio</i>	1854,
<i>pinicola</i>	1854,	<i>santanaënsis</i>	1854,
<i>pirreana</i>	1854,	<i>scabra</i>	1854,
<i>pisana</i>	1854,	<i>scarabæus</i>	1850,
<i>plagioglossa</i>	1859,	<i>scepasma</i>	1854,
<i>plagiostoma</i>	1856,	<i>schumacheriana</i>	1851,
<i>planorbis</i>	1860,	<i>sciadium</i>	1857,
<i>plattii</i>	1854,	<i>scintilla</i>	1854,
<i>platystyla</i>	1849,	<i>scytopodes</i>	1854,
<i>pliculosa</i>	1856,	<i>sebacea</i>	1856,
<i>pœcilocostata</i>	1852,	<i>selenostoma</i>	1852,
<i>poiretiana</i>	1851,	<i>semiconvexa</i>	1854,
<i>politissima</i>	1853,	<i>semidecussata</i>	1851,
<i>polymorpha</i>	1854,	<i>senilis</i>	1854,
<i>portia</i>	1849,	<i>sericulata</i>	1849,
<i>portosanctana</i>	1854,	<i>shanghaiensis</i>	1853,
<i>præstans</i>	1853,	<i>shiplayi</i>	1856,
<i>procera</i>	1853,	<i>siamensis</i>	1856,
<i>propinqua</i>	1857,	<i>similaris</i>	1850,
<i>pruinosa</i>	1852,	<i>singularis</i>	1854,
<i>psammophora</i>	1854,	<i>solida</i>	1851,
<i>ptychomphala</i>	1851,	<i>solidula</i>	1854,
<i>ptychostyla</i>	1860,	<i>sophiæ</i>	1854,
<i>pubescens</i>	1851,	<i>souleytiana</i>	1851,
<i>pulchella</i>	1854,	<i>sphærulea</i>	1854,
<i>pulvinata</i>	1854,	<i>spirorbis</i>	1854,
<i>punctulata</i>	1854,	<i>squalida</i>	1854,
<i>purchasi</i>	1858,	<i>stellaris</i>	1854,
<i>purpurascens</i>	1853,	<i>stimpsoni</i>	1854,
<i>pusilla</i>	1854,	<i>strangei</i>	1848,
<i>pythia</i>	1850,	<i>striata</i>	1854,
<i>pyxis</i>	1856,	<i>strigella</i>	1856,
<i>quercina</i>	1856,	<i>striolata</i>	1860,
<i>quitensis</i>	1854,	<i>strongyloides</i>	1854,
<i>radians</i>	1851,	<i>strumosa</i>	1852,
<i>radiaria</i>	1854,	<i>sturmiana</i>	1851,
<i>radiatula</i>	1854,	<i>stutchburyi</i>	1856,
<i>rapida</i>	1853,	<i>subangula</i>	1854,
<i>recedens</i>	1849,	<i>subconoidea</i>	1854,
<i>redfieldi</i>	1852,	<i>subdecussata</i>	1857,
<i>reglis</i>	1851,	<i>subfusca</i>	1848,
<i>regularis</i>	1854,	<i>subopaca</i>	1853,
<i>rehbeinii</i>	1852,	<i>subplicata</i>	1854,
<i>rejecta</i>	1859,	<i>subrudis</i>	1854,
<i>resplendens</i>	1851,	<i>subrugata</i>	1851,
<i>rhea</i>	1855,	<i>subtecta</i>	1855,
<i>rhodostoma</i>	1854,	<i>subtilis</i>	1854,
<i>richmondiana</i>	1851,	<i>subvitrea</i>	1854,
<i>rosarium</i>	1849,	<i>sulphurea</i>	1859,
<i>rotula</i>	1854,	<i>swiftii</i>	1854,
<i>rotundata</i>	1854,	<i>tabellata</i>	1854,
<i>saccata</i>	1854,	<i>tapeina</i>	1860,
<i>sachalensis</i>	1855,	<i>tectiformis</i>	1850,
<i>salleana</i>	1849,	<i>testudinalis</i>	1854,
		<i>testudo</i>	1858,

	Page		Page
<i>Helix textrix</i>	1855,		92
<i>thomasi</i>	1854,		54
<i>thwaitesi</i>	1853,		125
<i>tiarella</i>	1854,		194
<i>tomentosa</i>	1854,		289
<i>tourannensis</i>	1860,		8
<i>townsendiana</i>	{ 1850,		53
	{ 1856,		220
<i>trailli</i>	1855,		107
<i>tricolor</i>	1849,		129
<i>triflora</i>	1853,		125
<i>tristrami</i>	1860,		136
<i>turneri</i>	1860,		135
<i>turricula</i>	{ 1850,		244
	{ 1854,		186
<i>umbraculum</i>	1852,		147
<i>undata</i>	{ 1850,		244
	{ 1854,		168
<i>undina</i>	1856,		34
<i>undulata</i>	1860,		7
<i>urnula</i>	1854,		49
<i>ursina</i>	1856,		384
<i>ustulata</i>	1854,		171
<i>vallicola</i>	1854,		289
<i>vancouverensis</i>	1856,		220
<i>vargasiana</i>	{ 1848,		109
	{ 1854,		172
<i>varicosa</i>	1852,		148
<i>vellicata</i>	1850,		55
<i>venulata</i>	1857,		108
<i>veracruzensis</i>	1856,		318
<i>vermetiformis</i>	1854,		186
<i>veronica</i>	1853,		58
<i>verrucula</i>	1854,		50
<i>vexillaris</i>	1855,		113
<i>vieta</i>	1854,		167
<i>vilis</i>	1851,		263
<i>villaris</i>	1854,		146
<i>vipera</i>	1859,		24
<i>vitellina</i>	1848,		109
<i>vitiensis</i>	1855,		108
<i>vittata</i>	1851,		70
<i>volutella</i>	1856,		33
<i>vulcania</i>	1854,		168
<i>vulgata</i>	1854,		173
<i>wallacei</i>	1858,		20
<i>webbiana</i>	1854,		197
<i>wollastonii</i>	1854,		198
<i>woodiana</i>	1851,		254
<i>xiphias</i>	1856,		383
<i>yatesi</i>	1855,		92
<i>yorkensis</i>	1854,		145
<i>zollingeri</i>	1852,		159
<i>zosterophora</i>	1854,		146
(<i>Carocolla</i>) <i>zelandiæ</i>	1849,		165
(<i>Nanina</i>) <i>dohrniana</i>	1860,		136
(—) <i>mouhoti</i>	1860,		136
(<i>Zonites</i>) <i>coma</i>	1849,		166
		<i>Helminthophaga celata</i>	{ 1858,
			298
			{ 1859,
			235
			{ 1859,
			373
		<i>peregrina</i>	1859,
			373
		<i>ruficapilla</i>	1859,
			{ 363
			{ 373
		<i>Helmitheros celatus</i>	1857,
			212
		<i>chrysopterus</i>	1855,
			{ 133
			{ 143
		<i>rubricapillus</i>	1856,
			291
		<i>solitarius</i>	1856,
			291
		<i>sp. nov. ?</i>	1856,
			291
		<i>vermivorus</i>	1859,
			363
		<i>Heloderma horrida</i>	1857,
			62
		<i>Helotarsus ecaudatus</i>	1850,
			215
		<i>Hemicercus brunneus</i>	1859,
			457
		<i>concretus</i>	1859,
			455
		<i>Hemichelidon fuliginosa</i>	{ 1858,
			493
			{ 1859,
			182
		<i>latirostris</i>	{ 1854,
			270
			{ 1859,
			151
		<i>Hemidactylus angulatus</i>	1858,
			157
		<i>formosus</i>	1858,
			157
		<i>Hemipecten forbesianus</i>	1848,
			133
		<i>Hemipharis bakewellii</i>	1859,
			119
		<i>emilia</i>	1856,
			16
		<i>idæ</i>	1856,
			16
		<i>insularis</i>	1856,
			16
		<i>Hemiplacuna rozieri</i>	1849,
			124
		<i>Hemisalamandra cristata</i>	1858,
			143
		<i>marmorata</i>	1858,
			140
		<i>Hemispingus rubrirostris</i>	1856,
			92
		<i>superciliaris</i>	1856,
			93
		<i>veneris</i>	1856,
			90
		<i>Hemisis guttata</i>	1858,
			343
		<i>Hemithraupis flavicollis</i>	1856,
			110
		<i>guira</i>	1856,
			109
		<i>melanoxantha</i>	1856,
			110
		<i>peruana</i>	1856,
			111
		<i>ruficeps</i>	1856,
			111
		<i>Hemitragus jemlaicus</i>	{ 1856,
			404
			{ 1858,
			523
		<i>quadrimammis</i>	1856,
			404
		<i>Hemitriton alpestris</i>	1858,
			142
		<i>asper</i>	1858,
			139
		<i>bibronii</i>	1858,
			139
		<i>cinereus</i>	1858,
			139
		<i>punctulatus</i>	1858,
			139
		<i>rugosus</i>	1858,
			139
		<i>Henicocichla auricapilla</i>	1856,
			293
		<i>Henicoperis longicauda</i>	1859,
			153
		<i>Henucha? delegorguei</i>	1849,
			59
		<i>grimmia</i>	1849,
			59
		? <i>smilax</i>	1849,
			59
		<i>Heptathyra aubryi</i>	1860,
			315
		<i>Hermes nassatella</i>	1853,
			117
		<i>spectabilis</i>	1853,
			117
		<i>violaceus</i>	1853,
			117

	Page		Page
<i>Herodias alba</i>	1858,		
<i>albolineata</i>	1859,		
<i>bubulcus</i>	1858,		
<i>candidissima</i>	1857,		
<i>egretta</i>	1859,		
<i>flavicollis</i>	1860,		
<i>garzetta</i>	1859,		
<i>leuce</i>	1857,		
<i>picata</i>	1858,		
<i>Herpestes badius</i>	1849,		
<i>fasciatus</i>	1849,		
	1859,		
	1850,		
	1852,		
<i>griseus</i>	1858,		
	1859,		
	1860,		
	1860,		
<i>mutzigella</i>	1849,		
<i>nepalensis</i>	1860,		
<i>nyula</i>	1856,		
	1858,		
<i>ochraceus</i>	1848,		
<i>punctulatus</i>	1849,		
<i>smithii</i>	1851,		
<i>vitticollis</i>	1850,		
<i>Herpetodryas bernierii</i> ..	1858,		
<i>biserialis</i>	1860,		
<i>boddaërtii</i>	1860,		
	1859,		
	1860,		
<i>brunneus</i>	1860,		
	1860,		
<i>flavigularis</i>	1860,		
<i>frenatus</i>	1860,		
<i>fuscus</i>	1859,		
<i>margaritiferus</i>	1860,		
<i>quadrilineatus</i>	1858,		
	1859,		
<i>rappii</i>	1860,		
	1860,		
<i>Herpeton tentaculatum</i> ..	1860,		
	1855,		
<i>Herpetores sieboldii</i> ..	1860,		
	1857,		
	1859,		
<i>Herpetotheres cachin-</i>	1859,		
<i>nans</i>	1859,		
	1860,		
	1860,		
	1860,		
	1860,		
<i>Herpsilochmus argenta-</i>			
<i>tus</i>	1858,	250	
<i>pectoralis</i>	1857,	132	
	1858,	233	
	1857,	132	
<i>pileatus</i>	1858,	233	
<i>rufimarginatus</i>	1858,	233	
<i>Hesperiphona icterioi-</i>	1858,	483	
<i>des</i>	1859,	178	
<i>Hesperomys albigularis</i> ..	1860,	264	
<i>arvicoloides</i>	1860,	262	
<i>aureus</i>	1860,	219	
<i>bicolor</i>	1860,	217	
	1860,	263	
<i>bimaculatus</i>	1860,	221	
<i>caliginosus</i>	1860,	263	
<i>cephalotes</i>	1858,	548	
<i>darwinii</i>	1860,	221	
<i>elegans</i>	1860,	213	
	1860,	221	
<i>latimanus</i>	1860,	213	
	1860,	263	
<i>longicaudatus</i>	1858,	548	
	1860,	217	
<i>longipilus</i>	1860,	221	
<i>maculipes</i>	1860,	262	
<i>minutus</i>	1860,	215	
<i>nasutus</i>	1860,	221	
<i>renggeri</i>	1860,	213	
	1860,	262	
<i>squamipes</i>	1858,	548	
<i>tumidus</i>	1860,	221	
<i>Hesta splendens</i>	1860,	8	
<i>vallicola</i>	1860,	8	
<i>Heterocardia cumingii</i> ..	1854,	339	
<i>fabagella</i>	1854,	340	
<i>gibbosa</i>	1854,	340	
<i>Heterocnemis albigularis</i> ..	1858,	67	
<i>bambala</i>	1855,	146	
<i>marginata</i>	1855,	145	
<i>nævia</i>	1858,	247	
<i>Heterocyathus æquicos-</i>			
<i>tatus</i>	1849,	77	
<i>cochlea</i>	1849,	77	
<i>eupsammides</i>	1849,	77	
<i>hemisphærica</i>	1849,	77	
<i>rousseænanus</i>	1849,	77	
<i>Heterodon diadema</i>	1859,	80	
<i>diversidens</i>	1851,	216	
<i>Heteroglossa africana</i> ..	1858,	165	
<i>Heterolepis bicarinatus</i> ..	1858,	162	
<i>poensis</i>	1858,	162	
<i>Heteronotus triangularis</i> ..	1858,	161	
<i>Heteropelma amazonum</i> ..	1860,	466	
	1860,	467	
<i>aurifrons</i>	1860,	467	
<i>flavicapillum</i>	1860,	466	
	1860,	467	

	Page		Page
<i>Heteropelma rufo-olivaceum</i>	1860, 467	<i>Hipponyx panamensis</i> ..	1856, 3
<i>turdinum</i>	1860, 467	<i>radiatus</i>	1856, 4
<i>unicolor</i>	1860, 467	<i>serratus</i>	1856, 3
<i>veræ-pacis</i>	1860, } 300	<i>subrufus</i>	1856, 4
	467	<i>tuberculatus</i>	1856, 4
<i>Heterornis pyrrhogenys</i> ..	1860, 355	(<i>Amalthea</i>) <i>effodiens</i> ..	1856, 4
<i>Heterura sylvana</i>	1859, 185	(—) <i>grayanus</i> ..	1856, 4
<i>Heterurus arcifasciatus</i> ..	1858, 380	<i>Hippopotamus amphi-</i>	1849, 163
<i>gaimardii</i>	1858, 380	<i>bius</i>	1850, 160
<i>rufescens</i>	1858, 161		1860, 195
<i>Hexabanchus nebulosus</i> ..	1860, 33	<i>Hipposideros armiger</i> ..	1856, 394
<i>pulchellus</i>	1860, 33	<i>aruensis</i>	1858, 107
<i>Hiaticula azaræ</i>	1860, 298	<i>insignis</i>	1858, 108
<i>cantiana</i>	1860, 372	<i>speoris</i>	1858, 108
<i>collaris</i>	1860, 290	<i>Hircus megaceros</i>	1858, 525
<i>falklandica</i>	1860, 386	<i>Hirundinea ferruginea</i> ..	1855, 150
	1858, 187	<i>Hirundo albicollis</i>	1854, 110
	1860, 363	<i>apus</i>	1857, 13
	1858, 505	<i>bicolor</i>	1860, 131
<i>philippina</i>	1859, 188	<i>brevirostris</i>	1858, 171
<i>rufinella</i>	1858, 505	<i>collaris</i>	1854, 110
<i>Hiatula lamarckii</i>	1858, 52	<i>daurica</i>	1858, 494
	1854, 258		1859, 175
<i>Hierax cærulescens</i> ..	1860, 343	<i>domicola</i>	1854, 264
<i>malayensis</i>	1854, 258		1855, 29
<i>Hierococyx varius</i>	1859, 459		1857, 88
<i>Himantopus candidus</i> ..	1858, 505	<i>filifera</i>	1858, 494
<i>mexicanus</i>	1857, 237		1859, 175
	1857, 206	<i>flavigastra</i>	1860, 292
	1860, 290	<i>frontalis</i>	1859, 154
<i>Himella fluviatilis</i>	1860, 203	<i>fuciphaga</i>	1858, 171
<i>Hindsia acuminata</i>	1853, 182		1854, 264
<i>angicostata</i>	1860, 142	<i>gutturalis</i>	1860, 345
<i>bitubercularis</i>	1853, 183		1854, 264
<i>carduus</i>	1853, 182		1860, 345
<i>egregia</i>	1853, 183	<i>javanica</i>	1854, 264
<i>nassoides</i>	1853, 182		1860, 345
<i>nivea</i>	1853, 182	<i>jewan</i>	1854, 264
<i>nodicostata</i>	1853, 183	<i>melanogaster</i>	1858, 296
<i>suturalis</i>	1853, 183	<i>nidifica</i>	1858, 171
<i>varicifera</i>	1853, 183	<i>nigricans</i>	1858, 171
	159	<i>panayana</i>	1854, 264
	167	<i>panayensis</i>	1860, 345
<i>Hinulia indica</i>	1860, } 171	<i>riparia</i>	1851, 146
	172		1857, 13
	173	<i>robini</i>	1855, 135
<i>Hippocamelus dubius</i> ..	1850, 236	<i>ruficollis</i>	1860, 292
<i>Hippocampus brevirostris</i> ..	1859, 212		1851, 146
<i>Hipponœ sardica</i>	1855, 36		1854, 264
<i>Hipponyx antiquatus</i> ..	1856, 3		1857, 13
<i>australis</i>	1856, 3	<i>rustica</i>	1858, 494
<i>barbatus</i>	1856, 3		1859, 150
<i>costellatus</i>	1856, 4		1859, 151
<i>foliaceus</i>	1856, 3		1859, 175
<i>granulata</i>	1853, 176	<i>rusticoides</i>	1854, 264
<i>grayanus</i>	1856, 226	<i>rutila</i>	1855, 135
<i>mitrula</i>	1856, 3	<i>serripennis</i>	1856, 285
		<i>subfusca</i>	1856, 137
		<i>thalassina</i>	1859, 235
		<i>urbica</i>	1851, 146

	Page		Page
<i>Hirundo urbica</i>	1857, 13	<i>Hydrobata melanogaster</i>	1859, 181
<i>Hispidella armitageana</i> .	1854, 179	<i>Hydrocena acutilirata</i> ..	1855, 106
<i>deflorata</i>	1854, 179	<i>albescens</i>	1854, 306
<i>Histiophorus maculatus</i> .	1860, 36	<i>aurantiaca</i>	1854, 307
<i>Histiotus velatus</i>	1858, 546	<i>brevicula</i>	1854, 306
<i>Holcostoma setigerum</i> ..	1853, 174	<i>bridgesii</i>	1854, 305
<i>Holocnemis cinnamomea</i>	1858, 249	<i>cattaroënsis</i>	1854, 305
<i>flammatus</i>	1858, 247	} 1860, 11	
<i>lineata</i>	1858, 247	<i>chinensis</i>	1857, 112
<i>nævia</i>	1858, 247	<i>cornea</i>	1854, 306
<i>Holopneustes porissimus</i>	1855, 36	<i>dubia</i>	1854, 308
<i>Holothuria digitata</i>	1858, 361	<i>erosa</i>	1854, 307
<i>flava</i>	1858, 366	<i>expansilabris</i>	1854, 309
<i>inhærens</i>	1858, 363	<i>exquisita</i>	1854, 307
<i>Holuropholis olivaceus</i> .	1858, 159	<i>exserta</i>	1854, 306
<i>Homalocranium atrocinctum</i>	1860, 454	<i>fragilis</i>	1860, 439
<i>Homalocranium laticeps</i>	1860, 240	<i>glabrata</i>	1854, 308
<i>melanocephalum</i> ..	1859, 412	<i>globosa</i>	1854, 308
<i>Homarus vulgaris</i>	1859, 433	<i>granum</i>	1854, 308
} 1860, 371		<i>gutta</i>	1854, 305
<i>Homonotus audax</i>	1858, 159	<i>hieroglyphica</i>	1854, 307
<i>Homraius bicornis</i>	1859, 447	<i>huahuinensis</i>	1854, 308
<i>Hoplocephalus superbus</i> .	1860, 371	<i>malleata</i>	1854, 308
<i>Hoploclerus biaculeatus</i>	1852, 52	<i>minutissima</i>	1854, 305
<i>Hoplophorus euphractus</i>	1851, 217	<i>multilirata</i>	1854, 308
<i>selloi</i>	1851, 217	<i>oblonga</i>	1854, 305
<i>Hoplopterus cayanus</i> . . .	1859, 63	<i>obtusa</i>	1854, 306
} 1860, 290		<i>plicosa</i>	1854, 308
<i>persicus</i>	1850, 221	<i>pupoides</i>	1854, 307
<i>spinosus</i>	1850, 221	<i>pyramis</i>	1854, 306
<i>ventralis</i>	1859, 150	<i>radiata</i>	1854, 308
<i>Horeites major</i>	1854, 105	<i>rosea</i>	1854, 307
<i>Hortulia regia</i>	1858, 164	<i>rubens</i>	1854, 307
<i>sebæ</i>	1858, 164	<i>scitula</i>	1854, 307
<i>Huhua nipalensis</i>	1854, 263	<i>sirkii</i>	1854, 305
<i>pectoralis</i>	1854, 263	<i>solidula</i>	1854, 305
<i>Humphreyia strangei</i> ..	1858, 317	<i>terebialis</i>	1854, 307
<i>Hyæna crocuta</i>	1860, 417	<i>vallata</i>	1854, 307
} 1856, 397		<i>vulpina</i>	1857, 112
<i>striata</i>	1858, 514	(<i>Omphalotropis</i>) <i>ce-</i>	
} 1859, 477		<i>rea</i>	1857, 112
<i>virgata</i>	1856, 397	(—) <i>guamensis</i> ..	1857, 113
<i>Hyalonema mirabilis</i> ..	1857, 279	(—) <i>navigatorum</i>	1857, 113
<i>sieboldii</i>	1857, 279	(—) <i>vestita</i>	1855, 106
<i>Hydnocerus bellus</i>	1852, 47	<i>Hydrochelidon nigra</i> ..	1850, 221
<i>exilis</i>	1852, 48	<i>Hydrocissa albirostris</i> ..	1859, 150
<i>flavolineatus</i>	1852, 48	<i>convexa</i>	1859, 448
<i>flavovarius</i>	1852, 49	<i>galerita</i>	1859, 450
<i>pectoralis</i>	1852, 48	<i>malayana</i>	1859, 448
<i>V-reversus</i>	1852, 48	<i>nigrirostris</i>	1859, 449
<i>Hydra tuba</i>	1859, 201	<i>Hydromedusa subde-</i>	
<i>Hydraspis spixii</i>	1852, 134	<i>pressa</i>	1852, 134
} 1858, 489		<i>Hydrophasianus chirur-</i>	
<i>Hydrobata asiatica</i> . . .	1859, 180	<i>gus</i>	1858, 507
} 1858, 489		<i>sinensis</i>	1859, 150
<i>cinclus</i>	1859, 180	<i>Hydropsalis lyra</i>	1855, 135
		<i>segmentatus</i>	1855, 135
		<i>Hyelaphus porcinus</i>	1850, 233

	Page		Page	
<i>Hyelaphus porcinus</i> ..	1856, 406	<i>Hyperoodon rostratum</i> ..	1860, { 373 422	
	1858, 530			
<i>Hygrobium lucidum</i>	1854, 216	<i>Hyphantes baltimorensis</i>	1857, 205 1859, 57 1859, 365	
<i>Hyla arborea</i>	1858, 390	<i>Hyphantidium sericarium</i>	1859, 207	
	1858, 391	<i>Hyphantornis castaneo-</i>		
	1858, 395	<i>fusca</i>	1859, 433	
	1860, 372	<i>textor</i>	1859, 433	
	<i>aubryi</i>	1858, { 165 392	<i>1854, 254</i>	
	<i>euphorbiacea</i>	1858, 395	<i>Hypocnemis cantator</i>	1858, 67 1858, 250 1857, 47
	<i>fasciata</i>	1859, 89	<i>elegans</i>	1858, 252
	<i>holochlora</i>	1860, 460	<i>erythrophrys</i>	1855, 146 1858, 252
	<i>punctata</i>	1858, 165	<i>leucophrys</i>	1855, 146 1858, 252
	<i>rhodopepla</i>	1859, 89	<i>melanolæma</i>	1854, 254 1858, 146
<i>versicolor</i>	1858, 395	<i>melanopogon</i>	1858, 251 1857, 130	
<i>viridis</i>	1859, 433	<i>melanosticta</i>	1858, 253 1854, 254 1855, 147	
<i>Hylæora eucalypti</i>	1848, 118	<i>1858, 67</i>		
<i>Hylarana erythræa</i> ..	1858, 393	<i>1858, 251</i>		
	1860, 116	<i>1855, 146</i>		
<i>Hylobates lar</i>	1859, { 8 16	<i>1858, 251</i>		
	<i>syndactylus</i>	1859, 5	<i>1857, 130</i>	
<i>Hylocharis cæruleigularis</i>	1856, 140	<i>1858, 252</i>		
	1857, 17	<i>1854, 254</i>		
	1857, 17	<i>1855, 147</i>		
	1855, 141	<i>1858, 67</i>		
	1859, { 89 416	<i>1858, 251</i>		
<i>lineatus</i>	1859, 89	<i>1855, 146</i>		
<i>unistrigatus</i>	1859, 416	<i>1857, 130</i>		
<i>Hylomanes gularis</i>	1857, 256	<i>1858, 67</i>		
	1857, 201	<i>1858, 251</i>		
<i>momotula</i>	1857, 256	<i>1858, 252</i>		
	1859, 54	<i>1857, 265</i>		
	1859, 387	<i>1858, 253</i>		
<i>Hylophilus cæruleus</i> ..	1856, 109	<i>1858, 254</i>		
	1860, 299	<i>1860, 294</i>		
	1856, 109	<i>1858, 67</i>		
	1855, 144	<i>1854, 254</i>		
	1856, 109	<i>1857, 18</i>		
	1855, 155	<i>1857, 130</i>		
	1856, 93	<i>1858, 67</i>		
	<i>melanoxanthus</i>	1856, 110	<i>1858, 251</i>	
	<i>ochraceiceps</i>	1859, 375	<i>1858, 252</i>	
	<i>ruficeps</i>	1856, 111	<i>1858, 67</i>	
<i>semibrunneus</i>	1855, 144	<i>1858, 250</i>		
<i>Hylotomus pileatus</i>	1859, 236	<i>1859, 461</i>		
<i>Hyonycteris albiventer</i> .	1856, 179	<i>Hypogrammica nuchalis</i>	1859, 461	
	1856, 179	<i>Hypopyrrhus pyrrogaster</i>	1855, 154	
<i>Hypotamus vectianus</i> .	1849, { 153 154	<i>Hypostomus erinaceus</i> ..	1859, 420	
	1858, 165	<i>Hypothlypis callophrys</i> .	1856, 268	
<i>Hyperolius marmoratus</i> .	1858, 165	<i>iridina</i>	1856, 267	
	1858, 165	<i>Hypothymis cæsia</i>	1856, 299	
	1858, 165	<i>melanops</i>	1859, 182	
<i>viridiflavus</i>	1858, 165	<i>Hypotriorchis aurantius</i> .	1856, 285	
<i>Hyperoodon butzkopf</i> ..	1860, 424	<i>columbarius</i>	1858, 450	
	1860, 424	<i>femoralis</i>	1856, 285	

	Page		Page
<i>Hypotriorchis femoralis</i>	1859, 368	<i>Icteria viridis</i>	1859, 363
<i>ruficularis</i>	{ 1855, 134 1859, 390	<i>Icterus abeillii</i>	1860, 252
<i>Hypselia producta</i>	1854, 202	<i>affinis</i>	{ 1859, 380 1855, 154
<i>Hypsibemon ruficapillus</i>	1858, 282	<i>atrigrularis</i>	{ 1856, 301 1855, 65
<i>rufulus</i>	1858, 283	<i>auduboni</i>	{ 1859, 381 1859, 433
<i>Hypsipetes malaccensis</i>	1854, 280	<i>baltimorensis</i>	1859, 433
<i>psaroides</i>	{ 1858, 495 1859, 181	<i>cucullatus</i>	{ 1856, 301 6
<i>Hypsiprymnus brunni</i>	1858, 106	<i>dominicensis</i>	{ 1857, 232 1855, 154
<i>ursinus</i>	1858, 106	<i>giraudi</i>	{ 1857, 228 1857, 205
<i>Hypsirhina aër</i>	1860, 114	<i>gularis</i>	{ 1857, 228 1858, 358
<i>maura</i>	1858, 159	<i>jamaicai</i>	{ 1859, 365 1860, 415
<i>Hypuroptila buffoni</i>	1855, 139	<i>melanicteris</i>	{ 1859, 380 1856, 301
<i>cæruleigaster</i>	1855, 139	<i>melanocephalus</i>	{ 1858, 97 1859, 365
<i>Hyracotherium cuniculus</i>	1849, 156	<i>melanopterus</i>	{ 1855, 154 1857, 228
<i>Hyrax dorsalis</i>	1852, 99	<i>mentalis</i>	{ 1859, 58 1857, 205
<i>habessinicus</i>	1859, 234	<i>mesomelas</i>	{ 1855, 154 1856, 301
<i>Hystriella bicarinata</i>	1854, 186	<i>parisorum</i>	{ 1859, 58 1860, 277
<i>cheiranthicola</i>	1854, 187	<i>pectoralis</i>	{ 1860, 293 1857, 6
<i>echinulata</i>	1854, 186	<i>prothemelas</i>	{ 1857, 228 1858, 303
<i>mustelina</i>	1854, 186	<i>scottii</i>	{ 1860, 251 1857, 205
<i>oxytropus</i>	1854, 186	<i>spurius</i>	{ 1856, 301 1857, 7
<i>turricula</i>	1854, 186	<i>wagleri</i>	{ 1859, 58 1857, 228
<i>vermitiformis</i>	1854, 186	<i>pustulatus</i>	{ 1857, 228 1858, 303
<i>Hystrix alophus</i>	1856, 401	<i>scottii</i>	{ 1857, 6 1857, 228
<i>cristata</i>	1860, 442	<i>scottii</i>	{ 1858, 303 1859, 380
<i>leucurus</i>	{ 1850, 157 1856, 401 1858, 520	<i>scottii</i>	{ 1857, 7 1857, 228
<i>Ianthia</i>	1854, 76	<i>scottii</i>	{ 1855, 134 1856, 285
<i>Ianthenas albogularis</i>	1860, 361	<i>scottii</i>	{ 1859, 360 1859, 390
<i>halmaheira</i>	1860, 361	<i>Iguana nudicollis</i>	1860, 415
<i>hypœnochroma</i>	{ 1856, 136 1859, 165	<i>of Sta. Lucia</i>	{ 1850, 106 1848, 99
<i>Iberus gualteriana</i>	1854, 197	<i>tuberculata</i>	{ 1849, 106 1859, 410
<i>wollastonii</i>	1854, 198	<i>tuberculata</i>	{ 1859, 410 1860, 233
<i>Ibex æthiopica</i>	1850, 221		
<i>imberbis</i>	1850, 112		
<i>Ibidorhynchus struthersii</i>	{ 1858, 505 1859, 188		
<i>Ibis alba</i>	1857, 230		
<i>papillosa</i>	1855, 74		
<i>peregrinus</i>	1860, 364		
<i>Ibycter americanus</i>	{ 1857, 16 1858, 451		
<i>Ichthyætus bicolor</i>	1854, 260		
<i>cultrunguis</i>	1854, 261		
<i>horsfieldi</i>	1854, 260		
<i>hucarius</i>	1854, 260		
<i>nanus</i>	1854, 261		
<i>Ichthyophis glutinosus</i>	1860, 166		
<i>Icteria longicauda</i>	1856, 299		
<i>velasquezi</i>	{ 1856, 298 1859, 363 1859, 375		
<i>viridis</i>	1856, 299		

	Page		Page
Iguanodon	1848,	Isidella coralloides	1857,
Imperator, n. sp. ?	1856,	elongata	1857,
Indri	1849,	Isis aurantia	1857,
Infundibulum californi-	10	1859,	486
cum	1851,	coccinea	1857,
cariniferum	1851,	1859,	486
chloromphalus	1851,	coralloides	1857,
concauum	1851,	dichotoma	1857,
delicatum	1851,	1859,	486
depressum	1851,	elongata	1857,
kochii	1851,	encrinula	1857,
radiatum	1851,	gracilis	1857,
saga	1851,	hippuris	1857,
Ino stagnalis	1852,	nobilis	1857,
Insect-eater, The	1851,	ochracea	1857,
Iodopleura isabellæ	1857,	1859,	485
laplaci	1857,	Isognomon costellata	1856,
pipra	1857,	1850,	216
Iolæma schreibersi	1854,	Ispida bicincta	1854,
Iora scapularis	1854,	1850,	216
typhia	1854,	bitorquata	1854,
1859,	150	Ispidula variabilis	1858,
viridissimus	1854,	Ixalus aurifasciatus	1858,
zeylanica	1858,	concolor	1858,
Ioteron eugeniæ	1856,	leucorhinus	1858,
iogastra	1860,	pœcilopleurus	1858,
Ipalura variegata	1860,	variabilis	1858,
Iphigenia psammobialis	1854,	Ixidia cyaniventris	1854,
Iphisa elegans	1851,	Ixos atriceps	1854,
Ips gigas	1856,	erythrotis	1854,
1854,	282	inornatus	1850,
1859,	150	metallicus	1854,
Irena puella	1854,	monticolus	1854,
malayana	1854,	1850,	217
Iridina (Pleiodon) spekii	1859,	obscurus	1858,
1855,	227	pyrrhotis	1854,
Iridornis analis	1856,	vidua	1854,
1855,	157	Ixothraupis chrysogaster	1856,
1856,	242	guttulata	1856,
1855,	227	punctata	1856,
1856,	243	pusilla	1856,
Iridosornis dubusia	1856,	Ixulus castaniceps	1854,
rufivertex	1856,	occipitalis	1854,
Iris depauperata	1854,	Jacamaraleyon tridactyla	1855,
laciniosa	1854,	1855,	16
squalida	1854,	Jacamerops grandis	1857,
Irrisor erythrorhynchus	1850,	1857,	263
senegalensis	1850,	Jacchina	1849,
Isanda coronata	1853,	Jacchus bicolor	1852,
lepida	1853,	tamarin	1852,
pulchella	1853,	Janella antipodarum	1853,
sulcifera	1853,	Janulus bifrons	1854,
Isaura cycladoides	1849,	1854,	178
1858,	387	calathus	1854,
1860,	456	Jemania henslowana	1858,
occipitamaculatus	1860,	Johnstonella catharina	1853,
1860,	456	Juida chalybea	1850,
		eytoni	1856,
		longicauda	1856,

	Page		Page
<i>Juida nitens</i>	1857,	215	
<i>rufiventris</i>	1850,	217	
<i>Juliamyia amabilis</i> ..	{ 1857,	17	
	1860,	296	
<i>typica</i>	{ 1857,	17	
	1860,	283	
	1860,	296	
<i>Julis cyanogramma</i>	1850,	73	
<i>dussumieri</i>	1850,	73	
<i>Jumbi Bird</i>	1851,	61	
<i>Junceella juncea</i>	1857,	287	
	1856,	306	
<i>Junco cinereus</i>	{ 1857,	7	
	1858,	304	
	1859,	365	
<i>hyemalis</i>	1857,	7	
<i>oregonus</i>	1857,	7	
<i>phaenotus</i>	1856,	306	
<i>Kakadoë albocristata</i> ..	1860,	358	
<i>cristata</i>	1860,	358	
<i>Kakapo</i>	1852,	31	
<i>Kaloula pulchra</i>	{ 1858,	393	
	1860,	116	
<i>Katostoma phlebophora</i> ..	1854,	166	
<i>psammophora</i>	1854,	166	
<i>Kellia tellinoides</i>	1856,	340	
<i>Kemas hodgsonii</i>	{ 1850,	112	
	1856,	403	
<i>Kerivoula aërosa</i>	1858,	333	
<i>brasiliensis</i>	1858,	336	
<i>formosa</i>	1858,	{ 82	
		336	
<i>grisea</i>	1858,	336	
<i>hardwickii</i>	1858,	329	
<i>lanosa</i>	1858,	{ 331	
		337	
<i>papillosa</i>	1858,	327	
	{ 1850,	156	
	1856,	175	
	1858,	78	
<i>picta</i>	1858,	120	
	1858,	325	
	1858,	336	
	1858,	337	
<i>poensis</i>	1858,	336	
<i>rufopicta</i>	1858,	85	
<i>sykesii</i>	1858,	336	
<i>trilatoides</i>	1858,	336	
<i>Ketupa ceylonensis</i> ..	{ 1858,	473	
	1859,	150	
<i>javanica</i>	1854,	263	
<i>Kevel</i>	1850,	{ 112	
		115	
<i>gris</i>	1850,	112	
<i>Kiang</i>	1848,	62	
<i>King Vulture</i>	1851,	53	
<i>Kinosternon hippocrepis</i>	1855,	198	
<i>Kinosternon pennsylvan-</i>			
<i>nicum</i>	1855,	198	
<i>punctatum</i>	1855,	198	
<i>scorpiodes</i>	1849,	17	
<i>Kinyxis belliana</i>	1858,	166	
<i>castanea</i>	1858,	166	
<i>erosa</i>	1858,	166	
<i>homeana</i>	1858,	166	
<i>shoensis</i>	1858,	166	
<i>Kite, The Scissors-tailed</i>	1851,	57	
<i>Kittacincla macroura</i> ..	{ 1854,	283	
	1857,	94	
<i>Kobus adansonii</i>	1850,	129	
<i>ellipsiprymnus</i>	1850,	130	
		{ 130	
<i>leché</i>	1850,	171	
<i>sing-sing</i>	1850,	131	
<i>Kraussia deshayesii</i>	1852,	80	
<i>lamarckiana</i>	1852,	80	
<i>pisum</i>	1852,	80	
<i>Labiella callosa</i>	1856,	334	
<i>dentata</i>	1855,	7	
<i>Labio articulata</i>	1851,	178	
<i>cingulata</i>	1851,	178	
<i>concolor</i>	1851,	180	
<i>constrictor</i>	1851,	177	
<i>corrosa</i>	1851,	180	
<i>crinita</i>	1851,	179	
<i>fulgurata</i>	1851,	179	
<i>fuliginea</i>	1851,	180	
<i>indecora</i>	1851,	179	
<i>lineata</i>	1851,	179	
<i>melanoloma</i>	1851,	179	
<i>nigerrima</i>	1851,	178	
<i>pica</i>	1851,	179	
<i>porcata</i>	1851,	179	
<i>porcifera</i>	1851,	179	
<i>reticularis</i>	1851,	178	
<i>rudis</i>	1851,	179	
<i>scorpio</i>	1851,	179	
<i>striolata</i>	1851,	178	
<i>subrostrata</i>	1851,	178	
<i>sulcata</i>	1851,	178	
<i>tæniata</i>	1851,	178	
<i>tamsii</i>	1851,	179	
<i>tergestina</i>	1851,	179	
<i>tessellata</i>	1851,	178	
<i>zealandica</i>	1851,	178	
<i>zebra</i>	1851,	178	
<i>Labrus gouldii</i>	1850,	72	
<i>larvatus</i>	1850,	249	
<i>maculatus</i>	1859,	433	
<i>mixtus</i>	1850,	249	
<i>scrofa</i>	1850,	249	
<i>tetricus</i>	1850,	70	
<i>Lacerta ocellata</i>	{ 1858,	155	
	1859,	470	

	Page		Page
<i>Lacerta ocellata</i>	1859,	<i>Laminella luctuosa</i>	1855,
<i>viridis</i>	1859,	<i>micans</i>	1859,
	473	<i>rudis</i>	1855,
	212	<i>sericea</i>	1859,
	434	<i>serrata</i>	1860,
<i>Lachesis nitidus</i>	1859,	<i>subrostrata</i>	1859,
<i>Lachnolaimus gouldii</i> ..	1850,	<i>transversalis</i>	1855,
<i>Lacuna carinifera</i>	1851,	<i>umbilicata</i>	1855,
<i>unifasciata</i>	1856,	<i>Lampadia webbiana</i>	1854,
<i>Lafresnaya flavicaudata</i> .	1855,	<i>Lampetra caeca</i>	1851,
<i>gayi</i>	1860,	<i>fluviatilis</i>	1851,
	81	<i>lamottenii</i>	1851,
	94	<i>major</i>	1851,
<i>Lagena californica</i>	1851,	<i>minima</i>	1851,
<i>Lagenorhynchus clancu-</i>		<i>neunauge</i>	1851,
<i>lus</i>	1849,	<i>planeri</i>	1851,
<i>thicolea</i>	1849,	<i>rondeletii</i>	1851,
	2	<i>sanguisuga</i>	1851,
<i>Lagomys nipalensis</i>	1856,	<i>subcinerea</i>	1851,
<i>roylei</i>	1858,	<i>Lampornis aurescens</i> ..	1857,
<i>Lagopus hemileucurus</i> ..	1858,	<i>aurulenta</i>	1857,
<i>scoticus</i>	1849,		233
<i>Lagothrix</i>	1849,	<i>mango</i>	1857,
<i>humboldtii</i>	1852,		16
	107		263
	393		1860,
	395		284
<i>Laimodon albiventris</i> ..	1859,		1856,
<i>bifrenatus</i>	1859,	<i>prevosti</i>	1859,
<i>hirsutus</i>	1859,		367
<i>leucocephalus</i>	1859,		1859,
<i>leucomelas</i>	1859,	<i>veraguensis</i>	1856,
<i>nigrithorax</i>	1859,	<i>Lamprocolius splendidus</i>	1860,
<i>saltii</i>	1859,	<i>Lampronetta fischeri</i> ..	1855,
<i>undatus</i>	1859,	<i>Lamprophis modestus</i> ..	1858,
<i>unidentatus</i>	1859,	<i>Lamproscapha schom-</i>	
<i>vieilloti</i>	1859,	<i>burgki</i>	1860,
<i>Laimodonta concinna</i> ..	1854,	<i>Lamprospiza habia</i>	1856,
<i>layardi</i>	1854,	<i>melanoleuca</i>	1856,
<i>sandwichensis</i>	1854,		156
<i>sulcata</i>	1854,	<i>Lamprotes albicristatus</i> }	1856,
<i>tæniata</i>	1854,		121
<i>Lalage aurea</i>	1860,	<i>loricatus</i>	1856,
<i>nævia</i>	1859,	<i>rubricollis</i>	1856,
<i>orientalis</i>	1854,	<i>rubrigularis</i>	1856,
<i>rufiventris</i>	1858,	<i>viridis</i>	1856,
<i>Lama huanacos</i>	1860,		122
<i>Lambidium oniscus</i>	1851,	<i>Lamprotornis cantor</i> ..	1858,
<i>Lamellaria ophione</i>	1849,		181
<i>Lamia assamensis</i>	1850,		1859,
<i>nobilis</i>	1856,	<i>cyanotis</i>	1850,
<i>pedicornis</i>	1859,	<i>obscura</i>	1860,
(<i>Cerosterna</i>) <i>trifas-</i>		<i>purpuroptera</i>	1860,
<i>ciella</i>	1850,	<i>pyrrhopogon</i>	1860,
	13	<i>Lamprotreron holoseri-</i>	
<i>Laminella albida</i>	1855,	<i>cea</i>	1859,
<i>extincta</i>	1855,	<i>superba</i>	1858,
<i>farciimen</i>	1856,		184
<i>ferussaci</i>	1855,		1860,
<i>fusiformis</i>	1855,	<i>Laniarius chrysogaster</i> ..	1860,
<i>glutinosa</i>	1855,	<i>erythrogaster</i>	1860,
<i>gonostigma</i>	1855,	<i>Laniisoma arcuatum</i> ..	1854,
<i>grayana</i>	1855,		114
<i>grossa</i>	1855,		1855,
<i>inflata</i>	1855,	<i>Lanio atricapillus</i>	1856,
	203		118
	204		1858,
	204		72
	203		1858,
			454

	Page		Page
<i>Lanio aurantius</i>	1856, 119	<i>Lanius lictor</i>	1851, 44
	1856, 303	<i>lineatus</i>	1858, 206
	1857, 229	<i>longicaudatus</i>	1859, 151
	1855, 83	<i>lucionensis</i>	1854, 272
<i>auritus</i>	1855, 156	<i>luctuosus</i>	1858, 211
	1856, 116	<i>ludovicianus</i>	1857, 126
<i>cristatus</i>	1856, 115	<i>lunulatus</i>	1858, 208
<i>tenuirostris</i>	1856, 114	<i>macrocerus</i>	1860, 197
	1856, 119	<i>maculatus</i>	1858, 208
<i>versicolor</i>	1857, 264	<i>magnirostris</i>	1854, 272
<i>vieillottii</i>	1856, 115	<i>melanocephalus</i> ..	1854, 278
<i>Lanistina concinna</i>	1856, 366	<i>melanotis</i>	1854, 272
<i>nana</i>	1856, 365	<i>meleager</i>	1858, 208
<i>Lanius algeriensis</i>	1850, 217	<i>mexicanus</i>	1859, 375
<i>arenarius</i>	1850, 217	<i>mitratus</i>	1857, 75
	1857, 77	<i>musicus</i>	1854, 282
<i>atricapillus</i>	1858, 215	<i>nævius</i>	1858, 213
<i>aurantius</i>	1856, 118	<i>niger</i>	1857, 72
	1858, 212	<i>notodelos</i>	1858, 246
<i>cæsius</i>	1858, 223	<i>nubicus</i>	1850, 217
<i>canadensis</i>	1858, 215	<i>palliatu</i>	1858, 219
	1858, 488	<i>personatus</i>	1850, 217
<i>caniceps</i>	1859, 180	<i>phœnicurus</i>	1854, 272
<i>cayanus</i>	1857, 69		1860, 108
<i>collurio</i>	1848, 37	<i>picatus</i>	1856, 79
	1850, 217	<i>pileatus</i>	1858, 215
	1850, 80	<i>pœcilurus</i>	1858, 215
<i>coronatus</i>	1859, 446	<i>punctatus</i>	1858, 213
<i>cristatus</i>	1854, 272	<i>rubiginosus</i>	1858, 217
<i>cucullatus</i>	1860, 353	<i>rutilus</i>	1854, 272
<i>doliatus</i>	1858, 217	<i>scalaris</i>	1858, 220
<i>domicella</i>	1858, 246	<i>scapulatus</i>	1850, 79
<i>erythronotus</i>	1857, 92		1859, 446
<i>erythropterus</i>	1850, 217	<i>septentrionalis</i> ..	1849, 64
	1850, 217	<i>severus</i>	1858, 208
<i>excubitor</i>	1854, 46	<i>stagurus</i>	1858, 209
	1857, 219	<i>striatus</i>	1859, 164
	1857, 126	<i>strigatus</i>	1854, 272
<i>excubitoroides</i> ..	1859, 375	<i>superciliaris</i>	1854, 272
<i>ferox</i>	1854, 272		1858, 488
<i>ferrugiceps</i>	1854, 272	<i>tephronotus</i>	1858, 489
	1858, 66	<i>tigrinus</i>	1854, 272
<i>funebri</i>	1858, 207	<i>validus</i>	1857, 72
	1858, 258	<i>variolosus</i>	1858, 207
<i>gularis</i>	1854, 272	<i>vestitus</i>	1858, 220
<i>guttulatus</i>	1858, 221	<i>virgatus</i>	1854, 272
<i>hardwickii</i>	1854, 46	<i>Larina strangei</i>	1854, 41
	1858, 488		1851, 142
<i>hypoleucus</i>	1859, 150		1857, 13
<i>inquisitor</i>	1857, 71	<i>Larus argentatus</i>	1859, 467
<i>insidiator</i>	1859, 445		1860, 183
<i>isabellinus</i>	1850, 217		1860, 371
<i>jocosus</i>	1854, 278	<i>belcheri</i>	1859, 237
<i>keroula</i>	1858, 489		1858, 509
	1850, 217	<i>brunneicephalus</i> ..	1859, 190
<i>lahtora</i>	1857, 91	<i>canus</i>	1857, 13
	1858, 488		1860, 258
<i>leverianus</i>	1856, 79	<i>dominicanus</i>	1859, 97

	Page		Page
<i>Larus dominicanus</i>	1860,	390	
<i>fuscus</i>	1860,	258	
<i>glaucotes</i>	1860,	391	
<i>glaucus</i>	1860,	417	
<i>hæmatorhynchus</i>	1860,	391	
<i>heermanni</i>	1859,	237	
<i>jamesoni</i>	1859,	166	
<i>maculipennis</i>	1860,	391	
<i>marinus</i>	{ 1857,	13	
	1860,	191	
<i>novæ-hollandiæ</i>	1859,	166	
<i>ridibundus</i>	{ 1857,	13	
	1858,	509	
<i>roseiventris</i>	1860,	391	
<i>rossii</i>	1860,	108	
<i>sabinii</i>	1860,	108	
<i>scopulinus</i>	1859,	166	
<i>scoresbii</i>	1860,	391	
<i>tridactylus</i>	1851,	146	
<i>Larva aquatica</i>	1852,	19	
<i>Larvivora cyanea</i>	1859,	183	
<i>Lasiocampa strigina</i>	1849,	37	
<i>Lasiurus aga</i>	1857,	43	
<i>caudatus</i>	1857,	42	
<i>grayi</i>	1857,	40	
<i>noveboracensis</i>	1857,	{ 34	
		136	
		{ 1856,	395
<i>pearsoni</i>		{ 1857,	45
		{ 1858,	87
<i>pruinosis</i>		1857,	37
<i>rufus</i>		1857,	35
<i>Lathriosoma typicum</i>	1857,	276	
<i>Latia neritoides</i>	1849,	168	
<i>Latiaxis fortuni</i>	1853,	99	
<i>nodosus</i>	1853,	98	
<i>rhodostoma</i>	1854,	138	
<i>Latirus armatus</i>	1854,	314	
<i>contemptus</i>	1854,	315	
<i>decoratus</i>	1854,	316	
<i>despectus</i>	1854,	315	
<i>distinctus</i>	1854,	314	
<i>elegans</i>	1854,	315	
<i>flavidus</i>	1854,	314	
<i>marquesanus</i>	1854,	315	
<i>neglectus</i>	1854,	314	
<i>newcombii</i>	1854,	314	
<i>strangei</i>	1854,	316	
<i>Latris hecateia</i>	1850,	67	
<i>Latyrus tumens</i>	1856,	166	
<i>Laughing-Hawk, The</i>	1851,	56	
<i>Lebias dispar</i>	1859,	474	
	{ 1859,	418	
<i>Lebiasina bimaculata</i>	{ 1860,	234	
	1860,	240	
<i>Leda bellula</i>	1856,	49	
<i>brookii</i>	1860,	440	
<i>concinna</i>	1856,	48	
<i>Leda conradi</i>	1860,	440	
<i>costellata</i>	1856,	48	
<i>crenifera</i>	1856,	48	
<i>decora</i>	1856,	50	
<i>electa</i>	1856,	48	
<i>fastidiosa</i>	1856,	49	
<i>fulgida</i>	1850,	50	
<i>hindsii</i>	1860,	440	
<i>inconspicua</i>	1856,	49	
<i>inornata</i>	1856,	48	
<i>lepida</i>	1856,	49	
<i>lugubris</i>	1856,	49	
<i>metcalffi</i>	1860,	370	
<i>plicifera</i>	1856,	50	
<i>semisulcata</i>	1856,	50	
<i>siliqua</i>	1856,	48	
<i>taylori</i>	1860,	370	
<i>Legatus albicollis</i>	{ 1859,	46	
	1860,	68	
<i>variegatus</i>	1859,	366	
<i>Leggata booduga</i>	1850,	157	
<i>Legriocinclus mexicanus</i>	1855,	213	
<i>Leiopathes boscii</i>	1857,	290	
<i>glaberrima</i>	1857,	290	
<i>Leiostraca distorta</i>	1860,	438	
<i>Leiostyla anglica</i>	1854,	208	
<i>cheilogona</i>	1854,	208	
<i>irrigula</i>	1854,	208	
<i>lævigata</i>	1854,	210	
<i>laurinea</i>	1854,	209	
<i>macilenta</i>	1854,	210	
<i>recta</i>	1854,	210	
<i>sphinctostoma</i>	1854,	209	
<i>vineta</i>	1854,	208	
<i>Leiothrix cinerea</i>	1854,	142	
<i>Leistes guianensis</i>	1857,	{ 19	
		265	
<i>Leiuperus viridis</i>	1860,	174	
<i>Leiurus ornatus</i>	1858,	157	
	{ 1859,	418	
<i>Lembus maculatus</i>	{ 1860,	234	
	1860,	236	
<i>Lemidjus corallipennis</i>	1852,	47	
<i>festivus</i>	1852,	47	
<i>Lemniscia michaudii</i>	1854,	170	
<i>Lemur albifrons</i>	1860,	422	
<i>albimanus</i>	1860,	422	
<i>hybridus</i>	1860,	422	
<i>nigrifrons</i>	1860,	422	
<i>rufifrons</i>	1849,	17	
<i>Leodia richardsonii</i>	1851,	36	
<i>Leoneopenna blainvillii</i>	1858,	372	
<i>Leopardus bengalensis</i>	1858,	514	
<i>concolor</i>	1859,	51	
<i>hermandesii</i>	1857,	278	
<i>horsfieldi</i>	1858,	514	
<i>onca</i>	1859,	51	
<i>pardalis</i>	1859,	51	

	Page		Page
<i>Leopardus torquatus</i> ...	1858, 514	<i>Leptopoma conula</i>	1854, 127
<i>uncia</i>	1856, 395	<i>duplicatum</i>	1856, 338
<i>varius</i>	1858, 514	<i>flammeum</i>	1854, 127
<i>viverrinus</i>	1850, 156	<i>hanleyanum</i>	1856, 384
<i>Lepas rostrata</i>	1853, 86	<i>minutissimum</i>	1854, 305
<i>simplex</i>	1853, 86	<i>pœcilum</i>	1854, 302
<i>Lepidœnas speciosa</i> ..	1856, 309	<i>sechellarum</i>	1854, 302
	1859, 61	<i>signatum</i>	1856, 338
	1856, 342	<i>subconicum</i>	1859, 27
<i>Lepidosiren annectens</i> .	1858, 535	<i>wallacei</i>	1857, 112
<i>paradoxa</i>	1859, 436		1857, 214
<i>Lepidurus glacialis</i>	1852, 6	<i>Leptoptila albifrons</i> ..	1858, 99
<i>productus</i>	1852, 6		1859, 368
<i>viridis</i>	1850, 254		1859, 391
<i>Leporinus frederici</i>	1859, 418	<i>dubusi</i>	1860, 289
<i>mülleri</i>	1859, 92	<i>jamaicensis</i>	1858, 76
<i>Leptachatina dimidiata</i> .	1855, 205	<i>rufaxilla</i>	1860, 289
<i>margarita</i>	1855, 206		1858, 99
<i>oryza</i>	1855, 206	<i>verreauxii</i>	1856, 309
<i>semicostata</i>	1855, 206		1858, 99
<i>teres</i>	1855, 206		1855, 163
<i>Leptasthenura platensis</i> .	1859, 197		1859, 147
<i>Leptaxis erubescens</i>	1854, 165	<i>Leptoptilus crumenife-</i>	1860, 417
<i>furva</i>	1854, 165	<i>rus</i>	1860, 417
<i>membranacea</i>	1854, 165	<i>Leptorhynchus gutta-</i>	1855, 90
<i>Lepterosas ibis</i>	1850, 221	<i>tus</i>	1858, 243
<i>Leptocephalus candidis-</i>		<i>leuchtenbergi</i>	1850, 252
<i>simus</i>	1849, 83	<i>striolatus</i>	1855, 90
<i>morrissii</i>	1849, 83	<i>Leptoxyura obsoleta</i> ..	1858, 242
<i>Leptocoma hasselti</i>	1859, 462	<i>semicinerea</i>	1859, 197
<i>Leptodeira annulata</i> ..	1859, 89	<i>Lepus</i> — ?	1859, 353
<i>discolor</i>	1860, 457	<i>brasiliensis</i>	1860, 264
<i>hippocrepis</i>	1860, 317		1850, 157
<i>rufescens</i>	1858, 161	<i>cuniculus</i>	1860, 372
<i>Leptodera elongata</i>	1858, 225		1860, 416
<i>flexilis</i>	1858, 225	<i>hibernicus</i>	1860, 372
<i>Leptognathus catesbyi</i> ..	1859, 89	<i>hispidus</i>	1856, 402
<i>indicus</i>	1858, 381		1850, 157
<i>mikani</i>	1859, 414	<i>macrotus</i>	1856, 401
<i>Leptophis chenonii</i>	1858, 161		1858, 520
<i>gracilis</i>	1858, 158	<i>nigricollis</i>	1850, 157
<i>kirtlandi</i>	1858, 161		1858, 520
<i>mexicana</i>	1860, 458	<i>nigripes</i>	1857, 160
<i>smaragdina</i>	1858, 158	<i>oiostolus</i>	1858, 520
<i>viridis</i>	1858, 160	<i>pallipes</i>	1856, 401
<i>Leptopogon amauroce-</i>		<i>ruficaudatus</i>	1856, 402
<i>phalus</i>	1859, 384	<i>taloi</i>	1856, 401
<i>superciliaris</i>	1858, 71	<i>timidus</i>	1860, 183
	1860, 69	<i>Lerva nivicola</i>	1858, 501
<i>Leptopoma barbatum</i> ..	1855, 104		1859, 186
			1855, 140
			1858, 450
		<i>Lesbia amaryllis</i>	1858, 460
			1858, 555
			1860, 81

	Page		Page
<i>Lesbia amaryllis</i>	1860, 94	<i>Limax cinereus</i>	1858, 225
<i>cyanura</i>	{ 1855, 140	<i>flavus</i>	1854, 162
<i>gorgo</i>	1855, 140	<i>gagates</i>	1854, 162
<i>gouldi</i>	1855, 140	<i>maculata</i>	1854, 162
<i>gracilis</i>	{ 1858, 450	<i>maximus</i>	1854, 162
	1858, 460	<i>pardalis</i>	1854, 162
	1860, 63	<i>punctata</i>	1854, 162
	1860, 70	<i>variegatus</i>	1854, 162
	1860, 94	<i>virescens</i>	1854, 162
<i>Lestris antarctica</i>	1860, 390	<i>Limenitis aceris</i>	1858, 9
<i>cataractes</i>	{ 1851, 146	<i>columella</i>	1858, 7
<i>cepphus</i>	1860, 390	<i>eurynome</i>	1858, 10
<i>Leucernaria auricula</i> ..	1859, 477	<i>heliodore</i>	1858, 4
<i>Leuciscus alburnus</i> ..	1859, 477	<i>hordonia</i>	1858, 4
<i>apollonitis</i>	1856, 376	<i>illigera</i>	1858, 19
<i>baldneri</i>	1856, 376	<i>inara</i>	1858, 13
<i>cephalus</i>	1859, 435	<i>larymna</i>	1858, 12
<i>cii</i>	1856, 375	<i>nefte</i>	1858, 13
<i>erythrophthalmus</i> ..	1856, 374	<i>sankara</i>	1858, 18
<i>lancasteriensis</i> ..	1856, 376	<i>selenophora</i>	1858, 14
<i>rutilus</i>	1859, { 435	<i>vikasi</i>	1858, 7
	477	<i>zaida</i>	1858, 6
<i>Leucocerca albofrontata</i> ..	1858, 495	<i>Limnadia</i> —	1849, 87
<i>fuscoventris</i>	1858, 495	<i>antillarum</i>	1852, 30
<i>javanica</i>	1859, 151	<i>hermanni</i>	1849, { 85
<i>Leuconerpes albolarvatus</i> ..	1858, 3		86
<i>Leuconia alba</i>	1854, 36		88
<i>auricella</i>	1854, 37	<i>mauritiana</i>	1849, { 85
<i>bivona</i>	1854, 36		87
<i>micheli</i>	1854, 36	<i>tetracera</i>	1849, { 86
<i>microstoma</i>	1854, 36		90
<i>sayi</i>	1854, 36	<i>Limnæa luteola</i>	1856, 186
<i>Leucopygia ruficollis</i> ..	1856, 112	<i>nuttalliana</i>	1856, 220
<i>Leucozonia angulata</i> ..	1856, 43	<i>peregra</i>	1856, 186
	{ 167	<i>pinguis</i>	1858, 134
	168	<i>stagnalis</i>	1856, 186
	169	<i>tigrina</i>	1858, 134
	168	<i>truncatula</i>	1856, 186
	170	<i>Limnæus horsfieldii</i> ..	1854, 259
<i>Lewisia agassiziana</i>	1857, { 167	<i>Limnæus minutus</i>	1854, 218
	168	<i>trunculatus</i>	1854, 218
<i>macandrewiana</i>	1857, { 167	<i>Limnodynastes dorsalis</i> ..	1858, 345
	168	<i>Limnornis canifrons</i>	1855, 143
<i>philippiana</i>	1857, { 169	<i>unibrunnea</i>	1858, 550
	168	<i>unirufa</i>	1855, 143
<i>woodwardiana</i>	1857, { 168	<i>Limosa ægocephala</i>	1858, 506
	170	<i>fedoa</i>	1859, 64
<i>Liarea egea</i>	1854, 304	<i>hudsonica</i>	{ 1859, 96
<i>Lichenella brentii</i>	1858, 322		1860, 387
<i>Lichia vadigo</i>	1850, 248	<i>lapponica</i>	1860, { 258
<i>Lima acuminata</i>	1856, 186		364
<i>auricularia</i>	1856, 186	<i>melanura</i>	{ 1851, 146
<i>hookeri</i>	1856, 186		1860, 416
<i>tetrica</i>	1856, 203	<i>uropygialis</i>	1848, 38
<i>Limax agrestis</i>	1854, 162	<i>Lindsleya albersiana</i> ..	1857, { 169
<i>antiquorum</i>	1854, 162		190
<i>ater</i>	1854, 162	<i>alderiana</i>	1857, { 169
<i>bitentaculatus</i> ..	1853, 111		194
<i>cinereus</i>	1854, 162		

	Page		Page
Lindsleya arthuriana ...	1857, 169	Linota montium	{ 1855, 217 1858, 483
	195		
boissieriana	1857, 169	Linsang pardicolor	1856, 396
bridgesiana	1857, 169	Liocephalus iridescens..	1859, 409
denisoniana	1857, 189	ornatus	1859, { 89 408
fischeriana	1857, 169	Liophis cobella	1859, 412
gaskoiniana	1857, 169	tæniurus	1859, { 89 412
gutierreziana	1857, 169	Liotia affinis	1850, 50
henryana	1857, 169	coronata	1850, 51
jayana	1857, 169	duplicata	1850, 51
leana	1857, 169	nodulosa	1850, 51
lindsleyana	1857, 169	peronii	1850, 50
loweana	1857, 169	pulcherrima	1850, 50
lukesiana	1857, 169	scalarioides	1850, 50
	200	varicosa	1850, 50
moricandiana	1857, 169	Lipaugus fuscocinereus	{ 1855, 153 1858, 71
newcombiana	1857, 169	holerythrus	1860, 300
oweniana	1857, 169	hypopyrrhus	1857, 276
pickeringiana	1857, 169	rufescens	1857, 276
poeyana	1857, 169	unirufus	1859, 385
polyblankiana	1857, 169	Lissotriton palmatus ..	1858, { 139 140
redfieldiana	1857, 169	palmipes	1858, { 140 141
reeveana	1857, 169	punctatus	1858, 224
rüsseana	1857, 169	Lithodes antarctica	1856, 133
salleana	1857, 169	arctica	1856, 133
shuttleworthiana ..	1857, 169	breviceps	1856, 134
	191	brevipes	1848, 48
wollastoniana	1857, 169	canschatica	1856, 133
Lineus beattiaei	1857, 210	granulosa	1856, 134
longissimus	1858, 307	hystrix	1856, 133
	1855, 216	maia	{ 132 133
Linota brevirostris....	{ 1858, 483 1859, 178 1859, 184	(Echidnocerus) ci- barius	1856, 132
cannabina	1855, 217	(Petalocerus) belli- anus	1856, 134
fringillirostris	1855, 217	Lithodomus falcatus ...	1856, 202
		gruneri	1856, 202
		Lithoglyphus zonatus ..	1859, 349
		Lithophagus falcatus ..	1856, 202
		Litiopa divisa	1855, 234
		saxicola	1855, 234
		Littorina albicans	1851, 73
		littorea	1853, 43
		melanostoma	1851, 73
		nigerrima	1854, 41
		planaxis	1856, 226
		quadrifasciata	1856, 20
		scabra	1851, 73
		tenebrata	1856, 226
		Livona pica	1856, 204
		Lama vicuna	1860, 371

	Page		Page
Lobiger cumingii	1854,	Lorius cucullatus	1860,
pellucidus	1854,	cyanauchen	1859,
philippi	1854,	domicella	1860,
Lobivanellus albicapillus	1850,	garrulus	1860,
goensis	1858,	isidorii	1860,
lobatus	1859,	superbus	1859,
Lobophora aurita	1851,	tricolor	1860,
bifissa	1851,	unicolor	1849,
Loedorusa goiavier	1854,	Lottia pallida	1856,
Læmodon leucocephalus	1860,	pintadina	1856,
vieilloti	1860,	punctata	1856,
Loepa katinka	1859,	scabra	1856,
thibeta	1859,	Loxia atricapilla	1859,
Lomanotus portlandicus	1859,	bonariensis	1856,
Lomelia epimethea	1849,	canadensis	1856,
Lomis dentata	1856,	capsicum	1856,
hirta	1856,	erythromelas	1856,
Lophastur jerdoni	1860,	frontalis	1850,
Lophinus palmatus	1858,	fuliginosa	1856,
Lophiodon	1849,	grossa	1856,
Lophocercus krohnii	1854,	gularis	1856,
sieboldii	1854,	javensis	1859,
Lophocitta ardesiaca	1859,	leucocephala	1859,
galericulata	1850,	maja	1859,
histrionica	1850,	malacca	1859,
Lophodytes cucullatus	1859,	melaleuca	1859,
Lophophanes galeatus	1858,	mexicana	1859,
wollweberi	1858,	molucca	1859,
Lophophorus impeya-	1848,	oryzivora	1859,
nus	1858,	prasina	1858,
Lophorina respublica	1857,	punctularia	1859,
Lophornis delatirii	1857,	virens	1856,
helenæ	1856,	virginica	1856,
regina	1858,	Loxigilla violacea	1857,
Lophospiza cruenta	1860,	Lucapina crenulata	1856,
pileata	1855,	Lucidella inæqualis	1859,
Loricaria pleistoma	1856,	nana	1857,
Loriculus galgulus	1859,	Lucilla cellaria	1854,
stigmatus	1860,	scintilla	1854,
Loris gracilis	1850,	Lucina artemidis	1856,
tardigradus	1850,	bella	1856,
Lorius amboinensis	1849,	californica	1856,
borneus	1860,	childreni	1858,
cardinalis	1849,	lactea	1855,
chlorocercus	1856,	nuttalli	1856,
	1860,	orbella	1856,
	228		218

	Page		Page
<i>Lucina pecten</i>	1856,	<i>Lyria costata</i>	1855,
(<i>Codakia</i>) <i>munda</i> ..	1855,	<i>delessertiana</i>	1855,
(<i>Cryptodon</i>) <i>plicifera</i>	1855,	<i>festiva</i>	1855,
	225	<i>lyræformis</i>	1855,
	225	<i>lyrata</i>	1855,
(<i>Myrtæa</i>) <i>layardi</i> ..	1855,	<i>mitræformis</i>	1855,
(—) <i>strangei</i>	1855,	<i>nucleus</i>	1855,
	225	(<i>Enæta</i>) <i>cumingii</i> ..	1855,
<i>Lucinopsis undata</i> ..	1855,	(—) <i>cylleniformis</i> ..	1855,
<i>Lupus laniger</i>	1856,	(—) <i>guildingii</i> ..	1855,
<i>Lusciola aurea</i>	1854,	(—) <i>harpa</i>	1855,
<i>Lutra aurobrunnea</i> ..	1855,		
<i>chinensis</i>	1856,	<i>Mabouia brevis</i>	1860,
<i>indigitata</i>	1855,		316
<i>monticola</i>	1855,	<i>Mabouya agilis</i>	1848,
<i>nair</i>	1850,		59
<i>sinensis</i>	1855,		62
<i>vulgaris</i>	1859,	<i>sloanei</i>	1848,
	434		62
<i>Lutraria arcuata</i>	1859,	<i>Macabra squamulata</i> ..	1856,
<i>australis</i>	1854,		285
<i>curta</i>	1854,	<i>Macacus arctoides</i>	1860,
<i>curta</i>	1854,		420
<i>dissimilis</i>	1854,		434
<i>impar</i>	1854,	<i>cynomolgus</i>	1860,
<i>intermedia</i>	1854,		183
<i>philippinarum</i>	1854,		372
<i>sieboldia</i>	1854,		422
<i>undulata</i>	1856,	<i>erythræus</i>	1860,
<i>ventricosa</i>	1856,	<i>fusco-ater</i>	1860,
	200		416
<i>Lutremys europæa</i> ..	1855,	<i>maurus</i>	1860,
	197		420
<i>Lycaon pictus</i>	1855,	<i>nemestrinus</i>	1860,
	180	<i>ocreatus</i>	1860,
<i>Lycocorax pyrrhopterus</i> ..	1860,		420
	355	<i>pileatus</i>	1859,
	382		434
<i>Lycodon aulicus</i>	1860,		422
	164		442
	168	<i>radiatus</i>	1860,
	170		183
<i>geometricus</i>	1858,		242
<i>horstockii</i>	1858,		394
<i>unicolor</i>	1858,		512
<i>Lycophidion horstockii</i> ..	1858,		434
	159	<i>rhesus</i>	1859,
<i>laterale</i>	1858,		436
<i>Lymnæa catascopium</i> ..	1850,		1860,
	49		416
<i>desidiosa</i>	1850,		422
<i>elodes</i>	1850,		442
<i>hookeri</i>	1850,	<i>silenus</i>	1860,
<i>palustris</i>	1850,		416
<i>peregra</i>	1850,		422
<i>stagnalis</i>	1850,	<i>sinicus</i>	1859,
<i>truncatula</i>	1850,	<i>speciosus</i>	1860,
	49		420
<i>Lymneus minutus</i>	1854,	<i>Macandrewia azorica</i> ..	1859,
	218		438
<i>Lymnodytes albilabris</i> ..	1858,	<i>Macgillivrayia straminea</i> ..	1853,
	165		97
<i>Lyncornis temminckii</i> ..	1854,	<i>Machæra lucida</i>	1856,
	266		211
<i>Lynx chaus</i>	1856,	<i>Machærirhynchus flaviventer</i>	1850,
	396		277
<i>Lyonsia californica</i>	1856,	<i>xanthogenys</i>	1858,
	199		176
<i>cuneata</i>	1855,		221
<i>diaphana</i>	1855,	<i>Machetes pugnax</i>	1860,
	229		415
<i>nitida</i>	1855,		416
	228	<i>Macoma bruguieri</i>	1860,
	199		369
<i>Lypornis ruficapilla</i>	1856,	<i>Macrochelys temminckii</i> ..	1855,
	211		200
	124	<i>Macrochisma angustata</i> ..	1850,
	124		203

	Page		Page
<i>Macrochisma compressa</i>	1850, 202	<i>Mactra eximia</i>	1853, 16
<i>cuspidata</i>	1850, 202	<i>exoleta</i>	1856, 200
<i>dilatata</i>	1850, 202	<i>explanata</i>	1854, 66
<i>hiatula</i>	1850, 202	<i>goniata</i>	1854, 70
<i>maxima</i>	1850, 202	<i>hepatica</i>	1854, 63
<i>megatrema</i>	1850, 202	<i>hiantina</i>	1854, 62
<i>producta</i>	1850, 202	<i>inæqualis</i>	1854, 64
<i>sinensis</i>	1855, 122	<i>incongrua</i>	1854, 64
<i>Macrodon tareira</i>	1859, 418	<i>intuspicta</i>	1854, 64
	1860, 233	<i>luzonica</i>	1854, 64
<i>Macronus ptilosus</i>	1854, 275	<i>mariae</i>	1856, 53
	1858, 170	<i>mendica</i>	1856, 200
<i>Macropteryx mystaceus</i> } 1860, 345		<i>mera</i>	1853, 16
	1852, 106	<i>meretriciformis</i>	1853, 16
<i>Macropus bennettii</i>	1859, 433	<i>murchisonii</i>	1854, 64
<i>fuliginosus</i>	1860, 323	<i>obesa</i>	1853, 16
<i>giganteus</i>	1860, 323	<i>opposita</i>	1854, 65
	1849, 90	<i>pellucida</i>	1854, 68
<i>major</i>	1852, 104	<i>planulata</i>	1856, 214
	1860, 181	<i>plicatilis</i>	1854, 69
<i>penicillatus</i>	1852, 105	<i>pura</i>	1853, 15
<i>rufus</i>	1860, 372	<i>pusilla</i>	1855, 226
(<i>Osphranter</i>) <i>pictus</i>	1860, 373	<i>quadrangularis</i>	1853, 15
<i>Macropygia albicapilla</i>	1860, 361	<i>radiolata</i>	1854, 65
<i>amboinensis</i>	1860, 361	<i>reevei</i>	1853, 15
<i>doraya</i>	1859, 159	<i>rostralis</i>	1854, 69
<i>leptogrammica</i>	1860, 361	<i>scalpellum</i>	1854, 65
<i>phasianella</i>	1858, 187	<i>sericea</i>	1854, 65
<i>reinwardtii</i>	1860, 361	<i>silicula</i>	1854, 69
(<i>Reinwardtæna</i>)		<i>sublanceolata</i>	1854, 66
<i>reinwardtii</i>	1860, 361	<i>sulcataria</i>	1853, 15
<i>Macrorhamphus griseus</i>	1859, 237	<i>symmetrica</i>	1853, 17
<i>Macrosoma elegans</i>	1858, 160	<i>transversa</i>	1854, 66
<i>Macrotarsus bitorquatus</i>	1850, 220	<i>tristis</i>	1854, 69
<i>Macrotelus subnotatus</i>	1852, 37	<i>undulata</i>	1856, 200
<i>uniformis</i>	1852, 37	<i>veneriformis</i>	1853, 15
<i>Mactra æquilateralis</i>	1853, 17	<i>virgo</i>	1854, 66
<i>alta</i>	1854, 347	(<i>Mactrella</i>) <i>laciniata</i>	1856, 161
<i>angulifera</i>	1854, 70	<i>Macularia chrysomela</i>	1854, 167
<i>angusta</i>	1854, 67	<i>fluctuosa</i>	1854, 167
<i>aphrodina</i>	1854, 62	<i>Madrepora cochlea</i>	1849, 77
<i>attenuata</i>	1854, 62	<i>Maia camschatica</i>	1856, 133
<i>bilineata</i>	1854, 67	<i>vittata</i>	1855, 131
<i>bullata</i>	1854, 67	<i>Maina cristatelloides</i>	1859, 445
<i>californica</i>	1854, 68	<i>Malacocercus canorus</i>	1857, 92
	1856, 214	<i>caudatus</i>	1855, 50
<i>capillacea</i>	1854, 69		1857, 92
<i>carinulata</i>	1854, 67		1858, 486
<i>complanata</i>	1853, 14	<i>lineatus</i>	1859, 182
<i>contraria</i>	1854, 62	<i>malcolmi</i>	1858, 486
<i>corbiculoides</i>	1854, 62		1854, 285
<i>corbuloides</i>	1854, 63	<i>Malacocichla dryas</i>	1858, 64
<i>cornea</i>	1853, 16		1859, 324
<i>cuvieri</i>	1853, 17	<i>maculata</i>	1858, 64
<i>decora</i>	1854, 63		1857, 203
<i>dissimilis</i>	1854, 63	<i>mexicana</i>	1858, 64
<i>dolabrata</i>	1854, 66	<i>Malacocinclia abbottii</i>	1854, 76
<i>egena</i>	1854, 68	<i>Malacopternon abbottii</i>	1854, 76

	Page		Page
<i>Malacopternon aureum</i>	1854, 278	<i>Mancinella aculeata</i>	1851, 230
<i>cinereum</i>	1854, 276	<i>armigera</i>	1851, 230
<i>coronatum</i>	1854, 275	<i>bezoar</i>	1851, 230
<i>macrodactylum</i>	1854, 275	<i>castanea</i>	1851, 230
<i>magnum</i>	1854, 275	<i>hystrix</i>	1851, 230
<i>squamatum</i>	1854, 276	<i>mutabilis</i>	1851, 230
<i>Malacoptila aspersa</i>	1853, 123	<i>Mangelia acuticostata</i>	1856, 162
<i>frontalis</i>	1855, 136	<i>rigida</i> , var. <i>fuscogli-</i>	
<i>fulvicularis</i>	1855, 196	<i>gata</i>	1856, 163
<i>fulvogularis</i>	1855, 196	<i>Manis africana</i>	1851, 220
<i>fulvogularis</i>	1853, 123	<i>aurita</i>	1851, 220
<i>fusca</i>	1854, 110	<i>crassicaudata</i>	1856, 406
<i>fusca</i>	1855, 136	<i>javanica</i>	1851, 218
<i>fusca</i>	1855, 196	<i>macroura</i>	1859, 133
<i>inornata</i>	1858, 60	<i>macroura</i>	1851, 219
<i>inornata</i>	1855, 196	<i>multiscutata</i>	1851, 220
<i>mystacalis</i>	1855, 136	<i>multiscutata</i>	1860, 247
<i>mystacalis</i>	1855, 196	<i>multiscutata</i>	1850, 158
<i>mystacalis</i>	1855, 195	<i>pentadactyla</i>	1851, 219
<i>nigrifusca</i>	1855, 196	<i>pentadactyla</i>	1856, 406
<i>nigrifusca</i>	1858, 60	<i>temminckii</i>	1851, 219
<i>nigrifusca</i>	1855, 196	<i>tetradactyla</i>	1851, 220
<i>panamensis</i>	1860, 297	<i>tricuspis</i>	1860, 247
<i>rufa</i>	1855, 196	<i>Manouria fusca</i>	1852, 134
<i>rufa</i>	1853, 123	<i>Manouria fusca</i>	1860, 395
<i>substriata</i>	1855, 136	<i>Manucodia atra</i>	1859, 158
<i>substriata</i>	1855, 196	<i>gouldii</i>	1859, 158
<i>torquata</i>	1855, 196	<i>keraudreni</i>	1859, 158
<i>unitorques</i>	1858, 60	<i>Maracana weddellii</i>	1858, 76
<i>Malea ringens</i>	1856, 43	<i>Mareca chiloënsis</i>	1859, 96
<i>Malurus amabilis</i>	1850, 277	<i>penelope</i>	1860, 389
<i>coronatus</i>	1857, 221	<i>penelope</i>	1851, 146
<i>cyaneus</i>	1859, 221	<i>Margaratina vanderbu-</i>	
<i>elegans</i>	1850, 277	<i>schiana</i>	1850, 199
<i>lamberti</i>	1850, 277	<i>Margarita acuminata</i>	1851, 190
<i>longicaudus</i>	1854, 81	<i>angulata</i>	1851, 190
<i>pulcherrimus</i>	1850, 277	<i>arctica</i>	1851, 189
<i>Manacus bogotensis</i>	1855, 151	<i>argentea</i>	1851, 190
<i>candei</i>	1856, 299	<i>aspecta</i>	1854, 40
<i>candei</i>	1859, 56	<i>balteata</i>	1851, 191
<i>edwardsii</i>	1859, 385	<i>biangulosa</i>	1854, 40
<i>flaveolus</i>	1855, 151	<i>bicarinata</i>	1851, 190
<i>gutturosus</i>	1855, 151	<i>cærulescens</i>	1851, 191
<i>Manatus americanus</i>	1857, 29	<i>calostoma</i>	1851, 190
<i>australis</i>	1857, 33	<i>carinata</i>	1851, 190
<i>australis</i>	1857, 59	<i>carnea</i>	1851, 189
<i>latirostris</i>	1857, 29	<i>cinerea</i>	1851, 190
<i>nasutus</i>	1857, 29	<i>costellata</i>	1851, 190
<i>senegalensis</i>	1857, 33	<i>cumingii</i>	1851, 191
<i>senegalensis</i>	1857, 59	<i>dilecta</i>	1854, 40
<i>vogelii</i>	1857, 30	<i>expansa</i>	1851, 191
	33	<i>glauca</i>	1851, 189
		<i>grœnlandica</i>	1851, 189
		<i>helicina</i>	1851, 189
		<i>helicoides</i>	1851, 189
		<i>lineata</i>	1851, 192
		<i>margarita</i>	1851, 189
		<i>marmorea</i>	1860, 435

	Page		Page
<i>Margarita nitiligineus</i>	1851, 190	<i>Mastophora lamourouxii</i>	1858, 322
<i>obscura</i>	1851, 189	<i>Mastula lamellosa</i>	1854, 214
<i>sigaretina</i>	1851, 191	<i>Maticora lineata</i>	1859, 82
<i>solariformis</i>	1851, 190	<i>Mazama americana</i>	1850, 136
<i>striata</i>	1851, 189	<i>campestris</i>	1850, 237
<i>sulcata</i>	1851, 190	<i>dorsata</i>	1850, 137
<i>tæniata</i>	1851, 191	<i>furcata</i>	1850, 237
<i>tessellata</i>	1851, 191	<i>sericea</i>	1850, 137
<i>umbilicalis</i>	1851, 189	<i>Mecistops bennettii</i>	1857, 57
<i>undulata</i>	1851, 185	<i>cataphractus</i>	1858, 167
<i>vahlîi</i>	1851, 189	<i>journei</i>	1857, 57
<i>variabilis</i>	1851, 191	<i>leptorhynchus</i>	1857, 57
<i>violacea</i>	1851, 192	<i>Medusa æquorea</i>	1851, 272
<i>vulgaris</i>	1851, 189	<i>aurita</i>	1851, 274
<i>Margarops densirostris</i>	1859, 336	<i>patina</i>	1851, 274
<i>fuscatus</i>	1859, 336	<i>pelagica</i>	1851, 274
<i>montanus</i>	1859, 336	<i>Megacephala æquinoc-</i>	
<i>Margarornis brunnes-</i>	1856, 27	<i>tialis</i>	1851, 200
<i>cens</i>	1860, 88	<i>australasiæ</i>	1851, 199
<i>perlata</i>	1855, 142	<i>euphratica</i>	1851, 199
	1855, 142	<i>quadrisignata</i>	1851, 199
	1858, 553	<i>senegalensis</i>	1851, 199
<i>squamigera</i>	1860, 63	<i>sepulchralis</i>	1851, 200
	1860, 66	<i>testudinea</i>	1851, 200
	1860, 88	<i>Megaderma lyra</i>	1856, 394
<i>Marginella angystoma</i>	1849, 19	<i>schistacea</i>	1856, 394
<i>contaminata</i>	1849, 20	<i>Megæra trigonocephala</i>	1858, 383
<i>cornea</i>	1849, 20	<i>Megalæma barbatula</i>	1859, 399
<i>fabæ</i>	1849, 21	<i>bilineata</i>	1859, 398
<i>gemma</i>	1855, 122	<i>leucotis</i>	1859, 395
<i>jewettii</i>	1856, 207	<i>Megalaima australis</i>	1860, 358
<i>lineato-labrum</i>	1849, 20	<i>capistrata</i>	1857, 268
<i>oryza</i>	1860, 147	<i>chrysopogon</i>	1859, 454
<i>pudica</i>	1849, 18	<i>duvaucelli</i>	1859, 455
<i>pulcherrima</i>	1849, 21	<i>indica</i>	1857, 100
<i>quadrilineata</i>	1849, 17	<i>mystacophanos</i>	1858, 475
<i>radiata</i>	1855, 64	<i>philippensis</i>	1859, 454
<i>sagittata</i>	1849, 22	<i>versicolor</i>	1859, 454
<i>sandwicensis</i>	1860, 147	<i>virens</i>	1858, 475
<i>serrata</i>	1849, 19	<i>Megalestris antarctica</i>	1859, 98
<i>tessellata</i>	1849, 19	<i>natium</i>	1860, 390
<i>triplicata</i>	1849, 19	<i>Megalomastoma compla-</i>	
<i>triticea</i>	1849, 20	<i>natium</i>	1856, 36
<i>Marinula æqualis</i>	1854, 35	<i>myersii</i>	1860, 11
<i>callaoensis</i>	1854, 35	<i>Megalonyx jeffersonii</i>	1851, 209
<i>cymbæformis</i>	1854, 35	<i>Megalophrys gigas</i>	1860, 165
<i>marinella</i>	1854, 35	<i>Megalophus mexicanus</i>	1856, 295
<i>patula</i>	1854, 35	<i>Megaloprepla formosa</i>	1860, 360
<i>pepita</i>	1854, 35	<i>Megalorhynchus hayi</i>	1859, 455
<i>punctata</i>	1854, 35	<i>spinus</i>	1859, 455
<i>recluziana</i>	1854, 35	<i>Megapicus sclateri</i>	1860, 71
<i>xanthostoma</i>	1854, 35	<i>Megapodius cumingii</i>	1851, 119
<i>Martes abietum</i>	1858, 517	<i>duperreyii</i>	1858, 187
<i>flavigula</i>	1856, 398	<i>forsteni</i>	1860, 362
<i>gwatkinsi</i>	1858, 516		
<i>masius</i>	1858, 516		
<i>Masius chrysopterus</i>	1855, 152		
<i>coronulatus</i>	1860, 91		

	Page		Page
Megapodius freycineti ..	1860, 362	Melampus pallescens ..	1854, 10
reinwardtii	1858, 187	panamensis	1854, 10
wallacei	1859, 159	patulus	1854, 35
Megarhynchus chryso- gaster	1860, 362	pellucidus	1854, 11
Megatherium cuvieri ..	1851, 209	philippii	1854, 10
laurillardi	1851, 209	pulchellus	1854, 11
Meiglyptes badiusus ..	1857, 229	pusillus	1854, 10
brunneus	1859, 457	pyriformis	1854, 10
tristis	1859, 457	sculptus	1859, 29
Méioceras cornubovis ..	1858, 439	spiralis	1854, 122
cornucopiæ	1858, 439	stutchburyi	1856, 393
nitidum	1858, 438	tobagensis	1854, 9
Melzodon bitorquata ..	1860, 428	umlaasianus	1854, 9
dumerilii	1860, 429	zealandicus	1854, 12
regularis	1858, 162	(Tralia) semiplicata	1860, 146
	1860, 427	Melanerpes albolaryvatus	1858, 2
	1860, 428		3
Melampicos flavigula ..	1855, 161	cruentatus	1855, 161
Melampus adamsianus ..	1854, 121	erythrocephalus ..	1858, 2
æqualis	1854, 35	flavigula	1855, 161
angiostoma	1854, 11	flavigularis	1856, 307
ater	1854, 10		1856, 143
bidentatus	1854, 10		1856, 307
borealis	1854, 10		1857, 127
bridgesii	1856, 161	formicivorus	1858, 2
cingulatus	1854, 11		1858, 305
coffeus	1854, 9		1859, 60
commodus	1854, 12		1859, 367
coronulus	1854, 10	hirundinaceus	1858, 460
costatus	1854, 12	melanopogon	1856, 307
costellaris	1854, 12	ruber	1857, 127
cristatus	1854, 122		1858, 2
duplicatus	1854, 151	rubrigularis	1858, 2
elongatus	1854, 11	thyroideus	1858, 2
exaratus	1854, 13	torquatus	1858, 2
exiguus	1854, 11	Melania acanthica ..	1850, 194
fasciatus	1854, 11		1850, 183
firmini	1854, 35	aculeus	1850, 193
flavus	1854, 9		1858, 135
floridianus	1854, 11	acus	1850, 181
frickii	1859, 29	albescens	1850, 188
fuscus	1854, 9	amarula	1850, 194
globulus	1854, 11	apis	1850, 190
gracilis	1854, 35	armillata	1850, 195
granifer	1854, 12	australis	1850, 185
infrequens	1854, 11	bellicosa	1850, 194
küsteri	1854, 11	blatta	1850, 184
liberianus	1854, 12	canalis	1850, 180
lividus	1854, 10	cineta	1850, 183
luteus	1854, 10	circumstriata	1851, 73
maurus	1854, 11	cochlea	1850, 196
mitralis	1854, 13		197
nitidulus	1854, 12	cochlidium	1850, 183
oblongus	1856, 393	confusa	1858, 135
obovatus	1854, 12	constellaris	1850, 184
olivula	1854, 11		185
		contracta	1850, 182
		conulus	1850, 190

	Page		Page
<i>Melania cornuta</i>	1850,		194
<i>crebrum</i>	1850,		193
<i>crenifera</i>	1850,		192
<i>cumingii</i>	1850,		191
<i>dactylus</i>	1850,		191
<i>datura</i>	1858,		135
<i>denticulata</i>	1850,		195
<i>dermestoidea</i>	1850,		181
<i>diadema</i>	1850,		194
<i>elegantissima</i>	1853,		179
<i>episcopalis</i>	1850,		184
<i>ferruginea</i>	1850,		182
<i>flammulata</i>	1850,		189
<i>foeda</i>	1850,		180
<i>fraseri</i>	1859,		168
<i>fuscopunctata</i>	1859,		167
<i>granifera</i>	1850,		196
<i>hastula</i>	1850,		189
<i>impura</i>	1850,		182
<i>indefinita</i>	1850,		187
<i>juncea</i>	1850,		189
<i>laevissima</i>	1850,		179
<i>lancea</i>	1850,		183
<i>lateritia</i>	1850,		196
<i>layardi</i>	1858,		135
<i>luzoniensis</i>	1850,		188
<i>maxima</i>	1850,		187
<i>microstoma</i>	1850,		186
<i>mindoriensis</i>	1850,		187
<i>mirifica</i>	1853,		99
<i>modicella</i>	1850,		196
<i>nana</i>	1850,		192
<i>obruta</i>	1850,		190
<i>orientalis</i>	1853,		99
<i>pagoda</i>	1850,		197
<i>pallida</i>	1853,		180
<i>polygonata</i>	1850,		195
<i>recta</i>	1850,		185
<i>reticulata</i>	1850,		193
<i>rudis</i>	1850,		186
<i>rufa</i>	1853,		179
<i>scabra</i>	1850,		194
<i>scalaris</i>	1853,		179
<i>semiplicata</i>	1850,		187
<i>simplex</i>	1850,		182
<i>sobria</i>	1850,		181
<i>speciosa</i>	1853,		99
<i>spinulosa</i>	1850,		195
<i>subsuturalis</i>	1851,		73
<i>subula</i>	1850,		181
<i>tessellata</i>	1850,		192
<i>tornatella</i>	1850,		185
<i>torriculus</i>	1850,		190
<i>transversa</i>	1850,		186
<i>truncata</i>	1850,		187
<i>Melania virginica</i>	1850,		188
<i>zeylanica</i>	1850,		190
<i>(Melanella) nasa</i> ..	1859,		349
<i>Melanitis melane</i>	1858,		465
<i>Melanocorypha tartarica</i>	1858,		484
<i>torquata</i>	1858,		484
<i>torquata</i>	1859,		184
<i>Melanodera typica</i>	1859,		95
<i>xanthogramma</i>	1860,		385
<i>xanthogramma</i>	1859,		95
<i>Melanopsis buccinoides</i> ..	1853,		43
<i>helena</i>	1860,		14
<i>Melanoptila glabriros-</i>	1857,		275
<i>tris</i>	1859,		55
<i>tris</i>	1859,		337
<i>Melanotis caerulea</i>	1859,		337
<i>caerulea</i>	1859,		362
<i>hypoleucus</i>	1859,		370
<i>hypoleucus</i>	1859,		337
<i>Melasoma edolioides</i> ..	1850,		217
<i>Meleagris cristata</i>	1860,		269
<i>gallopavo</i>	1856,		62
<i>mexicana</i>	1856,		61
<i>ocellata</i>	1859,		62
<i>ocellata</i>	1860,		192
<i>Meles leucurus</i>	1856,		398
<i>taxus</i>	1860,		183
<i>taxus</i>	1860,		371
<i>Melias diardi</i>	1859,		458
<i>Melibe pilosa</i>	1860,		34
<i>Melierax canorus</i>	1850,		215
<i>gabari</i>	1850,		215
<i>musicus</i>	1850,		215
<i>polyzonus</i>	1850,		215
<i>polyzonus</i>	1859,		435
<i>Meliphaga javensis</i>	1854,		280
<i>Melitaea aurantia</i>	1857,		285
<i>coccinea</i>	1857,		285
<i>lutea</i>	1859,		485
<i>ochracea</i>	1857,		285
<i>ochracea</i>	1859,		485
<i>retifera</i>	1857,		285
<i>retifera</i>	1859,		486
<i>rissoi</i>	1857,		285
<i>tenella</i>	1857,		285
<i>tenella</i>	1859,		486
<i>textiformis</i>	1857,		285
<i>textiformis</i>	1859,		486
<i>Melitella coccinea</i>	1859,		486
<i>elongata</i>	1859,		485
<i>retifera</i>	1859,		486
<i>tenella</i>	1859,		486
<i>Mellisuga minima</i>	1857,		233
<i>Mellita erythraea</i>	1851,		36
<i>hexapora</i>	1851,		36
<i>lobata</i>	1851,		36

	Page		Page
Mellita quinquefora	1851,	Merops daudini	1854,
similis	1851,	erythropterus	1850,
testudinaria	1851,	javanicus	1854,
Melo æthiopicus	1855,	lafresnayei	1850,
armatus	1855,	lamarcki	1850,
broderipii	1855,	latreillei	1854,
cylindratu	1855,	leschenaulti	1854,
cymbiola	1855,	minulus	1850,
diadema	1855,	nubicus	1850,
georginæ	1855,	ornatus	1859,
indicus	1855,	philippinus	1857,
miltonis	1855,	quinticolor	1854,
mucronatus	1855,	sumatranus	1854,
nauticus	1855,	superbus	1850,
regius	1855,	typicus	1854,
senticosus	1855,	urica	1854,
tessellatus	1855,	viridis	1850,
umbilicatus	1855,	viridissimus	1850,
Melopelia leucoptera	1859,	Merula atrosericæa	1859,
Melopsittacus undulatus	1857,	dominicensis	1859,
Melospiza fallax	1859,	falklandica	1859,
lincolni	1859,	infuscata	1859,
Meminna indica	1850,	leucogenys	1859,
Menetrix impudica	1860,	nestor	1855,
zonaria	1860,	olivacea	1857,
Menobranchus maculatus	1857,	silens	1859,
Menopoma alleghanien-	1857,	surinamensis	1856,
sis	1857,	tristis	1856,
fusca	1857,	vinitincta	1859,
lateralis	1857,	vulgaris	1856,
Menura alberti	1853,	Merulaxis atra	1858,
superba	1860,	griseicollis	1854,
Meretrix grata	1853,	orthonyx	1860,
Merganetta columbiana	1855,	Mesalia decussata	1851,
Mergellus albellus	1858,	plicata	1855,
albellus	1857,	striata	1851,
anataris	1860,	Mesodesma angulus	1854,
cucullatus	1860,	angusta	1854,
meris rigidus	1859,	crassula	1854,
spiralis	1853,	elongata	1854,
Merops ægyptius	1850,	heterodon	1854,
amictus	1860,		
apiaster	1854,		
badius	1851,		
bicolor	1851,		
cæruleocephalus	1858,		
castaneus	1859,		
collaris	1854,		
cyanopygius	1854,		

	Page		Page
<i>Mesodesma intermedia</i> ..	1854,	<i>Microglossum aterri-</i>	1859,
<i>lanceolata</i>	1854,	<i>mum</i>	1860,
<i>layardi</i>	1854,	<i>Micronisus badius</i>	1858,
<i>macrodon</i>	1854,	<i>monogrammicus</i> ..	1860,
<i>mactroides</i>	1854,	<i>soloensis</i>	1860,
<i>mitis</i>	1854,	<i>Micropalama himantopus</i>	1860,
<i>nitida</i>	1854,		90
<i>ovalis</i>	1854,	<i>Microphractus humeralis</i>	1859,
<i>præcisa</i>	1854,		402
<i>retusa</i>	1854,	<i>Micropogon fuliginosus</i> .	1859,
<i>sulcata</i>	1854,	<i>margaritatus</i>	1859,
<i>transversa</i>	1854,	<i>sulphuratus</i>	1859,
		<i>Micropternus badius</i> ...	1859,
	1855,	<i>Micropterus brachypte-</i>	457
	1858,	<i>rus</i>	1860,
	555	<i>cinereus</i>	1859,
<i>Metallura tyrianthina</i> .	1859,	<i>rufonotus</i>	1859,
	1860,		96
	1860,	<i>Microtus cantori</i>	1854,
	95	<i>melanoleucos</i>	1854,
	168	<i>Microtis tuberculata</i> ...	1850,
	180	<i>Milvago australis</i>	1860,
<i>Metcalfeia bacquieana</i> ..	1857,	<i>carunculatus</i>	1860,
	168	<i>leucurus</i>	1859,
<i>chittyana</i>	1857,		93
<i>dohrniana</i>	1857,	<i>megalopterus</i>	1860,
<i>layardiana</i>	1857,		82
<i>metcalfeiana</i>	1857,	<i>Milvulus monachus</i> ...	1859,
<i>mitchelliana</i>	1857,		384
<i>morchiana</i>	1857,	<i>tyrannus</i>	1855,
<i>sinclairiana</i>	1857,		150
<i>sutherlandiana</i> , , ,	1857,		1856,
<i>swiftiana</i>	1857,		297
<i>verreauxiana</i>	1857,		1858,
<i>Metopias typhlops</i>	1850,		55
	1858,	<i>Milvus affinis</i>	1854,
<i>Metoponia pusilla</i>	1859,	<i>ater</i>	1858,
	1859,		471
<i>Metoporphina irrorata</i> ..	1858,	<i>govinda</i>	1854,
<i>Metula cumingii</i>	1853,		259
	1856,	<i>indicus</i>	1857,
	285	<i>melanotis</i>	1858,
	1857,	<i>parasiticus</i>	1860,
	261	<i>pondicerianus</i> ...	1854,
<i>Micrastur concentricus</i> }	1858,	<i>regalis</i>	1860,
	1860,	<i>rotundicollis</i>	1854,
	1857,	<i>subhimalayanus</i> ..	1854,
	261	<i>Mimeta mulleri</i>	1858,
<i>gilvicollis</i>	1858,	<i>Mimocichla</i>	1859,
	96	<i>Mimus cærulescens</i> , , ,	1856,
<i>guerilla</i>	1858,	<i>calandra</i>	1859,
<i>xanthothorax</i>	1859,		343
<i>Mierhyla achatina</i>	1858,	<i>carolinensis</i>	1856,
<i>Micreca conspicillata</i> ..	1859,		294
<i>flavovirescens</i>	1858,	<i>columbianus</i>	1855,
<i>Microglossum alecto</i> ...	1860,		145
<i>aterrimum</i>	1858,	<i>dominicus</i>	1857,
	184		232
		<i>dorsalis</i>	1859,
		<i>gilvus</i>	1859,
			341
			342

	Page		Page	
<i>Mimus gracilis</i>	1859,	}	<i>Mitra cingulata</i>	
			1851,	
<i>gundlachii</i>	1859,	343	<i>columbellina</i>	
<i>leucospilus</i>	1859,	342	<i>compta</i>	
<i>lividus</i>	1859,	344	<i>cratitia</i>	
<i>longicaudatus</i>	1859,	342	<i>crenilabris</i>	
<i>longirostris</i>	1856,	345	<i>crenicipitata</i>	
	1856,	294	<i>cyri</i>	
<i>melanopterus</i>	{	1855,	<i>dealbata</i>	
		1859,	145	<i>delicata</i>
<i>melanotis</i>	1859,	342	<i>dichroma</i>	
<i>modulator</i>	1859,	345	<i>echinata</i>	
<i>montanus</i>	1859,	343	<i>episcopalis</i>	
<i>orpheus</i>	1859,	340	<i>ericea</i>	
<i>parvulus</i>	1859,	341	<i>exarata</i>	
<i>patagonicus</i>	1859,	345	<i>eximia</i>	
<i>peruvianus</i>	1859,	344	<i>ferruginea</i>	
	1857,	212	<i>flammea</i>	
	1859,	340	<i>formosa</i>	
<i>polyglottus</i>	{	1859,	<i>gibba</i>	
		1860,	250	<i>insculpta</i>
		1860,	417	<i>insignis</i>
		1859,	433	<i>interrupta</i>
<i>rubripes</i>	1859,	336	<i>judæorum</i>	
<i>rufus</i>	1860,	108	<i>jukesii</i>	
<i>saturninus</i>	1859,	344	<i>læta</i>	
<i>thenca</i>	1859,	344	<i>lævis</i>	
<i>trifasciatus</i>	1859,	345	<i>ligata</i>	
<i>trivrus</i>	1859,	341	<i>luctuosa</i>	
<i>Miniopteris australis</i> ..	{	1858,	<i>lyræformis</i>	
		1860,	125	<i>macrospira</i>
<i>blepotis</i>	1858,	4	<i>mariaë</i>	
<i>dasythrix</i>	1858,	121	<i>marmorea</i>	
<i>schreibersii</i>	1858,	118	<i>marquesana</i>	
<i>tristis</i>	1858,	117	<i>maura</i>	
<i>ursinii</i>	1858,	124	<i>mirabilis</i>	
<i>Minla cinerea</i>	1854,	117	<i>morchii</i>	
<i>Mino dumontii</i>	1854,	142	<i>multilirata</i>	
	1858,	182	<i>nebulosa</i>	
<i>Mionectes assimilis</i>	}	45	<i>nitida</i>	
		1859,	46	<i>nodilirata</i>
	1856,	296	<i>nodulifera</i>	
<i>oleagineus</i>	{	1858,	<i>nodulifera</i>	
		1859,	71	<i>nux-avellana</i>
		1859,	45	<i>ornata</i>
		1859,	46	<i>pallida</i>
	1860,	283	}	
<i>striaticollis</i>	1859,	144		
	1860,	93	<i>peasei</i>	
<i>Mirafrassamica</i>	1857,	95	<i>philippinarum</i>	
<i>cordofanica</i>	1850,	218	<i>pia</i>	
<i>Mitra adusta</i>	1853,	36	<i>pigra</i>	
<i>albina</i>	1851,	137	<i>plebeia</i>	
<i>amoena</i>	1851,	137	<i>propinqua</i>	
<i>antonellii</i>	1860,	367	<i>pudica</i>	
<i>antonii</i>	1860,	368	<i>punctostriata</i>	
<i>asperulata</i>	1851,	136	<i>pura</i>	
<i>astyagis</i>	1860,	367	<i>pusilla</i>	
<i>autumnalis</i>	1860,	367	<i>reticulata</i>	
<i>bellula</i>	1851,	138	<i>rubiginea</i>	
<i>castanea</i>	1851,	140	<i>rufescens</i>	

	Page		Page
<i>Mitra rufocincta</i>	1851,		134
<i>rufila</i>	1851,		137
<i>sacerdotalis</i>	1851,		138
<i>samuelis</i>	1860,		368
<i>scitula</i>	1851,		138
<i>serotina</i>	1851,		132
<i>serpentina</i>	1851,		270
<i>straminea</i>	1851,		132
<i>tiarella</i>	1851,		133
<i>tigrina</i>	1851,		132
<i>turricula</i>	1851,		139
<i>virex</i>	1851,		134
<i>wisemani</i>	1860,		367
<i>Mitreola punctostriata</i> ..	1854,		134
<i>Mitrephorus fulvifrons</i> ..	1859,		45
<i>phæocercus</i>	1859,	{	44
			366
			384
<i>Mitylia gerrardi</i>	1858,		58
	1855,		133
	1855,		143
	1856,		140
<i>Mniotilta varia</i>	1856,		291
	1858,		298
	1859,		363
	1859,		373
<i>Moa</i>	1850,		209
<i>Mocoa africana</i>	1858,		156
<i>sikkimensis</i>	1860,		160
<i>Modiola capax</i>	1856,		218
<i>nitens</i>	1856,		202
<i>recta</i>	1856,		218
<i>trapezina</i>	1854,		108
<i>Modiolarca subtorta</i>	1856,		365
<i>trapezina</i>	1854,		108
<i>Modulus carchedonicus</i> ..	1850,		203
<i>cerodes</i>	1850,		204
<i>cidaris</i>	1850,		204
<i>disculus</i>	1856,		205
<i>dorsuosus</i>	1856,		205
<i>duplicatus</i>	1850,		204
<i>lenticularis</i>	1850,		203
<i>tectum</i>	1850,		203
<i>Moho apicalis</i>	1860,		380
<i>Mole</i>	1851,		130
<i>Molge striata</i>	1858,		144
<i>Molossus acetabulosus</i> ..	1859,		78
<i>australis</i>	1858,		372
<i>fuliginosus</i>	1858,		546
<i>fumarius</i>	1860,		213
<i>nasutus</i>	1859,		78
<i>norfolcensis</i>	1859,		78
<i>obscurus</i>	1858,		546
	1860,		213
	1856,		300
<i>Molothrus æneus</i>	1859,		365
	1859,		381
<i>pecoris</i>	1857,		213
<i>Molothrus pecoris</i>	1859,	{	365
	1860,		252
	1857,		223
<i>Momotus æquatorialis</i> ..	1857,		250
<i>bahamensis</i>	1858,		61
	1857,		252
	1855,		135
<i>brasiliensis</i>	1856,		285
	1857,		250
	1857,		201
<i>cæruleiceps</i>	1857,		253
	1859,		367
	1854,		154
<i>castaneiceps</i>	1857,		254
<i>cyanogaster</i>	1857,		255
<i>dombeyi</i>	1857,		258
<i>gularis</i>	1857,		256
	1856,		139
	1856,		285
<i>lessoni</i>	1857,		253
	1859,		54
	1859,		387
<i>levaillanti</i>	1857,		255
<i>martii</i>	1857,		254
	1854,		154
<i>mexicanus</i>	1857,		253
	1859,		387
	1860,		252
<i>microstephanus</i> ..	1857,		251
	1860,		296
<i>momota</i>	1857,		250
<i>momotula</i>	1857,		256
<i>nattereri</i>	1857,		251
<i>parvirostris</i>	1857,		260
<i>platyrhynchus</i> ...	1855,		136
	1857,		256
<i>psalura</i>	1857,		259
<i>rubricapillus</i>	1857,		258
<i>ruficapillus</i>	1857,		258
<i>semirufus</i>	1855,		135
	1857,		254
	1858,		61
<i>subhutu</i>	1857,		253
<i>subrufescens</i>	1857,		252
<i>superciliaris</i>	1857,		257
<i>tutu</i>	1857,		258
<i>varius</i>	1857,		260
<i>yucatanensis</i>	1857,		258
<i>Monacanthus auriga</i>	1850,		253
<i>filamentosus</i>	1850,		253
<i>Monarcha bimaculata</i> ..	1860,		352
<i>cesia</i>	1854,		270
<i>chrysomela</i>	1858,		177
<i>cinerascens</i>	1860,		351
<i>dichroa</i>	1859,		156
<i>gouldii</i>	1860,		352
<i>griseogularis</i>	1858,		177
	1860,		352

	Page		Page
<i>Monarcha guttula</i>	1858,	<i>Monodonta atrata</i>	1851,
<i>inornata</i>	1858,	<i>australis</i>	1851,
<i>leucotis</i>	{ 1850,	<i>baccata</i>	1851,
<i>leucura</i>	1858,	<i>canalifera</i>	1851,
<i>melanoptera</i>	1858,	<i>carchedonicus</i>	1850,
<i>nigrimentum</i>	1860,	<i>circumcincta</i>	1851,
<i>telescophthalma</i>	{ 1858,	<i>clathrata</i>	1851,
<i>trivirgata</i>	1859,	<i>constricta</i>	1851,
<i>velata</i>	1850,	<i>couturii</i>	1851,
<i>Monasa atra</i>	1854,	<i>crassa</i>	1851,
<i>flavirostris</i>	1855,	<i>crenulata</i>	{ 1851,
<i>nigrifrons</i>	{ 1855,	<i>draparnaudii</i>	1854,
<i>personata</i>	1855,	<i>dunkeri</i>	1851,
<i>peruana</i>	{ 1855,	<i>edentula</i>	1851,
	1857,	<i>exasperata</i>	1851,
	1858,	<i>exigua</i>	1851,
	407	<i>fermonii</i>	1851,
<i>Moneilema albo-pictum</i>	1856,	<i>foveolata</i>	1851,
<i>laevadorsale</i>	1856,	<i>fragarioides</i>	1851,
<i>longipes</i>	1856,	<i>gemmata</i>	1851,
<i>Monilea benzi</i>	1851,	<i>inconspicua</i>	1851,
<i>callifera</i>	1851,	<i>indecora</i>	1851,
<i>calyculus</i>	1851,	<i>interrupta</i>	1851,
<i>kalisoma</i>	1851,	<i>jussieui</i>	1851,
<i>lentiginosa</i>	{ 1851,	<i>kraussii</i>	1851,
<i>lirata</i>	1854,	<i>labio</i>	1851,
<i>menkei</i>	1851,	<i>librostoma</i>	1851,
<i>nucleus</i>	1854,	<i>lineata</i>	1851,
<i>philippii</i>	188	<i>lugubris</i>	1851,
<i>plumbea</i>	{ 1851,	<i>lupina</i>	1851,
<i>pusilla</i>	1854,	<i>margaritaria</i>	1851,
<i>swainsonii</i>	188	<i>melanoloma</i>	1851,
<i>Monitor gouldi</i>	1851,	<i>olivieri</i>	1851,
<i>niloticus</i>	{ 1851,	<i>patagonica</i>	1851,
	1860,	<i>philippii</i>	1851,
	1858,	<i>philippina</i>	1851,
	1860,	<i>punctigera</i>	1851,
	229	<i>punicea</i>	1851,
<i>Monoceros brevidens</i>	1856,	<i>regulosa</i>	1851,
<i>brevidentatum</i>	1856,	<i>retusa</i>	1850,
<i>engonatum</i>	1856,	<i>ringens</i>	1851,
<i>lapilloides</i>	1856,	<i>rosea</i>	1851,
<i>maculatum</i>	1856,	<i>rubra</i>	1851,
<i>punctatum</i>	1856,	<i>sayii</i>	1850,
<i>punctulatum</i>	1856,	<i>scorpio</i>	1851,
<i>unicarinatum</i>	1856,	<i>spilota</i>	1851,
	228	<i>strangei</i>	1851,
<i>Monoculus lenticularis</i>	1849,	<i>subrostrata</i>	1851,
	{ 84	<i>sulcifera</i>	1851,
	85	<i>tricarinata</i>	1851,
	87	<i>tringulata</i>	1851,
<i>Monodonta alveolata</i>	1851,	<i>tuberculata</i>	1851,
<i>angulifera</i>	1851,	<i>turbinata</i>	1851,
<i>apicina</i>	1851,	<i>turrita</i>	1851,
<i>araonis</i>	1851,	<i>vieilloti</i>	1851,
<i>articulata</i>	1851,	<i>virgata</i>	1851,
<i>aspera</i>	1851,	<i>viridis</i>	1851,
<i>aspersa</i>	1851,		174
	174		174
	178		174
	178		174
	178		203
	352		175
	177		175
	156		177
	201		158
	270		179
	196		174
	196		41
	60		178
	196		174
	194		176
	262		177
	60		176
	407		178
	407		174
	407		175
	188		174
	188		177
	188		159
	188		159
	188		173
	188		177
	41		170
	188		179
	38		159
	188		159
	39		179
	188		178
	41		158
	188		174
	189		176
	372		177
	155		158
	417		175
	229		203
	228		158
	229		170
	229		176
	229		203
	229		179
	229		177
	228		177
	84		178
	85		175
	87		174
	176		175
	176		175
	171		173
	158		172
	178		158
	174		171
	174		176

	Page		Page
<i>Monohammus armatus</i>	1858, 405	<i>Morphnus schistaceus</i>	1857, 261
<i>asperulus</i>	1858, 411	<i>urubitinga</i>	1858, 128
<i>bowringii</i>	1858, 398		227
<i>brianus</i>	1858, 409		261
<i>championi</i>	1858, 398	<i>Morrisia anomiooides</i>	1852, 79
<i>fredericus</i>	1858, 408	<i>Morsus norvegicus</i>	1853, 113
<i>georgius</i>	1858, 407	<i>Mortonia australis</i>	1851, 38
<i>larvatus</i>	1858, 406	<i>Morulus cidaris</i>	1850, 204
<i>luridus</i>	1858, 398	<i>Morum tuberculatum</i>	1853, 144
<i>melanosticticus</i>	1858, 407	<i>xanthostoma</i>	1853, 174
<i>nivosus</i>	1858, 409	<i>Morunga</i>	1848, 88
<i>obfuscatus</i>	1858, 411	<i>Moschus delicatula</i>	1850, 241
<i>offinator</i>	1858, 409	<i>grimmia</i>	1850, 120
<i>ruber</i>	1858, 399	<i>leucogaster</i>	1856, 404
<i>sierricola</i>	1858, 410	<i>meminna</i>	1858, 528
<i>stephanus</i>	1858, 406	<i>meminna</i>	1848, 37
<i>subcruciatus</i>	1858, 410	<i>moschiferus</i>	1856, 404
<i>sublineatus</i>	1858, 410	<i>moschiferus</i>	1858, 528
<i>tesserula</i>	1858, 408	<i>pygmaeus</i>	1850, 126
<i>Monophylla uniformis</i>	1852, 37	<i>Motacilla alba</i>	1851, 145
<i>Monoplocus dorsalis</i>	1859, 404	<i>alpina</i>	1854, 116
<i>Monoptygma aemœna</i>	1851, 223	<i>atrata</i>	1854, 26
<i>casta</i>	1851, 223	<i>aureora</i>	1854, 28
<i>fulva</i>	1851, 222	<i>bistrigata</i>	1854, 284
<i>granulata</i>	1851, 222	<i>bistrigata</i>	1851, 142
<i>lauta</i>	1851, 223	<i>boarula</i>	1854, 284
<i>speciosa</i>	1851, 223	<i>boarula</i>	1858, 486
<i>spirata</i>	1851, 223	<i>boarula</i>	1859, 178
<i>striata</i>	1851, 222	<i>caerulea</i>	1855, 11
<i>stylina</i>	1851, 224	—, var.	1855, 12
<i>suturalis</i>	1851, 224	<i>campestris</i>	1856, 269
<i>tenella</i>	1851, 224	<i>capensis</i>	1850, 217
<i>Monornis perpulchra</i>	1859, 467	<i>ceraunia</i>	1854, 27
<i>Montacuta coquimbensis</i>	1856, 340	<i>cingalensis</i>	1859, 463
<i>Monticola cinclorhyncha</i>	1859, 181	<i>dukhunensis</i>	1858, 486
<i>Montifringilla adamsii</i>	1858, 482	<i>erythaca</i>	1854, 25
<i>hæmatopygia</i>	1859, 178	<i>erythrogastra</i>	1854, 27
<i>hæmatopygia</i>	1851, 115	<i>flava</i>	1858, 77
<i>hæmatopygia</i>	1858, 482	<i>flavescens</i>	1860, 350
<i>nemicola</i>	1859, 178	<i>gibraltariensis</i>	1854, 26
<i>nemicola</i>	1858, 482	<i>grisea</i>	1858, 238
<i>Mopsea dichotoma</i>	1857, 284	<i>guira</i>	1856, 109
<i>elongata</i>	1859, 486	<i>longicauda</i>	1854, 81
<i>enrinula</i>	1857, 283	<i>longicauda</i>	1858, 486
<i>erythracea</i>	1857, 283	<i>luzoniensis</i>	1859, 150
<i>gracilis</i>	1857, 283	<i>luzoniensis</i>	1859, 178
<i>mediterranea</i>	1857, 283	<i>maderaspatana</i>	1858, 486
<i>verticillata</i>	1857, 284	<i>modularis</i>	1854, 118
<i>Mopsella dichotoma</i>	1857, 284	<i>montanella</i>	1854, 118
<i>gracilis</i>	1859, 486	<i>phœnicura</i>	1854, 25
<i>Mordacia mordax</i>	1851, 240	<i>sepium</i>	1854, 79
<i>Morelia argus</i>	1848, 38	<i>subviridis</i>	1854, 281
<i>Morphnus anthracinus</i>	1857, 211	<i>subviridis</i>	1854, 284
<i>mexicanus</i>	1858, 129	<i>sulphurea</i>	1854, 284
<i>schistaceus</i>	1857, 227	<i>sulphurea</i>	1851, 194
		<i>sutoria</i>	1854, 81
		<i>sutoria</i>	1854, 284
		<i>typhia</i>	1854, 281

	Page		Page
<i>Motacilla velia</i>	1856,	<i>Murex pulcher</i>	1851,
<i>viridis</i>	1854,	<i>pumilus</i>	1853,
<i>xanthoschistos</i>	1854,	<i>pusio</i>	1850,
<i>yarrellii</i>	1860,	<i>roseotinctus</i>	1859,
<i>Mucronalia nitidula</i>	1860,	<i>salleanus</i>	1853,
<i>ovata</i>	1860,	<i>scalaris</i>	1853,
<i>rosea</i>	1860,	<i>serotinus</i>	1851,
<i>Mulleripicus javensis</i> ..	1859,	<i>singaporensis</i>	1851,
<i>pulverulentus</i>	1859,	<i>solidus</i>	1851,
<i>Munia acuticauda</i>	1859,	<i>speciosus</i>	1855,
<i>amandava</i>	1857,	<i>spinosus</i>	1851,
<i>maja</i>	1859,	<i>subspinosus</i>	1853,
<i>malabarica</i>	1858,	<i>tæniatus</i>	1859,
<i>molucca</i>	1860,	<i>trigonulus</i>	1857,
<i>punctularia</i>	1859,	<i>trivialis</i>	1853,
<i>sinensis</i>	1859,	<i>Muricea myura</i>	1859,
<i>undulata</i>	1858,	<i>verticillaris</i>	1857,
<i>Muntjacus vaginalis</i> ..	1850,		1856,
	1850,	<i>Murina suillus</i>	1857,
	1856,		1858,
<i>Muræna anguilla</i>	1849,	<i>Mus æquicaudalis</i>	1856,
<i>Murex alabaster</i>	1855,	<i>assimilis</i>	1857,
<i>arausiacus</i>	1855,	<i>bandicota</i>	1850,
<i>armatus</i>	1853,		1858,
<i>australiensis</i>	1853,	<i>barbarus</i>	1860,
<i>barclayi</i>	1857,	<i>caudatior</i>	1856,
<i>bifasciatus</i>	1851,	<i>decumanus</i>	1850,
<i>cantinelosus</i>	1855,		1857,
<i>castus</i>	1853,	<i>fuscipes</i>	1857,
<i>coccineus</i>	1853,	<i>gouldi</i>	1857,
<i>coreanicus</i>	1853,	<i>gracilicauda</i>	1857,
<i>costularis</i>	1856,	<i>manicatus</i>	1857,
<i>crassus</i>	1851,	<i>morungensis</i>	1856,
<i>cumingii</i>	1851,		1850,
<i>decollatus</i>	1854,	<i>musculus</i>	1856,
<i>delectus</i>	1855,		1856,
<i>despectus</i>	1853,	<i>myothrix</i>	1856,
<i>diadema</i>	1853,	<i>nanus</i>	1857,
<i>euracanthus</i>	1851,	<i>nipalensis</i>	1856,
<i>exasperatus</i>	1851,	<i>niviventer</i>	1850,
<i>excavatus</i>	1851,	<i>nudo-plicatus</i>	1856,
<i>expansus</i>	1859,	<i>pilorides</i>	1849,
<i>fimbriatus</i>	1853,	<i>plurimammis</i>	1856,
<i>fulgora</i>	1855,		1857,
<i>fusiformis</i>	1851,	<i>rattus</i>	1860,
<i>inornatus</i>	1851,		1860,
<i>iostomus</i>	1851,	<i>sordidus</i>	1857,
<i>lignarius</i>	1851,	<i>squamipes</i>	1858,
<i>lyratus</i>	1851,	<i>tarayensis</i>	1856,
<i>nitens</i>	1853,	<i>Muscicapa anthoides</i> ..	1853,
<i>niveus</i>	1851,	<i>aurantia</i>	1857,
<i>noduliferus</i>	1851,	<i>azurea</i>	1854,
<i>nubilus</i>	1859,		1855,
<i>obeliscus</i>	1851,	<i>belli</i>	1859,
<i>octogonus</i>	1859,		1859,
<i>pagodus</i>	1851,	<i>bivittata</i>	1855,
<i>pauillus</i>	1853,		1856,
	71	<i>brasieri</i>	1859,
			374

	Page		Page
<i>Muscicapa cærulea</i>	1854, 271	<i>Muscicapa tricolor</i>	1854, 283
	1855, 11		1860, 351
<i>cæruleocephala</i>	1854, 271	<i>turdina</i>	1854, 114
<i>cæsia</i>	1858, 223		1860, 467
<i>caledonica</i>	1859, 162	<i>virescens</i>	1854, 114
<i>carolinensis</i>	1859, 336	<i>vulnerata</i>	1855, 65
<i>chalybeocephalus</i>	1859, 156		1856, 292
<i>chrysomela</i>	1858, 177	<i>uropygiata</i>	1859, 41
<i>cinerea</i>	1859, 41	<i>xanthetræa</i>	1859, 162
<i>cinereocapilla</i>	1854, 271	<i>xanthopygia</i>	1854, 283
<i>cooperi</i>	1851, 51	<i>Muscigralla brevicauda</i>	1860, 281
<i>crinita</i>	1851, 51	<i>Muscipeta aurantia</i>	1857, 79
<i>delalandii</i>	1858, 287	<i>castanea</i>	1854, 270
	1855, 65	<i>marginata</i>	1857, 77
<i>derhamii</i>	1856, 292	<i>melaleuca</i>	1860, 351
	1857, 5	<i>nigriceps</i>	1857, 75
<i>elisabethæ</i>	1857, 5	<i>paradisi</i>	1859, 182
<i>enado</i>	1858, 177	<i>princeps</i>	1854, 271
<i>eques</i>	1857, 75	<i>Muscisaxicola albifrons</i>	1860, 78
<i>eximia</i>	1860, 69	<i>alpina</i>	1860, 92
<i>fuliginosa</i>	1859, 43		1859, 95
	1855, 65	<i>macloviana</i>	1860, 385
<i>fulvifrons</i>	1858, 301		1860, 92
	1859, 45	<i>maculirostris</i>	1856, 295
<i>galeata</i>	1856, 117		1858, 301
<i>goiavier</i>	1854, 278	<i>Muscivora mexicana</i>	1859, 45
<i>grisola</i>	1857, 215		1859, 56
<i>guttula</i>	1858, 177	<i>occidentalis</i>	1860, 282
<i>hæmatodes</i>	1859, 41		1855, 67
<i>inornata</i>	1858, 177	<i>regia</i>	1858, 301
<i>irritabilis</i>	1851, 51		1859, 45
<i>javanica</i>	1854, 271	<i>Musculium lacustre</i>	1851, 232
<i>latirostris</i>	1854, 270	<i>Musophaga africana</i>	1851, 145
<i>lawrencei</i>	1855, 65	<i>rossæ</i>	1851, 93
<i>legatus</i>	1859, 46	<i>rossiæ</i>	1854, 24
<i>leucomus</i>	1855, 66	<i>violacea</i>	1854, 23
<i>melanops</i>	1856, 117	<i>Mustela canadensis</i>	1860, 417
<i>miniata</i>	1856, 292	<i>canigula</i>	1856, 398
<i>nævia</i>	1859, 163	<i>erminea</i>	1858, 517
<i>nigriceps</i>	1857, 75	<i>fluviatilis</i>	1851, 238
<i>nitida</i>	1854, 271	<i>kathiah</i>	1856, 398
<i>occipitalis</i>	1854, 271	<i>striata</i>	1848, 21
<i>olivacea</i>	1859, 162	<i>strigidorsa</i>	1856, 398
<i>pectoralis</i>	1854, 270	<i>strigodorsa</i>	1853, 191
<i>poonensis</i>	1854, 270	<i>subhimalayana</i>	1858, 517
<i>psidii</i>	1854, 278	<i>vulgaris</i>	1860, 415
<i>pygmæa</i>	1858, 234	<i>Mya arenaria</i>	1855, 220
	1856, 123	<i>semistriata</i>	1850, 86
<i>rubra</i>	1859, 41	<i>Mycetes beelzebub</i>	1852, 107
<i>rubrifrons</i>	1858, 299	<i>caraya</i>	1852, 107
<i>rufa</i>	1857, 79	<i>palliatu</i>	1848, 138
<i>rufescens</i>	1857, 79	<i>ursinus</i>	1852, 107
<i>rugensis</i>	1857, 5		1859, 47
<i>splendens</i>	1857, 77	<i>Mycteria australis</i>	1859, 150
<i>stenura</i>	1855, 11		1860, 328
<i>surinama</i>	1857, 74	<i>senegalensis</i>	1860, 196
<i>telescopthalma</i>	1858, 177	<i>Mygale antipodum</i>	1849, 3
<i>texensis</i>	1855, 65	<i>emilia</i>	1856, 183
<i>thamnophiloides</i>	1859, 41		

	Page		Page
<i>Mygale emilia</i>	1856, 185	<i>Myiobius cinnamomeus</i> .	1860, 466
<i>hexops</i>	1849, 3	<i>crypterythrus</i>	1860, { 464
<i>rosea</i>	1856, 183	<i>cryptoxanthus</i>	1860, { 466
<i>versicolor</i>	1856, 183	<i>erythrurus</i>	{ 1858, 70
<i>zebra</i>	1856, 183	{ 1860, 295	{ 1860, 466
<i>Myiabeillia typica</i>	1856, 287	<i>flavicans</i>	1860, { 464
<i>Myiabella guimeti</i>	1857, 17	<i>fuscocapilla</i>	1855, 149
<i>Myiadestes armillata</i> ..	1857, 6	<i>nævius</i>	1860, 466
<i>elisabethæ</i>	1857, 5	<i>ornatus</i>	{ 1859, 144
<i>griseiventris</i>	{ 1857, 6	{ 1860, 93	{ 1860, 466
<i>leucotis</i>	1860, 64	<i>phœnicurus</i>	{ 1858, 70
<i>obscurus</i>	{ 1856, 299	{ 1860, 466	{ 1860, 466
{ 1857, 5	{ 1857, 213	<i>pulcher</i>	1860, { 464
{ 1857, 213	{ 1859, 364	<i>pyrrhopterus</i>	1855, 149
{ 1859, 376	{ 1859, 300	<i>sulphureipygius</i> ..	{ 1859, 45
<i>townsendi</i>	{ 1857, 5	{ 1859, 384	{ 1860, 465
{ 1858, 97	{ 1857, 213	<i>vicillotides</i>	1860, 466
<i>unicolor</i>	{ 1856, 299	<i>vicilloti</i>	1855, 149
{ 1857, 5	{ 1857, 213	<i>villosus</i>	1860, { 93
{ 1858, 97	{ 1857, 6	<i>xanthopygius</i>	1860, 465
<i>venezuelensis</i>	{ 1860, 64	<i>Myiocichla ochrata</i>	1858, 542
<i>Myiagra azurea</i>	1854, 271	{ 1854, 111	{ 1855, 143
<i>flavivirostris</i>	1858, 176	{ 1858, 64	{ 1858, 451
<i>galeata</i>	1860, 352	<i>chrysophrys</i>	1855, 65
<i>lucida</i>	{ 1858, 176	<i>coronatus</i>	1855, { 133
{ 1859, 156	{ 1860, 352	<i>mitratus</i>	1856, 291
<i>manadensis</i>	1860, 352	{ 1856, 291	{ 1859, 363
<i>nitens</i>	1860, 352	{ 1859, 374	{ 1859, 137
<i>pectoralis</i>	1854, 270	<i>Myiodynastes atrifrons</i> .	1859, 43
<i>perspicillata</i>	1859, 161	<i>audax</i>	1859, { 43
<i>viridinitens</i>	1859, 162	{ 1859, 43	{ 1859, 143
<i>Myiagrus lineatus</i>	1858, 285	<i>chrysocephalus</i> ..	{ 1860, 63
<i>Myiarchus cinerascens</i> ..	1859, 384	{ 1860, 92	{ 1859, 42
<i>cooperi</i>	1859, 384	{ 1859, 43	{ 1859, 43
<i>ferox</i>	1855, 150	<i>luteiventris</i>	1859, { 45
<i>fuscus</i>	1859, 366	{ 1859, 56	{ 1859, 383
<i>lawrencii</i>	1859, { 366	<i>nobilis</i>	{ 1859, 42
{ 1859, 384	{ 1856, 296	{ 1860, 295	{ 1860, 465
<i>mexicanus</i>	1856, 296	<i>solitarius</i>	1859, 43
<i>nigriceps</i>	1860, { 68		
{ 1860, 295	{ 1860, 281		
<i>phæocephalus</i>	1860, 281		
<i>uropygiatus</i>	1859, 41		
<i>virens</i>	1855, 150		
<i>Myiiodictes mitratus</i> ..	1858, 358		
<i>pusillus</i>	1858, 299		
<i>Myiobatrachus paradox-</i>			
<i>us</i>	1849, 145		
{ 1859, 45	{ 1860, 282		
{ 1860, 282	{ 1860, 295		
<i>Myiobius barbatus</i>	{ 1860, 465		
{ 1860, 465	{ 1858, 554		

	Page		Page
<i>Myiolestes aruensis</i>	1858,	<i>Myiothlypis luteoviri-</i>	
<i>gouldii</i>	1858,	<i>dis</i>	1855, 143
<i>griseatus</i>	1858,	<i>nigricristata</i>	1855, 143 1859, 440
<i>megarhynchus</i>	1859,		64
<i>phaionotus</i>	1860,	<i>Myioturdus fuscater</i>	1858, } 289
<i>Myiophonus</i>	1858,	<i>lineatus</i>	1858,
<i>minckii</i>	1859,	<i>marginatus</i>	1858,
<i>Myiopsitta lineola</i>	1857,	<i>ochroleucus</i>	1858,
<i>tigrina</i>	1856,	<i>palikour</i>	1858,
	1857,	<i>perspicillatus</i>	1858,
<i>Myiothera albifrons</i>	1858,	<i>rex</i>	1858,
<i>analisis</i>	1858,	<i>tetema</i>	1858,
<i>ardesiaca</i>	1858,	<i>tinniens</i>	1858,
<i>brachyura</i>	1854,	<i>Myiozetetes cayennensis</i>	1859,
<i>caerulea</i>	1854,	<i>columbianus</i>	1860,
<i>calcarata</i>	1858,	<i>guianensis</i>	1860,
<i>campanisona</i>	1858,		45
<i>castanea</i>	1858,		295
<i>cinerea</i>	1858,		283
<i>colma</i>	1858,	<i>texensis</i>	1859,
<i>domicella</i>	1858,		45
<i>epilepidota</i>	1854,		56
<i>ferruginea</i>	1858,		366
<i>fuliginosa</i>	1858,	<i>Myliusia callocyathes</i>	1859,
<i>grallaria</i>	1858,	<i>Myiodon darwinii</i>	1851,
<i>leucophrys</i>	1858,	<i>harlani</i>	1851,
<i>longirostris</i>	1858,	<i>robustus</i>	1851,
<i>loricata</i>	1858,		210
<i>maculata</i>	1858,	<i>Myobatrachus gouldii</i>	1850,
<i>malura</i>	1858,	<i>paradoxus</i>	1850,
<i>margaritacea</i>	1858,	<i>Myobius stolidus</i>	1851,
<i>mentalis</i>	1858,	<i>Myochama anomoioides</i>	1850,
<i>nigromaculata</i>	1858,	<i>keppelliana</i>	1852,
	1854,	<i>strangei</i>	1850,
<i>nudiceps</i>	1857,	<i>stutchburyi</i>	1852,
	1858,	<i>transversa</i>	1850,
<i>perspicillata</i>	1858,	<i>Myodes groenlandicus</i>	1848,
<i>pileata</i>	1858,	<i>helvulus</i>	1848,
<i>plumbea</i>	1858,	<i>hudsonicus</i>	1848,
<i>poecilonota</i>	1858,	<i>lemurus</i>	1848,
<i>poecilopectera</i>	1858,	<i>trimucronatus</i>	1848,
<i>poliocephala</i>	1858,	<i>Myoictis wallacei</i>	1858,
<i>rufa</i>	1858,	<i>Myriotrochus rinkii</i>	1858,
<i>ruficeps</i>	1858,	<i>Myristicivora bicolor</i>	1859,
<i>rufimarginata</i>	1858,	<i>melanura</i>	1860,
<i>scapularis</i>	1858,	<i>Myrmeciza argentata</i>	1858,
<i>squamata</i>	1858,	<i>cinnamomea</i>	1858,
<i>strictothorax</i>	1858,	<i>exsul</i>	1858,
<i>strigilata</i>	1858,		540
<i>superciliaris</i>	1858,		294
<i>tetema</i>	1858,	<i>hemimelæna</i>	1857,
<i>thamnophiloides</i>	1858,		48
<i>variegata</i>	1858,		249
<i>yarrelli</i>	1858,	<i>leucaspis</i>	1854,
<i>Myiotheretes erythro-</i>			253
<i>gius</i>	1860,	<i>longipes</i>	1855,
<i>striaticollis</i>	1860,	<i>loricata</i>	1858,
	78	<i>marginata</i>	1854,
	92	<i>melanura</i>	1858,
			246

	Page		Page
<i>Myrmeciza ruficauda</i> ...	1858,	}	<i>Mysia tumida</i>
			1856, 215
<i>Myrmecophaga annulata</i>	1851,		<i>Mystacina tuberculata</i> ..
<i>bivittata</i>	1860,		1857, 138
	1851,		<i>Mytilia gerrardi</i>
	1854,		1858, 263
<i>jubata</i>	1854,		<i>melanogaster</i>
	1857,		1858, 264
	1860,		<i>templetonii</i>
<i>longicaudata</i>	1851,		1858, 263
<i>tamandua</i>	1851,		<i>unimaculata</i>
<i>tetradactyla</i>	1860,		1858, 264
<i>Myrmelastes nigerrimus</i>	1858,		<i>Mytilimeria nuttalli</i>
<i>plumbeus</i>	1858,		1856, 211
<i>Myrmonax cinnamomeus</i>	1858,		<i>Mytilus adamsianus</i>
<i>leucophrys</i>	1855,		1856, 360
	1858,		<i>atropurpureus</i>
<i>longipes</i>	1858,		1856, 359
<i>loricatus</i>	1858,		<i>bifurcatus</i>
<i>lugubris</i>	1858,		1856, 219
<i>myiotherinus</i>	1858,		<i>californianus</i>
<i>Myrmothera atricapilla</i> .	1858,		1856, 219
<i>axillaris</i>	1858,		<i>curvatus</i>
<i>cærulescens</i>	1858,		1856, 361
<i>campanella</i>	1858,		<i>edulis</i>
<i>colma</i>	1858,		1856, 219
<i>formicivora</i>	1858,		<i>glomeratus</i>
<i>fuscicapilla</i>	1858,		1856, 202
<i>gularis</i>	1858,		<i>horridus</i>
<i>guttata</i>	1858,		1856, 359
<i>leucophrys</i>	1858,		1858, 90
<i>longipes</i>	1858,		<i>latissimus</i>
<i>melanoleuca</i>	1858,		1856, 219
<i>menetriesi</i>	1858,		<i>morrisi</i>
<i>minuta</i>	1858,		1856, 360
<i>rufa</i>	1858,		<i>niger</i>
<i>tessellata</i>	1858,		1856, 359
<i>tetema</i>	1858,		<i>obscurus</i>
<i>troglydytes</i>	1855,		1856, 360
<i>unicolor</i>	1858,		<i>rostratus</i>
<i>vittata</i>	1858,		1856, 358
<i>Myrmotherula axillaris</i> .	1858,		<i>smaragdinus</i>
<i>brevicauda</i>	1858,		1860, 17
<i>erythronota</i>	1858,		<i>splendens</i>
<i>gularis</i>	1858,		1856, 358
<i>guttata</i>	1858,		<i>tortus</i>
<i>hæmatonota</i>	1858,		1858, 90
<i>hauxwelli</i>	1858,		<i>Myura simplex</i>
<i>melæna</i>	1858,		1859, 484
	1858,		<i>Myzomela boiei</i>
<i>menetriesi</i>	1860,		1860, 349
	1860,		<i>erythrocephala</i>
<i>multistriata</i>	1858,		1858, 173
<i>ornata</i>	1858,		<i>nigrita</i>
<i>pygmæa</i>	1858,		1858, 173
<i>surinamensis</i>	1858,		1859, 155
<i>urosticta</i>	1858,		<i>simplex</i>
<i>Myron richardsonii</i>	1858,		1860, 349
	384		<i>Nacella depicta</i>
			1856, 204
			<i>Naga rhombeatus</i>
			1858, 163
			<i>Naja haje</i>
			1849, 95
			<i>Naja angusticeps</i>
			1858, 160
			<i>fula-fula</i>
			1859, 88
			163
			375
			<i>haje</i>
			1858, 378
			379
			380
			<i>sommersetta</i>
			1859, 88
			1858, 380
			1858, 381
			1858, 382
			1860, 117
			<i>tripudians</i>
			1860, 164
			1860, 167
			1860, 169
			1860, 170
			1860, 171
			<i>Nandinia binotata</i>
			1860, 247
			<i>Nanina albaiensis</i>
			1853, 110
			<i>birmana</i>
			1860, 7
			<i>celinde</i>
			1849, 164
			<i>distincta</i>
			1860, 7
			<i>dohrniana</i>
			1860, 136
			<i>erigone</i>
			1849, 165

	Page		Page
<i>Nanina hainesi</i>	1860,	<i>Nassa crenulata</i>	1851,
? <i>kiyi</i>	1849,	<i>cumingii</i>	1851,
<i>mariae</i>	1849,	<i>dealbata</i>	1851,
<i>mouhoti</i>	1860,	<i>decussata</i>	1851,
<i>siamensis</i>	1860,	<i>delicata</i>	1851,
<i>tullia</i>	1849,	<i>denticulata</i>	1851,
(<i>Hesta</i>) <i>splendens</i> ..	1860,	<i>dentifera</i>	1851,
(—) <i>vallicola</i> ...	1860,	<i>dispar</i>	1851,
(<i>Trochomorpha</i>)—?	1860,	<i>distorta</i>	1851,
<i>Nanotragus perpusillus</i> .	1850,	<i>dorsuosa</i>	1851,
<i>regius</i>	1850,	<i>echinata</i>	1851,
<i>Napothera atricapilla</i> ..	1854,	<i>elegans</i>	1851,
<i>coronata</i>	1854,	<i>exilis</i>	1851,
<i>pyrrhomelanura</i> ...	1854,	<i>fasciata</i>	1851,
<i>Narica ovoidea</i>	1856,	<i>festiva</i>	1851,
<i>Nasica flavigaster</i>	1856,	<i>filosa</i>	1851,
<i>guttata</i>	1854,	<i>fissilabris</i>	1851,
<i>Nasiterna pygmæa</i>	1860,	<i>fuscata</i>	1851,
<i>Nassa abbreviata</i>	1851,	<i>gaudiosa</i>	1851,
<i>abyssicola</i>	1851,	<i>gayii</i>	1851,
<i>albescens</i>	1851,	<i>gemma</i>	1851,
<i>ambigua</i>	1851,	<i>gemmulata</i>	1851,
<i>angulifera</i>	1851,	<i>gemmulifera</i>	1851,
<i>anomala</i>	1851,	<i>geniculata</i>	1851,
<i>antillarum</i>	1851,	<i>gibbosula</i>	1851,
<i>arcularia</i>	1851,	<i>glans</i>	1851,
<i>ascanias</i>	1851,	<i>granifera</i>	1851,
<i>australis</i>	1851,	<i>gruneri</i>	1851,
<i>badia</i>	1851,	<i>hirta</i>	1851,
<i>bellula</i>	1851,	<i>hispidula</i>	1851,
<i>bimaculosa</i>	1851,	<i>horrida</i>	1851,
<i>bronnii</i>	1851,	<i>isabellei</i>	1851,
<i>cælata</i>	1851,	<i>jacksoniana</i>	1851,
<i>callosa</i>	1851,	<i>japonica</i>	1851,
<i>callospira</i>	1851,	<i>jonasi</i>	1851,
<i>canaliculata</i>	1851,	<i>labecula</i>	1851,
<i>cancellata</i>	1851,	<i>læta</i>	1851,
<i>candens</i>	1851,	<i>lentiginosa</i>	1851,
<i>caperata</i>	1851,	<i>leptospira</i>	1851,
<i>cinctella</i>	1851,	<i>livescens</i>	1851,
<i>cinnamomea</i>	1851,	<i>luctuosa</i>	1851,
<i>circumcincta</i>	1851,	<i>luteostoma</i>	1851,
<i>clathrata</i>	1851,	<i>lyrilla</i>	1851,
<i>clathratula</i>	1851,	<i>margaritifera</i>	1851,
<i>complanata</i>	1851,	<i>marginulata</i>	1851,
<i>compta</i>	1851,	<i>marmorea</i>	1851,
<i>concinna</i>	1851,	<i>micans</i>	1851,
<i>cooperi</i>	1850,	<i>microstoma</i>	1860,
<i>coronata</i>	1851,	<i>miga</i>	1851,
<i>coronula</i>	1851,	<i>mitralis</i>	1851,
<i>corrugata</i>	1851,	<i>mœsta</i>	1851,
<i>corticata</i>	1851,	<i>monilis</i>	1851,
<i>costata</i>	1851,	<i>mucronata</i>	1851,
<i>costellifera</i>	1851,	<i>multicostata</i>	1851,
<i>crassa</i>	1851,	<i>multigrana</i>	1851,
<i>cremata</i>	1851,	<i>muricata</i>	1851,
<i>crenellifera</i>	1851,	<i>mutabilis</i>	1851,
<i>crenolirata</i>	1851,	<i>myristicata</i>	1851,

	Page		Page
<i>Nassa nana</i>	1851,	<i>Nassa succincta</i>	1851,
<i>nassoides</i>	1851,	<i>sulcata</i>	1851,
<i>nivea</i>	1851,	<i>sulcifera</i>	1851,
<i>nodata</i>	1851,	<i>suturalis</i>	1851,
<i>nodicincta</i>	1851,	<i>teretiuscula</i>	1851,
<i>nodicostata</i>	1851,	<i>thersites</i>	1851,
<i>nodifera</i>	1851,	<i>tiarula</i>	1851,
<i>nodulifera</i>	1851,	<i>trifasciata</i>	1851,
<i>nucleolus</i>	1851,	<i>tritoniformis</i>	1851,
<i>obliquata</i>	1851,	<i>trivittata</i>	1851,
<i>obliqueplicata</i>	1851,	<i>turrita</i>	1851,
<i>obtusata</i>	1851,	<i>unicolor</i>	1851,
<i>olivacea</i>	1851,	<i>variabilis</i>	1851,
<i>orbiculata</i>	1851,	<i>varicifera</i>	1851,
<i>ornata</i>	1851,	<i>variegata</i>	1851,
<i>pallida</i>	1851,	<i>venusta</i>	1851,
<i>pallidula</i>	1851,	<i>verrucosa</i>	1851,
<i>papillosa</i>	1851,	<i>vibex</i>	1851,
<i>pauperata</i>	1851,	<i>woodwardi</i>	1850,
<i>perpinguis</i>	1851,	<i>zonalis</i>	1851,
<i>picta</i>	1851,		1859,
<i>planocostata</i>	1851,	<i>Nasua fusca</i>	435
<i>plicatella</i>	1851,		243
<i>polygonata</i>	1851,		1860,
<i>pulchella</i>	1851,	<i>Natalus stramineus</i>	323
<i>pullus</i>	1851,	<i>Natica californica</i>	1856,
<i>punctata</i>	1851,	<i>caribæa</i>	1856,
<i>pusio</i>	1851,	<i>catenata</i>	1851,
<i>ranida</i>	1851,	<i>collaria</i>	1860,
<i>reevei</i>	1851,	<i>excavata</i>	1856,
<i>reeviana</i>	1851,	<i>fossar</i>	1853,
<i>retecosa</i>	1851,	<i>incei</i>	1851,
<i>reticulata</i>	1851,	<i>intemerata</i>	1851,
<i>retusa</i>	1851,	<i>intricata</i>	1850,
<i>roissyi</i>	1851,	<i>lineata</i>	1860,
<i>rufocincta</i>	1851,	<i>maculosa</i>	1851,
<i>rufula</i>	1851,		1860,
<i>sanctæ helenæ</i>	1851,	<i>maroccana</i>	1856,
<i>scabriuscula</i>	1851,	<i>pomum</i>	1851,
<i>scalariformis</i>	1851,	<i>pritchardi</i>	1850,
<i>scalaris</i>	1851,	<i>pulchella</i>	1853,
<i>semigranosa</i>	1851,	<i>vestalis</i>	1851,
<i>seminodosa</i>	1851,	<i>Natrix lacertina</i>	1858,
<i>semiplicata</i>	1851,	<i>lubrica</i>	1859,
<i>serotina</i>	1851,	<i>Nauclerus furcatus</i>	1851,
<i>sertula</i>	1851,	<i>riocouri</i>	1850,
<i>signata</i>	1851,	<i>Nautilus macromphalus</i> .	1859,
<i>sinusigera</i>	1851,	<i>pompilius</i>	1850,
<i>siquijorensis</i>	1851,		1859,
<i>sordida</i>	1851,	<i>scrobiculatus</i>	1857,
<i>speciosa</i>	1851,		1857,
<i>spirata</i>	1851,	<i>umbilicatus</i>	1859,
<i>splendidula</i>	1851,	<i>Navicella livesayi</i>	1858,
<i>stigmara</i>	1851,	<i>squamata</i>	1858,
<i>stolida</i>	1851,	<i>Neæra fragilis</i>	1855,
<i>sturmii</i>	1851,	<i>Necrobia eximia</i>	1852,
<i>subspinosa</i>	1851,	<i>pinguis</i>	1852,
		<i>Nectarinia angolensis</i> ..	1860,
		<i>asiatica</i>	1857,

	Page		Page
Nectarinia asiatica	1858, 497	Nemoricola indica	1857, 95
aspasia	{ 1858, 173	Nemosia albigularis	{ 1855, 109
aspasioides	{ 1859, 155	atra	{ 1856, 67
auriceps	1860, 348	auricollis	1856, 111
australis	{ 1850, 201	blanda	1856, 112
chlorolæma	{ 1858, 173	diademata	1856, 241
cingalensis	1860, 110	flavicollis	{ 1855, 109
cyanocephala	1859, 463	fulvescens	{ 1856, 110
cyanolæma	1860, 110	guira	{ 1857, 264
eques	1860, 110	guirina	1856, 110
erythrothorax	1859, 155	insignis	1856, 110
flamaxillaris	1860, 110	nigricollis	1856, 109
frenata	{ 150	ornata	1859, 138
goalpariensis	{ 1859, 151	peruana	1856, 111
hasseltii	{ 1850, 201	pileata	1856, 109
hypogrammica	{ 1858, 173	rubrirostris	1856, 92
javanica	{ 1860, 348	ruficapilla	1856, 111
jugularis	1858, 496	ruficeps	1856, 112
lathamii	1859, 461	sordida	1856, 112
lepida	1859, 461	superciliaris	1856, 92
melanorhynchus	1859, 461	torquata	1855, { 84
metallica	1850, 216	verticalis	1856, 93
mystacalis	1850, 216	Nemura hodgsonii	1854, 76
perreinii	1859, 461	Neochloë brevipennis	1857, 213
phayrei	1860, 110	Neocorys spraguii	1857, 5
phœnicotis	1859, 462	Neodon sikimensis	1856, 401
pulchella	1859, 461	Neophron percnopterus	{ 1850, 214
rubescens	1850, 216	Neornis cærulea	1854, 2
siparaja	1860, 110	Neotragus hemprichia-	1858, 469
solaris	1859, 461	nus	1859, 170
zenobia	1860, 348	madoka	1850, 269
zeylonica	{ 1858, 173	saltiana	1850, { 120
Necturus maculatus	{ 1859, 155	Nephœcetes borealis	1859, 236
maculosus	1860, 348	niger	1859, 236
Neilo cumingii	1858, 173	Neptis aceris	1858, 9
Nematura deltæ	1859, 155	amba	1858, 7
glabrata	1860, 348	ananta	1858, 5
minima	1858, 497	antara	1858, 4
olivacea	1857, 61	columella	1858, 7
polita	1856, 343	duryodana	1858, 10
puncticulata	1852, 93	heliodora	1858, 8
Nemertes borlassii	1851, 225	heliodore	1858, 4
Nemophis lessoni	1851, 226	hordona	1858, 4
Nemorhædus bubalina	1851, 226	ida	1858, 10
sumatrensis	1851, 226	jumba	1858, 7
taxicolor	1858, 307	manasa	1858, 5
Nemorhedus goral	1858, 168	matuta	1858, 9
proclivis	1850, 173	miah	1858, 4
Nemorhina palpalis	1850, 173		
	1856, 405		
	1856, 403		
	1858, 523		
	1850, 135		
	1850, 262		

	Page		Page
<i>Neptis nandina</i>	1858,	<i>Ninox scutulatus</i>	1854,
<i>narayana</i>	1858,	<i>Niphæa hyemalis</i>	1856,
<i>nata</i>	1858,	<i>oregona</i>	1856,
<i>pata</i>	1858,	<i>rufidorsis</i>	1856,
<i>radha</i>	1858,	<i>Nisaëtus nipalensis</i>	1854,
<i>shepherdi</i>	1858,	<i>pallidus</i>	1854,
<i>soma</i>	1858,	<i>Nisus chionogaster</i>	1851,
<i>tiga</i>	1858,	<i>Nitidella gouldii</i>	1856,
<i>vikasi</i>	1858,	<i>Nitidula ænea</i>	1850,
<i>zaida</i>	1858,	<i>Noctilinia lasyura</i>	1857,
<i>Neptunea fuscolineata</i> ..	1860,	<i>Noctilio leporinus</i>	1860,
<i>Nerita albicilla</i>	1858,	<i>Noctua indica</i>	1854,
<i>atra</i>	1858,	<i>perlineata</i>	1854,
<i>chameleon</i>	1858,	<i>Noctula leucippe</i>	1858,
<i>costata</i>	1853,	<i>Noctulinia escholtzii</i> ..	1858,
<i>exuvia</i>	1858,	<i>lasyura</i>	1858,
<i>inconspicua</i>	1858,	<i>Nonnulla frontalis</i>	1855,
<i>lineolata</i>	1858,		1858,
<i>malaccensis</i>	1858,	<i>rubecula</i>	1853,
<i>ornata</i>	1858,		1855,
<i>peloronta</i>	1858,	<i>ruficapilla</i>	1855,
<i>plicata</i>	1858,	<i>Notauges superbus</i>	1860,
<i>polita</i>	1858,	<i>Nothocercus sallæi</i>	1856,
<i>senegalensis</i>	1858,		1859,
<i>signata</i>	1858,	<i>Notophthalma miniata</i> ..	1858,
<i>tessellata</i>	1858,	<i>viridescens</i>	1858,
<i>variabilis</i>	1858,	<i>Notopterus macdonaldii</i> ..	1859,
<i>versicolor</i>	1858,	<i>Notornis</i>	1848,
<i>(Syncera) hepatica</i>	1856,		208
<i>Neritina beckii</i>	1851,	<i>mantelli</i>	1850,
<i>crepidularia</i>	1851,		209
	1860,		212
<i>dubia</i>	1851,	<i>Nototrema marsupiatum</i> ..	1859,
<i>melanostoma</i>	1860,		402
<i>neglecta</i>	1860,	<i>Notoxus pulcher</i>	1852,
<i>piperina</i>	1851,	<i>Novaculina olivacea</i>	1851,
	1855,	<i>Nucifraga caryocatactes</i> ..	1849,
<i>Nesocichla eremita</i> ...	1856,		23
	1856,	<i>hemispila</i>	1849,
<i>Nesotragus moschatus</i> ..	1850,		1858,
<i>Nestor hypopolius</i>	1856,		1859,
<i>notabilis</i>	1856,	<i>multipunctata</i>	1849,
<i>Nettapus coromandelicus</i> ..	1859,	<i>Nucula antipodum</i>	1860,
<i>pulchellus</i>	1857,	<i>bellotii</i>	1856,
<i>Newcambia chlorotica</i> ..	1855,	<i>castanea</i>	1856,
<i>cinnamomea</i>	1858,	<i>crenulata</i>	1856,
<i>gemma</i>	1858,	<i>divaricata</i>	1860,
<i>minuscula</i>	1858,	<i>gibba</i>	1856,
<i>sulcata</i>	1858,	<i>layardii</i>	1856,
<i>zebrina</i>	1855,	<i>m'andrewii</i>	1860,
	1851,	<i>malabarica</i>	1860,
<i>Nidalia occidentalis</i> ..	1857,	<i>margaritacea</i>	1856,
	1851,	<i>nitidula</i>	1856,
<i>Nightingale</i>	1851,	<i>nucleus</i>	1856,
<i>Nika edulis</i>	1856,	<i>obliqua</i>	1860,
	1858,	<i>paulula</i>	1856,
	1859,	<i>paytensis</i>	1856,
<i>Niltava sundara</i>	1859,	<i>sculpta</i>	1860,
<i>Ninox jeridius</i>	1854,	<i>simplex</i>	1856,
<i>nipalensis</i>	1854,	<i>strangei</i>	1856,

	Page		Page
<i>Nucula striolata</i>	1856,	<i>Nyctiornis amicta</i>	1854,
<i>sulcata</i>	1856,	<i>Nyctipithecus felinus</i> ..	1852,
<i>Nuculina donaciforme</i> ..	1849,	<i>trivirgatus</i>	1852,
<i>donaciformis</i>	1854,	<i>Nyctiplanus rotundatus</i> .	1848,
<i>triangularis</i>	1854,	<i>Nyctophilus geoffroyi</i> ..	1858,
<i>Numenius</i> —	1858,	<i>gouldi</i>	1858,
<i>arcuata</i>	1859,	<i>timoriensis</i>	1858,
{ 1851, 146	188	<i>unicolor</i>	{ 1858,
{ 1858, 506	188		{ 1858,
<i>arquata</i>	{ 1860, 242		{ 1859,
{ 1860, 258	364	<i>Nylghau</i>	1851,
<i>australasianus</i>	1860,	<i>Nymphalis aceris</i>	1858,
<i>brevirostris</i>	1860,	<i>helicopis</i>	1858,
<i>minor</i>	{ 1858, 188	<i>heliodore</i>	1858,
{ 1860, 364	188	<i>hordonia</i>	1858,
{ 1851, 146	364	<i>nefte</i>	1858,
{ 1858, 506	387	<i>strophia</i>	1858,
<i>phæopus</i>	{ 1860, 258	<i>venilia</i>	1858,
{ 1860, 415	188	<i>Nymphicus bisetis</i>	1859,
<i>uropygialis</i>	1858,	<i>cornutus</i>	1859,
<i>Numida meleagris</i>	{ 1857, 236	<i>novæ-hollandiæ</i> ..	1857,
<i>ptilonorhyncha</i>	1860,	<i>Nyroca leucophthalma</i> ..	1859,
<i>ptilorhyncha</i>	1849,		{ 190
<i>Nyctale acadica</i>	1850,		{ 442
<i>harrisi</i>	1858,	<i>Obeliscus achates</i>	1856,
<i>Nyctalitinus albipuncta-</i>	1856,	<i>clavulus</i>	1856,
<i>tus</i>	25	<i>Octhoëca albidinema</i>	1856,
<i>Nyctea nivea</i>	1860,	<i>fumicolor</i>	{ 1856,
<i>Nyctereutes procyonoides</i>	1848,	{ 1858, 554	1856,
<i>Nyctibius pectoralis</i> ...	1860,	{ 1860, 79	1858,
<i>Nycticebus javanicus</i> ..	1860,	<i>fumigata</i>	{ 1860, 63
<i>Nycticejus atalapha</i> ...	1857,	{ 1860, 67	1856,
<i>macrotis</i>	1858,	{ 1856, 28	1858,
<i>nivicolus</i>	1856,	<i>lessoni</i>	{ 1860, 63
<i>noveboracensis</i>	1857,	{ 1860, 68	1860,
<i>pruinus</i>	1857,	<i>leucophrys</i>	1856,
<i>varius</i>	1857,	<i>œnanthoides</i>	1856,
<i>Nycticorax americana</i> .	{ 1859, 96	<i>rufipectoralis</i>	1856,
{ 1860, 387	106	<i>Octonus holosteon</i>	1859,
{ 1849, 106	166	{ 1859, 105	1855,
<i>caledonicus</i>	{ 1859, 166	<i>Ocyalus wagleri</i>	{ 1857, 228
{ 1860, 364	151	{ 1859, 57	1858,
<i>europæus</i>	{ 1859, 151	<i>Ocyptes suilla</i>	1858,
{ 1860, 197	206	{ 1859, 206	1860,
{ 1857, 206	230	<i>Ocyphaps lophotes</i> ...	{ 1860, 258
{ 1858, 77	77	<i>Ocypterus leucorhynchus</i>	1858,
<i>gardeni</i>	{ 1859, 63	<i>papuensis</i>	1858,
{ 1859, 369	63	<i>Odontidium levissimum</i> .	1858,
{ 1860, 387	253	<i>regulosum</i>	1858,
{ 1859, 63	290		{ 415
<i>violaceus</i>	{ 1860, 253		{ 425
{ 1860, 290	285	<i>Odontophorus balliviani</i> .	1850,
<i>Nyctidromus america-</i>	1856,		94
<i>nus</i>	1859,		
<i>derbyanus</i>	1856,		
<i>grallarius</i>	1855,		

	Page		Page
<i>Odontophorus columbianus</i>	1850, 94	<i>Oiketicus m'leaii</i>	1854, 222
<i>dentatus</i>	1850, 94	<i>nigricans</i>	1854, 220
	1859, 99	<i>saundersii</i>	1854, 223
<i>erythroptus</i>	1859, 147	<i>templetoni</i>	1854, 234
	1860, 72	<i>tertius</i>	1854, 234
	1860, 298	<i>Oleacina binneyana</i>	1855, 117
	1856, 103	<i>boucardi</i>	1859, 27
<i>guttatus</i>	1856, 309	<i>ghiesbreghtii</i>	1856, 379
	1859, 391	<i>indusiata</i>	1860, 138
<i>hyperythrus</i>	1857, 223	<i>pulchella</i>	1856, 379
<i>lineolatus</i>	1856, 310	<i>Oligodon sublineatus</i> ..	1858, 383
<i>marmoratus</i>	1855, 163	<i>Olisthops cyanomelas</i> ..	1850, 75
<i>melanonotus</i>	1860, 382	<i>Oliva acuminata</i>	1858, 50
	1856, 310	<i>alba</i>	1858, 44
<i>thoracicus</i>	1859, 369	<i>alectona</i>	1858, 53
	107	<i>amazora</i>	1858, 53
<i>veraguensis</i>	1856, 143	<i>ancillarioides</i>	1858, 52
<i>Odostomia achates</i>	1856, 206	<i>angulata</i>	1858, 41
<i>carychium</i>	1854, 33	<i>anomina</i>	1858, 45
<i>clathrata</i>	1853, 180	<i>aquatilis</i>	1858, 48
<i>fenestrata</i>	1853, 179	<i>araneosa</i>	1858, 44
<i>formosa</i>	1853, 179	<i>atalina</i>	1858, 44
<i>gravida</i>	1856, 207	<i>athenia</i>	1858, 49
<i>indistincta</i>	1853, 180	<i>attenuata</i>	1858, 55
<i>lactea</i>	1853, 179		39
<i>rufa</i>	1853, 179	<i>auricularia</i>	1858, 48
<i>scalaris</i>	1853, 179		56
(<i>Chrysallida</i>) <i>crebri-</i>		<i>aurora</i>	1858, 49
<i>striata</i>	1856, 170	<i>australis</i>	1858, 45
<i>Edemia fusca</i>	1860, 442	<i>avellana</i>	1858, 49
	1850, 220	<i>azemula</i>	1858, 41
<i>Edicnemus affinis</i>	1860, 197		43
<i>australis</i>	1859, 212	<i>bicincta</i>	1858, 47
	1850, 220	<i>bicingulata</i>	1858, 47
	1851, 146	<i>biplicata</i>	1858, 56
<i>crepitans</i>	1855, 81	<i>brasiliana</i>	1858, 48
	1858, 504		46
	1859, 435	<i>bulbiformis</i>	1858, 47
	1858, 187		49
<i>magnirostris</i>	1860, 363	<i>bullata</i>	1858, 53
<i>recurvirostris</i>	1855, 82	<i>cærulea</i>	1858, 54
<i>senegalensis</i>	1850, 220	<i>caldania</i>	1858, 52
<i>Edipus variegatus</i>	1858, 144	<i>calosoma</i>	1858, 49
	259	<i>candida</i>	1858, 47
<i>Estrus bovis</i>	1850, 265	<i>carneola</i>	1858, 49
<i>equi</i>	1850, 259	<i>caroliniana</i>	1858, 46
<i>hæmorrhoidalis</i>	1850, 259	<i>cincta</i>	1858, 51
<i>tarandi</i>	1850, 259	<i>cingulata</i>	1858, 50
<i>Oiketicus boisduvalii</i> ..	1854, 232	<i>claneophila</i>	1858, 48
<i>consortus</i>	1854, 235	<i>columba</i>	1858, 53
<i>crameri</i>	1854, 236	<i>columellaris</i>	1858, 55
<i>doubledaii</i>	1854, 235	<i>conoidalis</i>	1858, 54
<i>elongatus</i>	1854, 223	<i>contortuplicata</i>	1858, 52
<i>herrichii</i>	1854, 232	<i>cumingii</i>	1858, 45
<i>hubneri</i>	1854, 228	<i>dactyliola</i>	1858, 49
<i>kirbii</i>	1854, 227	<i>dama</i>	1858, 55
<i>lewini</i>	1854, 231	<i>dealbata</i>	1858, 54

	Page		Page
<i>Oliva duclosii</i>	1858,	<i>Oliva micans</i>	1858,
<i>eburnea</i>	1858,	<i>millepunctata</i>	1858,
<i>elegans</i>	1858,	<i>miriadina</i>	1858,
<i>episcopalis</i>	1858,	<i>monilifera</i>	1858,
<i>erythrostoma</i>	1858,	<i>multiplicata</i>	1858,
<i>esther</i>	1858,	<i>mustelina</i>	1858,
<i>evania</i>	1858,	<i>mutica</i>	1858,
<i>fabigina</i>	1858,	<i>nana</i>	1858,
<i>fimbriata</i>	1858,	<i>nebulosa</i>	1858,
<i>flammulata</i>	1858,	<i>neoslina</i>	1858,
<i>flaveola</i>	1858,	<i>nitelina</i>	1858,
<i>fulgida</i>	1858,	<i>nitidula</i>	1858,
<i>fulminans</i>	1858,	<i>nivea</i>	1858,
<i>funebralis</i>	1858,	<i>nobilis</i>	1858,
<i>fura</i>	1858,	<i>nodulina</i>	1858,
<i>fusiformis</i>	1858,	<i>nux</i>	1858,
<i>galeola</i>	1858,	<i>obesina</i>	1858,
<i>gibbosa</i>	1858,	<i>obtusaria</i>	1858,
<i>glandiformis</i>	1858,	<i>olorinella</i>	1858,
<i>gracilis</i>	1858,	<i>olympiadina</i>	1858,
<i>granitella</i>	1858,	<i>oriola</i>	1858,
<i>guildingii</i>	1858,	<i>oryza</i>	1858,
<i>guttata</i>	1858,	<i>ozodina</i>	1858,
<i>harpularia</i>	1858,	<i>paniculata</i>	1858,
<i>hemiltona</i>	1858,	<i>patula</i>	1858,
<i>hepatica</i>	1858,	<i>paxilla</i>	1858,
<i>hiatula</i>	1858,	<i>pellucida</i>	1858,
<i>hieroglyphica</i>	1858,	<i>peruviana</i>	1858,
<i>indusica</i>	1858,	<i>philantha</i>	1858,
<i>inflata</i>	1858,	<i>pica</i>	1858,
<i>irisans</i>	1858,	<i>picta</i>	1858,
<i>ispidula</i>	1858,	<i>pindarina</i>	1858,
<i>jaspidea</i>	1858,	<i>pintamella</i>	1858,
<i>julieta</i>	1854,	<i>polpasta</i>	1858,
<i>kaleontina</i>	1854,	<i>ponderosa</i>	1858,
<i>lanceolata</i>	1854,	<i>porphyria</i>	1858,
<i>lentiginosa</i>	1854,	<i>propatula</i>	1856,
<i>lepida</i>	1854,	<i>puelchana</i>	1858,
<i>lepta</i>	1854,	<i>pulchella</i>	1858,
<i>leucophaea</i>	1854,	<i>purpurata</i>	1858,
<i>leucostoma</i>	1854,	<i>pygmæa</i>	1858,
<i>leucozonalis</i>	1854,	<i>quersolina</i>	1858,
<i>ligneola</i>	1854,	<i>razamola</i>	1858,
<i>lineolata</i>	1854,	<i>reticulata</i>	1858,
<i>litterata</i>	1854,	<i>rosalina</i>	1858,
<i>lugubris</i>	1854,	<i>ruffasciata</i>	1858,
<i>luteola</i>	1858,	<i>rufula</i>	1858,
<i>macleaya</i>	1858,	<i>sandwicensis</i>	1860,
<i>maculata</i>	1858,	<i>sanguinolenta</i>	1858,
<i>mandarina</i>	1858,	<i>schumacheriana</i> ..	1858,
<i>mantichora</i>	1858,	<i>scripta</i>	1858,
<i>maura</i>	1858,	<i>selasia</i>	1858,
<i>mica</i>	1858,	<i>semisulcata</i>	1858,
		<i>senegalensis</i>	1858,

	Page		Page
<i>Oliva sidelia</i>	1858,	<i>Olivina jaspidea</i>	1858,
<i>splendidula</i>	1858,	<i>lanceolata</i>	1858,
<i>stainforthii</i>	1858,	<i>lepta</i>	1858,
<i>steeriae</i>	1858,	<i>lineolata</i>	1858,
<i>stellata</i>	1858,	<i>mandarina</i>	1858,
<i>strigata</i>	1858,	<i>mica</i>	1858,
<i>subulata</i>	1858,	<i>miriadina</i>	1858,
<i>tehuelchana</i>	1858,	<i>mutica</i>	1858,
<i>tergina</i>	1858,	<i>paniculata</i>	1858,
<i>tessellata</i>	1858,	<i>puelchana</i>	1858,
<i>testacea</i>	1856,	<i>pulchella</i>	1858,
	209	<i>razamola</i>	1858,
<i>textilina</i>	1858,	<i>selasia</i>	1858,
<i>tigridella</i>	1858,	<i>semisulcata</i>	1858,
<i>tigrina</i>	1858,	<i>strigata</i>	1858,
	42	<i>tehuelchana</i>	1858,
	47	<i>tergina</i>	1858,
<i>timoria</i>	1858,	<i>tunquina</i>	1858,
<i>todosina</i>	1858,	<i>zanoieta</i>	1858,
<i>tremulina</i>	1858,	<i>zenopira</i>	1858,
<i>tricolor</i>	1858,	<i>zigzag</i>	1858,
<i>tringa</i>	1858,	<i>zonalis</i>	1858,
<i>triticea</i>	1858,	<i>Omadius clytiformis</i>	1855,
<i>tunquina</i>	1858,	<i>ctenostomoides</i>	1855,
<i>undata</i>	1858,	<i>fasciata</i>	1852,
<i>undatella</i>	1858,	<i>fasciipes</i>	1855,
<i>ustulata</i>	1858,	<i>mediofasciatus</i>	1852,
<i>utricula</i>	1858,	<i>modestus</i>	1855,
<i>venulata</i>	1858,	<i>olivaceus</i>	1852,
<i>vermiculata</i>	1858,	<i>prasinus</i>	1852,
<i>volutella</i>	1858,	<i>seticornis</i>	1855,
<i>volvarioides</i>	1858,	<i>vigilans</i>	1855,
<i>zanoieta</i>	1858,	<i>Ommatotriton vittatus</i>	1858,
<i>zebra</i>	1858,	<i>Omphalius ater</i>	1856,
<i>zeilanica</i>	1858,	<i>aureotinctus</i>	1856,
<i>zenopira</i>	1858,	<i>cælatus</i>	1854,
<i>zigzag</i>	1858,	<i>fuscescens</i>	1856,
	54	<i>marginatus</i>	1856,
<i>zonalis</i>	1858,	<i>pfeifferi</i>	1856,
	51	<i>sticticus</i>	1854,
	55	<i>Omphalotropis auran-</i>	1852,
<i>Olivancillaria auricularia</i>	1858,	<i>tiaca</i>	1854,
	56	<i>cerea</i>	1857,
<i>Olivella glandinaria</i>	1856,	<i>dubia</i>	1852,
<i>intorta</i>	1856,	<i>erosa</i>	1852,
<i>lineolata</i>	1858,	<i>expansilabris</i>	1854,
<i>volutella</i>	1858,	<i>exquisita</i>	1854,
<i>Olivina alectona</i>	1858,	<i>glabrata</i>	1854,
<i>anzora</i>	1858,	<i>globosa</i>	1852,
<i>bullata</i>	1858,	<i>granum</i>	1854,
<i>cærulea</i>	1858,	<i>guamensis</i>	1857,
<i>caldania</i>	1858,	<i>hieroglyphica</i>	1852,
<i>columba</i>	1858,	<i>huaheinensis</i>	1854,
<i>columellaris</i>	1858,		308
<i>dealbata</i>	1858,		
<i>esther</i>	1858,		
<i>fimbriata</i>	1858,		
<i>fulgida</i>	1858,		
<i>fura</i>	1858,		
<i>gracilis</i>	1858,		
<i>guildingii</i>	1858,		

	Page		Page
<i>Omphalotropis maculatus</i>	1860,	<i>Opisthoglossa oxydactyla</i>	1858,
<i>malleata</i>	1854,	<i>platydactyla</i>	1858,
<i>multilirata</i>	1852,		347
<i>navigatorum</i>	1857,		344
<i>plicosa</i>	1854,		347
<i>pupoides</i>	1852,	<i>Opisthoporus cochinchin-</i>	
<i>radiata</i>	1854,	<i>nensis</i>	1856,
<i>rosea</i>	1852,	<i>euryomphalus</i>	1856,
<i>rubens</i>	1852,	<i>siamensis</i>	1860,
<i>scitula</i>	1852,	<i>Opostsitta desmaresti</i>	1860,
<i>terebialis</i>	1854,	<i>diophthalma</i>	1860,
<i>vallata</i>	1852,	<i>Orbicula cumingii</i>	1852,
<i>vestita</i>	1855,	<i>evansii</i>	1852,
<i>Oniscia grandis</i>	1853,	<i>strigata</i>	1852,
<i>ponderosa</i>	1858,	<i>Orchesticus abeillii</i>	1856,
<i>testudo</i>	1850,	<i>ater</i>	1856,
<i>Onychocephalus liber-</i>		<i>capistratus</i>	1856,
<i>ensis</i>	1858,	<i>occipitalis</i>	1856,
<i>nigrolineatus</i>	1858,	<i>Oreas canna</i>	1850,
<i>Onychodactylus japoni-</i>		<i>derbianus</i>	1850,
<i>cus</i>	1858,	<i>Oreomanes fraseri</i>	1860,
<i>Onychognathus hartlaubii</i>	1858,	<i>Oreophasis derbianus</i>	1860,
<i>Onychophis liberiensis</i>	1858,	<i>Oreopyra leucaspis</i>	1860,
<i>nigrolineatus</i>	1858,	<i>Oreortyx pictus</i>	1859,
<i>punctata</i>	1858,	<i>Oreoscoptes montanus</i>	1859,
<i>Onychoprion fuliginosus</i>	1856,	<i>Oreothraupis arremonops</i>	1856,
<i>serrata</i>	1859,	<i>Oreotragus melanotis</i>	1850,
<i>Onychotria mexicana</i>	1849,	<i>saltatrix</i>	1850,
<i>Operculatum pictum</i>	1854,	<i>scoparius</i>	1850,
<i>Opetiopalpus obesus</i>	1852,	<i>tragulus</i>	1850,
<i>Opetiorhynchus antar-</i>		<i>Oretrochilus chimborazo</i>	1860,
<i>cticus</i>	1859,	<i>pichincha</i>	1860,
<i>vulgaris</i>	1860,	<i>Oriolus aureus</i>	1850,
	1859,	<i>baraffii</i>	1854,
	1860,	<i>broderipii</i>	1850,
	385	<i>castanopterus</i>	1854,
	95	<i>chinensis</i>	1854,
	385	<i>cochinchinensis</i>	1859,
	95	<i>cochinchinensis</i>	1850,
	1860,	<i>furcatus</i>	1854,
<i>Ophicardelus australis</i>	1854,	<i>galbula</i>	1850,
<i>concinna</i>	1854,	<i>hippocrepis</i>	1851,
<i>layardii</i>	1854,	<i>indicus</i>	1850,
<i>quoyi</i>	1854,	<i>kundoo</i>	1857,
<i>sandwichensis</i>	1854,	<i>leucogaster</i>	1858,
<i>stutchburyi</i>	1856,	<i>leucopterus</i>	1859,
<i>sulcata</i>	1854,	<i>melaleucus</i>	1854,
<i>tæniata</i>	1854,	<i>melanocephalus</i>	1850,
<i>Ophidium glesne</i>	1849,	<i>moloxita</i>	1850,
<i>imberbe</i>	1849,	<i>mülleri</i>	1858,
<i>Opilus hilaris</i>	1852,	<i>musicus</i>	1856,
<i>mcerens</i>	1852,	<i>phæochromus</i>	1860,
<i>sexnotatus</i>	1852,	<i>regens</i>	1850,
<i>sordidus</i>	1852,		279
<i>Opisthocomus cristatus</i>	1857,		94
	19		496
<i>Opisthoglossa oxydactyla</i>	1858,		181
	341		282
	344		113
	344		113
	344		150
	344		279
	344		175
	344		301
	344		351
	344		279

	Page		Page
Oriolus striatus	1859, 156	Orthocera trachea	1858, { 414 423
Orites erythrocephalus	{ 1854, 139 1854, 140 1858, 480	Orthogonys cyanicterus	1856, 122
glaucogularis	1854, 140	viridis	1856, 122
jouschistos	1854, { 139 140	Orthotomus atrogularis	1854, { 81 284
leucogenys	1854, 139	bennettii	1854, { 81 284
niveogularis	1854, 140	cineraceus	1854, 80
Ornismya kingii	1855, 140	cucullatus	1854, 81
lessoni	1858, 297	derbianus	1854, 309
silphia	1855, 140	edela	{ 1854, 79 1859, 150 1859, 151
Ornithion inerme	1857, 204	flavoviridis	1854, 79
Ornithoptera cresus	1859, 424	lingoo	1854, { 81 284
priamus	1859, 425	longicauda	{ 1854, 81 1854, 284 1857, 95
richmondia	1859, 425	longicaudatus	1858, 488
victoriæ	1856, 8	longirostris	1854, 80
Ornithorhynchus anatinus	1859, 213	maculicollis	1854, 309
Orpheus cærulescens	{ 1856, 294 1859, 337	patia	1854, { 81 284
calandria	1859, 343	ruficapillus	1854, { 81 284
curvirostris	1859, 339	ruficeps	1854, 79
dorsalis	1859, 341	sepium	1854, { 78 80
longirostris	{ 1856, 294 1859, 339	sphenurus	1854, { 81 284
melanotis	1859, 345	sutorius	1854, 81
montanus	1859, 340	Ortygometra crex	1851, 146
parvulus	1859, 345	Ortyx leylandi	1859, 62
patagonicus	1859, 344	nigrogularis	1859, 63
polyglottus	1859, 341	pectoralis	{ 1856, 310 1857, 206 1859, 369
rufus	1859, 340	thoracicus	1856, 310
thenca	1859, 344	Ortyxelos meiffreni	1850, 220
tricaudatus	1859, 341	Orycteropus capensis	1848, 67
trifasciatus	1859, 345	Oryctes müllneranus	1859, 118
Ortalida arcuata	1860, 72	Oryx beatrix	1857, 158
goudoti	1856, 30	beisa	{ 1850, 134 1857, 157
guttata	1858, 76	capensis	{ 1850, 134 1850, 134 1850, 175
leucogastra	1859, 391	gazella	{ 1857, 157 1850, 134 1850, 134
montagnii	{ 1857, 19 1858, 76 1858, 556 1860, 63 1860, 72 1860, 97	leucoryx	{ 1850, 175 1857, 157
poliocephala	1856, 310	Oryzivora leucotis	1859, 443
ruficeps	1860, 289	Oryzoborus æthiops	1860, { 88 276
rufiventris	1859, 147	funereus	1859, 378
vetula	{ 1856, 310 1859, 62 1859, 369 1859, 391	occidentalis	1860, 276
Orthagoriscus mola	{ 1849, 6 1850, 19	torridus	1858, 455
Orthalicus boucardi	1860, 138		
Orthis anomioïdes	1852, 79		
Orthocera glabra	1858, 436		
imperfurata	1858, 425		

	Page		Page
<i>Oryzornis oryzivora</i>	1859, 443	<i>Otus crassirostris</i>	1858, 450
<i>Osilinus gallina</i>	1856, 204	<i>palustris</i>	1859, 94
<i>Osmotreron olax</i>	1859, 465	<i>vulgaris</i>	1860, 384
<i>viridis</i>	1859, 465	<i>calvus</i>	1849, 10
<i>Osphranter rufus</i>	1860, 323	<i>spixii</i>	1849, 10
<i>Osteodesma diaphana</i>	1855, 228	<i>Ovatella bivona</i>	1854, 32
<i>nitidum</i>	{ 1855, 229	<i>Ovibos moschatus</i>	1850, 177
	{ 1856, 199	<i>Ovis ammon</i>	{ 1859, 350
<i>Ostinops atrovirens</i>	{ 1859, 140	<i>ammonoïdes</i>	{ 1860, 129
<i>bifasciatus</i>	{ 1860, 88	<i>argali</i>	{ 1856, 404
<i>cristatus</i>	{ 1855, 153	<i>aries</i>	{ 1860, 129
<i>montezumæ</i>	{ 1858, 455	<i>barwal</i>	{ 1856, 404
<i>Ostrea anomialis</i>	1859, 380	<i>burrhel</i>	{ 1850, 157
<i>conchaphila</i>	1849, 118	<i>changeluk</i>	{ 1856, 149
<i>striata</i>	1856, 220	<i>cycloceros</i>	{ 1856, 404
<i>Ostreum striatum</i>	1849, 122	<i>gmelini</i>	{ 1858, 527
<i>Otaria californica</i>	1849, 122	<i>hodgsoni</i>	{ 1856, 404
<i>delalandii</i>	1859, { 108	<i>hoonia</i>	{ 1860, 129
<i>gilliespii</i>	1859, { 109	<i>hunia</i>	{ 1856, 404
<i>leonina</i>	1859, { 110	<i>montana</i>	{ 1859, 350
<i>peronii</i>	1859, { 102	<i>nahoor</i>	{ 1850, 136
<i>pusilla</i>	1859, { 359	<i>polii</i>	{ 1856, 404
<i>Otilophus margaritifer</i>	1859, { 89	<i>tragelaphus</i>	{ 1860, 129
	{ 416	<i>vignii</i>	{ 1856, 404
<i>Otina fusca</i>	1851, 225	<i>Ovula pudica</i>	1860, { 130
<i>Otis aurita</i>	1855, 33		{ 443
<i>houbara</i>	1848, 37	<i>Ovulum aciculare</i>	1848, { 135
<i>macqueenii</i>	1858, 504	<i>birostre</i>	1848, 136
<i>nigriceps</i>	{ 1855, 32	<i>deflexum</i>	1848, 136
<i>rhaad</i>	{ 1858, 504	<i>lanceolatum</i>	1848, 135
<i>tarda</i>	1850, 220	<i>margarita</i>	1848, 135
<i>tetrax</i>	{ 1848, 37	<i>philippinarum</i>	1848, 136
<i>Otocompsa jocosæ</i>	{ 1856, 1	<i>secale</i>	1848, 136
	{ 1855, 33	<i>simile</i>	1848, 136
<i>Otocorys chrysolæma</i>	1854, 278	<i>subrostratum</i>	1848, 136
<i>chrysomela</i>	{ 1855, 66	<i>traillii</i>	1855, 222
<i>cornuta</i>	1859, 372	<i>umbilicatum</i>	1848, 135
<i>longirostris</i>	1856, 306	<i>uniplicatum</i>	1848, 135
<i>penicillata</i>	1859, 373	<i>Owl, The Large Long-</i>	
<i>penicillata</i>	1855, 215	<i>legged, or Jumbi</i>	
<i>peregrina</i>	1855, { 110	<i>Bird</i>	1851, 61
<i>spragui</i>	1857, 5	<i>Little Long-legged</i>	1851, 61
<i>Otocyon lalandii</i>	1848, { 37	<i>Small-booted Brown</i>	1851, 61
	{ 76	<i>Oxybelis kirtlandi</i>	1858, 159
<i>Otogyps auricularis</i>	1850, 214	<i>lecomptei</i>	1858, 159
<i>calvus</i>	1858, 469	<i>Oxyglossus lima</i>	1860, 116
<i>nubicus</i>	1853, 192	<i>Oxylophus afer</i>	1850, 219
<i>Otothrix hodgsoni</i>	1859, 101	<i>glandarius</i>	1850, 219
<i>peronii</i>	{ 1857, 212	<i>jacobinus</i>	1850, 219
<i>Otus brachyotus</i>	{ 1860, 384		
	{ 1860, 442		

	Page		Page
<i>Oxylophus melanoleucus</i>	1858, 1859, 1850	476, 174, 219	
<i>serratus</i>	1860	221	
<i>Oxymycterus</i>	1848, 1855	14, 140	
<i>Oxypogon guerini</i>	1848, 1855	14, 140	
<i>lindeni</i>	1848	14	
<i>paradisiae</i>	1855	140	
<i>paulinae</i>	1855	140	
<i>Oxyrhopus petolaris</i> ..	1859	{ 89, 414	
<i>plumbeus</i>	1859	414	
<i>praornatus</i>	1858	158	
<i>Oxyrhopus trigeminus</i> .	1859	477	
<i>Pachycephala griseiceps</i> .	1858	178	
<i>melanura</i>	1860	353	
<i>monacha</i>	1858	179	
<i>rufipennis</i>	1858	178	
<i>xanthetraea</i>	1859	162	
<i>xanthocnemis</i>	1860	353	
<i>Pachychilus cumingii</i> ..	1850	179	
<i>laevissima</i>	1850	179	
<i>Pachydactylus tristis</i> ..	1858, 1851	157, 46	
<i>Pachyrhamphus aglaiae</i> }	1856, 1857, 1857	297, 5, 74	
<i>albo-griseus</i>	1857, 1855	78, 77	
<i>atricapillus</i>	1857, 1857	67, 75	
<i>cinereus</i>	1857	75	
<i>cuvieri</i>	1857	{ 67, 75	
<i>dimidiatus</i>	1857	75	
<i>dorsocinereus</i>	1860	67	
<i>griseus</i>	1857	18	
<i>homochrous</i>	1859, 1860	142, 279	
<i>latirostris</i>	1857, 1857	74, 78	
<i>major</i>	1857, 1858, 1859	204, 97, 366	
<i>marginatus</i>	1856, 1857, 1858	298, 77, 71	
<i>minor</i>	1858, 1857	97, 73	
<i>niger</i>	1855, 1857	150, 72	
<i>nigrescens</i>	1851, 1857	46, 72	
<i>nigriventris</i>	1857	76	
<i>pectoralis</i>	1851, 1857	46, 18	
		73	
<i>Pachyrhamphus pectoralis</i>	1859	142	
<i>polychropterus</i> ..	{ 1857, 1859	77, 56	
<i>roseicollis</i>	1857	73	
<i>rufescens</i>	1857	79	
<i>semifasciatus</i>	1851	46	
<i>spodiurus</i>	1860	{ 279, 296	
<i>squamatus</i>	1855	150	
<i>surinamus</i>	1857	74	
<i>validus</i>	{ 1851, 1857, 1855	46, 72, 150	
<i>versicolor</i>	{ 1857, 1858	76, 71	
<i>viridis</i>	1857	75	
<i>Pachyrhynchus aglaiae</i> ..	1857	74	
<i>albifrons</i>	1857	{ 75, 77	
<i>aterrimus</i>	1857	72	
<i>cayanus</i>	1857	70	
<i>cinerascens</i>	1857	72	
<i>cuvieri</i>	1857	75	
<i>leucogaster</i>	1857	75	
<i>marginatus</i>	1857	77	
<i>niger</i>	1857	76	
<i>pectoralis</i>	1857	73	
<i>polychropterus</i> ..	1857	77	
<i>rufescens</i>	1857	79	
<i>ruficeps</i>	1857	79	
<i>semifasciatus</i>	1857	70	
<i>spixii</i>	1857	77	
<i>squamatus</i>	1857	76	
<i>swainsoni</i>	1857	77	
<i>variegatus</i>	1857	77	
<i>Pachysoma aegyptiacum</i> .	1860	44	
<i>brevicaudatum</i>	1858	537	
<i>duvaucellii</i>	1860	44	
<i>gambianus</i>	1860	52	
<i>labiatus</i>	1860	55	
<i>macrocephala</i>	1860	50	
<i>marginatum</i>	1858	537	
<i>stramineum</i>	1860	44	
<i>whitei</i>	1860	50	
<i>Padda oryzivora</i>	1859	443	
<i>Pagrus bocagii</i>	1860	391	
<i>Paguma grayi</i>	1856	396	
<i>Pagurus berthardi</i>	1859	433	
<i>prideauxii</i>	1859	432	
<i>Palæmon serratus</i>	1859	433	
	{ 1854, 1857	256, 99	
<i>Palæornis alexandri</i> ..	{ 1858, 1859	490, 151	
	{ 1859, 1860	173, 417	
<i>barbatus</i>	1859	151	

	Page		Page
<i>Palæornis bengalensis</i> ..	1854,	<i>Paludinella microspora</i> ..	1854,
<i>caniceps</i>	1859,		207
<i>cubicularis</i>	1850,	<i>Paludomus abbreviatus</i> {	1852,
	1857,		127
	1858,		88
<i>cynocephalus</i> ...	1859,	<i>acutus</i>	1852,
	1859,		127
	1859,	<i>æreus</i>	1854,
	1860,	<i>baccula</i>	1852,
<i>derbianus</i>	1850,	<i>bacula</i>	1854,
<i>erythrogenys</i>	1850,		88
	1859,		129
<i>javanica</i>	1859,	<i>bicinctus</i>	1854,
<i>longicauda</i>	1850,		88
	1859,		90
<i>malaccensis</i>	1860,	<i>bifasciatus</i>	1854,
	1858,		88
<i>schisticeps</i>	1859,	<i>chilinoidea</i>	1854,
	1850,		88
	1854,		89
	1857,	<i>clavatus</i>	1852,
<i>torquatus</i>	1858,		129
	1859,		88
	1859,	<i>conicus</i>	1854,
	1860,		88
	1848,		129
<i>Palæotherium</i>	1849,	<i>constrictus</i>	1854,
	1849,		88
	1849,		90
<i>Palapteryx</i>	1850,	<i>cumingianus</i>	1857,
	208		124
<i>dromioides</i>	1848,	<i>decussatus</i>	1852,
<i>geranoides</i>	1848,		128
<i>gracilis</i>	1854,		91
	1848,	<i>dilatatus</i>	1854,
	1850,		124
<i>ingens</i>	1850,	<i>distinguendus</i> ...	1857,
	1850,	<i>dromedarius</i>	1857,
	1850,	<i>erinaceus</i>	1852,
	1850,	<i>fulguratus</i>	1857,
<i>robustus</i>	1850,		123
	1852,	<i>globulosus</i>	1854,
	1854,		88
<i>struthioides</i>	1854,		90
<i>Pallénura javensis</i> ...	1854,	<i>hanleyi</i>	1858,
<i>Paloplotherium</i>	1849,		535
<i>Palparia lambertella</i> ...	1849,	<i>lævis</i>	1854,
<i>Paludina angularis</i> ...	1860,		89
	1856,	<i>layardii</i>	1852,
<i>bengalensis</i> , var. ..	1856,		128
<i>ceylonica</i>	1857,	<i>loricatus</i>	1852,
<i>cingulata</i>	1860,		128
<i>desnoyersii</i>	1854,		125
<i>fasciata</i>	1860,	<i>maurus</i>	1852,
<i>fasciata</i>	1860,		127
<i>hamiltoni</i>	1851,	<i>nasutus</i>	1854,
<i>inflata</i>	1851,		123
<i>japonica</i>	1860,	<i>nigricans</i>	1854,
<i>oxytropis</i>	1860,		88
<i>polygramma</i>	1860,		90
<i>tricarinata</i>	1860,	<i>nodulosus</i>	1857,
<i>trochoides</i>	1860,		125
<i>Paludinella edentula</i> ..	1854,		127
<i>limnæana</i>	1854,	<i>paludinoidea</i> ...	1852,
	206		127
	206		88
	206	<i>palustris</i>	1854,
	206		88
	206	<i>parvus</i>	1854,
	206		90
	206	<i>phasianinus</i>	1852,
	206		127
	206	<i>phasianus</i>	1854,
	206		88
	206	<i>pictus</i>	1854,
	206		88
	206	<i>punctatus</i>	1852,
	206		127
	206	<i>pyriformis</i>	1854,
	206		88
	206	<i>rudis</i>	1858,
	206		536
	206		126
	206		88

	Page		Page
<i>Paludomus skinneri</i>	1857,	<i>Papilio plautilla</i>	1858,
<i>solidus</i>	1857,	<i>sulpitia</i>	1858,
<i>sphæricus</i>	1857,	<i>telamon</i>	1852,
<i>spiralis</i>	1854,	<i>telearchus</i>	1859,
<i>stephanus</i>	1854,	<i>venilia</i>	1858,
<i>sulcatus</i>	1857,	<i>victoriæ</i>	1856,
<i>swainsoni</i>	1857,	(Ornithoptera) <i>croc-</i>	
<i>torrenticola</i>	1858,	<i>sus</i>	1859,
<i>trifasciatus</i>	1852,	<i>Papio ocreatus</i>	1860,
<i>Palumbus torquatus</i>	1858,	<i>Paractis viduata</i>	1858,
<i>Pandion</i>	1851,	<i>Paradigalla carunculata</i>	1857,
<i>haliaëtus</i>	1859,		1858,
<i>humilis</i>	1854,	<i>Paradisea apoda</i>	1858,
<i>ichthyaëtus</i>	1854,	<i>bartlettii</i>	1860,
<i>Pandora claviculata</i>	1855,	<i>papuana</i>	1859,
<i>punctata</i>	1855,	<i>regia</i>	1858,
<i>wardiana</i>	1859,	<i>wallacei</i>	1859,
<i>Panolia acuticornis</i>	1850,	<i>wallaciana</i>	1858,
<i>eedii</i>	1850,	(Semioptera) <i>wal-</i>	
<i>platyceros</i>	1850,	<i>lacei</i>	1860,
<i>Panopæa abbreviata</i>	1855,	<i>Paradoxurus aureus</i>	1860,
<i>aldrovandi</i>	1855,	<i>grayi</i>	1856,
<i>antarctica</i>	1855,	<i>hermaphrodita</i>	1858,
<i>australis</i>	1855,	<i>musanga</i>	1860,
<i>generosa</i>	1855,	<i>nipalensis</i>	1856,
<i>intermedia</i>	1855,	<i>quadriscruptus</i>	1853,
<i>japonica</i>	1849,		1856,
<i>middendorffii</i>	1855,	<i>strictus</i>	1856,
<i>natalensis</i>	1855,		1849,
<i>norvegica</i>	1855,	<i>typus</i>	1849,
<i>solandri</i>	1855,		1859,
<i>zelandica</i>	1855,	<i>zeylanicus</i>	1860,
<i>Panoplites flavescens</i>	1855,	<i>Parapholas acuminata</i>	1856,
<i>mathewsii</i>	1859,	<i>bisulcata</i>	1856,
<i>Panthalops hodgsoni</i>	1856,	<i>californica</i>	1856,
<i>Pantholops hodgsoni</i>	1858,	<i>penita</i>	1856,
<i>Pantoporia nefte</i>	1858,	<i>Parasia carlinella</i>	1854,
<i>Papilio aceris</i>	1858,	<i>Pardalotus maculatus</i>	1859,
<i>actorion</i>	1848,	<i>Parias maculata</i>	1860,
<i>calisto</i>	1858,	<i>Parmophorus australis</i>	1851,
<i>columella</i>	1858,	<i>breviculus</i>	1851,
<i>heliodora</i>	1858,	<i>corrugatus</i>	1851,
<i>heliodore</i>	1858,	<i>elongatus</i>	1851,
<i>hordonia</i>	1858,	<i>gibbosus</i>	1851,
<i>janaka</i>	1857,	<i>granulatus</i>	1851,
<i>leucothoë</i>	1858,	<i>imbricatus</i>	1851,
<i>nefte</i>	1858,	<i>intermedius</i>	1851,
<i>noctis</i>	1859,	<i>tumidus</i>	1851,
<i>pandarus</i>	1858,	<i>Paroaria cucullata</i>	1859,
<i>paradoxa</i>	1859,	<i>Paroides flammiceps</i>	1859,
<i>pipleis</i>	1858,	<i>Parolomis granulosa</i>	1856,
		<i>Parra africana</i>	1860,
		<i>brasiliensis</i>	1856,
		<i>cordifera</i>	1856,

	Page		Page
<i>Parra gallinacea</i>	1860, 365	<i>Parus carolinensis</i>	1856, 293
	1856, 283	<i>caudatus</i>	1857, 215
	1857, 206	<i>cinereus</i>	1858, 479
<i>gymnostoma</i>	1858, 360	<i>dichrous</i>	1859, 176
	1859, 64	<i>erythropis</i>	1858, 480
	1859, 393	<i>leucotis</i>	1858, 299
	1856, 143	<i>melanolophos</i>	1855, 65
<i>hypomelaena</i>	1856, 283	<i>melanolophus</i>	1856, 292
	1857, 20	<i>melanotus</i>	1858, 479
<i>intermedia</i>	1856, 282	<i>meridionalis</i>	1859, 176
	1856, 282	<i>palustris</i>	1858, 299
<i>jacana</i>	1860, 290	<i>rufomuchalis</i>	1856, 293
	1856, 282	<i>xanthogenys</i>	1857, 81
<i>jassana</i>	1856, 282		1858, 299
<i>melanopygia</i>	1856, 283		1859, 363
<i>nigra</i>	1856, 282		1857, 215
<i>sinensis</i>	1859, 188		1859, 177
<i>variabilis</i>	1856, 282		1858, 479
<i>Parthenia crenata</i>	1853, 179	<i>Passer cinnamomeus</i> ..	1858, 481
<i>elegantissima</i>	1853, 179	<i>domesticus</i>	1859, 177
<i>turritella</i>	1853, 180	<i>indica</i>	1857, 96
<i>Partula alabastrina</i>	1856, 390	<i>indicus</i>	1858, 481
<i>callifera</i>	1856, 333	<i>montanus</i>	1859, 443
<i>dentifera</i>	1852, 85	<i>simplex</i>	1860, 417
<i>filosa</i>	1851, 262		1850, 218
<i>glutinosa</i>	1852, 85	<i>Passerculus alaudinus</i> .	1856, 305
<i>laevigata</i>	1856, 334	<i>geospizopsis</i>	1858, 303
<i>hilacina</i>	1856, 334	<i>lincolni</i>	1855, 160
<i>macgillivrayi</i>	1855, 97	<i>zonarius</i>	1856, 306
<i>mastersi</i>	1857, 110		1858, 303
<i>micans</i>	1852, 138	<i>Passerita mycterizans</i> ..	1857, 82
<i>minuta</i>	1856, 384		1858, 303
<i>mucida</i>	1855, 98	<i>Pastor fuscus</i>	1859, 383
<i>nitens</i>	1854, 293	<i>mahrattensis</i>	1859, 455
<i>nodosa</i>	1851, 262	<i>malayensis</i>	1855, 40
<i>pacifica</i>	1854, 125	<i>musicus</i>	1859, 445
<i>purpurascens</i>	1856, 333	<i>nigrocinctus</i>	1859, 445
<i>pusilla</i>	1855, 1	<i>roseus</i>	1857, 6
<i>reeveana</i>	1852, 138	<i>tristis</i>	1854, 158
<i>repanda</i>	1855, 98		1855, 40
<i>salomonis</i>	1852, 137		1858, 481
<i>stenostoma</i>	1855, 97		1854, 144
<i>strigosa</i>	1856, 384	<i>Patagona gigas</i>	1858, 555
<i>suturalis</i>	1855, 98	<i>antiquata</i>	1860, 81
<i>turneri</i>	1860, 140	<i>Patella ambigua</i>	1851, 221
<i>Parula americana</i>	1858, 299	<i>auriculata</i>	1856, 3
	1859, 137	<i>australis</i>	1856, 3
<i>brasiliانا</i>	1860, 84	<i>cinis</i>	1856, 221
	1860, 273	<i>cornea</i>	1853, 86
	1860, 291	<i>crystallina</i>	1851, 82
	1855, 75	<i>cumingii</i>	1856, 221
<i>mexicana</i>	1858, 299	<i>diaphana</i>	1856, 221
	1858, 299	<i>elongata</i>	1851, 221
<i>superciliosa</i>	1859, 373		
<i>Parulus ruficeps</i>	1856, 98		
<i>Parus annexus</i>	1858, 299		
	1856, 293		
<i>atricapillus</i>	1857, 81		
<i>ceruleus</i>	1857, 215		

	Page		Page
<i>Patella fenestrata</i>	1856,		
<i>fissura</i>	1851,	<i>Pelagia cyanella</i>	1851,
<i>fissurata</i>	1851,	<i>Pelamys sarda</i>	1850,
<i>fissurella</i>	1851,		248
<i>fluviatilis</i>	1853,	<i>Pelecanoides berardi</i>	1859,
<i>lacustris</i>	1853,		98
<i>leucophæa</i>	1856,		390
<i>mammillata</i>	1856,	<i>Pelecanus conspicillatus</i>	1857,
<i>monticola</i>	1856,	<i>crispus</i>	1849,
<i>noachina</i>	1851,	<i>dimidiatus</i>	1860,
<i>notata</i>	1851,		366
<i>nuttalliana</i>	1856,	<i>fiber</i>	1858,
<i>oblonga</i>	1853,		188
<i>ocoradiata</i>	1851,	<i>javanicus</i>	1859,
<i>oregona</i>	1856,	<i>onocrotalus</i>	1860,
<i>picolissima</i>	1853,	<i>philippinus</i>	1859,
<i>pileata</i>	1856,	<i>plotus</i>	1859,
<i>sandwicensis</i>	1860,	<i>rufescens</i>	1850,
<i>scabra</i>	1856,		221
<i>scurra</i>	1856,	<i>Pelias berus</i>	1858,
<i>spectrum</i>	1856,		378
<i>strigillata</i>	1856,		385
<i>tenuilirata</i>	1855,		371
<i>tessellata</i>	1856,	<i>Pelidna minuta</i>	1850,
<i>toreuma</i>	1855,	<i>subarquata</i>	1850,
<i>tricostata</i>	1851,		221
<i>umbonata</i>	1856,		342
<i>unguis</i>	1851,	<i>Pelobates cultripes</i>	1858,
<i>verruculata</i>	1856,		343
<i>Patelloida depicta</i>	1856,	<i>fuscus</i>	1858,
	1855,	<i>Pelodytes punctatus</i>	1858,
<i>Pavo cristatus</i>	1858,	<i>Pendulinus chrysocephalus</i>	1857,
	1860,	<i>lus</i>	1857,
<i>muticus</i>	1860,	<i>dominicensis</i>	1857,
<i>nigripennis</i>	1860,	<i>flavigaster</i>	1857,
<i>Pavonaria scirpea</i>	1857,	<i>hypomelas</i>	1857,
<i>Paxillus minor</i>	1852,	<i>Penellus blainvillii</i>	1858,
<i>Peasia inconspicua</i>	1860,	<i>Penelope aburri</i>	1857,
<i>irrorata</i>	1860,	<i>boliviana</i>	1860,
<i>maculata</i>	1860,	<i>brasiliensis</i>	1860,
<i>reticulata</i>	1860,	<i>bridgesi</i>	1860,
<i>tentaculata</i>	1860,	<i>cristata</i>	1860,
<i>Pecten latiauratus</i>	1856,	<i>guttata</i>	1858,
<i>monotimeris</i>	1856,		76
<i>varius</i>	1859,	<i>jacucaca</i>	1860,
<i>Pectinator spekkii</i>	1859,		72
<i>Pectunculus flammeus</i>	1856,	<i>jacupeba</i>	1860,
<i>grayanus</i>	1856,	<i>jacupema</i>	1860,
<i>Pedicularia sicula</i>	1853,	<i>jacupemba</i>	1860,
<i>Pedipes adansonii</i>	1854,	<i>lichtensteinii</i>	1860,
	1854,	<i>marail</i>	1860,
<i>afra</i>	1854,	<i>montana</i>	1860,
	218	<i>niger</i>	1850,
<i>angulata</i>	1854,	<i>nigra</i>	1860,
<i>globulus</i>	1854,	<i>nigricapilla</i>	1860,
<i>ovalis</i>	1854,	<i>obscura</i>	1860,
<i>quadridens</i>	1854,	<i>pileata</i>	1860,
<i>sandwicensis</i>	1860,	<i>pipile</i>	1855,
<i>tridens</i>	1854,		163
	122	<i>purpurascens</i>	1858,
			76
			1859,
			61
			1859,
			369
			1859,
			391
			1860,
			206
			1860,
			242

	Page		Page
<i>Penelope purpurascens</i> .	1860,		269
<i>ruficeps</i>	1860,		289
<i>sclateri</i>	1860,		270
<i>superciliosa</i>	1860,		271
	272		272
<i>Penicillus ambiguus</i>	1858,		311
<i>aquarius</i>	1857,		244
	1858,		312
<i>javanus</i>	1858,		311
<i>mirabilis</i>	1857,		288
<i>radix</i>	1858,		312
<i>Penitella wilsoni</i>	1856,		209
	1853,		21
<i>Pentastoma annulatum</i> {	1853,		86
	1857,		115
<i>megacephalum</i>	1853,		21
<i>Penthophera nigricans</i>	1854,		220
<i>Pentonyx gambonensis</i>	1858,		166
<i>Perameles (Echimipera)</i>			
<i>doreyanus</i>	1858,		113
	435		435
<i>Perca fluviatilis</i>	1859,		477
<i>Perdicula asiatica</i>	1858,		504
<i>Perdix cinerea</i>	1857,		12
	1860,		258
<i>coturnix</i>	1851,		142
<i>hodgsoniæ</i>	1859,		185
<i>hodgsoni</i>	1858,		503
<i>indica</i>	1850,		220
<i>picta</i>	1855,		30
<i>reticulata</i>	1859,		492
<i>rubra</i>	1851,		142
	1857,		12
	1860,		258
<i>Perga eucalypti</i>	1859,		211
<i>Pericrocotus flammeus</i>	1858,		494
	1859,		182
	1860,		354
<i>peregrinus</i>	1858,		494
<i>speciosus</i>	1854,		271
	1857,		89
<i>Periops parallelus</i>	1858,		162
<i>Periploma argentaria</i>	1855,		229
	1856,		211
<i>excurva</i>	1855,		229
<i>leana</i>	1855,		229
<i>papyracea</i>	1855,		229
<i>planiuscula</i>	1856,		211
<i>Periporphyrus atropur-</i>			
<i>puratus</i>	1856,		65
<i>erythromelas</i>	1856,		65
<i>Peristedion cataphrac-</i>			
<i>tum</i>	1859,		105
<i>chabrontera</i>	1859,		105
<i>malamart</i>	1859,		105
<i>orientale</i>	1859,		105
<i>Peristera albifacies</i>	1858,		98
<i>brachyptera</i>	1858,		99
<i>Peristera cinerea</i>	1856,		309
	1859,		61
	1859,		391
<i>melanoptera</i>	1860,		82
<i>mexicana</i>	1858,		98
	99		99
<i>Peristernia nodulosa</i>	1854,		313
<i>stigmataria</i>	1854,		313
<i>Peristethus brevifurcatus</i>	1859,		107
<i>cataphractus</i>	1859,		105
<i>gigas</i>	1859,		106
<i>orientalis</i>	1859,		105
<i>rieffeli</i>	1859,		106
<i>Perna costellata</i>	1856,		219
<i>Pernis apivorus</i>	1860,		416
	1854,		4
<i>Persona tuberosa</i>	1858,		145
<i>Petalocerus bellianus</i>	1856,		134
<i>Petalocnchus cereus</i>	1856,		316
<i>cochlidium</i>	1856,		314
<i>flavescens</i>	1856,		314
	226		226
<i>macrophragma</i>	1856,		313
<i>nerinæoides</i>	1856,		316
<i>octosectus</i>	1856,		317
<i>renisectus</i>	1856,		315
<i>varians</i>	1856,		315
<i>woodwardii</i>	1856,		316
<i>Petasophora cyanotis</i>	1855,		139
	1859,		145
<i>delphinæ</i>	1855,		139
	1858,		450
	1858,		459
	1858,		555
<i>iolata</i>	1859,		145
	1860,		81
	1860,		94
	1858,		297
<i>thalassina</i>	1859,		367
	1859,		386
<i>Petaurus sciureus</i>	1858,		109
<i>Petitia adamsiana</i>	1857,		168
	185,		185
<i>anthoniana</i>	1857,		168
	184,		184
<i>carpenteriana</i>	1857,		169
	187,		187
<i>cumingiana</i>	1857,		168
	184,		184
<i>fortuneana</i>	1857,		168
	185,		185
<i>grevilleana</i>	1857,		169
	187,		187
<i>petitiana</i>	1857,		168
	184,		184
<i>stevensiana</i>	1857,		168
	184,		184
<i>stokesiana</i>	1857,		169

	Page		Page		
<i>Petitia stokesiana</i>	1857,	187	<i>Petromyzon maximus</i> ..	1851,	236
<i>stricklandiana</i>	1857,	{ 169	<i>mordax</i>	1851,	240
<i>tayloriana</i>	1857,	{ 186	<i>niger</i>	1851,	240
(? <i>Lewisia</i>) <i>bar-</i>		{ 169	<i>nigricans</i>	1851,	237
<i>roniana</i>	{ 1857,	{ 187	<i>plumbeus</i>	1851,	240
<i>Petricola arcuata</i>	1856,	214	<i>sanguisuga</i>	1851,	238
<i>bulbosa</i>	1856,	198	<i>septecil</i>	1851,	240
<i>californica</i>	1856,	214	<i>tridentatus</i>	1851,	240
<i>carditoides</i>	1856,	214	<i>Petrophassa albipennis</i> .	1857,	27
<i>cordieri</i>	1856,	214	<i>Peucea bachmanni</i>	1857,	7
<i>cylindracea</i>	1856,	214	<i>lincolni</i>	1857,	82
<i>robusta</i>	1856,	{ 198	<i>ruficeps</i>	1859,	380
<i>sinuosa</i>	1856,	{ 209	<i>Pezites brevirostris</i>	1858,	455
		209	<i>Pfeifferia micans</i>	1853,	110
		201	<i>Phacochoerus aethiopi-</i>	1850,	78
<i>Petrochelidon bicolor</i>	{ 1857,	201	<i>cus</i>	{ 1860,	443
	{ 1859,	364	<i>pallasi</i>	1851,	63
	{ 1858,	450	<i>Phaëdion xanthomelas</i> .	1856,	408
	{ 1858,	459	<i>Phaëdion ringens</i>	1850,	251
<i>cyanoleuca</i>	{ 1859,	138	<i>Phaëlaema æquatorialis</i>	1860,	70
	{ 1860,	75	<i>rubinoides</i>	{ 1859,	145
	{ 1860,	85		{ 1860,	70
<i>cyanoleucus</i>	1858,	551	<i>Phaëthon æthereus</i>	1856,	144
<i>fulva</i>	1858,	296	<i>candidus</i>	1856,	144
<i>lunifrons</i>	1858,	296	<i>flavirostris</i>	1856,	144
<i>murina</i>	1860,	74	<i>phœnicurus</i>	1856,	144
<i>swainsoni</i>	{ 1858,	296		{ 1856,	287
	{ 1859,	376	<i>Phaëthornis adolphi</i> . . .	{ 1859,	367
<i>Petrocincla affinis</i>	1859,	{ 150		{ 1859,	385
<i>cyanea</i>	1858,	151	<i>anthophilus</i>	1855,	139
<i>longirostris</i>	1859,	491	<i>emiliæ</i>	1855,	139
<i>Petrodroma mexicana</i>	1855,	181	<i>episcopus</i>	1857,	14
<i>Petrogale lateralis</i>	1854,	212	<i>erenita</i>	1857,	14
<i>penicillata</i>	{ 1859,	212		{ 1851,	115
<i>penicillatus</i>	{ 1860,	323	<i>griseogularis</i>	{ 1855,	139
	{ 1854,	249		{ 1857,	14
<i>xanthopus</i>	{ 1860,	323	<i>guy</i>	1859,	145
	{ 1860,	372	<i>guyi</i>	1855,	139
<i>Petroica cerviniventris</i>	1857,	221	<i>longirostris</i>	1857,	227
<i>hypoleuca</i>	1859,	155	<i>moorii</i>	1860,	296
<i>Petromyzon</i> —	1851,	237	<i>obscura</i>	1857,	14
<i>americanus</i>	1851,	237	<i>pygmæus</i>	1857,	14
<i>appendix</i>	1851,	240	<i>striigularis</i>	{ 1854,	111
<i>argenteus</i>	1851,	240		{ 1855,	139
<i>bicolor</i>	1851,	240	<i>superciliosus</i>	1854,	111
<i>branchialis</i>	1851,	241	<i>syrrhatophorus</i>	1859,	145
<i>cæcus</i>	1851,	241	<i>viridicaudata</i>	1857,	14
	{ 1851,	236	<i>yaraqui</i>	1860,	94
<i>fluviatilis</i>	{ 1851,	237	<i>zonura</i>	1860,	305
	{ 1859,	435	<i>Phainopepla nitens</i>	1858,	543
<i>jurae</i>	1851,	236	<i>Phalacrocorax caruncu-</i>		
<i>lamproie</i>	1851,	236	<i>latus</i>	1860,	391
<i>maculosus</i>	1851,	236	<i>cirrhatus</i>	1860,	391
<i>marinus</i>	{ 236		<i>erythroptis</i>	1860,	391
	{ 237		<i>flavirostris</i>	1860,	366
			<i>imperialis</i>	1860,	391
			<i>magellanicus</i>	1860,	391
			<i>melanoleucus</i>	1860,	366

	Page		Page
Phalacrocorax mexi-	1857,	Pharomacrus antisianus.	1860,
canus	207		70
Phalæna atlas	1859,	auriceps	{ 1858,
brachyura	65		60
capensis	1849,		{ 1859,
cynthia	33		144
guineensis	1849,		{ 1860,
— flava perele-	49		93
gans	1849,		189
maxima	44		{ 1859,
	267		52
paphia	1849,		{ 1860,
	46		374
ricini	1849,	Phascogale (Antechinus)	
tyrreha	45	melas	1858,
(Attacus) alinda ..	1849,		106
(—) atlas	37	Phasianella compta ...	1856,
(—) cynthia ...	1849,		204
(—) epimethea ..	45	leucostigma	1851,
(—) fenestrata ..	1849,		171
(—) jana	46		{ 1857,
(—) lucina ...	247		81
(—) luna	1859,		{ 1860,
(—) mylitta ...	267		1
(—) paphia ...	1859,		{ 1860,
(—) perspicua ..	44		258
(—) phædusa ..	1849,		{ 1860,
(Bombyx) mori ...	51		373
Phalænopsis jardinii ..	1849,		impeyanus
minutissima	51		1857,
Phalangista alba	1859,		215
cavifrons	265		{ 1859,
chrysorrhos	267		212
fuliginosa	1849,		{ 1860,
maculata	50		415
nudicaudata ...	1859,		Phaуда mahisa
	246		1859,
orientalis	256		200
papuensis	1859,		Phasants, Hybrid ...
	57		1851,
quoyi	1859,		62
rufa	261		Phenilia sanguinolenta ..
ursina	1859,		1859,
	261		482
vulpina	1859,		Phœcticus aureiventris ..
	247		1855,
Phalangium listeri ...	1859,		aureiventris
Phalaropus hyperboreus.	247		1858,
Phalcoænus caruncula-	1859,		{ 1858,
tus	246		450
Phalium erinaceum ...	1849,		{ 1858,
glaucum	51		454
Phallanna horsfieldi ...	1858,		{ 1858,
polymena	103		551
Phalus testaceus	1858,		{ 1860,
Phaps histrionica	1857,		87
Pharomacrus antisianus.	1860,		Philene aperta
	70		1854,
			orientalis
			1854,
			schroeteri
			1854,
			95
			Philentoma cyanocephala
			1858,
			177
			velatum
			1854,
			270
			Philetærus nitens
			1850,
			218
			Philinopsis nigra
			1860,
			22
			speciosa
			1860,
			21
			Philippia lavardii
			1854,
			317
			oxytropis
			1854,
			317
			Philodryas goudotii
			1858,
			380
			miniatus
			1858,
			380
			viridissimus
			1860,
			417
			Philomachus pugnax ..
			1858,
			506
			Philomedes longicornis ..
			1860,
			{ 200,
			203
			olivaceus
			1860,
			200
			Philopotamis regalis ...
			1854,
			{ 88
			93
			sulcatus
			1854,
			{ 88
			93
			thwaitesii
			1854,
			{ 88
			93
			Phlegœnas stairi
			1856,
			7
			Phlogophilus hemileucu-
			rus
			1860,
			310
			Phlogopsis erythropterus
			1858,
			276
			nigromaculatus ...
			1858,
			276
			Phoca barbata
			1849,
			93
			californica
			1859,
			359

	Page		Page
<i>Phoca parva</i>	1859, 107	<i>Pholas calva</i>	1849, 162
<i>pusilla</i>	1859, 107	<i>concamerata</i>	1856, 210
<i>ursina</i>	1859, 102	<i>constricta</i>	1849, 161
<i>vitulina</i>	1860, 416	<i>fragilis</i>	1849, 161
<i>Phœbe concinna</i>	1856, 403	<i>inci</i>	1849, 161
<i>Phœnicophaus crawfurdi</i>	1859, 458	<i>janellii</i>	1856, 209
<i>curvirostris</i>	1859, 458	<i>laqueata</i>	1849, 161
<i>javanicus</i>	1859, 458	<i>latissima</i>	1849, 162
<i>viridirostris</i>	1859, 458	<i>manillæ</i>	1849, 161
<i>Phœnicophilus palma-</i>	84	<i>multistriata</i>	1849, 162
<i>rum</i>	1857, 232	<i>ovoidea</i>	1856, 198
<i>poliocephalus</i>	1856, 84	<i>penita</i>	1856, 210
<i>Phœnicopterus antiquo-</i>		<i>spathulata</i>	1849, 162
<i>rum</i>	1849, 94	<i>terediniformis</i>	1849, 161
<i>erythræus?</i>	1859, 436	<i>tubifer</i>	1849, 162
<i>roseus</i>	1858, 509	<i>Pholeoptynx cunicularia</i>	1860, 96
<i>ruber</i>	1857, 236	<i>hypogœa</i>	1859, 368
<i>Phœnicornis peregrinus</i>	1854, 48	<i>Pholidus badius</i>	1854, 263
<i>Phœnicothraupis erythro-</i>		<i>Phonipara canora</i>	1855, 159
<i>laimus</i>	1856, 120	<i>gutturalis</i>	1855, 160
<i>gutturalis</i>	1855, 156	<i>olivacea</i>	1855, 159
<i>rubica</i>	1856, 120	<i>pusilla</i>	1857, 232
<i>rubica</i>	1856, 119	<i>pusilla</i>	1855, 159
<i>rubicoides</i>	1856, 120	<i>pusilla</i>	1856, 304
<i>rubicoides</i>	1856, 303	<i>pusilla</i>	1859, 365
<i>rubicoides</i>	1859, 58	<i>pusilla</i>	1859, 379
<i>rubicoides</i>	1859, 364	<i>Phorcus californicus</i>	1851, 157
<i>rubicoides</i>	1859, 377	<i>carneus</i>	1851, 156
<i>rubra</i>	1856, 120	<i>cruciatus</i>	1851, 156
<i>Phœnicura albifrons</i>	1854, 25	<i>dentatus</i>	1851, 156
<i>atrata</i>	1854, 26	<i>fuscescens</i>	1851, 157
<i>cæruleocephala</i>	1854, 29	<i>granifer</i>	1851, 157
<i>frontalis</i>	1854, 29	<i>liratus</i>	1851, 157
<i>fuliginosa</i>	1854, 29	<i>margarita</i>	1851, 189
<i>leucocephala</i>	1854, 30	<i>melaleucos</i>	1851, 156
<i>leucoptera</i>	1854, 28	<i>modestus</i>	1851, 156
<i>lineoventris</i>	1854, 30	<i>nodicinctus</i>	1851, 157
<i>muraria</i>	1854, 25	<i>occutus</i>	1851, 156
<i>nipalensis</i>	1854, 26	<i>quadricarinatus</i>	1851, 156
<i>plumbea</i>	1854, 30	<i>quadricostatus</i>	1851, 156
<i>reevesii</i>	1854, 26	<i>scalaris</i>	1851, 156
<i>reevesii</i>	1854, 28	<i>semigranosus</i>	1851, 157
<i>rubricauda</i>	1854, 30	<i>umbilicaris</i>	1851, 156
<i>ruticilla</i>	1854, 25	<i>variegatus</i>	1851, 156
<i>schisticeps</i>	1854, 29	<i>Phos articulatus</i>	1850, 153
<i>Phœnisoma æstiva</i>	1856, 123	<i>biplicatus</i>	1856, 166
<i>ardens</i>	1855, 156	<i>blainvillii</i>	1850, 153
<i>ardens</i>	1856, 126	<i>blainvillii</i>	1850, 154
<i>azaræ</i>	1856, 124	<i>cancellatus</i>	1850, 153
<i>bidentatum</i>	1856, 126	<i>crassus</i>	1850, 153
<i>bivittatum</i>	1856, 126	<i>cumingii</i>	1850, 153
<i>hepatica</i>	1856, 124	<i>cyanostoma</i>	1850, 155
<i>rubra</i>	1856, 123	<i>cyllenoides</i>	1850, 155
<i>Pholadidea melanura</i>	1856, 209	<i>fasciatus</i>	1853, 175
<i>ovoidea</i>	1856, 198	<i>filosus</i>	1853, 175
<i>Pholadopsis pectinata</i>	1856, 209	<i>gaudens</i>	1850, 153
<i>Pholas aperta</i>	1849, 161	<i>lævigatus</i>	1850, 155
<i>californica</i>	1856, 209	<i>ligatus</i>	1853, 175

	Page		Page
<i>Phos nodicostatus</i>	1850,	154	
<i>plicatus</i>	1853,	175	
<i>retecosus</i>	1850,	153	
<i>roseatus</i>	1850,	153	
<i>rufocinctus</i>	1850,	154	
<i>scaliarioides</i>	1850,	154	
<i>senticosus</i>	1850,	153	
<i>spinicostatus</i>	1850,	154	
<i>textilis</i>	1850,	154	
<i>turritus</i>	1850,	154	
<i>veraguensis</i>	1850,	153	
<i>virgatus</i>	1850,	153	
<i>Photina cærulescens</i>	1851,	191	
<i>expansa</i>	1851,	191	
<i>fusca</i>	1851,	192	
<i>lineata</i>	1851,	192	
<i>nigra</i>	1851,	192	
<i>sandwichiana</i>	1851,	192	
<i>sigaretina</i>	1851,	191	
<i>tæniata</i>	1851,	191	
<i>violacea</i>	1851,	192	
<i>Phractogonus galeatus</i> ..	1858,	167	
<i>Phrygilus alaudinus</i> ..	{ 1858,	552	
	{ 1860,	87	
<i>geospizopsis</i>	1855,	160	
<i>melanoderus</i>	1860,	385	
	{ 1858,	450	
	{ 1858,	454	
<i>ocularis</i>	{ 1858,	552	
	{ 1860,	87	
<i>unicolor</i>	{ 1856,	306	
	{ 1860,	76	
<i>xanthogrammus</i> ..	1860,	385	
<i>Phryniscus cruciger</i> ..	1858,	343	
<i>lævis</i>	1858,	343	
<i>nigricans</i>	1858,	343	
	{ 161		
<i>Phrynocephalus tickelii</i> .	1860,	{ 167	
		{ 173	
<i>Phrynorhamphus capen-</i> <i>sis</i>	1851,	52	
<i>Phursa jarai</i>	1856,	405	
<i>Phycis furcatus</i>	1850,	252	
<i>mediterraneus</i>	1850,	252	
<i>Phygidium (Trichomyce-</i> <i>terus) dispar</i>	1859,	90	
<i>Phyllomanes mystacalis</i> .	1855,	84	
<i>Phyllorhina aurita</i>	1859,	76	
<i>bicolor</i>	1859,	76	
<i>bifer</i>	1858,	108	
<i>caffra</i>	1859,	76	
<i>cervina</i>	1859,	{ 76	
		{ 77	
<i>insignis</i>	1859,	76	
<i>labuanensis</i>	{ 1858,	537	
	{ 1859,	76	
<i>nobilis</i>	1859,	76	
<i>speoris</i>	1858,	537	
<i>Phyllorhina speoris</i>	1859,	76	
<i>Phyllornis cochinchinen-</i> <i>sis</i>	1854,	280	
<i>cyanopogon</i>	1854,	280	
<i>icterocephala</i>	1854,	281	
<i>javensis</i>	1854,	280	
<i>malabaricus</i>	1854,	280	
<i>moluccensis</i>	1854,	280	
<i>mystacalis</i>	1854,	280	
<i>Phylloscopus lugubris</i> ..	1859,	182	
<i>nitidus</i>	1858,	493	
<i>tristis</i>	{ 1858,	493	
	{ 1859,	182	
	{ 1850,	216	
<i>trochilus</i>	{ 1858,	493	
<i>Phyllostoma hastatum</i> ..	1858,	547	
<i>lilium</i>	1860,	212	
<i>pusillum</i>	1860,	260	
<i>rotundatum</i>	1848,	58	
(<i>Aretibeus</i>) <i>lilium</i> ..	1860,	212	
<i>Phymasterna leucostic-</i> <i>tica</i>	1858,	402	
<i>senilis</i>	1858,	402	
<i>Physa elata</i>	1856,	203	
<i>salleana</i>	1853,	53	
<i>Physalus antiquorum</i> ..	1856,	195	
<i>boops</i>	1856,	195	
<i>Physocorax moneduloides</i>	1859,	163	
<i>Phytotoma tridactyla</i> ..	1859,	396	
	{ 1854,	115	
<i>Piaya cayana</i>	{ 1856,	308	
	{ 1860,	285	
<i>circe</i>	1860,	285	
<i>macrura</i>	1860,	285	
	{ 1858,	75	
	{ 1858,	460	
<i>mehleri</i>	{ 1859,	146	
	{ 1860,	95	
	{ 1860,	285	
	{ 1856,	308	
	{ 1858,	359	
<i>mexicana</i>	{ 1859,	60	
	{ 1859,	368	
	{ 285		
<i>nigricrissa</i>	1860,	{ 297	
		{ 285	
<i>rutila</i>	1860,	{ 297	
		{ 368	
<i>thermophila</i>	{ 1859,	368	
	{ 1860,	285	
<i>viridirostris</i>	1856,	308	
<i>Pica albicollis</i>	1850,	86	
<i>bactriana</i>	1859,	172	
<i>bottanensis</i>	1858,	479	
<i>bullockii</i>	{ 1850,	84	
	{ 1859,	381	
<i>cinerea</i>	1859,	162	
<i>colliciei</i>	1850,	84	
<i>cyanea</i>	1850,	85	

	Page		Page
<i>Pica erythrorhyncha</i> ...	1858,		479
<i>formosa</i>	{ 1850, 84	<i>Picus major</i>	{ 1857, 215
<i>megaloptera</i>	{ 1859, 381	<i>malaccensis</i>	{ 1860, 372
<i>melanocephalos</i> ...	1858, 479	<i>malanogaster</i>	1859, 456
<i>miles</i>	1850, 85	<i>melanopogon</i>	1859, 457
<i>pyrrhoptera</i>	1850, 84	<i>mentalis</i>	1855, 161
<i>stridens</i>	1860, 355	<i>miniatus</i>	1859, 456
<i>tibetana</i>	{ 1850, 82	<i>moluccensis</i>	1859, 457
	{ 1858, 479	<i>nataliæ</i>	1858, 2
	{ 1859, 172		{ 1856, 308
<i>Picolaptes affinis</i>	{ 1856, 289	<i>nuttalli</i>	{ 1857, 127
	{ 1859, 365		{ 1858, 3
<i>albolineatus</i>	1859, 381	<i>oleaginus</i>	1856, 307
<i>cinnamomeus</i>	1858, 63	<i>parvus</i>	1856, 307
	{ 1855, 142	<i>phaeopus</i>	1859, 457
<i>lacrymiger</i>	{ 1859, 140	<i>poecilophus</i>	1859, 457
	{ 1860, 88	<i>pollens</i>	1855, 161
<i>leucogaster</i>	1858, 297	<i>pubescens</i>	1857, 127
<i>lineaticeps</i>	1860, 252	<i>pulverulentus</i>	1859, 455
<i>souleyetii</i>	{ 278	<i>puniceus</i>	1859, 456
	{ 293	<i>rafflesii</i>	1859, 456
	{ 95	<i>rivoli</i>	1855, 161
<i>Picumnus granadensis</i> ..	1860, { 287	<i>rubiginosus</i>	1859, 457
<i>granadensis</i>	1855, 162		{ 1856, 307
<i>olivaceus</i>	1855, 162	<i>scalaris</i>	{ 1857, 127
<i>squamulatus</i>	1855, 162		{ 1859, 367
<i>Picus æruginosus</i>	1856, 307	<i>squamatus</i>	1859, 173
<i>badioides</i>	1859, 60	<i>strenuus</i>	1859, 456
<i>badius</i>	1859, 457	<i>stricklandi</i>	1859, 367
<i>brachyurus</i>	1859, 457	<i>sultaneus</i>	1859, 456
<i>cafer</i>	1859, 399	<i>tristis</i>	1859, 457
<i>callonotus</i>	1860, 286	<i>validus</i>	1859, 455
<i>cancellatus</i>	1856, 308		{ 1856, 308
<i>castaneus</i>	1858, 359	<i>varius</i>	{ 1858, 305
<i>concretus</i>	1859, 455		{ 1859, 367
<i>crawfordii</i>	1859, 456		{ 1859, 388
<i>gairdneri</i>	1859, 236	<i>villosus</i>	1857, 127
<i>gardineri</i>	1857, 127	<i>viridis</i>	1857, 12
<i>guayaquilensis</i> ...	1860, 286	<i>wilsoni</i>	1856, 308
<i>gularis</i>	1859, 456	(Hemicercus) con-	
<i>harrisi</i>	{ 1857, 127	<i>cretus</i>	1860, 358
	{ 1858, 3	<i>Pieris durvasa</i>	1857, 103
<i>hartlaubii</i>	1859, 445	<i>indra</i>	1857, 103
<i>himalayanus</i>	{ 1858, 475	<i>nama</i>	1857, 102
	{ 1859, 173	<i>sanaca</i>	1857, 103
<i>horsfieldii</i>	1859, 455	<i>seta</i>	1857, 102
<i>imperialis</i>	1856, 63	<i>Piezorhynchus chalybeo-</i>	
	{ 1856, 308	<i>cephalus</i>	1859, 156
	{ 1857, 214	<i>lucidus</i>	1859, 156
<i>jardini</i>	{ 1858, 359	<i>rufolateralis</i>	{ 1858, 176
	{ 1859, 367		{ 1859, 156
	{ 1859, 388	<i>Pileopsis mitrula</i>	1856, 3
<i>javensis</i>	1859, 455	<i>subrufa</i>	1856, 4
<i>labarum</i>	1859, 456	<i>Pimelodus cinerascens</i> ..	1860, { 234
<i>leucogaster</i>	1859, 455		{ 237
<i>mackloti</i>	1859, 455	<i>elongatus</i>	1860, { 234
<i>mahrattensis</i>	1858, 475		{ 238
		<i>modestus</i>	1860, 234

	Page		Page
<i>Pimelodus modestus</i> . . .	1860,	<i>Pipilopsis semirufus</i> . . .	1856,
<i>Pinaxia coronata</i>	1853,	<i>superciliaris</i>	1856,
<i>Pinna assimilis</i>	1858,	<i>Pipistrellus alcythoë</i> ..	1858,
<i>carolinensis</i>	1858,	<i>blepotis</i>	1858,
<i>chemnitzii</i>	1858,	<i>noctula</i>	1858,
<i>cumingii</i>	1858,	<i>pictus</i>	1858,
<i>d'orbignyi</i>	1858,	<i>savii</i>	1858,
<i>euglypta</i>	1858,	<i>Pipra albifrons</i>	1858,
<i>fumata</i>	1858,	<i>atricapilla</i>	1857,
<i>gouldii</i>	1858,	<i>auricapilla</i>	1858,
<i>hystrix</i>	1858,	<i>chlorocapilla</i>	1856,
<i>kraussii</i>	1858,	<i>cinerea</i>	1857,
<i>menkei</i>	1858,	<i>coracina</i>	1856,
<i>minax</i>	1858,	<i>coracina</i>	1858,
<i>pectinata</i>	1858,	<i>coronata</i>	1854,
<i>regia</i>	1858,	<i>cornuta</i>	1857,
<i>rostellum</i>	1858,	<i>cornuta</i>	1858,
<i>rumphii</i>	1858,	<i>cyaneocapilla</i>	1854,
<i>strangei</i>	1858,	<i>cycanocephala</i>	1856,
<i>Pionus chalcopterus</i> ..	1855,	<i>deliciosa</i>	1860,
<i>cobaltinus</i>	1859,	<i>elata</i>	1855,
<i>corallinus</i>	1859,	<i>elegantissima</i>	1855,
<i>fuscicapillus</i>	1859,	<i>elegantissima</i>	1856,
<i>hæmatotis</i>	1860,	<i>filicauda</i>	1855,
<i>menstruus</i>	1857,	<i>filicauda</i>	1860,
<i>menstruus</i>	1857,	<i>flavicapilla</i>	1855,
<i>menstruus</i>	1858,	<i>flavincta</i>	1855,
<i>menstruus</i>	1860,	<i>flavotincta</i>	1852,
<i>menstruus</i>	1856,	<i>flavotincta</i>	1855,
<i>senilis</i>	1857,	<i>galericulata</i>	1856,
<i>seniloides</i>	1855,	<i>galericulata</i>	1856,
<i>vinaceicollis</i>	1857,	<i>herbacea</i>	1854,
<i>Pipilo albicollis</i>	1858,	<i>heterocerca</i>	1860,
<i>arcticus</i>	1859,	<i>inornata</i>	1860,
<i>chlorurus</i>	1857,	<i>inornata</i>	1854,
<i>fuscus</i>	1856,	<i>isidori</i>	1855,
<i>fuscus</i>	1857,	<i>isidori</i>	1854,
<i>fuscus</i>	1856,	<i>isidori</i>	1855,
<i>maculatus</i>	1858,	<i>leucocilla</i>	1856,
<i>maculatus</i>	1859,	<i>leucocilla</i>	1857,
<i>mesoleucus</i>	1856,	<i>leucotis</i>	1858,
<i>mesoleucus</i>	1857,	<i>manacus</i>	1854,
<i>mesoleucus</i>	1859,	<i>manacus</i>	1856,
<i>oregonus</i>	1859,	<i>mentalis</i>	1859,
<i>oregonus</i>	1859,	<i>musica</i>	1856,
<i>rufipileus</i>	1857,	<i>nævia</i>	1858,
<i>Pipilopsis albitemporalis</i>	1856,	<i>pareolides</i>	1855,
<i>atripileus</i>	1856,	<i>pectoralis</i>	1856,
<i>canigularis</i>	1856,	<i>percussa</i>	1859,
<i>cristatus</i>	1855,	<i>rubricapilla</i>	1857,
<i>cristatus</i>	1856,	<i>rupicola</i>	1859,
<i>flavigularis</i>	1856,	<i>rupicola</i>	1855,
<i>flavipectus</i>	1856,	<i>rupicola</i>	1857,
<i>fulviceps</i>	1856,	<i>striolata</i>	1858,
<i>personatus</i>	1856,	<i>striolata</i>	1857,
<i>rubrirostris</i>	1856,	<i>Pipreola aureipectus</i>	1855,
<i>ruficeps</i>	1856,	<i>aureipectus</i>	1854,
<i>semirufus</i>	1855,	<i>chlorolepidota</i>	1859,
	125	<i>jucunda</i>	1860,

	Page		Page
<i>Pipreola melanolaema</i> ..	1860,	{	63
		{	67
<i>riefleri</i>	{	1854,	113
<i>sclateri</i>	{	1855,	153
<i>Pipridea castaneiventris</i> .	1856,		113
<i>cyanea</i>	1856,		266
<i>melanonota</i>	1856,		265
<i>venezuelensis</i>	{	1856,	265
	{	1860,	65
<i>Piprites chlorion</i>	{	1855,	15
	{	1858,	72
<i>chloris</i>	{	15	152
	{	206	226
<i>Pirena californica</i>	1856,		84
<i>Pirenella bicarinata</i>	1854,		83
<i>caillaudii</i>	1854,		84
<i>conica</i>	1854,		84
<i>diemenensis</i>	1854,		84
<i>largilliertii</i>	1854,		86
<i>layardii</i>	1854,		86
<i>pauvilla</i>	1854,		138
<i>Pisania crenilabrum</i>	1854,		41
<i>elegans</i>	1856,		313
<i>filaris</i>	1854,		138
<i>hermannsenii</i>	1854,		138
<i>reticulata</i>	1854,		322
<i>Pisidium angulatum</i> ..	1860,		322
<i>retusum</i>	1860,		150
<i>Pitangus chrysocephalus</i>	1855,		297
<i>derbianus</i>	{	1856,	45
	{	1859,	56
	{	1859,	366
<i>sulphuratus</i>	1859,		45
<i>Pithecica albicans</i>	1860,		231
<i>albinasa</i>	{	229	231
	{	229	230
<i>capillamentosa</i>	1860,		228
<i>chrysocephala</i>	1860,		229
	{	230	229
<i>hirsuta</i>	1860,		230
	{	229	230
<i>inusta</i>	1860,		107
	{	1852,	230
<i>irrorata</i>	1860,		9
	{	1849,	10
	{	1860,	228
<i>leucocephala</i>	{	1860,	229
	{	1860,	230
	{	1860,	231
<i>miriquouina</i>	1860,		228
<i>monachus</i>	1849,		9
<i>Pithecica monachus</i>	1860,		229
<i>ochrocephala</i>	1860,		230
<i>pogonia</i>	1860,		228
<i>rufibarbata</i>	1860,		9
	{	1849,	228
<i>rufiventer</i>	{	1860,	229
	{	1860,	230
<i>Pithecus morio</i>	1848,		31
<i>satyrus</i>	1848,		28
<i>wurmii</i>	1848,		34
	{	35	394
<i>Pithex oinops</i>	1856,		145
<i>Pithys albifrons</i>	{	1855,	67
	{	1858,	273
	{	1854,	255
<i>erythrophrys</i>	{	1855,	146
	{	1858,	252
<i>leucaspis</i>	1858,		274
	{	1854,	255
<i>leucophrys</i>	{	1855,	146
	{	1858,	252
<i>leucops</i>	1858,		273
<i>pectoralis</i>	1858,		273
<i>rufigularis</i>	1858,		273
<i>Pitta affinis</i>	1854,		273
<i>atricapilla</i>	1858,		175
<i>boschii</i>	1854,		65
<i>brachyura</i>	{	1857,	351
	{	1860,	273
<i>cærulea</i>	1854,		274
<i>coccinea</i>	1854,		65
<i>concinna</i>	1857,		274
<i>cucullata</i>	1854,		351
<i>cyanonota</i>	1860,		274
<i>cyanoptera</i>	{	1854,	351
	{	1860,	273
<i>elegans</i>	1854,		273
<i>gigas</i>	1854,		274
<i>granatina</i>	1854,		350
<i>inornata</i>	1860,		175
<i>mackloti</i>	{	1858,	155
	{	1859,	282
<i>macularia</i>	1858,		274
<i>malaccensis</i>	1854,		351
<i>maxima</i>	1860,		274
<i>nigricollis</i>	1854,		175
<i>novæ-guinæ</i>	{	1858,	156
	{	1859,	274
<i>rhodogaster</i>	1854,		274
<i>schlegelii</i>	1854,		489
<i>triolestegus</i>	1858,		64
<i>Pitylus atrochalybeus</i> ..	1856,		65
<i>atro-olivaceus</i>	1856,		65
<i>atropurpuratus</i>	1856,		65

	Page		Page
<i>Pitylus brasiliensis</i>	1856, 66	<i>Planaxis succincta</i>	1851, 271
<i>cærulescens</i>	1856, 65	<i>zonata</i>	1851, 271
<i>canadensis</i>	1856, 65	<i>Planesticus casius</i>	1859, 330
<i>capistratus</i>	1856, 67	<i>Planorbis chinensis</i>	1848, 41
<i>celæno</i>	1856, 65	<i>corinna</i>	1849, 167
<i>chrysogaster</i>	1858, 454	<i>coromandelicus</i>	1856, 186
<i>erythromelas</i>	1856, 65	<i>cumingianus</i>	1860, 12
<i>erythrorhynchus</i>	1856, 64	<i>elegantulus</i>	1848, 41
<i>flavocinereus</i>	1856, 66	<i>fokkesii</i>	1858, 134
<i>fuliginosus</i>	1856, 64	<i>fuscus</i>	1848, 42
<i>gnatho</i>	1856, 64	<i>gilberti</i>	1848, 42
<i>grossus</i>	1855, 154	<i>hindsianus</i>	1848, 40
<i>personatus</i>	1856, 66	<i>inflatus</i>	1848, 40
<i>poliogaster</i>	1856, 66	<i>limosus</i>	1848, 42
<i>viridis</i>	1856, 65	<i>nanus</i>	1856, 186
<i>Placenta ehippium</i>	1848, 114	<i>nitidulus</i>	1848, 40
<i>lincolni</i>	1848, 114	<i>obesus</i>	1848, 41
<i>orbicularis</i>	1848, 115	<i>panamensis</i>	1848, 41
<i>papyracea</i>	1848, 114	<i>philippianus</i>	1848, 43
<i>sella</i>	1848, 114	<i>refulgens</i>	1853, 54
<i>Placentula compar</i>	1854, 195	<i>ruppellii</i>	1848, 42
<i>dealbata</i>	1854, 196	<i>salleanus</i>	1853, 54
<i>fictilis</i>	1854, 196	<i>sericeus</i>	1848, 42
<i>leptosticta</i>	1854, 195	<i>sibiricus</i>	1848, 42
<i>maderensis</i>	1854, 195	<i>stelzneri</i>	1858, 134
<i>micromphala</i>	1854, 195	<i>stramineus</i>	1848, 42
<i>spirorbis</i>	1854, 195	<i>subcrenatus</i>	1856, 220
<i>Placotrochus lævis</i>	1849, 76	<i>trivolvus</i>	1860, 12
<i>Placuna papyracea</i>	1848, 114	<i>Platacanthomys lasiurus</i>	1860, 260
<i>placenta</i>	1848, 115	<i>Platalea ajaja</i>	1857, 206
<i>sella</i>	1848, 114	<i>leucorodia</i>	1855, 71
<i>Placunanomia abnormalis</i>	1849, 121	<i>regia</i>	1858, 507
<i>alope</i>	1849, 122	<i>ater</i>	1859, 353
<i>broderipii</i>	1849, 121	<i>Platycercus adelaidæ</i>	1860, 371
<i>cepio</i>	1849, 121	<i>amboinensis</i>	1859, 158
<i>colon</i>	1849, 123	<i>ater</i>	1850, 26
<i>cumingii</i>	1849, 120	<i>barnardi</i>	1849, 64
<i>echinata</i>	1849, 120	<i>caledonicus</i>	1859, 164
<i>foliata</i>	1849, 120	<i>cornutus</i>	1859, 164
<i>ione</i>	1849, 123	<i>cyanogenys</i>	1855, 165
<i>macrochisma</i>	1849, 121	<i>hypophonius</i>	1860, 356
<i>patelliformis</i>	1849, 122	<i>pallicept</i>	1855, 165
<i>pectinata</i>	1849, 121	<i>pileatus</i>	1855, 166
<i>rudis</i>	1849, 120	<i>tabuensis</i>	1857, 221
<i>zealandica</i>	1849, 123	<i>pileatus</i>	1859, 212
<i>Planaxis buccinea</i>	1851, 272	<i>tabuensis</i>	1849, 14
<i>cingulata</i>	1851, 271	<i>Platylophus galericulatus</i>	1859, 446
<i>fulva</i>	1851, 271	<i>Platymopsis armatulus</i>	1859, 122
<i>labiosa</i>	1851, 272	<i>Platyodon cancellata</i>	1856, 210
<i>nigritell</i>	1850, 273	<i>Platyonyx agassizii</i>	1851, 211
<i>obscura</i>	1851, 271	<i>brongniartii</i>	1851, 211
<i>pigra</i>	1850, 273	<i>bucklandi</i>	1851, 211
		<i>cuvieri</i>	1851, 211
		<i>minutus</i>	1851, 211
		<i>owenii</i>	1851, 211

	Page		Page
<i>Platypteryx</i> <i>affinis</i>	1859,	<i>Pleiodon</i> <i>spekii</i>	1859,
<i>aglaiaë</i>	1859,	<i>Plestiodon</i> <i>sikkimensis</i> ..	1860,
<i>latirostris</i>	1857,	<i>Plestriodon</i> <i>harlani</i>	1858,
<i>Platypteryx</i>	1849,	<i>Plethodon</i> <i>fuscum</i>	1858,
<i>Platyrrhynchus</i> <i>albogu-</i>	1860,	<i>glutinosum</i>	1858,
<i>laris</i>	1860,	<i>persimilis</i>	1859,
<i>cancroma</i>	1856,	<i>Pleurobranchus</i> <i>margi-</i>	1860,
<i>cancrominus</i>	1858,	<i>natus</i>	1860,
<i>capensis</i>	1851,	<i>pellucidus</i>	1860,
<i>ceylonensis</i>	1854,	<i>reticulatus</i>	1860,
<i>coronatus</i>	1858,	<i>rufus</i>	1860,
<i>duponti</i>	1857,	<i>variens</i>	1860,
<i>hirundinaceus</i>	1855,	<i>Pleurodeles</i> <i>walti</i>	1858,
<i>melanops</i>	1858,	<i>waltlii</i>	1858,
<i>perspicillatus</i>	1854,	<i>Pleurotoma</i> <i>babylonica</i> }	1850,
<i>pusillus</i>	1859,	<i>bicarinata</i>	1854,
<i>rostratus</i>	1858,	<i>concinna</i>	1850,
<i>Platysma</i> <i>flindersii</i>	1859,	<i>coronata</i>	1856,
<i>sturtii</i>	1859,	<i>gracillima</i>	1850,
<i>Platysmurus</i> <i>leucopterus</i>	1859,	<i>oxytrophis</i>	1856,
<i>Plebecula</i> <i>lurida</i>	1854,	<i>virginis</i>	1856,
<i>vulgata</i>	1854,	<i>virgo</i>	1850,
<i>Plecotrema</i> <i>bella</i>	1854,	<i>Plexaura</i> <i>suberosa</i>	1859,
<i>clausa</i>	1853,	<i>Ploceus</i> <i>abyssinicus</i>	1859,
<i>concinna</i>	1853,	<i>baya</i>	1857,
<i>decussata</i>	1853,	<i>hypoxanthus</i>	1858,
<i>exarata</i>	1853,	<i>luteolus</i>	1859,
<i>imperforata</i>	1853,	<i>manyar</i>	1850,
<i>inæqualis</i>	1853,	<i>personatus</i>	1859,
<i>labrella</i>	1853,	<i>personatus</i>	1850,
<i>lirata</i>	1853,	<i>philippensis</i>	1852,
<i>monilifera</i>	1853,	<i>sanguinirostris</i> ..	1850,
<i>punctato-striata</i> ...	1853,	<i>Plotia</i> <i>mirifica</i>	1860,
<i>punctigera</i>	1853,	<i>orientalis</i>	1853,
<i>typica</i>	1853,	<i>orientalis</i>	1857,
<i>Plecotus</i> <i>auritus</i>	1858,	<i>Plotus</i> <i>anhinga</i>	1859,
<i>darjelingensis</i>	1856,	<i>anhinga</i>	1859,
<i>homochrous</i>	1856,	<i>Pluvianus</i> <i>ægyptius</i>	1850,
<i>timoriensis</i>	1858,	<i>Pnoëpyga</i> <i>longicaudata</i>	1854,
<i>velatus</i>	1858,	<i>Podargus</i> <i>auritus</i>	1854,
<i>Plectrophanes</i> <i>melano-</i>		<i>crinifrons</i>	1854,
<i>mus</i>	1860,	<i>marmoratus</i>	1859,
<i>Plectropteron</i> <i>dianæ</i> ...	1859,	<i>ocellatus</i>	1858,
<i>selene</i>	1859,	<i>stellatus</i>	1854,
<i>Plectropterus</i> <i>gamben-</i>	1859,	<i>Podica</i> <i>personata</i>	1848,
<i>sis</i>	1860,	<i>personata</i>	1859,
<i>melanonotus</i>	1860,	<i>Podiceps</i> <i>calipareus</i> ..	1860,
<i>melanonotus</i>	1860,	<i>calipareus</i> ..	1859,
<i>rüppellii</i>	1859,	<i>dominicus</i>	1860,
<i>rüppellii</i>	1860,	<i>dominicus</i>	1857,
<i>rüppellii</i>	1860,	<i>minor</i>	1857,
<i>Plectrurus</i> <i>perrotettii</i> ...	1858,	<i>minor</i>	1859,
<i>perrotettii</i>	1858,	<i>minor</i>	1855,

	Page		Page
<i>Podiceps philippensis</i>	1855, 184	<i>Pogonothraupis atrica-</i>	
	1858, 510	<i>pilla</i>	1856, 118
<i>rollandi</i>	1859, 98	<i>Polioptila albiloris</i>	1860, 298
(<i>Sylbeocyclus</i>) <i>tri-</i>	1860, 389	<i>bilineata</i>	1855, 12
<i>color</i>	1860, 366		1860, 273
<i>Podilymbus carolinensis</i>	1859, 65	<i>cærulea</i>	1860, 291
<i>Pododesmus decipiens</i>	1849, 120		1855, 11
<i>Pœcilonetta bahamensis</i>	1860, 389	<i>dumicola</i>	1859, 363
<i>Pœcilophis dorsalis</i>	1859, 88	<i>leucogastra</i>	1855, 12
<i>hygiæ</i>	1859, 88		1855, 12
<i>Pœcilornis rufivertex</i>	1856, 243	<i>mexicana</i>	1859, 363
<i>Pœcilothraupis igniven-</i>			1859, 373
<i>tris</i>	1856, 242	<i>Poliornis teesa</i>	1858, 472
<i>lacrimosa</i>	1856, 242	<i>Polyartemia forcipata</i>	1852, 29
	1856, 241	<i>Polyboroides radiatus</i>	1850, 216
<i>lunulata</i>	1858, 551		1857, 211
	1860, 76	<i>Polyborus tharus</i>	1859, 368
	1860, 86		1860, 288
<i>Pœocephalus meyeri</i>	1860, 197	<i>Polybranchia pellucida</i>	1860, 141
<i>Pœphagus</i>	1855, 125	<i>Polycera quadrilineata</i>	1859, 68
	1853, 191	<i>Polychlorus intermedius</i>	1857, 226
<i>grunniens</i>	1856, 405		1857, 226
	1858, 529	<i>magnus</i>	1860, 226
<i>Pœphila gouldiæ</i>	1857, 26		1860, 227
<i>paddoni</i>	1858, 462	<i>westermanni</i>	1857, 226
<i>pandoni</i>	1859, 164	<i>Polydonta aspera</i>	1851, 154
<i>personata</i>	1859, 164	<i>concinna</i>	1851, 154
<i>Pogonias bidentatus</i>	1857, 26	<i>corrugata</i>	1851, 155
<i>bifrenatus</i>	1859, 394	<i>costata</i>	1851, 153
<i>brucii</i>	1859, 396	<i>elegantula</i>	1851, 154
<i>dubius</i>	1859, 396	<i>gibberula</i>	1851, 155
<i>erythromelas</i>	1859, 394	<i>hanleyana</i>	1851, 154
<i>fuscescens</i>	1859, 394	<i>ignobilis</i>	1851, 155
<i>hæmatops</i>	1859, 396	<i>inæqualis</i>	1851, 153
<i>hirsutus</i>	1859, 396	<i>incarnata</i>	1851, 155
<i>lævirostris</i>	1859, 395	<i>incrassata</i>	1851, 154
<i>levillantii</i>	1859, 395	<i>lineata</i>	1851, 154
<i>major</i>	1859, 394	<i>maculata</i>	1851, 153
<i>melanocephalus</i>	1859, 396	<i>mariaæ</i>	1855, 222
<i>niger</i>	1859, 395	<i>ochroleucos</i>	1851, 154
<i>nigrithorax</i>	1859, 395	<i>pallidula</i>	1851, 155
<i>personatus</i>	1859, 395	<i>pustulosa</i>	1851, 155
<i>rolleti</i>	1859, 394	<i>regia</i>	1851, 153
<i>rubescens</i>	1850, 219	<i>reticulata</i>	1851, 154
	1859, 396	<i>spengleri</i>	1851, 154
<i>rufifrons</i>	1859, 396	<i>squamigera</i>	1851, 155
<i>saltii</i>	1859, 396	<i>tentorium</i>	1851, 153
<i>senegalensis</i>	1850, 219	<i>tiarata</i>	1851, 154
	1859, 396	<i>turris</i>	1851, 155
<i>stephani</i>	1859, 395	<i>vernalis</i>	1851, 154
<i>sulcirostris</i>	1859, 394	<i>verrucosa</i>	1851, 153
<i>undatus</i>	1859, 396	<i>viridescens</i>	1851, 154
<i>unidentatus</i>	1859, 395	(<i>Infundibulum</i>) <i>æ-</i>	
<i>vielloti</i>	1850, 219	<i>mulans</i>	1854, 132
	1859, 396	(—) <i>concinnum</i>	1854, 132
<i>Pogonorhamphus</i>	1859, 394	(—) <i>neptuni</i>	1854, 132
		(—) <i>tritonis</i>	1854, 132

	Page		Page
Polypedates eques	1858, 393	Pratincola caprata	1859, 180
	1858, 393		1855, 50
	1860, 116	indica	1858, 492
maculatus	1860, 165		1859, 180
	1860, 168	Pregistoma cumingiana	1853, 52
	1860, 170	Presbys canifrons	1855, 143
microtyimpanum	1858, 393	unirufa	1855, 143
schlegelii	1858, 391	Presbytes cephalopterus	1850, 155
Polyphasia merulina	1859, 458		1856, 393
sonnerati	1859, 458		1859, 477
tenuirostris	1859, 458	entellus	1860, 183
Polypus mirabilis	1857, 288		1860, 242
	1859, 481		1860, 422
Polysticte quopopa	1859, 399	priamus	1850, 155
Polyteles melanurus	1859, 433	thersites	1850, 155
Polytrema miniaceum	1858, 270	Presbytis albigena	1850, 77
Pomarea nigra	1857, 5	melalophus	1850, 78
Pomatia subplicata	1854, 171	obscurus	1850, 78
Pomatorhinus isidori	1859, 156	Primnoa antarctica	1857, 286
ruficeps	1858, 352		1859, 483
	1857, 126		1849, 146
turdinus	1859, 339	australasiæ	1857, 286
Pomaulax undosus	1856, 224	flabellum	1857, 286
Poecetes gramineus	1859, 379	lepadifera	1857, 285
Poospiza belli	1857, 7	myura	1859, 483
bilineata	1857, 7	verticillata	1857, 286
olivacea	1856, 90	Primnoella australasiæ } 1857, 286	
Porcellana glabella	1853, 37	} 1859, 483	
	1853, 191	Prinia cinereocapilla	1854, 77
Porcula salvania	1856, 406	crinigera	1859, 183
Porcus monstrosus	1853, 113	gracilis	1859, 183
Porphyrio alleni	1860, 112	hodgsonii	1858, 487
martinica	1859, 64	inornata	1854, 143
	1859, 434	socialis	1858, 487
melanotus	1860, 371	Priodontes gigas	1851, 215
	1860, 372	Prion ariel	1855, 88
simplex	1856, 144	brevirostris	1855, 88
smaragdinus	1860, 365	Prionacalus atys	1850, { 10
smaragnotus	1849, 94		11
Portax picta	1850, { 146	cacicus	1850, 10
	175		10
tragelaphus	1850, 146	iphis	1850, { 10
	1850, 146		11
trago-camelus	1858, 523	Prionichilus niger	1858, 173
Potamis fuscata	1856, 206	Prionirhynchus carina-	1857, 257
sacrata	1856, 206	tus	1858, 357
Potamobius franklinii	1850, 96	platyrhynchus	1857, 256
serratus	1850, 95	Prionites bahamensis	1857, 252
Potamochoerus africa-	1852, 131	brasiliensis	1857, 250
nus	1858, 58	cæruleocephalus	1857, 253
	1860, 443	cæruleiceps	1857, 253
	1852, 131	castaneiceps	1857, 254
	1858, 58	dombeyanus	1857, 258
penicillatus	1860, 190	gularis	1857, 256
	1860, 194	lessoni	1857, 253
	1860, 301	levaillanti	1857, 255
	1860, 443	martii	1855, 136
Pratincola caprata	1857, 94		1857, 254

	Page		Page
Prionites martii	1857, 256	Propasser rhodochrous ..	1855, 216
mexicanus	1857, 254	rhodopeplus	1855, 216
momota	1857, 250	thura	1855, 215
ruficapillus	1857, { 255	Proserpina eolina	1856, 100
superciliaris	1857, 257	salleana	1856, 100
tutu	1857, 255	(Ceres) salleana ..	1856, 322
yucatanensis	1857, 258	Prosthemadera novæ- {	1849, 14
Prioniturus discurus ...	1860, 224	seelandiæ	1853, 192
flavicans	1860, { 223	Prosymna meleagris....	1858, 163
platurus	1860, 223	Protætia ferruginea ...	1856, 17
setarius	1860, { 223	procera	1856, 17
wallacii	1860, 223	regalis	1856, 17
Prionochilus maculatus .	1859, 464	schaumii	1856, 17
percussus	1859, 463	Proteus anguinus	{ 1848, 38
Prionodon pardicolor ..	1856, 396		{ 1857, 63
Prionus scabricornis ...	1853, 6		{ 1856, 343
Proboscidifera hamiglos- sa	1856, 41	Protonopsis horrida ..	{ 1856, 345
Procrapra gutturosa ...	1850, 115		{ 1857, 62
	{ 1850, 116	Prox albipes	1850, 235
picticauda	{ 1856, 403	melas	1850, 235
	{ 1858, 523	muntjac	1850, 234
Procellaria anginho	1851, 142	ratwa	1850, 235
anglorum	1851, 142	reevesii	1850, 235
berardi	1860, 390	stylocerus	1850, 235
bulwerii	1851, 142	Psalidocoptus scaber ...	1856, 12
conspicillata	1860, 390	Psalidognathus friendii .	1856, 10
gigantea	1860, 390	Psaltria erythrocephala .	1859, 177
glacialis	1860, 334	exilis	1856, 38
leachii	1851, 146	flaviceps	1856, 37
obscura	1851, 142	melanotis	1856, 37
pelagica	1851, 146	minima	{ 1856, 37
puffinus	1851, 142		{ 1857, 126
Prochilodus humeralis ..	1859, 419	Psaltriparus melanotis ..	1858, 299
Procnias heinei	{ 1854, 249	personatus	1858, 300
	{ 1856, 259	Psammbia abrupta	1854, 324
	{ 1854, 249	amœna	1854, 323
	{ 1855, 153	angusta	1854, 320
	{ 1858, 74	anomala	1854, 320
occidentalis	{ 1858, 452	aurantia	1855, 167
	{ 1860, 275	bicarinata	1854, 322
	{ 1860, 292	candidula	1854, 319
viridis	1856, 269	compta	1854, 321
Procnopsis argentea	1856, 259	corrugata	1854, 324
atrocærulea	1856, 258	decora	1856, 212
melanota	1856, 265	dispar	1854, 325
vassori	1856, 264	elegans	1854, 322
Proctoporus pachyurus .	1859, { 89	grata	1854, 318
	{ 407	insignis	1854, 322
Procyon cancrivorus ...	1859, 432	intermedia	1854, 319
	{ 1857, 201	lata	1854, 318
	{ 1857, 232	layardii	1854, 323
Progne dominicensis ..	{ 1859, 364	marmoræa	1854, 324
	{ 1860, 292	maxima	1854, 317
Propasser pulcherrimus .	1855, 216	menkeana	1854, 319
		modesta	1854, 319
		nivosa	1854, 317
		oblonga	1854, 321
		oriens	1854, 318

	Page		Page
<i>Psammobia ornata</i>	1854, 323	<i>Psaris jardinii</i>	1857, 71
<i>pacifica</i>	1856, 212	<i>major</i>	1851, 48
<i>pallida</i>	1854, 323	<i>marginatus</i>	1857, 78
<i>palmula</i>	1854, 325	<i>maximus</i>	1851, 48
<i>pennata</i>	1854, 325	<i>megacephalus</i>	1857, 77
<i>petalina</i>	1854, 320	<i>melanoleucus</i>	1851, 46
<i>prestans</i>	1854, 322	<i>mexicana</i>	1857, 72
<i>puella</i>	1854, 320	<i>minor</i>	1856, 141
<i>pulcherrima</i>	1854, 325	<i>nævius</i>	1857, 70
<i>rubicunda</i>	1854, 324	<i>nattereri</i>	1851, 48
<i>striata</i>	1854, 321	<i>niger</i>	1857, 69
<i>tenuis</i>	1854, 320	<i>nigrescens</i>	1851, 47
<i>togata</i>	1854, 318	<i>parinus</i>	1857, 71
<i>tripartita</i>	1854, 321	<i>pectoralis</i>	1857, 76
<i>tristis</i>	1854, 318	<i>roseicollis</i>	1857, 46
<i>vitrea</i>	1855, 167	<i>selbyi</i>	1851, 47
<i>zelandica</i>	1854, 319	<i>semifasciatus</i>	1857, 71
<i>Psammodynastes pul-</i>	163	<i>strigatus</i>	1851, 46
<i>verulentus</i>	1860, 166	<i>surinamus</i>	1857, 70
	167	<i>tityroides</i>	1856, 141
	170	<i>tristis</i>	1857, 70
	171	<i>validus</i>	1851, 48
<i>Psammophis collaris</i>	1860, 161	<i>versicolor</i>	1851, 46
<i>crucifer</i>	1858, 160	<i>virgata</i>	1857, 69
<i>elegans</i>	1858, 160	<i>Psarocolius gularis</i>	1857, 205
<i>flavigularis</i>	1860, 456	<i>melanocephalus</i>	1855, 65
<i>irregularis</i>	1858, 160	<i>pectoralis</i>	1857, 205
<i>lineatus</i>	1858, 386	<i>Psaroglossa spiloptera</i>	1858, 481
<i>moniliger</i>	1858, 160	<i>Psephotus chrysoptery-</i>	
<i>philippisii</i>	1858, 160	<i>gius</i>	1857, 220
<i>sibilans</i>	1858, 160	<i>multicolor</i>	1859, 433
<i>temminckii</i>	1860, 97	<i>pulchellus</i>	1860, 371
<i>Psammosaurus griseus</i>	1849, 95	<i>Pseudechis porphyriaca</i>	1860, 243
<i>Psaris aglaiae</i>	1851, 46	<i>Pseudemys concinna</i>	1855, 371
<i>atricapillus</i>	1857, 74	<i>serrata</i>	1855, 197
<i>brasiliensis</i>	1851, 45	<i>Pseudocercery wallichii</i>	1850, 227
<i>cayana</i>	1851, 46	<i>Pseudocheirus nudi-</i>	
<i>cayanensis</i>	1857, 69	<i>caudatus</i>	1849, 110
<i>cristatus</i>	1857, 72	<i>Pseudocolaptes boisso-</i>	
<i>cuvieri</i>	1851, 45	<i>neauti</i>	1860, 88
<i>cyanus</i>	1857, 75	<i>semicinnamomeus</i>	1855, 142
<i>erythrognys</i>	1851, 47	<i>Pseudois nahoor</i>	1856, 404
<i>fraserii</i>	1855, 77	<i>ancilla</i>	1858, 527
<i>guianensis</i>	1855, 77	<i>Pseudoliva aethiops</i>	1853, 184
<i>habia</i>	1857, 69	<i>australis</i>	1859, 429
<i>inquisitor</i>	1856, 78	<i>kellettii</i>	1853, 184
<i>jardinii</i>	1851, 47		185, 185

	Page		Page		
<i>Pseudoliva livida</i>	1854,	136	<i>Psittacus cyanicollis</i>	1860,	358
<i>monoceros</i>	1853,	184	<i>cyanonotus</i>	1860,	357
<i>nassoides</i>	1859,	430	<i>discosurus</i>	1860,	223
<i>plumbea</i>	1853,	184	<i>dorsalis</i>	1859,	158
<i>sepimenta</i>	1853,	184	<i>erythacus</i>	{ 1857,	215
<i>septimenta</i>	1854,	136		{ 1860,	258
<i>striatula</i>	1853,	184	<i>fuscicapillus</i>	1860,	358
<i>zebrina</i>	1853,	184	<i>galeritus</i>	1858,	184
<i>Pseudomeles leucurus</i>	1856,	398	<i>galgulus</i>	1859,	454
<i>Pseudotriton salmoneus</i>	1857,	63	<i>garrulus</i>	1860,	356
<i>Pseudotyphlops oxy-</i>			<i>geoffroyanus</i>	1860,	358
<i>rhynchus</i>	1858,	264	<i>goliath</i>	1858,	184
<i>philippinus</i>	1858,	263	<i>grandis</i>	{ 1849,	143
<i>Psilorhamphus gutta-</i>	{ 1855,	90		{ 1860,	357
<i>tus</i>	1858,	243	<i>hæmatodus</i>	1860,	357
<i>maculatus</i>	1858,	288	<i>hueti</i>	1857,	19
<i>Psilorhinus bullocki</i>	1850,	84	<i>incertus</i>	1859,	452
<i>flavirostris</i>	1858,	479	<i>leucocephalus</i>	1857,	225
<i>gubernatrix</i>	1850,	84	<i>leucorhynchus</i>	1856,	306
	{ 1856,	300	<i>longicaudus</i>	1859,	453
<i>morio</i>	{ 1859,	57	<i>lory</i>	1849,	145
	{ 1859,	365	<i>macrorhynchus</i>	1860,	358
<i>occipitalis</i>	1858,	479		{ 1857,	226
<i>Psittacara chloroptera</i>	1857,	{ 225	<i>magnus</i>	{ 1858,	182
		234		{ 1860,	358
<i>erythrogenys</i>	{ 1859,	146	<i>malaccensis</i>	1859,	{ 452
	{ 1860,	71		{ 453	
<i>maugæi</i>	1857,	225	<i>mascarinus</i>	1857,	226
<i>Psittacodis interme-</i>	{ 1850,	26	<i>megalorhynchus</i>	1860,	358
<i>dus</i>	1857,	226	<i>mercenarius</i>	1858,	75
	1850,	26	<i>meyeri</i>	1848,	126
<i>magnus</i>	{ 1857,	226	<i>moluccensis</i>	1860,	{ 356
	1850,	26		{ 357	
<i>sinensis</i>	1850,	26	<i>nasutus</i>	1860,	358
<i>stravorinii</i>	1860,	227	<i>novæ-hollandiæ</i>	1857,	215
	{ 1850,	26	<i>paragua</i>	1857,	226
<i>westermanni</i>	{ 1857,	226	<i>personatus</i>	1860,	358
<i>Psittacula cœlestis</i>	1860,	287	<i>placentis</i>	{ 1858,	182
<i>conspicilla</i>	1855,	162		{ 1860,	357
<i>diophtalma</i>	1858,	183	<i>platurus</i>	1860,	223
<i>lineola</i>	1857,	230	<i>polychlorus</i>	1860,	358
<i>lineolata</i>	1856,	306	<i>pucherani</i>	1859,	159
<i>passerina</i>	1854,	115	<i>pulverulentus</i>	1858,	75
<i>reticulata</i>	1859,	452		{ 1849,	142
<i>Psittacus amazonicus</i>	1858,	75	<i>puniceus</i>	{ 1860,	357
<i>aruensis</i>	1858,	183		1860,	287
<i>aterrimus</i>	1858,	184	<i>pyrrhopterus</i>	1860,	356
<i>bisetis</i>	1859,	164	<i>riciniatus</i>	1860,	356
<i>borneus</i>	1860,	356	<i>ruber</i>	1860,	357
<i>cæruleatus</i>	1860,	357	<i>rubra</i>	1859,	454
<i>capistratus</i>	1858,	183	<i>rufiventris</i>	1848,	126
<i>cardinalis</i>	1849,	142	<i>ruppellii</i>	1848,	126
	{ 1849,	143	<i>setarius</i>	1860,	223
<i>ceylonensis</i>	{ 1860,	357	<i>sinensis</i>	1860,	358
	1860,	356		{ 223	
<i>cochinsinensis</i>	1859,	164	<i>spatuliger</i>	{ 224	
<i>cornutus</i>	1860,	358		1860,	{ 223
<i>cristatus</i>	1860,	358	<i>torquatus</i>	1859,	453
<i>cucullatus</i>	1860,	356	(<i>Geoffroyus</i>) <i>cyanei-</i>		
<i>cyanauchen</i>	1859,	158	<i>collis</i>	1860,	358

	Page		Page
<i>Psittacus</i> (Geoffroius)		<i>Pteroglossus erythro-</i>	
<i>personatus</i>	1860, 358	<i>gius</i>	1860, 286
(<i>Platycercus</i>) <i>hypo-</i>		1854, 115
<i>phonius</i>	1860, 356	<i>flavirostris</i>	1857, 267
(<i>Psittacula</i>) <i>cyani-</i>		1858, 75
<i>collis</i>	1860, 358	<i>humboldti</i>	1857, 267
(—) <i>grandis</i>	1860, 357	<i>pluricinctus</i>	1858, 75
(<i>Trichoglossus</i>) <i>pla-</i>		1857, 205
<i>centis</i>	1860, 357	1858, 359
<i>Psittuteles placens</i>	1858, 182	<i>torquatus</i>	1859, 59
.	1860, 357	1859, 388
<i>Psittinus malaccensis</i>	1859, 452	<i>wiedi</i>	1855, 15
<i>Psittospiza prasina</i>	1856, 78	<i>Pterogorgia pectinata</i>	1857, 287
.	1856, 78	<i>sulcifera</i>	1857, 288
<i>riefferi</i>	1860, 76	<i>Pteromys caniceps</i>	1856, 402
<i>Psittovius tovi</i>	1855, 162	<i>magnificus</i>	1856, 403
<i>Psyche stettinella</i>	1849, 35	<i>nitidus</i>	1850, 157
<i>Pterocles alchata</i>	1860, 183	<i>nobilis</i>	1856, 402
.	1858, 501	<i>Pteronotus speciosus</i>	1855, 121
<i>arenarius</i>	1860, 258	<i>Pterophanes cyanopterus</i>	1855, 139
<i>bicinctus</i>	1850, 220	<i>temmincki</i>	1855, 139
.	1855, 30	<i>Pteropus amplexicauda-</i>	
<i>exustus</i>	1858, 502	<i>tus</i>	1859, 38
.	1850, 220	<i>argentatus</i>	1858, 107
<i>fasciatus</i>	1858, 502	<i>conspicillatus</i>	1849, 109
.	1859, 186	<i>dasymallus</i>	1860, 44
<i>quadricinctus</i>	1850, 220	<i>edulis</i>	1858, 537
.	1855, 30	1860, 44
<i>tricinctus</i>	1850, 220	1850, 156
<i>Pterocyanea discors</i>	1859, 64	<i>edwardsii</i>	1858, 512
<i>Pterocyclos biciliatum</i>	1851, 72	1860, 44
<i>bifrons</i>	1855, 117	<i>epomophorus</i>	1860, 42
<i>cumingii</i>	1852, 158	1849, 110
(<i>Spiraculum</i>) <i>housei</i>	1860, 10	<i>funereus</i>	1858, 536
<i>Pterocyclus lineatus</i>	1858, 488	1858, 537
<i>Pterodactylus breviro-</i>		<i>gambianus</i>	1860, 52
<i>stris</i>	1851, 15	<i>hypomelanus</i>	1858, 536
<i>compressirostris</i>	1851, 21	1860, 44
.	32	<i>labiatus</i>	1860, 55
<i>crassirostris</i>	1851, 15	1860, 43
.	29	<i>macrocephalus</i>	1860, 50
<i>cuvieri</i>	1851, 15	1858, 537
.	29	<i>marginatus</i>	1858, 537
<i>diomedeus</i>	1851, 28	<i>megacephalus</i>	1860, 43
.	14	1860, 50
<i>giganteus</i>	1851, 21	1849, 109
.	28	<i>poliocephalus</i>	1849, 110
<i>longirostris</i>	1851, 15	1860, 44
.	29	<i>rubricollis</i>	1860, 44
<i>Macronyx</i> (<i>buck-</i>		<i>schoënsis</i>	1860, 46
<i>landi</i>)	1851, 17	1860, 56
<i>Pterogasteron bellum</i>	1860, 36	<i>Ptilinopus melanocephalus</i>	1849, 64
.	1860, 36	<i>ius</i>	1849, 64
<i>Pteroglossus araçari</i>	1855, 15	<i>Ptilocercus lowii</i>	1848, 24
<i>beauharnaisi</i>	1857, 267	<i>Ptilochloris arcuata</i>	1854, 114
.	1854, 115	<i>remigialis</i>	1854, 114
<i>castanotis</i>	1855, 161	1854, 114
<i>erythropterygius</i>	1860, 71	<i>rufo-olivaceus</i>	1860, 467

	Page		Page
<i>Ptilochloris virescens</i>	1854, 114	<i>Pucrasia nipalensis</i>	1854, 100
	1860, 467	<i>Puncturella cognata</i>	1851, 228
	1856, 299	<i>conica</i>	1851, 228
	1858, 302	<i>cucullata</i>	1851, 228
<i>Ptilogonys cinereus</i>	1858, 542	<i>fastigiata</i>	1851, 228
	1859, 364	<i>galeata</i>	1851, 228
<i>leucotis</i>	1859, 376	<i>noachina</i>	1851, 227
	1858, 542	<i>princeps</i>	1851, 228
<i>nitens</i>	1858, 542	<i>Pupa abbreviata</i>	1854, 213
	543	<i>albersii</i>	1854, 295
<i>Ptilonopus aurantiifrons</i>	1858, 185	<i>anconostoma</i>	1854, 208
<i>chryzogaster</i>	1853, 48	<i>anglica</i>	1854, 208
<i>coronulatus</i>	1858, 185	<i>bacillus</i>	1856, 35
<i>cyanovirens</i>	1860, 360	<i>barbadensis</i>	1852, 69
<i>diadematus</i>	1860, 360	<i>calathiscus</i>	1854, 212
<i>formosus</i>	1860, 360	<i>cassida</i>	1854, 212
<i>greyi</i>	1859, 165	<i>cassidula</i>	1854, 212
<i>holosericeus</i>	1859, 165	<i>ceylanica</i>	1855, 9
<i>hyogaster</i>	1860, 359	<i>cheilogona</i>	1854, 208
<i>iozonus</i>	1858, 186	<i>concinna</i>	1854, 212
<i>monachus</i>	1860, 359	<i>conoidea</i>	1852, 70
<i>perlatus</i>	1858, 185	<i>cumingiana</i>	1852, 68
<i>porphyreus</i>	1860, 360	<i>dilucida</i>	1854, 207
<i>prasinorrhous</i>	1858, 185	<i>edentula</i>	1854, 206
<i>purpureocinctus</i>	1853, 48	<i>exigua</i>	1854, 33
	1858, 184	<i>fanalensis</i>	1854, 208
<i>superbus</i>	1859, 159	<i>ferraria</i>	1854, 211
	1860, 360	<i>fragilis</i>	1854, 215
<i>swainsoni</i>	1857, 27	<i>fusca</i>	1854, 211
<i>viridis</i>	1860, 360	<i>gibba</i>	1854, 213
<i>wallacii</i>	1858, 185	<i>huttoniana</i>	1856, 186
(Cyanotreron) <i>monachus</i>	1860, 359	<i>indica</i>	1854, 295
(Iotreron) <i>iogaster</i>	1860, 359	<i>irrigua</i>	1854, 208
(Lamprotreron) <i>superbus</i>	1860, 360	<i>küsterii</i>	1852, 69
<i>Ptilonorhynchus holosericeus</i>	1849, 61	<i>lævigata</i>	1854, 210
<i>melanotis</i>	1858, 181	<i>lamellosa</i>	1854, 214
<i>Ptilopus purpuratus</i>	1859, 165	<i>laurinea</i>	1854, 209
<i>Ptiloris paradiseus</i>	1849, 111	<i>limnæana</i>	1854, 206
<i>victoriæ</i>	1849, 111	<i>linearis</i>	1854, 207
<i>Ptilotus chrysothis</i>	1859, 155	<i>macilenta</i>	1854, 210
<i>fasciolaris</i>	1851, 285	<i>microspora</i>	1854, 207
	1850, 278	<i>millegranata</i>	1854, 211
<i>filigera</i>	1858, 174	<i>minutissima</i>	1854, 207
	1859, 155	<i>monticola</i>	1854, 212
<i>megarhynchus</i>	1858, 174	<i>newcombii</i>	1852, 69
	1859, 155	<i>novoseelandica</i>	1852, 149
	1858, 174	<i>oblonga</i>	1852, 69
<i>similis</i>	1859, 155	<i>obovata</i>	1855, 9
<i>unicolor</i>	1850, 278	<i>pirriæ</i>	1854, 295
<i>Ptychodes honduræ</i>	1858, 412	<i>pygmæa</i>	1854, 214
<i>Ptyonura albifrons</i>	1860, 78	<i>recta</i>	1854, 210
<i>Pucrasia castanea</i>	1854, 99	<i>saxicola</i>	1854, 214
	1854, 99	<i>seminulum</i>	1854, 214
<i>macrolopha</i>	1858, 560	<i>sennaariensis</i>	1856, 35
	1859, 186	<i>sphinctostoma</i>	1854, 209
		<i>strangei</i>	1852, 69
		<i>substriata</i>	1854, 211
		<i>teres</i>	1856, 35

	Page		Page
<i>Pupa umbilicata</i>	1854,	207	
<i>vincta</i>	1854,	208	
<i>Puperita pupa</i>	1858,	94	
<i>Pupina bilinguis</i>	1850,	97	
<i>cumingiana</i>	1853,	52	
<i>nicobarica</i>	1852,	145	
<i>superba</i>	1855,	118	
<i>templemani</i>	1852,	158	
<i>Purpura analoga</i>	1850,	273	
<i>aperta</i>	1856,	227	
<i>carolensis</i>	1850,	274	
<i>columellaris</i>	1850,	274	
<i>conradi</i>	1856,	228	
<i>cornigera</i>	1856,	229	
<i>costata</i>	1853,	186	
<i>decemcostata</i>	1850,	274	
<i>emarginata</i>	1856,	228	
<i>fasciata</i>	1856,	357	
<i>freycineti</i>	1850,	274	
<i>fuscata</i>	1850,	274	
<i>harpa</i>	1856,	228	
<i>lapillus</i>	1850,	273	
<i>macrostoma</i>	1856,	227	
<i>pansa</i>	1856,	208	
<i>patula</i>	1856,	208	
<i>planospira</i>	1850,	274	
<i>spirata</i>	1856,	228	
(<i>Monoceros</i>) <i>brevi-</i>			
<i>dens</i>	1856,	229	
(—) <i>engonata</i> ..	1856,	228	
(—) <i>lapilloides</i> ..	1856,	229	
<i>Pusionella grandis</i>	1853,	73	
<i>lirata</i>	1853,	73	
<i>Pustularia rosea</i>	1858,	271	
<i>Putorius communis</i>	1860,	183	
<i>striatus</i>	1848,	21	
<i>tibetanus</i>	1856,	398	
<i>Pycnonotus barbatus</i> ..	1850,	217	
<i>bengalensis</i>	1858,	496	
<i>finlaysoni</i>	1857,	93	
<i>goiavier</i>	1858,	495	
<i>hæmorrhous</i>	1859,	181	
<i>humeraloides</i>	1859,	150	
<i>jocosus</i>	1854,	278	
<i>leucogenys</i>	1854,	278	
<i>leucotis</i>	1859,	151	
<i>nigripileus</i>	1858,	495	
<i>pygæus</i>	1854,	272	
<i>Pycnoptilus floccosus</i> ..	1854,	278	
	1855,	40	
	1858,	496	
	1859,	150	
	1858,	496	
	1859,	181	
	1858,	496	
	1859,	150	
	1857,	93	
	1850,	95	
		279	
<i>Pyctorhis longirostris</i> ..	1854,	104	
<i>sinensis</i>	1854,	105	
	1857,	94	
	1858,	488	
<i>Pygoptila maculipennis</i> .	1858,	220	
<i>margaritata</i>	1858,	221	
<i>Pygmornis adolphi</i>	1856,	287	
<i>Pygosceles papua</i>	1860,	390	
<i>wagleri</i>	1860,	390	
<i>Pyramidella acilis</i>	1851,	224	
<i>auris-cati</i>	1853,	177	
<i>glans</i>	1853,	177	
<i>gracilis</i>	1853,	178	
<i>maculosa</i>	1853,	177	
<i>magnifica</i>	1853,	177	
<i>metula</i>	1851,	224	
<i>mitralis</i>	1853,	177	
<i>nitida</i>	1853,	178	
<i>plicata</i>	1853,	177	
<i>propinqua</i>	1853,	177	
<i>punctata</i>	1853,	177	
<i>subulata</i>	1853,	177	
<i>variegata</i>	1853,	178	
<i>Pyramis acutus</i>	1851,	151	
<i>architectonicus</i>	1851,	152	
<i>cærulescens</i>	1851,	151	
<i>crenatus</i>	1853,	179	
<i>crenulatus</i>	1851,	152	
<i>dentatus</i>	1851,	151	
<i>elegantissima</i>	1853,	179	
<i>fenestratus</i>	1851,	151	
<i>indistinctus</i>	1853,	180	
<i>leucogaster</i>	1851,	152	
<i>mauritanus</i>	1851,	151	
<i>noduliferus</i>	1851,	151	
<i>obeliscus</i>	1851,	151	
<i>prasinus</i>	1851,	151	
<i>triserialis</i>	1851,	151	
	1855,	156	
	1856,	123	
	1856,	142	
	1856,	303	
	1858,	73	
<i>Pyrranga æstiva</i>	1858,	358	
	1859,	364	
	1859,	377	
	1860,	65	
	1860,	293	
	1860,	371	
<i>albicollis</i>	1855,	156	
	1856,	117	
<i>ardens</i>	1856,	126	
	1859,	139	
<i>azaræ</i>	1855,	156	
	1856,	124	
	1856,	126	
<i>bidentata</i>	1857,	205	
	1859,	364	

	Page		Page
<i>Pyrrangia bivittata</i>	{ 1855, 156 1856, 126	<i>Pyrriglena leucoptera</i> ..	1858, 246
<i> cucullata</i>	{ 1855, 156 1856, 125	<i> maculicaudis</i>	1858, 247
<i> cyanictera</i>	1856, 212	<i> nudiceps</i>	{ 1854, 113 1857, 47 1858, 274
<i> dentata</i>	1856, 124	<i> picea</i>	1860, { 279 294
<i> erythrocephala</i> ..	{ 1856, 125 1859, 377	<i> quixensis</i>	{ 1854, 112 1855, 147 1858, 66
<i> erythromelæna</i> ..	{ 1856, 303 1859, 364	<i> rufiventris</i>	{ 1858, 241 1854, 112 1858, 67 1858, 241
<i> erythromelana</i>	1856, 126	<i> serva</i>	1858, { 66 247
<i> erythromelas</i>	{ 1855, 156 1856, 123	<i> tyrannina</i>	{ 1855, 90 1855, 147 1858, 245
<i> erythropis</i>	1856, 125	<i>Pyrocephalus mexicanus</i>	1859, { 45 56 366
<i> hepatica</i>	{ 1856, 124 1857, 213 1858, 303 1859, 364 1859, 377	<i> nanus</i>	{ 1859, 46 1859, 144 1860, 282 1860, 295
<i> icteropus</i>	1856, 122	<i> obscurus</i>	1859, 46
<i> ignicapilla</i>	1856, 120	<i> rubineus</i>	{ 1854, 113 1855, 149 1856, 296 1859, 45
<i> leucoptera</i>	{ 1855, 156 1856, 126	<i>Pyroderus grenadensis</i> ..	1855, 153
<i> luctuosa</i>	{ 1856, 114 1856, 125	<i>Pyrodes smithianus</i>	1850, 12
<i> ludoviciana</i>	{ 1857, 213 1859, 377	<i> tenuicornis</i>	1850, 11
<i> mexicana</i>	1856, 65	<i>Pyromelana ignicolor</i> ..	1850, 218
<i> mississippiensis</i>	1856, 124	<i>Pyronicia marmorata</i> ..	1858, 140
<i> pyrrocephala</i>	1856, 125	<i> punctata</i>	1858, 141
<i> quajacina</i>	1856, 120	<i>Pyrrhocomma personata</i> ..	1856, 89
<i> roseogularis</i>	1857, { 6 66	<i> ruficeps</i>	1856, 108
<i> rubica</i>	1856, 119	<i>Pyrrhocorax alpinus</i> ..	{ 1858, 478 1859, 172
<i> rubra</i>	{ 1855, 156 1856, 123 1858, 73	<i>Pyrrhula abeillei</i>	1856, 66
<i> rubriceps</i>	{ 1855, 156 1856, 125	<i> aurantia</i>	{ 1858, 484 1859, 177
<i> saira</i>	1856, 124	<i> aurantiaca</i>	1857, 222
<i> sanguinolenta</i>	1856, 126	<i> cærulea</i>	1856, 241
<i> versicolor</i>	1856, 119	<i> erythrocephala</i> ...	{ 1857, 223 1858, 483 1859, 177
<i>Pyrena terebralis</i>	1859, 316	<i> frontalis</i>	1856, 304
<i>Pyrgella leacociana</i>	1854, 205	<i> raptor</i>	1856, 69
<i>Pyrgita domestica</i>	1854, 160	<i> rosea</i>	1860, 108
<i> flavicollis</i>	1854, 160	<i> vulgaris</i>	1857, 223
<i> swainsoni</i>	1850, 219	<i>Pyrrhulagra ruficollis</i> ..	1856, 269
<i>Pyrgula clathrata</i>	1853, 185	<i> violacea</i>	1857, 231
<i> quadricostata</i>	1856, 162	<i>Pyrrhulauda crucifer</i> ..	1854, 255
<i>Pyrriglena atra</i>	1858, { 66 246	<i> grisea</i>	{ 1857, 95 1858, 483
<i> domicella</i>	{ 1854, 112 1855, 109 1858, 66 1858, 246 1855, 109		
<i> ellisiana</i>	{ 1855, 147 1858, 246		

	Page		Page
<i>Pyrrhulina</i> hæmorrhœa	1856, 304	<i>Querquedula</i> discors	1860, 254
<i>Pyrrhuphonia</i> jamaica	1856, 280	versicolor	1860, 389
<i>Pyrrhonia</i> coryphæus	1856, 114	<i>Querula</i> cruenta	1855, 153
leucoptera	1856, 113	minor	1857, 73
valeryi	1856, 114	rubricollis	1857, 265
<i>Pyrrula</i> lignaria	1856, 41	<i>Quiscalus</i> —	1856, 300
(<i>Rhizochilus</i>) de		barita	1857, 232
burghiæ	1857, 208	lugubris	1857, 265
<i>Pytelia</i> elegans	1850, 218	macrurus	1856, 300
monteiri	1860, 111		1858, 358
<i>Pythia</i> celebensis	1854, 299	major	1859, 58
macgillivrayi	1854, 298	subalaris	1855, 153
ovata	1854, 299	sumichrasti	1859, 365
pepita	1854, 35		381
scarabæa	1851, 232	<i>Radja</i> eytoni	1860, 365
<i>Pythina</i> arcuata	1856, 47	<i>Rallina</i> tricolor	1858, 188
cumingii	1856, 47		1859, 159
mactroides	1856, 340	<i>Rallus</i> aquaticus	1859, 436
nuculoides	1856, 341	australis	1860, 371
paula	1856, 47	gularis	1859, 150
peculiaris	1856, 47	indicus	1858, 508
triangularis	1856, 47	semiplumbeus	1856, 31
<i>Python</i> bellii	1858, 164	striatus	1858, 508
bivittatus	1858, 164	virginianus	1856, 31
liberiensis	1858, 164	<i>Ramola</i> volutella	1858, 47
molurus	1860, 192	<i>Ramphastos</i> ambiguus	1855, 160
regius	1849, 106	carinatus	1856, 308
	1859, 432	citreolæmus	1855, 161
sebæ	1859, 164	culminatus	1858, 75
<i>Pyxipoma</i> anguillæ	1860, 410		460
	412	cuvieri	1855, 161
<i>cylandrella</i>	1860, 410		1857, 266
	412	discolorus	1856, 368
	409	momota	1857, 250
<i>lacteus</i>	1860, 412	toco	1860, 416
	413	vitellinus	1860, 242
<i>tahitensis</i>	1860, 410	<i>Ramphiculus</i> jambu	1859, 465
	412	<i>Ramphocænus</i> guttatus	1858, 243
<i>Querquedula</i> cæruleata	1859, 96	maculatus	1858, 242
	1857, 215	rufiventris	1859, 383
	1859, 65	trinitatis	1858, 288
<i>carolinensis</i>	1859, 237	viridis	1858, 288
	1859, 369	<i>Ramphocelus</i> affinis	1856, 130
	1860, 254	atrishericeus	1856, 130
<i>circia</i>	1858, 510	aurinotus	1856, 131
	1858, 510	brasilius	1854, 97
<i>crecca</i>	1859, 190		1856, 127
	1860, 303	chrysonotus	1856, 131
	1859, 96	coccineus	1856, 127
<i>creccoides</i>	1860, 389	dimidiatus	1856, 129
	1855, 164		142
	1856, 311	dorsalis	1854, 97
<i>cyanoptera</i>	1859, 237		1856, 127
	1860, 389	flammigerus	1856, 131
	1857, 206		1856, 131
<i>discors</i>	1857, 237	icteronotus	1859, 139
	1859, 393		1860, 65

	Page		Page
Ramphocelus icteronotus	1860,	} 1858,	390
			1858,
jacapa	1856,	1858,	394
luciani	1856,	1860,	174
magnirostris	1856,	1860,	204
nigrigularis	1856,	1858,	393
	1856,	1860,	164
passerinii	1856,	1860,	168
	1859,	1860,	170
	1859,	1858,	393
purpureus	1856,	1860,	116
	1856,	1860,	164
	1856,	1860,	168
sanguinolentus ..	1859,	1860,	170
	1859,	1860,	171
	1859,	Ranella cœlata	1856,
	1856,	jucunda	1853,
unicolor	1857,	luteostoma	1860,
	19	producta	1860,
uropygialis	1856,	triquetra	1856,
varians	1856,	Rapana clathrata	1853,
venezuelensis	1856,	coralliophila	1853,
Ramphopsis affinis	1856,	fortunii	1853,
atrisericeus	1856,	fragilis	1853,
atrococcineus	1856,	nodosa	1853,
brasiliana	1856,	pulchella	1853,
coccinea	1856,	scala	1853,
dimidiatus	1856,	suturalis	1853,
flammigerus	1856,	(Latiaxis) rhodo-	
icteronotus	1856,	stoma	1854,
jacapa	1856,	Raphicerus acuticornis ..	1850,
luciani	1856,	subulata	1850,
melanogaster	1856,	Realia cattaroënsis	1854,
nigrigularis	1856,	egea	1849,
passerinii	1856,	gutta	1854,
Rana albilabris	1858,	minutissima	1854,
bibronii	1858,	rubella	1854,
	1858,	turriculata	1854,
	1858,	ventricosa	1854,
esculenta	1858,	Rectes dichrous	1858,
	1859,	ferrugineus	1858,
	473	kirrocephalus	1859,
galamensis	1858,	strepitans	1858,
halecina	1858,		180
hexadactyla	1860,		157
kuhlii	1858,		180
leontii	1858,		157
	157		78
	165	Regalecus glesne	1849,
	168		81
	170		82
liebigii	1860,		52
	165	grillii	1849,
	168	remipes	1849,
	170		78
malabarica	1858,		82
oxyrhina	1858,	Regenia ocellata	1858,
rugosa	1858,		155
subsigillata	1858,	1860,	372
superciliaris	1858,	Registoma complanatum ..	1860,
sylvatica	1858,		440
temporaria	1858,	Reguloides proregulus ..	1859,
	1858,		150
	374	Regulus calendula	1857,
			202

	Page		Page
<i>Regulus calendula</i>	1859, {	<i>Rhea americana</i>	1860, 207
	362	<i>darwinii</i>	1860, 207
	371	<i>macrorhyncha</i>	1860, 207
<i>calendulus</i>	1858, {		{ 1855, 133
	300	<i>Rhimamphus æstivus</i>	{ 1855, 143
<i>cristatus</i>	{ 1858, 493		{ 1856, 141
	{ 1859, 185		{ 1857, 202
<i>maderensis</i>	1854, 153		{ 1855, 133
	{ 1857, 212	<i>blackburniæ</i>	{ 1855, 143
<i>satrapa</i>	{ 1859, 235		{ 1858, 64
	{ 1860, 250	<i>cæruleus</i>	{ 1857, 18
<i>Reinwardtaena typica</i>	1860, 361		{ 1858, 64
<i>Reinwardtipicus validus</i>	1859, 455	<i>coronatus</i>	1856, 291
<i>Resania taylorii</i>	1851, 305	<i>olivaceus</i>	1856, 291
<i>Rhabdodon fuscus</i>	1858, 160	<i>pensilis</i>	1856, 291
<i>Rhabdosoma crassicaudatum</i>	1859, 411	<i>striatus</i>	1855, { 133
	{ 89		{ 143
<i>elaps</i>	1859, { 411	<i>virens</i>	1856, 291
	{ 411	<i>Rhinoceros crossii</i>	1854, 250
<i>maculatum</i>	1859, 411	<i>oswellii</i>	1853, 46
	{ 165	<i>Rhinocryptes amphibia</i>	1856, 346
<i>Rhacophorus maximus</i>	1860, { 168	<i>Rhinolophus cornutus</i>	1859, 76
	{ 171	<i>crumeniferus</i>	1858, 108
<i>Rhamphastos ambi-</i>	{ 1859, 146	<i>ferrum-equinum</i>	1858, 81
<i>guus</i>	{ 1860, 95	<i>hippocrepis</i>	1859, 76
<i>ariel</i>	1859, 432	<i>insignis</i>	1858, 108
	{ 1849, 94	<i>marsupialis</i>	1858, 108
<i>carinatus</i>	{ 1859, 59	<i>perniger</i>	1856, 394
	{ 1859, 368	<i>speoris</i>	1858, 108
	{ 1859, 388	<i>tragatus</i>	1856, 394
<i>erythrorhynchus</i>	1859, 432	<i>Rhinophis oxyrhynchus</i>	1858, 264
<i>tocard</i>	1860, 70	<i>philippinus</i>	1858, 263
<i>Rhamphocænus cine-</i>	{ 1855, 76	<i>punctatus</i>	1858, 264
<i>reiventris</i>	{ 1858, 244		{ 339
	{ 1855, 76	<i>Rhinophrynus dorsalis</i>	{ 1858, 343
<i>melanurus</i>	{ 1858, 243		{ 348
	{ 1855, 76	<i>Rhinoplax scutatus</i>	1859, 446
<i>rufiventris</i>	{ 1857, 202	<i>Rhinoptilus chalcopterus</i>	1850, 220
	{ 1858, 244	<i>Rhinortha caniceps</i>	1859, 458
<i>trinitatis</i>	1855, 76	<i>chlorophæa</i>	1859, 458
<i>viridis</i>	1855, 76	<i>Rhinostoma cupreum</i>	1858, 387
<i>Rhamphocelus chryso-</i>		<i>occipitale</i>	1858, 387
<i>notus</i>	1855, 157	<i>Rhipidura albiscapa</i>	1859, 221
	{ 1855, 156	<i>albofrontata</i>	1857, 89
<i>dimidiatus</i>	{ 1858, 73	<i>assimilis</i>	1858, 176
<i>flammigerus</i>	1855, 157	<i>atripennis</i>	{ 1858, 175
<i>icteronotus</i>	1855, 157		{ 1860, 351
<i>unicolor</i>	1858, 453	<i>gularis</i>	1859, 156
<i>Rhamphocinclus bra-</i>	{ 1855, 214	<i>hyperythra</i>	1858, 176
<i>chyurus</i>	{ 1859, 338	<i>isura</i>	1858, 176
	{ 1855, 214	<i>javapica</i>	1854, 271
<i>gutturalis</i>	{ 1859, 338	<i>maculipectus</i>	1858, 176
	{ 1855, 214	<i>melanoléuca</i>	1860, 351
<i>tremulus</i>	{ 1859, 338	<i>mimoides</i>	{ 1858, 175
	{ 1859, 338		{ 1860, 351
<i>Rhamphomicon hetero-</i>		<i>poliogenys</i>	1854, 106
<i>pogon</i>	1855, 140	<i>squamata</i>	1860, 351
<i>microrhynchum</i>	1855, 140	<i>tricolor</i>	1860, 351
<i>stanleii</i>	1860, 81		
<i>Rhea americana</i>	1859, 205		

	Page		Page
<i>Rhizochilus asper</i>	1854,	<i>Rissoa truncata</i>	1854,
<i>californicus</i>	1855,	<i>Rissoina bellula</i>	1851,
<i>clathratus</i>	1853,	<i>clathrata</i>	1851,
<i>coralliophilus</i>	1853,	<i>celata</i>	1851,
<i>de burghia</i>	1857,	<i>concinna</i>	1851,
<i>exaratus</i>	1860,	<i>costata</i>	1851,
<i>fragilis</i>	1853,	<i>d'orbigny</i>	1851,
<i>pulchellus</i>	1853,	<i>eulimoides</i>	1851,
<i>radula</i>	1854,	<i>fasciata</i>	1851,
<i>scala</i>	1853,	<i>micans</i>	1851,
<i>suturalis</i>	1853,	<i>monilis</i>	1851,
<i>Rhizomys badius</i>	1856,	<i>nitida</i>	1851,
<i>Rhizotrochus typus</i>	1849,	<i>nivea</i>	1851,
<i>Rhodinocichla rosea</i>	1855,	<i>nodicincta</i>	1851,
<i>Rhopoterpe gularis</i>	1858,	<i>plicata</i>	1851,
<i>guttata</i>	1858,	<i>pyramidalis</i>	1851,
<i>torquata</i>	1858,	<i>scalariana</i>	1851,
<i>Rhopothera punctulata</i>	1858,	<i>semiglabrata</i>	1851,
<i>Rhyacophilus glareola</i>	1859,	<i>striolata</i>	1851,
<i>solitarius</i>	1860,	<i>triticea</i>	1860,
<i>Rhynchæa picta</i>	1855,	<i>turricula</i>	1860,
<i>Rhynchaspis clypeata</i>	1855,	<i>Romicia calcarata</i>	1859,
<i>Rhynchea bengalensis</i>	1858,	<i>Rostellaria melanocheila</i>	1854,
<i>Rhynchonella concinna</i>	1852,	<i>1858,</i>	60
<i>nigricans</i>	1852,	<i>Rostrhamus sociabilis</i>	1859,
	1855,	<i>1860,</i>	289
	1858,	<i>Rotella aucta</i>	1853,
<i>Rhynchops nigra</i>	1860,	<i>conica</i>	1853,
	290	<i>costata</i>	1853,
<i>Rhynchopsitta pachy-</i>		<i>elegans</i>	1853,
<i>rhyncha</i>	1857,	<i>gigantea</i>	1853,
<i>Rhynchotis perdix</i>	1860,	<i>guamensis</i>	1853,
<i>Rhyticeros plicatus</i>	1859,	<i>javanica</i>	1853,
<i>subruficollis</i>	1859,	<i>lineolata</i>	1853,
	150	<i>monilifera</i>	1853,
	452	<i>rosea</i>	1853,
<i>Rhytina borealis</i>	1859,	<i>sagittata</i>	1853,
<i>stelleri</i>	1859,	<i>suturalis</i>	1853,
<i>Rhytiphora amicula</i>	1859,	<i>Rotula digitata</i>	1851,
	122	<i>ramphii</i>	1851,
	1858,	<i>Rucervus duvaucellii</i>	1850,
<i>Riama unicolor</i>	1859,	<i>elaphoides</i>	1850,
	89	<i>Rumina decollata</i>	1854,
<i>Rimula arcinella</i>	1854,	<i>Runcina hancockii</i>	1854,
<i>calva</i>	1854,	<i>Rupellaria lamellifera</i>	1856,
<i>capsella</i>	1854,	<i>Rupicapra americana</i>	1850,
<i>carinata</i>	1851,	<i>capella</i>	1850,
<i>cognata</i>	1851,	<i>pyrenaica</i>	1850,
<i>cucullata</i>	1851,	<i>tragus</i>	1850,
<i>cumingii</i>	1851,		137
<i>exquisita</i>	1851,		174
<i>fausta</i>	1854,	<i>Rupicola aurantia</i>	1859,
<i>flemingii</i>	1851,	<i>cayana</i>	1859,
<i>galeata</i>	1851,	<i>crocea</i>	1859,
<i>noachina</i>	1851,	<i>elegans</i>	1859,
<i>obserata</i>	1854,	<i>peruviana</i>	1855,
<i>propinqua</i>	1851,		152
<i>Rissoa bella</i>	1851,		71
<i>elegans</i>	1851,		99
<i>gracilis</i>	1860,		99
<i>lucullana</i>	1853,		1860,
<i>membranacea</i>	1853,		98
	43		99

	Page		Page
<i>Rupicola sanguinolenta</i> {	1859, 99	<i>Sacalis indicus</i>	1856, 397
	1859, 100	<i>Saccopteryx lepturus</i> ..	1858, 547
	1860, 91	<i>Sacfa hodgsoniæ</i>	1859, 185
<i>Rusa aristotelis</i>	1850, 230	<i>Sagmatorrhina lathamii</i> .	1851, 202
	1856, 405	<i>Saiga tatarica</i>	1850, 112
<i>dimorphe</i>	1850, 231	<i>Saimaris sciurea</i>	1856, 139
	1856, 405	<i>Saki</i>	1849, 8
<i>equinus</i>	1850, 231	<i>Salamandra atra</i>	{ 1858, 142
	1850, 231		{ 1860, 174
<i>hippelaphus</i>	1856, 405	<i>corsica</i>	1858, 142
<i>jarai</i>	1856, 405	<i>maculosa</i>	1858, { 142
<i>javanica</i>	1860, 376		{ 391
<i>kuhlii</i>	1850, 232	<i>nigra</i>	1860, 372
<i>lepida</i>	1850, 232	<i>vulgaris</i>	1859, { 432
<i>peronii</i>	1850, 232		{ 433
<i>philippinus</i>	1850, 232	<i>Salassa lola</i>	1859, 246
<i>saput</i>	1850, 232	<i>Salmo fario</i>	1848, 38
<i>tunjuc</i>	1850, 232	<i>salar</i>	1860, 442
<i>ubi</i>	1850, 232	<i>Salpinctes mexicanus</i> .	{ 1855, 66
<i>Ruticilla atrata</i>	1854, 26		{ 1857, 212
<i>aurorea</i>	1854, 28		{ 1858, 297
<i>cæruleocephala</i>	1854, 29	<i>obsoletus</i>	1859, 371
	1854, 27	<i>Salpiza cristata</i>	1860, 271
<i>erythrogastra</i>	1858, 492	<i>jacucaca</i>	1860, 271
	1859, 179	<i>marail</i>	1860, 269
<i>erythronota</i>	1854, 30	<i>obscura</i>	1860, 271
<i>erythroprocta</i>	1855, 87	<i>pileata</i>	1860, 270
	29	<i>purpurascens</i>	1860, 269
<i>frontalis</i>	75	<i>superciliaris</i>	1860, 272
	1854, 29	<i>Saltator albicollis</i>	1856, 75
<i>fuliginosa</i>	1858, 492	<i>arremonops</i>	{ 1855, 84
	1859, 179		{ 1856, 80
<i>grandis</i>	1849, 112	<i>ater</i>	1856, 67
	1854, 27		{ 1856, 69
<i>hodgsonii</i>	1854, 26		{ 1856, 302
	1854, 26	<i>atriceps</i>	{ 1858, 358
<i>indica</i>	1858, 492		{ 1859, 58
	1859, 179		{ 1859, 364
	1854, 30		{ 1859, 377
<i>leucocephala</i>	1858, 492	<i>atricollis</i>	1856, 77
	1859, 179		{ 1857, 6
<i>leucoptera</i>	1854, 28	<i>atripennis</i>	{ 1859, 138
<i>melanura</i>	1854, 29		{ 1860, 85
<i>nigrogularis</i>	1854, 29	<i>aurantiostrostris</i>	1856, 74
<i>nipalensis</i>	1854, 26		{ 1856, 73
<i>phœnicura</i>	1854, 25	<i>azaræ</i>	{ 1858, 72
<i>phœnicuroides</i>	1854, 25	<i>bicolor</i>	1856, 79
<i>plumbea</i>	1854, 30	<i>cærulescens</i>	1856, { 72
<i>reevesii</i>	1854, 26		{ 73
<i>rufogularis</i>	1854, 27	<i>cayennensis</i>	1856, 70
<i>schisticeps</i>	1854, 29	<i>cyanoptera</i>	1856, 233
<i>simplex</i>	1854, 30	<i>elegans</i>	1856, 78
<i>sylvestris</i>	1854, 25	<i>flavidicollis</i>	1860, 274
	1854, 25	<i>flavus</i>	1856, 124
<i>tithys</i>	1855, 79	<i>gigantoides</i>	1856, 69
	1854, 27		{ 1856, 72
<i>vigorsii</i>	1858, 492	<i>grandis</i>	{ 1857, 205
			{ 1859, 58

	Page		Page			
<i>Saltator grandis</i>	1859,	} 364 377	<i>Sanguinolaria miniata</i> ..	1856,	199	
<i> guadalupensis</i>	1856,		<i> nuttallii</i>	1856,	212	
<i> gularis</i>	1856,	76	<i> pacifica</i>	1856,	212	
<i> gutturalis</i>	1856,	74	<i> purpurea</i>	} 1854, 1856,	346	
<i> icterophrys</i>	} 1856, 1857,	71	<i> rubroradiata</i>		1856,	212
<i> icteropygius</i>		205	72	<i> tellinoides</i>	1849,	170
<i> maculipectus</i>	1856,	70	<i> vitrea</i>	1854,	326	
	1856,	76	<i>San-zjak</i>	1850,	84	
	1856,	69	<i>Saperda læta</i>	1856,	12	
	1856,	142	<i>Sapphironia lucida</i>	} 1858, 1859,	297	
<i> magnoides</i>	1856,	302	<i>Sarcidiornis africana</i> ...		1860,	42
	1859,	364	<i>Sarciophorus pileatus</i> ..	1850,	221	
	1859,	377	<i>Sarcogorgia phidippus</i> ..	1857,	} 159 294	
	1855,	154	<i>Sarcoptilus grandis</i> ...	1848,		45
	1856,	70	<i>Sarcorhamphus papa</i> ..	} 1851, 1855, 1857,	53	
	1858,	72	<i>Sarkidiornis africana</i> ...		1850,	221
<i> magnus</i>	1859,	138	<i>Sarochalinus rufigularis</i> .		1858,	63
	1860,	65	<i>Saturnia acetes</i>	1849,	53	
	1860,	274	<i> agathylla</i>	1849,	58	
	1860,	293	<i> alcinœ</i>	1849,	50	
<i> martinicensis</i>	1856,	76	<i> alinda</i>	1849,	50	
<i> maxillosus</i>	1856,	74	<i> alopia</i>	1849,	55	
<i> melanoleucus</i>	} 1856, 1857,	78	<i> angasana</i>	1849,	52	
<i> melanopsis</i>		1856,	67	<i> apollonia</i>	1849,	} 36 47
<i> melanopterus</i>	1857,	66	<i> arata</i>	1849,	41	
<i> mutus</i>	1856,	72	<i> argus</i>	1849,	49	
<i> niger</i>	1856,	121	<i> arrundi</i>	1859,	267	
<i> nigrigenys</i>	1856,	72	<i> assamensis</i>	1859,	258	
	1856,	70	<i> belina</i>	1849,	41	
<i> olivascens</i>	} 1856, 1857,	71	<i> cæcigena</i>	1849,	33	
		1857,	19	<i> caffra</i>	1849,	50
<i> orenocensis</i>	1856,	77	<i> calleta</i>	1853,	161	
<i> plumbeus</i>	1856,	71	<i> campionea</i>	1849,	49	
<i> psittacinus</i>	1856,	65	<i> carpini</i>	1849,	33	
<i> raptor</i>	1856,	69	<i> cedo-nulli</i>	1849,	36	
<i> riefferi</i>	1856,	78	<i> chapata</i>	1853,	162	
<i> ruber</i>	1856,	124	<i> cometes</i>	1849,	47	
<i> rubicoides</i>	1856,	120	<i> cynthia</i>	1859,	267	
	1856,	119	<i> cytherea</i>	1849,	44	
<i> rubicus</i>	} 1856, 303	303	<i> delegorguei</i>	1849,	59	
<i> ruficapilla</i>		1856,	67	<i> dione</i>	1849,	} 44 46
<i> rufiventris</i>	1856,	72	<i> epimethea</i>	1849,	50	
	1856,	74	<i> ethra</i>	1849,	56	
<i> similis</i>	1856,	71	<i> forda</i>	1849,	52	
<i> sordidus</i>	1856,	77	<i> grimmia</i>	1849,	59	
<i> striaticeps</i>	1856,	76	<i> grotei</i>	1859,	265	
<i> striatipectus</i>	1855,	154	<i> herilla</i>	1849,	57	
	1856,	72	<i> hersilia</i>	1849,	42	
<i> superciliaris</i>	} 1856, 73	73	<i> isis</i>	1849,	} 47 53	
		1856,	74	<i> janeira</i>		1853,
<i> validus</i>	1856,	77				
<i> vigorsi</i>	1856,	72				
<i> virescens</i>	1856,	70				
<i>Samia cynthia</i>	1859,	267				
<i>Sanguinolaria californiana</i>	1856,	212				

	Page		Page
Saturnia jorulla	1853,	Sauloprocta melanoleuca	1860,
katinka	1859,		1851,
larissa	1859,	Saurophagus derbianus	{ 1851,
lavendera	1853,		1856,
lola	1859,	flavus	1851,
	246	liCTOR	1851,
lucina	1849,	pusillus	1851,
	{ 37	rufipennis	1856,
	56		1851,
luna	1849,	sulphuratus	{ 1856,
	{ 38		1851,
	47	swainsonii	1851,
mænas	1849,	Saurothera dominicensis	1857,
	48	vieilloti	1857,
maia	1849,	Saxicava californica	1856,
	{ 36	carditoides	1856,
	54		{ 219
melvilla	1853,	norvegica	1855,
menippe	1849,		{ 221
	43		1855,
mimosæ	1849,	Saxicola atrogularis ..	{ 1858,
	{ 47		1859,
	48	deserti	1850,
mylitta	{ 1849,	isabellina	1850,
	1859,	cenanthe	1850,
	247		1860,
mythimnia	1849,	orientalis	1854,
nenia	1849,		1855,
nictitans	1849,	picata	1858,
orizaba	1853,	Saxidomus giganteus ..	1856,
pandiona	1849,	nuttalli	1856,
	36	Sayornis ardosiaea	1855,
paphia	{ 1849,		{ 1858,
	1859,	cineracea	1858,
	247		1860,
pavonia	1849,		1856,
pernyi	1859,	nigricans	1857,
perspicilla	1849,		1859,
phædusa	1849,		1857,
pluto	1853,	pallida	{ 1857,
	164		1859,
	{ 33	Scalaria cumingii	1856,
pyra	1849,	fucata	1860,
	{ 36	hindsii	1856,
	46	lovenii	1856,
pyretorum	1859,	millecostata	1860,
ricini	1859,	mitræformis	1855,
sapatoza	1853,	reflexa	1855,
selene	1849,	regularis	1856,
semiramis	1849,	subnodosa	1856,
simla	1859,	tiara	1856,
spini	1849,	turtonii	1853,
	33		{ 1855,
thibeta	{ 1853,	Scapha aulica	1859,
	166		1855,
	1859,	colocyntha	1859,
	260		1855,
trifenestrata	1859,	concinna	1859,
tyrrhea	1849,		1855,
tyrrhena	1849,		1859,
vacuna	1849,	deshayesii	1855,
wahlbergii	1849,		1859,
zacateca	1853,		36
zuleika	1859,		36
(Aphelia) apollina-			56
ris	1849,		57
(Henucha?) smilax	1849,		36
(Urota) sinope	1849,		58
	60		36
Saucerottia atala	1856,		56
cyaneifrons	1857,		36
niveiventris	1856,		56
sophiæ	1855,		36
viridigastra	1857,		36

	Page		Page
<i>Scapha dubia</i>	1855, 55	<i>Scaphorhynchus mexi-</i>	1858, 358
<i>ferussacii</i>	1855, 58	<i>canus</i>	1859, 45
	1859, 36		1859, 366
	1855, 58		1851, 44
<i>fusiformis</i>	1859, 35	<i>pitangua</i>	1851, 45
	1859, 36		1859, 45
<i>javanica</i>	1859, 36	<i>Scaphula biplicata</i>	1858, 56
<i>junonia</i>	1855, 57	<i>rosalina</i>	1858, 56
<i>leucostoma</i>	1859, 36	<i>Scarabella cassida</i>	1854, 212
<i>leuteostoma</i>	1855, 57	<i>Scarabus borneensis</i>	1850, 152
	1855, 57	<i>castaneus</i>	1850, 150
<i>magellanica</i>	1859, 36		151
	1855, 57	<i>cecillii</i>	1850, 149
<i>magnifica</i>	1859, 35	<i>chalcostomus</i>	1850, 152
	1855, 55	<i>cumingianus</i>	1850, 150
<i>mamilla</i>	1859, 35	<i>imbrium</i>	1850, 147
	1859, 36	<i>imporforatus</i>	1850, 151
<i>maria-emma</i>	1859, 231	<i>lekithostoma</i>	1850, 150
<i>megaspira</i>	1855, 58	<i>lessoni</i>	1850, 147
	1855, 56		151
<i>nivosa</i>	1859, 35	<i>pantherinus</i>	1850, 152
<i>norrisii</i>	1855, 56	<i>petiverianus</i>	1850, 148
	1855, 58		1850, 148
<i>pacifica</i>	1859, 36	<i>plicatus</i>	1851, 72
<i>piperita</i>	1855, 56	<i>pollex</i>	1850, 150
<i>pulchella</i>	1855, 56		149
	1855, 57	<i>pyramidatus</i>	1850, 152
<i>punctata</i>	1859, 36	<i>semisulcatus</i>	1850, 151
<i>rossiniana</i>	1859, 231	<i>sinuosus</i>	1850, 151
	1855, 56	<i>striatus</i>	1850, 148
<i>rutila</i>	1859, 35	<i>trigonus</i>	1850, 148
<i>sophia</i>	1859, 35	<i>undatus</i>	1850, 149
	1855, 56		1856, 309
<i>vesperilio</i>	1859, 35	<i>Scardafella inca</i>	1859, 61
<i>Scaphella fusiformis</i>	1855, 58		1859, 391
<i>junonia</i>	1855, 57	<i>Scelidotherium leptoce-</i>	1851, 210
<i>maculata</i>	1855, 64	<i>phalum</i>	
<i>papillosa</i>	1855, 63	<i>Sceloporus chlorolepido-</i>	1860, 371
<i>reticulata</i>	1855, 64	<i>tis</i>	1859, 29
<i>turneri</i>	1855, 64	<i>Schasicheila minuseula</i>	1856, 148
<i>undulata</i>	1855, 64	<i>Schismotis excisa</i>	1860, 70
<i>zebra</i>	1855, 64	<i>Schistes albogularis</i>	1855, 139
(<i>Alcithoë</i>) <i>fulgetrum</i>	1855, 63		1860, 70
(—) <i>fusiformis</i> ..	1855, 58	<i>geoffroyi</i>	1860, 311
(—) <i>fuscus</i>	1855, 58	<i>personatus</i>	1856, 67
(—) <i>gracilis</i>	1855, 58	<i>Schistochlamys abeillei</i>	1855, 154
(—) <i>megaspira</i> ..	1855, 58	<i>atra</i>	1856, 67
(—) <i>pacifica</i>	1855, 58	<i>capistrata</i>	1856, 67
(—) <i>papillosa</i> ..	1855, 58	<i>fasciata</i>	1856, 68
(—) <i>tuberculata</i> ..	1855, 58	<i>leucophæa</i>	1856, 67
<i>Scaphorhynchus atriceps</i>	1851, 44		1855, 69
<i>audax</i>	1851, 44	<i>speculigera</i>	1856, 68
	1851, 44	<i>Schizorhina emilia</i>	1856, 16
	1851, 45	<i>idæ</i>	1856, 16
<i>chrysocephalus</i> ..	1859, 43	(<i>Hemipharis</i>) <i>bake-</i>	
	1860, 281	<i>welli</i>	1859, 119
<i>flaviceps</i>	1851, 44	<i>Schizorhis zonura</i>	1860, 197
<i>mexicanus</i>	1857, 204		

	Page		Page
<i>Schœniculus magnus</i> ..	1848,	<i>Scissurella elegans</i>	1859,
<i>Sciæna abdominalis</i>	1850,	<i>indica</i>	1859,
<i>lineata</i>	1850,	<i>lævigata</i>	1859,
<i>macroptera</i>	1850,	<i>mantelli</i>	1859,
<i>Sciænoides abdominalis</i> .	1850,	<i>plicata</i>	{ 1850,
<i>Scincus officinalis</i>	1859,	<i>reticulata</i>	{ 1859,
	{ 470	<i>striatula</i>	{ 1850,
	{ 475	<i>Sciuropterus alboniger</i> ..	1856,
<i>Scintilla adamsi</i>	1855,	<i>caniceps</i>	1856,
<i>anomala</i>	1855,	<i>chrysothrix</i>	1856,
<i>aurantiaca</i>	1855,	<i>nobilis</i>	1856,
<i>candida</i>	1855,	<i>senex</i>	1856,
<i>crocea</i>	1855,		{ 1856,
<i>crystallina</i>	1855,	<i>Sciurus aestuans</i>	{ 1858,
<i>cumingii</i>	1855,		{ 1860,
<i>cuvieri</i>	1855,	<i>boothiaë</i>	1859,
<i>faba</i>	1855,	<i>dorsalis</i>	1848,
<i>flavida</i>	1855,	<i>horsfieldi</i>	1856,
<i>forbesii</i>	1855,	<i>lokria</i>	{ 1855,
<i>hanleyi</i>	1855,	<i>lokrioides</i>	{ 1856,
<i>hyalina</i>	1855,	<i>macrotis</i>	1856,
<i>hydatina</i>	1855,	<i>macruroides</i>	{ 1855,
<i>hydrophana</i>	1855,	<i>macrurus</i>	1850,
<i>jukesi</i>	1855,	<i>maximus</i>	1860,
<i>opalina</i>	1855,	<i>m'clellandi</i>	1856,
<i>ovulina</i>	1855,	<i>mollipilosus</i>	1859,
<i>oweni</i>	1855,		{ 1850,
<i>pallidula</i>	1855,	<i>palmarum</i>	{ 1858,
<i>pellicula</i>	1855,	<i>purpureus</i>	{ 1860,
<i>philippensis</i>	1855,	<i>siamensis</i>	1855,
<i>porulosa</i>	1855,	<i>siamensis</i>	1859,
<i>pudica</i>	1855,	<i>trilineatus</i>	1850,
<i>recluziana</i>	1855,		{ 1858,
<i>reevei</i>	1855,	<i>vulgaris</i>	{ 1860,
<i>rosea</i>	1855,	<i>Sclerostoma sipunculi-</i>	
<i>scintillans</i>	1855,	<i>forme</i>	1859,
<i>solidula</i>	1855,		{ 1857,
<i>strangei</i>	1855,	<i>Sclerurus brunneus</i> ..	1858,
<i>striatina</i>	1855,		{ 1856,
<i>succinea</i>	1855,	<i>caudacutus</i>	1857,
<i>tenuis</i>	1855,	<i>fuscus</i>	1856,
<i>timorensis</i>	1855,	<i>guatimalensis</i>	1857,
<i>turgescens</i>	1855,		{ 1856,
<i>turgida</i>	1855,	<i>mexicanus</i>	1857,
<i>vitrea</i>	1855,		{ 1859,
<i>Scirpearia dichotoma</i> ..	1859,	<i>Scolanthus sphaeroides</i> ..	1855,
<i>mirabilis</i>	{ 1857,	<i>Scolopacinus rufiventris</i> .	1858,
	{ 288	<i>Scolopax burka</i>	1860,
	{ 1859,	<i>capensis</i>	1858,
	{ 481	<i>frenata</i>	1858,
	{ 1850,	<i>gallinago</i>	1858,
<i>Scissurella angulata</i> ..	1859,	<i>gallinula</i>	{ 199
<i>aspera</i>	1859,		{ 200
<i>bertheloti</i>	1859,		{ 201
<i>conica</i>	1859,		
<i>costata</i>	1859,		
<i>crispata</i>	{ 1850,		
<i>decussata</i>	{ 1859,		
<i>d'orbigny</i>	1850,		
	{ 40		
	{ 1859,		
	{ 203		

	Page		Page
<i>Scolopax gigantea</i>	1856, 31	<i>Scotophilus greyii</i>	1859, } 68
<i>grisea</i>	1860, 108		} 70
<i>hudsonica</i>	1860, 387		1857, 51
<i>magellanica</i>	1860, 387	<i>kuhlii</i>	{ 1859, 70
<i>major</i>	1858, 201		{ 1859, 71
<i>nemoricola</i>	1855, 80		{ 1859, 72
	{ 1851, 142	<i>leisleri</i>	{ 1859, } 69
<i>rusticola</i>	{ 1858, 201		} 70
	{ 1858, 506	<i>lobatus</i>	{ 1858, } 539
<i>uniclavatus</i>	{ 1859, 189		{ 1859, 70
<i>Scomber colias</i>	1860, 365		{ 1857, 51
<i>scomber</i>	1850, 248	<i>marginatus</i>	{ 1859, 70
<i>Sconsia grayi</i>	1860, 205		{ 1859, 72
<i>striata</i>	1854, 136	<i>microdon</i>	1859, 68
<i>Scopelus barbatus</i>	1854, 137	<i>minutus</i>	1857, 51
<i>humboldtii</i>	1850, 251	<i>morio</i>	1858, 121
<i>maderensis</i>	1850, 251	<i>nathusii</i>	1859, 72
<i>Scopophorus montanus</i> ..	1850, 119	<i>nitidus</i>	1858, 538
<i>ourebi</i>	1850, 118	<i>noctula</i>	1858, 28
<i>Scops asio</i>	1858, 133	<i>pachyomus</i>	1857, 50
<i>atricapilla</i>	1858, 133	<i>picatus</i>	1857, 51
<i>choliba</i>	{ 1855, 134	<i>pipistrellus</i>	{ 1857, } 51
	{ 1858, 133		{ 1859, 70
<i>flammeola</i>	1858, } 96	<i>pruinus</i>	1857, 37
	{ 1858, 133	<i>pumiloides</i>	1857, 51
<i>grammicus</i>	1858, 133	<i>pumilus</i>	{ 1857, } 51
<i>griseus</i>	1854, 262		{ 1859, 68
<i>javanicus</i>	1854, 262	<i>serotinus</i>	1858, 28
<i>lettia</i>	1854, 262	<i>tralatitius</i>	{ 1858, } 539
<i>lettoides</i>	1854, 262		{ 1859, 70
<i>leucotis</i>	1850, 216	<i>tuberculatus</i>	1858, 122
<i>lophotes</i>	1858, 133	<i>ursula</i>	1859, 72
<i>maccalli</i>	1858, } 133	<i>Scotornis climacurus</i> ..	1850, 216
	{ 1858, 296	<i>Scrobicularia angulata</i> ..	1855, 230
<i>nudipes</i>	1858, 133	<i>biangulata</i>	{ 1855, } 230
<i>portoricensis</i>	{ 1855, 134		{ 1856, 213
<i>trichopsis</i>	{ 1858, 133	<i>producta</i>	1855, 230
<i>usta</i>	1858, 357	<i>seychellarum</i>	1856, 53
<i>watsoni</i>	1858, 132	<i>viridotincta</i>	1856, 160
<i>Scotophilus abramis</i>	1858, 133	<i>Scurria mitra</i>	1856, 222
<i>carolinensis</i>	1859, 70	<i>scurra</i>	1856, 222
	{ 1857, 51	<i>Scutella emarginata</i>	1851, 37
	{ 1858, 27	<i>quinqueloba</i>	1851, 37
	{ 1858, 28	<i>Scutellina cancellata</i> ..	1860, 437
<i>circumdat</i>	1858, 540	<i>Scutibranchiata rhipido-</i>	
	{ 1856, 394	<i>glossa</i>	1856, 44
	{ 1858, 35	<i>Scutus angustatus</i>	1851, 222
<i>coromandelicus</i> ..	{ 1858, 336	<i>antipodis</i>	1851, 221
	{ 1858, 539	<i>corrugatus</i>	1851, 222
	{ 1859, 74	<i>elongatus</i>	1851, 221
<i>darwini</i>	1859, 70	<i>granulatus</i>	1851, 221
<i>discolor</i>	1857, 51	<i>imbricatus</i>	1851, 222
<i>furinalis</i>	1858, 546	<i>tumidus</i>	1851, 222
	{ 1857, 136	<i>unguis</i>	1851, 221
<i>gouldii</i>	{ 1858, 122	<i>Scytalopus fuscus</i>	1860, 385
	{ 1859, 69		{ 1854, 111
<i>greyii</i>	1857, 51	<i>griseicollis</i>	{ 1855, 142
			{ 1856, 290

	Page		Page
<i>Scytalopus griseicollis</i> ..	1858, 64		
<i>magellanicus</i>	1860, 385	<i>Seps tridactylus</i>	1859, { 470 473 476
<i>prostheleucus</i> {	1856, 290	<i>Serialia convoluta</i>	1858, 321
..... {	1858, 63	<i>Sericaria mori</i>	1859, 238
<i>senilis</i>	1855, 142	<i>Sericinus fasciatus</i> ...	1852, 72
<i>squamiger</i>	1855, 142	<i>fortunei</i>	1852, 72
<i>Scythrops novæ-hol-</i>	1858, 462	<i>greyi</i>	1852, 72
<i>landiæ</i>	1860, 359	<i>montela</i>	1852, 71
<i>Seiranota perspicillata</i> ..	1858, 137	<i>telamon</i>	1852, 71
<i>Seiurus aurocapillus</i> ...	1857, 231	<i>telamona</i>	1852, 72
<i>Selasphorus anna</i>	1857, 126	<i>Sericossypha sumptu-</i>	1855, 156
<i>heloisæ</i>	1856, 288	<i>osa</i>	1856, 121
..... {	1859, 386	<i>Sericulus anais</i>	1857, 6
<i>platycercus</i>	1856, 288	<i>Serinus jamaicensis</i> ...	1856, 230
..... {	1858, 297	<i>Serpentarius orientalis</i> ..	1856, 352
<i>ruber</i>	1857, 126	<i>reptilivorus</i>	1856, 348
<i>Selenidera langsdorfi</i> ..	1857, 267	<i>Serpophaga cinerea</i> .. {	1858, 458 1859, 144
<i>reinwardti</i>	1858, 75	<i>parulus</i>	1858, 554
<i>Semele amabilis</i>	1853, 97	<i>Serpula ammonoides</i> ...	1860, { 401 412 402 412
<i>amœna</i>	1853, 95	<i>anguina</i>	1860, { 402 412
<i>californica</i>	1853, 96	<i>anguinarius</i>	1860, 412
<i>casta</i>	1853, 96	<i>annularis</i>	1860, 407
<i>compta</i>	1853, 97	<i>aquaria</i>	1858, 312
<i>decisa</i>	1856, 213	<i>archimedis</i>	1860, 412
<i>decora</i>	1853, 97	<i>arenaria</i>	1860, 412
<i>flavescens</i>	1856, 199	<i>clairbonensis</i>	1860, 415
<i>gruneri</i>	1853, 95	<i>incurvata</i>	1858, 436
<i>jovis</i>	1853, 94 {	402 414
<i>jucunda</i>	1853, 96	<i>muricata</i>	1860, { 312 311
<i>jukesii</i>	1853, 95	<i>penes</i>	1858, 311
<i>læta</i>	1853, 96	<i>perforata</i>	1858, 311
<i>luteola</i>	1853, 95	<i>porosa</i>	1860, 414
<i>martinii</i>	1853, 97	<i>recta</i>	1858, { 425 436
<i>modesta</i>	1853, 95	<i>spirorbis</i>	1859, 203
<i>planata</i>	1856, 160	<i>variegata</i>	1860, 415
<i>proxima</i>	1856, 199	<i>volvox</i>	1860, { 402 415
<i>pulchella</i>	1853, 97	<i>Setophaga albidiema</i> .. {	1855, 144 1856, 28
<i>rubrolineata</i>	1856, 212	<i>brasiliانا</i>	1855, 143
<i>simplex</i>	1856, 212	<i>chrysogastra</i>	1859, 137
<i>sinensis</i>	1853, 95	<i>cinerea</i>	1858, 458
<i>sponsa</i>	1853, 95	<i>cinnamomeiven-</i>	1855, 144
<i>venusta</i>	1853, 96	<i>tris</i>	1856, 28
<i>vestalis</i>	1853, 96	<i>coronata</i>	1859, 137
<i>virginea</i>	1853, 96 {	1851, 50 1855, 77
<i>Semioptera wallacei</i> ..	1859, 130	<i>flammea</i>	1851, 50
..... {	1859, 351	<i>flaveola</i>	1855, 144
..... {	1860, 61	<i>intermedia</i>	1855, 77
..... {	1860, 355	<i>leucomphomma</i> ..	1851, 49
<i>Semnopithecus bicolor</i> ..	1860, 246 {	1855, 144 1851, 50
<i>entellus</i>	1858, 512	<i>melanocephala</i>	1851, 50
<i>schistaceus</i>	1856, 393		
..... {	1858, 512		
<i>vellerosus</i>	1860, 246		
<i>Separatista chemnitzii</i> ..	1850, 45		
<i>grayii</i>	1850, 45		
<i>Sepia octopodia</i>	1856, 133		

	Page		Page	
Setophaga miniata	1856, 292	Sigaretus debilis	1856, 207	
	1858, 299		242	
	1859, 363		Silenus veter	1860, 243
	1859, 374			371
multicolor	1851, 50	vetus	1859, 434	
nigricincta	1855, 143	Siliqua lucida	1856, 211	
nigrocincta	1854, 111	nuttallii	1856, 211	
ornata	1851, 50	Siliquaria anguillæ	1860, 412	
	1855, 144	australis	1860, 411	
	1851, 50	cumingii	1860, 411	
picta	1855, 66	dubia	1860, 401	
	1856, 292	encaustica	1860, 411	
	1858, 299	florina	1860, 401	
	1859, 374	lima	1860, 401	
rubra	1855, 65	muricata	1860, 403	
ruficapilla	1856, 292	obtusa	1860, 411	
	1851, 49	senegalensis	1860, 408	
ruficoronata	1851, 49	sulcata	1860, 411	
	1855, 144	trochlearis	1860, 411	
	1858, 550	Siliquarius incisus	1860, 411	
ruffrons	1860, 74	lacteus	1860, 401	
	1855, 144	ponderosus	1860, 411	
rufipectus	1856, 291	tostus	1860, 411	
	1855, 144	Siloboura ceylonica	1858, 262	
ruticilla	1851, 49	elliotti	1858, 261	
	1854, 111	Simia abellii	1848, 53	
	1855, 133		chiripototes	1849, 8
	1855, 144	melanocephalus	1849, 9	
	1856, 292	sagulata	1849, 8	
1857, 231	satyrus	1859, 10		
1859, 374	silenus	1860, 178		
1860, 84		1850, 156		
1860, 292	sinicus	1850, 155		
sallæi	1856, 292	troglodytes	1859, 10	
tricolor	1851, 50	Simocephalus poensis	1860, 178	
venusta	1855, 143	1858, 162		
verticalis	1851, 50	Simotes coccineus	1858, 376	
	1855, 144		377	
	1859, 137	purpurascens	1860, 161	
	1860, 84		1860, 166	
1851, 50	1860, 167			
1855, 65	1860, 170			
1856, 293	1860, 171			
1856, 293	1860, 171			
1857, 126	1858, 382			
1859, 235	1860, 161			
1859, 362	1860, 168			
occidentalis	1856, 293	1860, 169		
wilsoni	1856, 293	1860, 170		
	1858, 299	trinitatus	1860, 114	
	1859, 362	Simpulopsis chiapensis	1856, 377	
1859, 371	cordovana	1856, 319		
Sidisia barleei	1858, 532	salleana	1856, 319	
Sieboldia maxima	184			
	193			
	203			
Sigaretus costatus	242			
	1853, 186			

	Page		Page
<i>Siona avena</i>	1854,	<i>Siphonaria leucopleura</i> .	1858,
<i>frumentum</i>	1854,	<i>lineolata</i>	1858,
<i>triticea</i>	1854,	<i>lirata</i>	1858,
<i>Sipho noachina</i>	1851,	<i>luzonica</i>	1858,
<i>Siphonaria acuta</i>	1858,	<i>macgillivrayi</i>	1858,
<i>adansoni</i>	1858,	<i>magellanica</i>	1858,
<i>æquilorata</i>	1858,	<i>maura</i>	1858,
<i>albicans</i>	1858,	<i>natalensis</i>	1858,
<i>algesiræ</i>	1858,	<i>nuttallii</i>	1858,
<i>alternata</i>	1858,	<i>obliquata</i>	1858,
<i>alternicostata</i>	1858,	<i>oculus</i>	1858,
<i>amara</i>	1858,	<i>palpebra</i>	1858,
<i>antarctica</i>	1858,	<i>parma</i>	1858,
<i>aspera</i>	1858,	<i>pectinata</i>	1858,
<i>atra</i>	1858,	<i>pica</i>	1858,
<i>australis</i>	1858,	<i>picta</i>	1858,
<i>baconi</i>	1858,	<i>placentula</i>	1858,
<i>belcheri</i>	1858,	<i>plana</i>	1858,
<i>bifurcata</i>	1858,	<i>plicata</i>	1858,
<i>blainvillei</i>	1858,	<i>punctata</i>	1858,
<i>brasiliانا</i>	1858,	<i>radiata</i>	1858,
<i>brunnea</i>	1858,	<i>redimiculum</i>	1858,
<i>cancer</i>	1858,	<i>savignyi</i>	1858,
<i>capensis</i>	1858,	<i>scabra</i>	1858,
<i>carbo</i>	1858,	<i>scutellum</i>	1858,
<i>characteristica</i>	1858,	<i>sipho</i>	1858,
<i>cochleariformis</i>	1858,	<i>siquijorensis</i>	1858,
<i>concinna</i>	1858,	<i>soverbyi</i>	1858,
<i>conica</i>	1858,	<i>spinosa</i>	1858,
<i>corensis</i>	1858,	<i>stellata</i>	1858,
<i>cornuta</i>	1858,	<i>striatocostata</i>	1858,
<i>corrugata</i>	1858,	<i>strugosa</i>	1858,
<i>costata</i>	1858,	<i>tristensis</i>	1858,
<i>crenata</i>	1858,	<i>umbonata</i>	1858,
<i>denticulata</i>	1858,	<i>variabilis</i>	1858,
<i>diemenensis</i>	1858,	<i>venosa</i>	1858,
<i>exigua</i>	1858,	<i>viridis</i>	1858,
<i>exulorum</i>	1858,	<i>zebra</i>	1858,
<i>exulum</i>	1858,	<i>zelandica</i>	1858,
<i>ferruginea</i>	1858,	<i>Siphonium nebulosum</i> ..	1860,
<i>fuliginata</i>	1858,	<i>phanes</i>	1857,
<i>funiculata</i>	1858,	<i>Siphonognathus argyro-</i>	238
<i>gigas</i>	1858,	<i>phaneus</i>	1857,
<i>grisea</i>	1858,	<i>Siredon mexicanus</i>	1858,
<i>guamensis</i>	1858,	<i>Siren lacertina</i>	1856,
<i>incolta</i>	1858,	<i>Sirex gigas</i>	1849,
<i>japonica</i>	1858,	<i>gigas</i>	95
<i>javanica</i>	1858,	<i>Sitta aculeata</i>	1857,
<i>jonasii</i>	1858,	<i>caesia</i>	1858,
<i>kurracheensis</i>	1858,	<i>caesia</i>	1860,
<i>lævis</i>	1858,	<i>caesia</i>	1856,
<i>læviuscula</i>	1858,	<i>caesia</i>	1857,
<i>lateralis</i>	1858,	<i>carolinensis</i>	1858,
<i>lecanium</i>	1858,	<i>carolinensis</i>	1859,
<i>lepida</i>	1858,	<i>carolinensis</i>	1859,
<i>lessoni</i>	1858,	<i>carolinensis</i>	1858,
		<i>himalayana</i>	1859,

	Page		Page
<i>Sitta leucopsis</i>	1849,	<i>Soriculus nigrescens</i>	1856, 400
<i>pygmaea</i>	1859,	<i>Sparus desfontainii</i>	1859, } 474
<i>surinamensis</i>	1858,		} 477
<i>Sittace militaris</i>	1858,	<i>Sparvius gilvicollis</i>	1857,
<i>petzi</i>	1857,	<i>Spatha compressa</i>	1860,
<i>Sittasomus erithacus</i> ...	1860,	<i>rostrata</i>	1860,
	} 278	<i>rubens</i>	1860,
	} 293	<i>wahlbergi</i>	1860,
<i>sylvioides</i>	} 1856,	<i>Spathura cissiura</i>	1853,
	} 1859,	<i>melanantha</i>	} 1859,
<i>Sittella chrysoptera</i>	1859,		} 1860,
<i>Siurus auricapillus</i>	1859,	<i>peruana</i>	1853,
	} 363	<i>spatuligera</i>	1855,
	} 373	<i>underwoodi</i>	1855,
<i>novaboracensis</i>	1859,		} 1856,
<i>Siva occipitalis</i>	1854,	<i>Spatula clypeata</i>	} 1859,
<i>Sivatherium</i>	1849,		} 1856,
<i>Skenea rota</i>	1858,	<i>maculata</i>	1856,
<i>serpuloides</i>	1851,	<i>rhynchotis</i>	1856,
<i>Snake-eater, The Long-</i>		<i>variegata</i>	1856,
<i>legged</i>	1851,		} 137
	} 1857,	<i>Spelerpes rubra</i>	1858,
	} 284		} 144
<i>Solanderia gracilis</i>	} 1859,	<i>Spermagra erythroce-</i>	} 1855,
	} 482	<i>phala</i>	} 1856,
<i>Solea lingula</i>	1849,	<i>Spermestes cheet</i>	1854,
<i>Solecardia eburnea</i>	1856,	<i>poënsis</i>	1860,
<i>Solecurtus californianus</i> .	1856,	<i>Spermolegus montanellus</i>	1854,
<i>lucidus</i>	1856,	<i>Spermophila albigularis</i> .	1856,
<i>maximus</i>	1856,	<i>corvina</i>	1859,
<i>nuttallii</i>	1856,		} 1855,
<i>radiatus</i>	1856,	<i>gutturalis</i>	} 1860,
<i>splendens</i>	1856,		} 1855,
<i>subteres</i>	1856,	<i>luctuosa</i>	} 1858,
<i>Solen anguinus</i>	1860,		} 1858,
<i>Solenella cumingii</i>	1860,	<i>martha</i>	1855,
<i>Soletellina truncata</i>	1860,	<i>minuta</i>	1855,
<i>Solidula affinis</i>	1854,		} 1856,
<i>concinata</i>	1854,	<i>moreleti</i>	} 1859,
<i>glabra</i>	1854,		} 1859,
<i>insculpta</i>	1854,	<i>olivaceoflava</i>	1855,
<i>nitidula</i>	1854,		} 276
<i>pusilla</i>	1854,	<i>ophthalmica</i>	} 293
<i>solidula</i>	1854,	<i>torqueola</i>	1858,
<i>suturalis</i>	1854,	<i>Spermophilus guttatus</i> .	1859,
<i>tessellata</i>	1854,	<i>Spes bifasciatus</i>	1854,
<i>Somateria mollissima</i> ..	1855,	<i>Sphaënia binghami</i>	1850,
<i>spectabilis</i>	1855,	<i>californica</i>	1856,
<i>V-nigrum</i>	1855,	<i>decurtata</i>	1850,
<i>Sorex aterrimus</i>	1856,	<i>decussata</i>	1850,
<i>caudatus</i>	1856,	<i>elliptica</i>	1850,
<i>leucops</i>	1856,	<i>mindorensis</i>	1850,
	} 1850,	<i>philippinarum</i>	1850,
	} 156	<i>princeps</i>	1850,
<i>murinus</i>	} 1850,	<i>rüppellii</i>	1850,
	} 159	<i>semistriata</i>	1850,
	} 1856,	<i>Sphaërium inconspicuum</i>	1860,
<i>nemorivagus</i>	1856,	<i>indicum</i>	1854,
<i>purpurascens</i>	1853,	<i>novæ zelandiæ</i>	1854,
<i>pygmaeus</i>	1856,	<i>subtransversum</i>	1860,
<i>saturator</i>	1856,		} 322
<i>sikkimensis</i>	1856,		} 342
<i>soccatus</i>	1856,		} 342
	} 400		} 322

	Page		Page
<i>Sphærops anomalus</i>	1860, 442	<i>Spiraxis subcallosa</i>	1855, 99
<i>Sphærotheca strigata</i>	1860, 165	<i>turgidula</i>	1856, 320
<i>Sphasus gracilipes</i>	1849, 5	<i>Spirorbula latens</i>	1854, 175
<i>Sphecothebes australis</i>	1849, 112	<i>obtecta</i>	1854, 175
<i>flaviventris</i>	1849, 111	<i>paupercula</i>	1854, 175
<i>Spheniscus magellanicus</i>	1860, 390		1856, 304
<i>Sphenops capistratus</i>	1849, 95		1858, 358
<i>Sphenorhina elegans</i>	1858, 156	<i>Spiza ciris</i>	1859, 58
<i>Sphenura ruficeps</i>	1856, 97		1859, 434
<i>Sphyropicus ruber</i>	1859, 236		1860, 243
<i>Spilornis bacha</i>	1854, 260		1856, 304
<i>rufipectus</i>	1857, 222	<i>cyanea</i>	1860, 243
<i>Spilotes corais</i>	1860, 456		1860, 416
	156	<i>versicolor</i>	1857, 214
	163	<i>Spizaetus cirrhatus</i>	1859, 365
<i>hodgsonii</i>	1860, 167	<i>isidori</i>	1854, 259
	173	<i>limnæetus</i>	1854, 259
	174	<i>occipitalis</i>	1860, 417
<i>melanurus</i>	1860, 163		1857, 201
	174	<i>ornatus</i>	1859, 52
<i>pæcilostoma</i>	1859, 89		1859, 389
	402		1855, 134
<i>radiatus</i>	1860, 115	<i>tyrannus</i>	1858, 357
	162		1860, 253
	163	<i>Spizella pallida</i>	1859, 379
<i>reticularis</i>	1860, 167		1856, 305
	171	<i>socialis</i>	1858, 304
	174		1859, 235
<i>variabilis</i>	1860, 417		1859, 365
<i>Spindalis bilineatus</i>	1856, 230	<i>Spizigeranus uncinatus</i>	1860, 288
<i>multicolor</i>	1856, 230	<i>Spondylus victoriae</i>	1859, 428
	1857, 231	<i>Spongia suberea</i>	1858, 532
<i>nigricephala</i>	1856, 230	<i>Sporadinus auriceps</i>	1856, 287
<i>pretrei</i>	1856, 231	<i>caniveti</i>	1856, 287
<i>zena</i>	1856, 231		1859, 367
<i>Spinites atrigularis</i>	1857, 7	<i>elegans</i>	1857, 233
<i>Spirachtha eurymedusa</i>	1853, 102	<i>Squama magna</i>	1849, 122
<i>Spiraculum housei</i>	1860, 10	<i>Squatarola cincta</i>	1859, 95
<i>Spiralia spiralis</i>	1858, 321		1860, 386
<i>unispiralis</i>	1858, 321	<i>helvetica</i>	1850, 220
<i>Spiraxis auriculacea</i>	1856, 320		1860, 363
<i>barclayi</i>	1855, 99	<i>Squilla multica rinata</i>	1848, 144
<i>biconica</i>	1856, 378	<i>Stachyris chrysoea</i>	1859, 184
<i>bistorta</i>	1854, 293	<i>pyrrhops</i>	1854, 141
<i>catenata</i>	1856, 378	<i>ruficeps</i>	1854, 141
<i>cumingiana</i>	1855, 106	<i>Staurodon pygmaea</i>	1854, 214
<i>dubia</i>	1856, 378	<i>saxicola</i>	1854, 214
<i>dunkeri</i>	1855, 9	<i>seminulum</i>	1854, 214
<i>erecta</i>	1855, 9	<i>Stavelia torta</i>	1858, 90
<i>euptycta</i>	1856, 378	<i>Steatornis caripensis</i>	1855, 135
<i>mandarina</i>	1855, 9	<i>Stellio vulgaris</i>	1849, 95
<i>oblonga</i>	1856, 378	<i>Stenogyra erecta</i>	1860, 9
<i>obsoleta</i>	1856, 335	<i>turricula</i>	1860, 9
<i>paradoxa</i>	1853, 128	<i>Stenorhynchus</i>	1848, 88
<i>parvula</i>	1856, 379		1855, 213
<i>sandwichensis</i>	1856, 335	<i>ruficauda</i>	1855, 214
<i>shuttleworthi</i>	1856, 320		1859, 338

	Page		Page
<i>Stenotherus derbianus</i> ..	1858,		167
<i>Stephanophorus caeruleus</i>	1856,	<i>Stoastoma pfeifferianum</i>	1857, { 168
<i>leucocephalus</i>	1856,		178
<i>Stephanopoma rosea</i> ...	1860,	<i>philippianum</i>	1857, { 167
<i>Sterna anglica</i>	1850,		169
<i>antarctica</i>	1860,		162
<i>cassini</i>	1860,	<i>pisum</i>	1857, { 166
<i>dougallii</i>	1851,		167
<i>fuliginosa</i>	1859,		168
<i>gracilis</i>	1859,		170
	{ 1851,	<i>redfieldianum</i>	1857, { 166
<i>hirundo</i>	1858,		189
	1859,	<i>tappanianum</i>	1857, { 175
	190,		163
<i>javanica</i>	1858,	<i>wilkinsonæanum</i> ..	1857, { 171
<i>melanauchen</i>	1859,	(<i>Electrina</i>) <i>succi-</i>	{ 1857, { 168
	1855,	<i>neum</i>	{ 179
<i>melanogaster</i>	1859,	<i>Stomatella arabica</i>	1853, 74
	190,	<i>articulata</i>	1850, 30
<i>meridionalis</i>	1860,	<i>baconii</i>	1853, 73
<i>nigra</i>	1851,	<i>biporcata</i>	1850, 33
<i>serrata</i>	1859,	<i>calliostoma</i>	1853, 74
<i>torresii</i>	1858,		{ 1850, 30
<i>velox</i>	1860,	<i>cancellata</i>	{ 1854, 133
<i>Sternopteryx diaphana</i> .	1850,	<i>clathratula</i>	1854, 133
<i>olfersii</i>	1850,	<i>coccinea</i>	1850, 33
<i>Stethodesma servillei</i> ..	1856,	<i>compta</i>	1854, 133
<i>Stigmatium ambulator</i> ..	1855,	<i>costellata</i>	1850, 30
<i>cursor</i>	1855,	<i>cumingii</i>	1853, 74
<i>cylindrinum</i>	1855,	<i>decolorata</i>	1850, 31
<i>fervidum</i>	1855,	<i>fulgurans</i>	1850, 32
<i>granulosum</i>	1855,		{ 1850, 32
<i>ignavum</i>	1855,	<i>haliotidea</i>	{ 1854, 133
<i>torulentum</i>	1855,		{ 1850, 30
<i>Stigmatius dorsiger</i>	1852,	<i>imbricata</i>	{ 1854, 133
<i>elaphroides</i>	1852,	<i>japonica</i>	1850, 31
<i>nebulifer</i>	1852,	<i>maculata</i>	1850, 30
<i>rufiventris</i>	1852,	<i>malukana</i>	1850, 31
<i>Stigmodera bakewellii</i> ..	1859,	<i>margaritana</i>	1850, 33
<i>guelmi</i>	1859,	<i>monilifera</i>	1850, 30
<i>parallela</i>	1859,	<i>orbiculata</i>	1850, 31
<i>Stoastoma agassizianum</i> .	1857, { 167	<i>papyracea</i>	1850, 31
<i>anthonianum</i>	1857,	<i>sanguinea</i>	1850, 32
<i>blandianum</i>	1857,	<i>selecta</i>	1854, 133
<i>chittyanum</i>	1857,	<i>speciosa</i>	1850, 32
	1857,	<i>sulcifera</i>	1850, 30
<i>cumingianum</i>	1857, { 167	<i>tigrina</i>	1850, 33
	184,	<i>tumida</i>	1850, 31
<i>fadyenianum</i>	1857,	<i>Stomatia acuminata</i> ...	1850, 34
<i>gouldianum</i>	1857,	<i>angulata</i>	1850, 34
<i>hollandianum</i>	1857,	<i>australis</i>	1850, 34
<i>jayanum</i>	1857,	<i>bicarinata</i>	1853, 74
	1857,	<i>candida</i>	1850, 35
<i>leanum</i>	{ 166	<i>decorata</i>	1854, 133
	189,	<i>decussata</i>	1850, 34
<i>lindsleyanum</i>	1857, { 167	<i>duplicata</i>	1850, 34
	188,	<i>lirata</i>	1850, 35
<i>livesayanum</i>	1857, { 168	<i>notata</i>	{ 35
	178,		{ 36
<i>moricandianum</i>	1857,		
<i>petitianum</i>	1857,		

	Page		Page
<i>Stomatia pallida</i>	1850,		36
<i>phymotis</i>	1850,		34
<i>rubra</i>	1850,		35
<i>splendidula</i>	1854,		134
<i>splendidula</i>	1854,		133
<i>Stomoxys calcitrans</i>	1850,		258
<i>Stoparola melanops</i>	1858,		493
<i>Strebloceras cornuoides</i> .	1858,		441
<i>solutum</i>	1858,		441
<i>Strephona angulata</i>	1858,		41
<i>anomina</i>	1858,		45
<i>atalina</i>	1858,		44
<i>australis</i>	1858,		45
<i>caroliniana</i>	1858,		46
<i>cruenta</i>	1858,		41
<i>cumingii</i>	1858,		45
<i>episcopalis</i>	1858,		42
<i>erythrostroma</i>	1858,		42
<i>flammulata</i>	1858,		45
<i>flaveola</i>	1858,		45
<i>hemiltona</i>	1858,		46
<i>jaspidea</i>	1858,		45
<i>kaleontina</i>	1858,		45
<i>lentiginosa</i>	1858,		45
<i>ligneola</i>	1858,		46
<i>litterata</i>	1858,		43
<i>lugubris</i>	1858,		46
<i>maura</i>	1858,		42
<i>multiplicata</i>	1858,		46
<i>neolina</i>	1858,		46
<i>nitidula</i>	1858,		44
<i>olorinella</i>	1858,		45
<i>oriola</i>	1858,		44
<i>paxillus</i>	1858,		44
<i>peruviana</i>	1858,		43
<i>pintamella</i>	1858,		44
<i>polpasta</i>	1858,		44
<i>porphyria</i>	1858,		41
<i>quersolina</i>	1858,		44
<i>reticularis</i>	1858,		43
<i>rufula</i>	1858,		46
<i>schumacheriana</i>	1858,		46
<i>scripta</i>	1858,		43
<i>sidelia</i>	1858,		46
<i>splendidula</i>	1858,		44
<i>stainforthii</i>	1858,		44
<i>stellata</i>	1858,		45
<i>textilina</i>	1858,		43
<i>tigridella</i>	1858,		45
<i>tricolor</i>	1858,		42
<i>tringa</i>	1858,		45
<i>Strepsiceros angasii</i>	1850,		171
<i>capensis</i>	1850,		143
<i>decula</i>	1850,		171
<i>derbianus</i>	1850,		171
<i>euryceros</i>	1850,		179
<i>excelsus</i>	1850,		143
<i>kudu</i>	1850,		143
<i>Strepsiceros kudu</i>			1850,
			171
			1857,
			158
<i>oreas</i>			1850,
			171
<i>scriptus</i>			1850,
			171
<i>sylvaticus</i>			1850,
			171
<i>Strepsilas collaris</i>			1860,
			363
			1851,
			146
<i>interpres</i>			1859,
			166
			1860,
			363
<i>Streptaxis conoidea</i>			1854,
			149
<i>cumingiana</i>			1849,
			126
<i>discus</i>			1851,
			252
<i>fortunei</i>			1854,
			149
<i>glabra</i>			1849,
			126
<i>uberiformis</i>			1848,
			108
<i>Streptocephalus cafer</i> ..			1852,
			21
<i>dichotomus</i>			1860,
			445
<i>similis</i>			1852,
			22
<i>torvicornis</i>			1852,
			20
<i>Streptophorus drozii</i> ...			1859,
			412
<i>seba</i>			1860,
			452
			454
<i>Strigatella fuscescens</i> ..			1860,
			146
<i>picea</i>			1860,
			146
<i>Strigilla carnaria</i>			1856,
			200
<i>disjuncta</i>			1856,
			160
<i>fucata</i>			1856,
			200
<i>miniata</i>			1856,
			200
<i>Strigops habroptilus</i> ...			1852,
			31
<i>Strix aluco</i>			1857,
			215
<i>americanus</i>			1857,
			215
<i>badia</i>			1854,
			263
<i>ceylonensis</i>			1854,
			263
<i>crucigera</i>			1858,
			133
<i>erythroptera</i>			1854,
			262
			1851,
			142
<i>flammea</i>			1857,
			215
			1859,
			151
			1860,
			180
<i>flammeola</i>			1858,
			96
			133
<i>hirsuta</i>			1854,
			262
			1854,
			262
<i>infausta</i>			1857,
			4
			1857,
			126
<i>javanica</i>			1857,
			87
<i>ketupa</i>			1854,
			263
<i>lapponica</i>			1857,
			56
<i>lempiji</i>			1854,
			262
<i>lugubris</i>			1854,
			262
<i>noctula</i>			1854,
			262
<i>orientalis</i>			1854,
			262
			1857,
			215
<i>otus</i>			1860,
			258
<i>pagodarum</i>			1854,
			263
<i>passerina</i>			1848,
			37
			1857,
			4

	Page		Page
<i>Strix passerinoides</i>	1857,	}	4
	126		1858, 480
<i>pratincola</i>	1859,	}	173
	390		1860, 258
<i>punctatissima</i>	1860,	}	137
	82		1855, 122
<i>radiata</i>	1854,	}	122
	262		1860, 437
<i>scutulata</i>	1854,	}	122
	262		1855, 122
<i>seloputo</i>	1854,	}	73
	263		1850, 235
<i>strepitans</i>	1854,	}	405
	263		1856, 270
<i>sumatrana</i>	1854,	}	269
	263		1850, 269
<i>tengmalmi</i>	1857,	}	269
	57		1850, 90
<i>undulata</i>	1858,	}	90
	133		1851, 90
<i>Strombus ater</i>	1859,	}	90
	316		1851, 90
<i>cancellatus</i>	1860,	}	91
	398		1851, 90
<i>obtusus</i>	1854,	}	91
	83		1851, 92
<i>oniscus</i>	1851,	}	91
	229		1851, 90
<i>taurus</i>	1857,	}	90
	207		1851, 90
<i>Strongylus filaria</i>	1856,	}	91
	53		1851, 91
<i>Struthio camelus</i>	1849,	}	91
	94		1851, 92
<i>casuarius</i>	1858,	}	91
	187		1851, 92
<i>epoasticus</i>	1860,	}	91
	210		1851, 90
<i>Struthiolaria monoceros</i>	1853,	}	91
	182		1851, 90
<i>Struthus atrimentalis</i>	1857,	}	90
	7		1851, 90
<i>caniceps</i>	1857,	}	89
	7		1851, 89
	1858,	}	90
	304		1851, 90
	1858,	}	91
	450		1851, 91
<i>Sturnella bellicosa</i>	1858,	}	91
	455		1851, 91
	1858,	}	91
	552		1851, 90
	1860,	}	90
	277		1851, 90
	1856,	}	90
	30		1851, 91
	1856,	}	91
	301		1851, 91
<i>hippocrepis</i>	1859,	}	91
	58		1851, 91
	1859,	}	92
	365		1851, 92
	1859,	}	90
	381		1851, 90
	1856,	}	288
	29		1857, 288
<i>ludoviciana</i>	1856,	}	482
	142		1857, 159
	1858,	}	288
	358		1859, 482
	1859,	}	281
	94		1859, 280
<i>militaris</i>	1860,	}	132
	385		1856, 326
	1857,	}	298
	127		1854, 298
<i>neglecta</i>	1859,	}	133
	235		1849, 133
<i>Sturnia elegans</i>	1859,	}	110
	151		1857, 110
	1857,	}	56
	97		1850, 56
<i>pagodarum</i>	1858,	}	298
	480		1854, 298
	1859,	}	147
	173		1857, 110
<i>pyrrhopogon</i>	1860,	}	110
	355		1850, 56
<i>Sturnira spectrum</i>	1860,	}	298
	212		1854, 298
	1857,	}	147
	97		1851, 147
<i>Sturnopastor contra</i>	1859,	}	110
	150		1857, 110
<i>Sturnus collaris</i>	1854,	}	56
	116		1854, 298
<i>dauricus</i>	1859,	}	147
	445		1851, 147
<i>maritimus</i>	1854,	}	110
	116		1857, 110
<i>militaris</i>	1860,	}	133
	385		1849, 133
	1858,	}	60
	480		1853, 60
<i>unicolor</i>	1859,	}	297
	173		1854, 297
	1851,	}	220
	145		1856, 220
<i>vulgaris</i>	1857,	}	186
	13		1856, 186
	1857,	}	133
	97		1849, 133
<i>Sturnus vulgaris</i>		}	1858, 480
			1859, 173
<i>Stylifer barronii</i>		}	1860, 258
			1854, 137
<i>corallinus</i>		}	1855, 122
			1855, 122
<i>exaratus</i>		}	1860, 437
			1855, 122
<i>robustus</i>		}	1855, 122
			1855, 122
<i>subangulatus</i>		}	1853, 73
			1850, 235
<i>Stylina fulvescens</i>		}	405
			1856, 270
<i>Stylocerus ratwa</i>		}	269
			1850, 269
<i>Stylogaster stylatus</i>		}	269
			1850, 269
<i>Stylomia confusa</i>		}	90
			1851, 90
<i>leonum</i>		}	90
			1851, 90
<i>Submarginula alveolata</i>		}	91
			1851, 91
<i>arabica</i>		}	91
			1851, 91
<i>australis</i>		}	92
			1851, 92
<i>catillus</i>		}	91
			1851, 91
<i>clathrata</i>		}	91
			1851, 91
<i>crassilabrum</i>		}	92
			1851, 92
<i>cratitia</i>		}	91
			1851, 91
<i>denticulata</i>		}	90
			1851, 90
<i>depressa</i>		}	90
			1851, 90
<i>élargie</i>		}	89
			1851, 89
<i>emarginata</i>		}	90
			1851, 90
<i>galeata</i>		}	91
			1851, 91
<i>imbricata</i>		}	91
			1851, 91
<i>nodulosa</i>		}	90
			1851, 90
<i>octoradiata</i>		}	90
			1851, 90
<i>panihensis</i>		}	91
			1851, 91
<i>polygonalis</i>		}	91
			1851, 91
<i>pumila</i>		}	92
			1851, 92
<i>sculptilis</i>		}	90
			1851, 90
<i>tricostata</i>		}	288
			1857, 288
<i>Subergorgia compressa</i>		}	482
			1859, 482
<i>suberosa</i>		}	159
			1857, 159
		}	288
			1859, 482
<i>Subula dimidiata</i>		}	281
			1859, 281
<i>maculata</i>		}	280
			1859, 280
<i>Succinea acuta</i>		}	132
			1849, 132
<i>asperula</i>		}	326
			1856, 326
<i>baconii</i>		}	298
			1854, 298
<i>bensonii</i>		}	133
			1849, 133
<i>bermudensis</i>		}	110
			1857, 110
<i>ceylanica</i>		}	110
			1854, 297
<i>chinensis</i>		}	56
			1857, 110
<i>cingulata</i>		}	298
			1850, 56
<i>daucina</i>		}	147
			1854, 298
<i>dominicensis</i>		}	110
			1851, 147
<i>guamensis</i>		}	133
			1857, 110
<i>indica</i>		}	60
			1849, 133
<i>margarita</i>		}	297
			1853, 60
<i>newcambia</i>		}	220
			1854, 297
<i>oregonensis</i>		}	186
			1856, 186
<i>pfeifferi</i>		}	133
			1849, 133
<i>picta</i>		}	133
			1849, 133

	Page		Page
<i>Succinea planti</i>	1856,		
<i>punctata</i>	1854,		
<i>pusilla</i>	1849,		
<i>repanda</i>	1854,		
<i>rubicunda</i>	1849,		
<i>salleana</i>	1849,		
<i>simplex</i>	1854,		
<i>solidula</i>	1849,		
<i>strigata</i>	1854,		
<i>subgranosa</i>	1849,		
<i>tomentosa</i>	1854,		
<i>vitrea</i>	1854,		
<i>Sula alba</i>	1851,		
<i>australis</i>	1856,		
	{ 1856, 145		
	{ 1859, 212		
<i>bassana</i>	{ 1859, 435		
	{ 1860, 328		
	{ 1860, 371		
	{ 1856, 145		
<i>capensis</i>	{ 1860, 112		
	{ 1856, 145		
<i>cyanops</i>	{ 1858, 188		
	{ 1860, 366		
<i>fiber</i>	{ 1856, 144		
	{ 1857, 237		
	{ 1858, 188		
	{ 1859, 167		
<i>piscatrix</i>	{ 1856, 145		
<i>variegata</i>	{ 1856, 145		
<i>Sunetta scripta</i>	1851,		
<i>Suricata zenik</i>	1859,		
<i>Surniculus lugubris</i>	1859,		
<i>Sus africanus</i>	1852,		
	{ 1852, 130		
<i>aper</i>	{ 1856, 406		
<i>barbarus</i>	{ 1860, 443		
	{ 1848, 73		
	{ 1850, 158		
<i>indicus</i>	{ 1852, 130		
	{ 1856, 406		
	{ 1860, 181		
<i>koiropotamus</i>	{ 1852, 131		
<i>larvatus</i>	{ 1852, 131		
<i>papuensis</i>	{ 1858, 107		
<i>penicillatus</i>	{ 1852, 132		
	{ 1850, 158		
	{ 1858, 531		
<i>scrofa</i>	{ 1860, 183		
	{ 1860, 443		
—, var. <i>indicus</i> ..	{ 1856, 406		
<i>vittatus</i>	{ 1860, 442		
	{ 443		
<i>Suthora webbiana</i>	1852,		
	{ 1851, 195		
<i>Sutoria agilis</i>	{ 1854, 78		
	{ 1854, 284		
<i>Suya atrogularis</i>	1854,		
	{ 77		
<i>Suya lepida</i>	1855,		
	{ 47		
	{ 50		
<i>Sycalis aureipectus</i>	1855,		
<i>Sylphitreron perlatus</i> ..	1858,		
<i>Sylvia affinis</i>	1859,		
<i>atrata</i>	1854,		
<i>atricapilla</i>	1851,		
<i>bilineata</i>	1855,		
<i>bivittata</i>	1855,		
<i>cærulecula</i>	1860,		
<i>caligata</i>	1860,		
<i>certhiola</i>	1860,		
<i>chrysophrys</i>	1855,		
<i>culicivora</i>	1855,		
<i>curruca</i>	1858,		
<i>dumicola</i>	1855,		
<i>erythrogastra</i>	1854,		
<i>erythronota</i>	1854,		
<i>flavescens</i>	1860,		
<i>guzuratta</i>	1854,		
	{ 81		
	{ 284		
<i>halseii</i>	{ 1855, 65		
	{ 1858, 298		
<i>hortensis</i>	1851,		
<i>javanica</i>	1860,		
<i>leucogastra</i>	1855,		
	{ 12		
	{ 151		
<i>leucophæa</i>	1854,		
<i>leucorrhœa</i>	1850,		
<i>longicauda</i>	1854,		
<i>magellanica</i>	1860,		
<i>melanocausta</i>	1858,		
<i>melanoxantha</i>	1856,		
<i>mexicana</i>	1858,		
<i>modularis</i>	1854,		
<i>montanella</i>	1854,		
<i>œnanthe</i>	1857,		
<i>olivacea</i>	{ 1855, 66		
	{ 1856, 291		
<i>phœnicura</i>	1854,		
<i>platensis</i>	1860,		
<i>rubecula</i>	1851,		
<i>rubetra</i>	1857,		
<i>rubicula</i>	1857,		
<i>ruficapilla</i>	1856,		
<i>sibilatrix</i>	1857,		
<i>sutoria</i>	1854,		
<i>tæniata</i>	1855,		
<i>tithys</i>	1854,		
<i>trochilus</i>	1857,		
<i>Sylvicola americana</i>	1857,		
<i>aureola</i>	1860,		
<i>blackburniæ</i>	1854,		
<i>canadensis</i>	1857,		
<i>coronata</i>	1857,		
<i>palmarum</i>	1857,		
<i>superciliosa</i>	1858,		
<i>tæniata</i>	1856,		

	Page		Page
<i>Sylvicola virens</i>	1860,		192
<i>Sylviorthorhynchus</i>	1856,		26
<i>Syma flavirostris</i>	1858,		172
<i>tirotoro</i>	1850,		200
<i>torotoro</i>	1858,		172
<i>Sympheletes</i> (<i>Platymop-</i>			
<i>sis</i>) <i>armatulus</i> ..	1859,		122
<i>Symphemia semipalmata</i>	1860,		253
<i>Synallaxis ægithaloides</i> .	1859,		193
<i>albescens</i>	{ 1856,	98	
	{ 1859,	192	
<i>albiceps</i>	1859,	194	
	{ 1858,	63	
<i>albigularis</i>	{ 1858,	456	
	{ 1859,	192	
<i>albilora</i>	1859,	193	
<i>alopecias</i>	1859,	197	
<i>anthoides</i>	1859,	193	
	{ 1858,	457	
<i>antisiensis</i>	{ 1859,	192	
	1856,	98	
<i>azarae</i>	1859,	197	
<i>brachyura</i>	1855,	141	
<i>brachyurus</i>	{ 1856,	99	
	{ 1859,	197	
<i>brunnea</i>	1858,	{ 62	
<i>brunneicaudalis</i>	{ 457	192	
<i>brunneicaudis</i>	1859,	194	
<i>candæi</i>	{ 1856,	98	
	{ 1859,	194	
<i>caniceps</i>	1859,	193	
<i>castanea</i>	{ 1855,	75	
	{ 1859,	194	
<i>cinerascens</i>	1856,	97	
<i>cinereus</i>	1859,	194	
<i>cinnamomea</i>	{ 1855,	141	
	{ 1856,	26	
<i>cinnamomeus</i>	1859,	193	
<i>dorsomaculata</i>	{ 1856,	25	
	{ 1859,	141	
<i>elegans</i>	1859,	192	
<i>erythropros</i>	1860,	66	
	{ 1855,	75	
<i>erythrothorax</i> ...	{ 1856,	288	
	{ 1859,	192	
	{ 1859,	382	
<i>flammula</i>	1859,	194	
<i>flammulata</i>	1860,	76	
	{ 1856,	99	
<i>flavigularis</i>	{ 1859,	193	
<i>frontalis</i>	1859,	197	
<i>fuliginiceps</i>	1859,	197	
<i>fuliginosa</i>	1859,	192	
	{ 1855,	141	
<i>fuliginosus</i>	{ 1856,	26	
	{ 1855,	141	
<i>gularis</i>	{ 1856,	26	
	1859,	193	
	1859,	193	
	1856,	99	
	1859,	193	
	1856,	26	
	1859,	193	
	1857,	273	
	1859,	194	
	1856,	97	
	1859,	192	
	1859,	197	
	1859,	192	
	1859,	197	
	1859,	193	
	1859,	197	
	1859,	191	
	1860,	88	
	1860,	278	
	1860,	294	
	1858,	62	
	1856,	25	
	1856,	97	
	1856,	98	
	1859,	192	
	1859,	193	
	1859,	193	
	1859,	193	
	1859,	191	
	1859,	194	
	1856,	99	
	1859,	193	
	1856,	98	
	1859,	192	
	1859,	191	
	1859,	193	
	1855,	141	
	1859,	197	
	1859,	197	
	1859,	192	
	1859,	192	
	1859,	193	
	1859,	197	
	1859,	194	
	1855,	141	
	1856,	26	
	1859,	194	
	1855,	141	
	1856,	26	
	1859,	194	
	1858,	{ 360	
	1858,	{ 366	
	1858,	365	
	1858,	{ 361	
	1858,	{ 366	
	1858,	366	
	1858,	363	

	Page		Page
<i>Synapta inhærens</i>	1858, 366	<i>Tachymenis vivax</i>	1858, { 377 378
<i>lappa</i>	1858, 366	<i>Tachypetes aquila</i>	1856, 144
<i>maculata</i>	1858, 366	<i>Tachyphonus albitempo-</i>	
<i>mamilliosa</i>	1858, 366	<i>ralis</i>	1856, 89
<i>radiosa</i>	1858, 366	<i>axillaris</i>	1856, 68
<i>reciprocans</i>	1858, { 364 366	<i>beaupérthuyi</i>	1856, 113
<i>serpentina</i>	1858, { 361 366	<i>brevipes</i>	1855, 156
<i>verrucosa</i>	1858, 366	<i>canigularis</i>	1856, 90
<i>vittata</i>	1858, { 364 366	<i>capistratus</i>	1856, 67
<i>Syncera hepatica</i>	1856, 20	<i>chloricterus</i>	1856, 122
<i>Syntomis cantori</i>	1859, 199	<i>coronatus</i>	{ 1854, 158 1856, 114
<i>crawfurdii</i>	1859, 199	<i>coryphæus</i>	1856, 114
<i>humeralis</i>	1859, 197	<i>cristatus</i>	{ 1855, 155 1856, 115
<i>marsdeni</i>	1859, 197	<i>delatirii</i>	{ 1856, 116 1859, 139
<i>penanga</i>	1859, 198	<i>elegans</i>	1856, 238
<i>pfeifferæ</i>	1859, 198	<i>flavinucha</i>	1856, 238
<i>pravata</i>	1859, 199	<i>flavipectus</i>	1856, 90
<i>rafflesi</i>	1859, 198	<i>lacrimosus</i>	1856, 242
<i>vigorsi</i>	1859, 198	<i>leucopterus</i>	1856, 113
<i>walkeri</i>	1859, 199	<i>loricatus</i>	1856, 121
<i>wallacei</i>	1859, 198		
<i>Symphonota bipes</i>	1860, 23		{ 1854, 115 1855, 156
<i>elongata</i>	1860, 24	<i>luctuosus</i>	{ 1856, 114 1860, 274
<i>grandis</i>	1860, 23		{ 1860, 292 1856, 241
<i>Syrnium albigulare</i>	{ 1855, 135 1858, 132	<i>lunulatus</i>	1856, 241
<i>albipunctatum</i>	{ 1855, 135 1858, 132	<i>melaleucus</i>	{ 1855, 156 1856, 113
<i>albitarse</i>	{ 1857, 16 1858, 131	<i>nigerrimus</i>	1856, 113
<i>albogulare</i>	{ 1860, 96 1855, 135	<i>ochropygos</i>	1856, 115
<i>hylophilum</i>	{ 1855, 135 1857, 16	<i>olivicyaneus</i>	1856, 237
<i>macabrum</i>	{ 1858, 132 1855, 135	<i>palmarum</i>	1856, 84
<i>nebulosum</i>	1858, 295	<i>penicillatus</i>	1856, 117
<i>polygrammicum</i>	1858, 132	<i>phœniceus</i>	1856, 116
<i>rufipes</i>	1858, 132	<i>quadricolor</i>	1856, 117
<i>selo-puto</i>	1854, 263	<i>ruber</i>	1856, 120
<i>squamulatum</i>	{ 1856, 285 1858, 132	<i>ruficeps</i>	1856, { 108 112
<i>virgatum</i>	{ 1855, 135 1856, 285	<i>ruficollis</i>	1856, 113
<i>zonocercum</i>	{ 1858, 132 1859, 368	<i>rufigularis</i>	1856, 269
<i>zonocercus</i>	1858, 132	<i>rufiventer</i>	1856, 115
<i>Syrhaptus paradoxus</i>	1850, 92	<i>rufiventris</i>	1857, 264
<i>tibetanus</i>	{ 1850, 92 1858, 502 1859, 186	<i>sanguinolentus</i>	1856, 132
<i>Tachydromus asiaticus</i>	1855, 82	<i>saucius</i>	1856, 116
<i>fordii</i>	1858, 155	<i>serrirostris</i>	1856, 116
		<i>suchii</i>	1856, 117
		<i>sumptuosus</i>	1856, 238
		<i>surinamus</i>	{ 1856, 114 1857, 264
		<i>tæniatus</i>	1856, 237
		<i>tenuirostris</i>	1856, 114
		<i>valerii</i>	1856, 114
		<i>versicolor</i>	1856, 119
		<i>victorini</i>	1856, 238

	Page		Page
<i>Tachyphonus vigorsi</i> ...	1850, 114	<i>Tanagra analis</i>	1856, 243
	1854, 158	<i>archiepiscopus</i>	1856, 234
<i>xanthopygius</i>	{ 1855, 83	<i>argentata</i>	1856, 233
	1855, 156	<i>argentea</i>	1856, 255
	1856, 116	<i>arthus</i>	1856, 251
<i>Tachyspiza soloensis</i> ...	1860, 344	<i>assimilis</i>	1856, 85
<i>Tadorna radjah</i>	1860, 365	<i>atra</i>	1856, 67
	1859, 436	<i>atricapilla</i>	1856, { 118
<i>vulpanser</i>	{ 1859, 442	<i>atricollis</i>	1856, { 259
	1860, 339	<i>aureata</i>	1856, 77
	1860, 372	<i>auricapilla</i>	1856, 272
<i>Tænia bremseri</i>	1853, 23	<i>auricrissa</i>	1856, 117
<i>calva</i>	1853, 24	<i>aurulenta</i>	1856, 236
<i>denticula</i>	1853, 24	<i>axillaris</i>	1856, 250
<i>expansa</i>	1853, 24	<i>barbadensis</i>	1856, 68
<i>falciformis</i>	1853, 24	<i>bonariensis</i>	1856, 256
<i>goezii</i>	1853, 24	<i>brasilia</i>	1856, 121
<i>sulciceps</i>	1859, 111	<i>brasiliensis</i>	1856, 127
<i>zederi</i>	1853, 24	<i>brunnea</i>	1856, 256
<i>Tænioptera alpina</i>	1860, 78	<i>brunnea</i>	1856, 115
<i>erythropterygia</i>	{ 1851, 193		{ 1855, 157
	1860, 78		1856, 232
<i>rufiventris</i>	1859, 331	<i>cana</i>	{ 1859, 139
	1851, 193		1860, 274
<i>striaticollis</i>	{ 1855, 77		1860, 292
	1860, 92	<i>capistrata</i>	1856, 67
<i>variegata</i>	1859, 331*	<i>cayana</i>	{ 1856, 252
<i>Talegalla lathamii</i>	1860, 426		{ 1856, 279
	1858, 187	<i>cayennensis</i>	1856, 279
<i>Talegallus cuvieri</i>	{ 1859, 159	<i>chalybea</i>	1856, 276
	1859, 159	<i>chlorocyanea</i>	1856, 279
<i>Talpa cryptura</i>	1856, 399	<i>chloroptera</i>	1856, 253
<i>europæa</i>	1860, 206	<i>chlorotica</i>	1856, 273
<i>micrura</i>	1856, 399	<i>chrysocome</i>	1856, 238
<i>Talpacotia rufipennis</i> ..	1858, 359		{ 235
<i>Tamandua tetradactyla</i> ..	1860, 262	<i>chrysogaster</i>	1856, { 272
<i>Tamatia erythropterygia</i> ..	1859, 399		{ 1856, 279
<i>gigas</i>	1855, 193	<i>chrysolopha</i>	1856, 243
<i>hyperrhynchus</i>	1855, 193	<i>citrinella</i>	1856, 247
<i>pulmentum</i>	1855, 194	<i>coelestis</i>	{ 1854, 115
	72		{ 1856, 232
	230	<i>columbiana</i>	1856, 125
	232	<i>conspicillata</i>	1856, 67
	235	<i>constantii</i>	{ 1855, 157
	246		{ 1856, 241
<i>Tanagra</i> —?	1856, { 247	<i>coryphæa</i>	1856, 114
	254	<i>cristata</i>	1856, 115
	269	<i>cucullata</i>	1856, 239
	270	<i>cyanicollis</i>	1856, 262
	272	<i>cyanilia</i>	1856, 233
	273		{ 1856, 236
	1856, 235	<i>cycnocephala</i>	{ 1856, 247
<i>abbas</i>	{ 1858, 358		{ 1859, 139
	1859, 364		1860, 63
	1859, 378	<i>cyanomelas</i>	1856, 268
<i>æstiva</i>	1856, 123	<i>cyanoptera</i>	1856, 233
<i>affinis</i>	1856, 274	<i>cyanoventrtris</i>	1856, 247
<i>albirostris</i>	1856, 128	<i>darwini</i>	1856, 235
<i>analis</i>	1855, 227		

	Page		Page
<i>Tanagra darwini</i>	{ 1858, 450 1858, 453 1858, 551 1860, 86	<i>Tanagra melanonota</i>	1856, 265
<i>desmaresti</i>	1856, 115	<i>melanopsis</i>	1856, 67
<i>diaconus</i>	{ 1856, 142 1856, 233 1856, 303 1859, 59 1859, 364	<i>melanoptera</i>	{ 1856, 235 1858, 74 1858, 453 1860, 292
<i>diademata</i>	1856, 241	<i>melanota</i>	1856, 265
<i>dubusia</i>	1856, 213	<i>mexicana</i>	1856, 257
<i>duplicata</i>	1856, 78	<i>mississippiensis</i> ...	1856, 123
<i>elegans</i>	1856, 247	<i>montana</i>	1856, 239
<i>episcopus</i>	{ 1855, 157 1856, 231 1856, 233 1855, 156 1856, 126	<i>multicolor</i>	1856, 230
<i>erythromelas</i>	1856, 126	<i>musica</i>	1856, 271
<i>erythrotis</i>	1856, 241	<i>muta</i>	1856, 72
<i>eximia</i>	1856, 240	<i>nigerrima</i>	1856, 113
<i>fasciata</i>	1856, 68	<i>nigricephala</i>	1856, 230
<i>fastuosa</i>	1856, 246	<i>nigricollis</i>	1856, 109
<i>festiva</i>	1856, 246	<i>nigrigula</i>	1856, 109
<i>flammiceps</i>	1856, 119	<i>nigrogularis</i>	1856, 128
<i>flava</i>	1856, 253	<i>nigroviridis</i>	1856, 260
<i>flavifrons</i>	1856, 271	<i>noir</i>	1856, 113
<i>flavinucha</i>	1856, 238	<i>notabilis</i>	{ 1855, 84 1856, 239
<i>flaviventris</i>	1856, 257	<i>occipitalis</i>	1856, 66
<i>flavivertex</i>	1856, 238	<i>olivacea</i>	1856, 274
<i>formosa</i>	1856, 253	<i>olivascens</i>	1856, 234
<i>frugilegus</i>	{ 1854, 97 1856, 235 1858, 453	<i>olivicyanea</i>	1856, 237
<i>fumigata</i>	1856, 113	<i>ornata</i>	1856, 234
<i>glauca</i>	1856, 232	<i>palmarum</i>	{ 1855, 157 1856, 234 1856, 235
<i>graminea</i>	1856, 250	<i>palpebrosa</i>	{ 1855, 157 1856, 242
<i>grandis</i>	1856, 72	<i>partialis</i>	1856, 115
<i>gubernatrix</i>	1856, 115	<i>parzudakii</i>	1856, 263
<i>gyrola</i>	{ 1856, 254 255	<i>penicillata</i>	{ 1855, 156 1856, 117
<i>hirundinacea</i>	1856, 112	<i>peruviana</i>	1856, 254
<i>ignescens</i>	1856, 128	<i>pileata</i>	1856, 109
<i>igniventris</i>	1856, 241	<i>porphyrio</i>	1856, 119
<i>inornata</i>	1856, 233	<i>praelata</i>	1856, 233
<i>iridina</i>	{ 1856, 267 1857, 264	<i>prasina</i>	1856, 78
<i>jacapa</i>	1856, 128	<i>pretrei</i>	1856, 231
<i>jugularis</i>	1856, 77	<i>psittacina</i>	1856, 64
<i>labradorides</i>	1856, 262	<i>punctata</i>	1856, 248
<i>leucocampter</i>	1856, 116	<i>riefferi</i>	1856, 78
<i>leucocephala</i>	1856, 241	<i>roux</i>	1856, 67
<i>leucophaea</i>	1856, 67	<i>rubra</i>	1856, 123
<i>loricata</i>	1856, 121	<i>rubricollis</i>	1856, 121
<i>ludoviciana</i>	1856, 125	<i>rubrigularis</i>	1856, 121
<i>lunulata</i>	1856, 241	<i>rufa</i>	1856, 113
<i>magna</i>	1856, 70	<i>ruficervix</i>	1856, 259
<i>maximiliani</i>	1856, 236	<i>ruficollis</i>	1856, 269
		<i>rufiventer</i>	1856, 115
		<i>rufiventris</i>	1856, 279
		<i>saira</i>	1856, 124
		<i>sanguinolenta</i> ...	1856, 132
		<i>sayaca</i>	1856, 233
		<i>schistacea</i>	1856, 88

	Page		Page
<i>Tanagra schrankii</i>	1856,	<i>Tanalia reevei</i>	1854,
<i>selysia</i>	1856,	<i>similis</i>	1854,
<i>semirufa</i>	1856,	<i>tennentii</i>	1854,
<i>septicolor</i>	1856,	<i>torrenticola</i>	1858,
<i>serioptera</i>	1856,	<i>undata</i>	1854,
<i>silens</i>	1856,	<i>violacea</i>	1854,
<i>speculifera</i>	1856,		
	1854,		
<i>striata</i>	1856,	<i>Tantalus leucocephalus</i> {	1854,
	1858,	<i>loculator</i>	1855,
<i>sumptuosa</i>	1856,	<i>melanocephalus</i> ...	1859,
<i>superciliaris</i>	1856,	<i>melanocephalus</i> ...	1860,
<i>swainsoni</i>	1856,	<i>Tanygnathus gramineus</i> ..	1860,
<i>tatao</i>	1856,	<i>lucionensis</i>	1860,
<i>thoracica</i>	1856,	<i>macrorhynchus</i> ...	1857,
<i>trichroa</i>	1856,	<i>marginatus</i>	1857,
<i>tricolor</i>	1856,	<i>megalorhynchus</i> ..	1860,
<i>varia</i>	1856,		
<i>variegata</i>	1856,	<i>mülleri</i>	1857,
<i>vassorii</i>	1856,	<i>sumatranus</i>	1860,
<i>vegeta</i>	1856,	<i>Tanysiptera dea</i>	1859,
<i>vicaria</i>	1856,	<i>galatea</i>	1860,
<i>vicarius</i>	1859,	<i>hydrocharis</i>	1858,
<i>victorini</i>	1856,	<i>isis</i>	1860,
<i>violacea</i>	1856,	<i>margarethæ</i>	1860,
<i>virens</i>	1856,	<i>nais</i>	1860,
<i>viridis</i>	1856,	<i>nympha</i>	1860,
<i>vittata</i>	1856,	<i>sabrina</i>	1860,
<i>yeni</i>	1856,	<i>sylvia</i>	1850,
<i>zena</i>	1856,	<i>sylvia</i>	1860,
<i>zenoides</i>	1856,	<i>Tapes alba</i>	1853,
(<i>Aglaia</i>) <i>diaconus</i> ..	1856,	<i>biradiata</i>	1853,
(<i>Saltator</i>) <i>eximia</i> ..	1856,	<i>cinerea</i>	1853,
<i>Tanagrella calophrys</i> ..	1856,	<i>fabagella</i>	1853,
<i>cyanomelas</i>	1856,	<i>gracilis</i>	1856,
	1855,	<i>grata</i>	1853,
<i>elegantissima</i>	1856,	<i>inflata</i>	1853,
	1857,	<i>japonica</i>	1853,
<i>iridina</i>	1856,	<i>obscurata</i>	1853,
	1857,	<i>punicea</i>	1853,
<i>multicolor</i>	1856,	<i>quadriradiata</i>	1853,
<i>ruficollis</i>	1856,	<i>similis</i>	1853,
<i>rufigula</i>	1856,	<i>straminea</i>	1856,
<i>tenuirostris</i>	1856,	<i>tenerrima</i>	1856,
<i>velia</i>	1856,	<i>tumida</i>	1856,
	88	<i>turgidula</i>	1853,
<i>Tanalia aerea</i>	1854,	<i>variegata</i>	1853,
	88	<i>violascens</i>	1853,
<i>crinascens</i>	1854,	<i>Taphozous lepturus</i>	1858,
	88	<i>Tapirus americanus</i>	1850,
<i>funiculata</i>	1854,		
	88		
<i>gardnerii</i>	1854,		
	88		
<i>layardii</i>	1854,		
	88		
<i>loricata</i>	1854,		
	88		
<i>reevei</i>	1854,		
	88		

	Page		Page
<i>Tapirus americanus</i> ..	{ 1851, 121 1859, 51 1860, 181 1860, 261	<i>Tellina cuspidata</i>	1854, 360
<i>suillus</i>	1860, 261	<i>decolorata</i>	1854, 370
<i>Tarandus rangifer</i>	1850, 225	<i>delicatula</i>	1854, 163
<i>sylvestris</i>	1850, 225	<i>denticulata</i>	1854, 365
<i>Tardivola macroura</i>	1856, 30	<i>deshayesii</i>	1856, 160
<i>Tarentola aegyptiaca</i> ...	1849, 95	<i>dialeuca</i>	1854, 368
<i>mauritanica</i>	1859, { 470 473 476	<i>diaphana</i>	1854, 364
<i>Taricha torsa</i>	1858, 138	<i>diemenensis</i>	1854, 361
<i>Tarsiger supercilii</i> ..	1854, 76	<i>dilatata</i>	1854, 359
<i>Tatao fastuosus</i>	1856, 246	<i>discula</i>	1854, 360
<i>festiva</i>	1856, 247	<i>dissimilis</i>	1854, 370
<i>larvatus</i>	1856, 260	<i>donaciformis</i>	1854, 357
<i>paradisea</i>	1856, 244	<i>dubia</i>	1854, 371
<i>tricolor</i>	1856, 246	<i>edentula</i>	1856, 213
<i>yeni</i>	1856, 245	<i>egregia</i>	1854, 366
<i>Tatusia affinis</i>	1851, 212	<i>fabagella</i>	1854, 355
<i>hybrida</i>	1851, 213	<i>flammula</i>	1854, 367
<i>septemcincta</i>	1851, 212	<i>gemma</i>	1856, 200
<i>Tautoga parila</i>	1850, 70	<i>glabrella</i>	1854, 366
<i>Taxidea leucura</i>	1856, 398	<i>grata</i>	1854, 369
<i>leucurus</i>	1853, 190	<i>gratiosa</i>	1854, 369
<i>Tchitrea affinis</i>	1854, 270	<i>incerta</i>	1854, 367
<i>melampyra</i>	1860, 111	<i>inquinata</i>	1854, 357
<i>paradisi</i>	{ 1857, 89 1858, 495	<i>japonica</i>	1854, 265
<i>Tectula albersii</i>	1854, 192	<i>layardii</i>	1854, 357
<i>bulveriana</i>	1854, 192	<i>leda</i>	1854, 364
<i>lyelliana</i>	1854, 191	<i>ligamentina</i>	1856, 213
<i>tectiformis</i>	1854, 192	<i>mazatlanica</i>	1854, 359
<i>Tectura radiata</i>	1860, 437	<i>miniata</i>	1856, 199
<i>Tedinia pernoides</i>	1851, 198	<i>moesta</i>	1854, 361
<i>Tegenaria antipodiana</i> ..	1849, 5	<i>moretonensis</i>	1854, 355
<i>pellis-serpentis</i> } 1851, 152 1856, 44		<i>nasuta</i>	1856, 213
<i>Teinostoma politum</i>	1853, 184	<i>nitens</i>	1854, 358
<i>Teleopus luxatus</i>	1860, 395	<i>nucleolus</i>	1854, 355
<i>Telephonus cucullatus</i> ..	1858, 292	<i>obesa</i>	1854, 354
<i>minutus</i>	1858, 292	<i>obliquaria</i>	1854, 356
<i>Tellina abbreviata</i>	1854, 362	<i>obtusalis</i>	1854, 356
<i>aenigmatica</i>	1849, 118	<i>ornata</i>	1854, 370
<i>aequalis</i>	1854, 358	<i>petalina</i>	1854, 367
<i>alta</i>	1856, 213	<i>pretiosa</i>	1854, 360
<i>amboynensis</i>	1854, 366	<i>pura</i>	1856, 199
<i>amcoena</i>	1854, 369	<i>radians</i>	1854, 366
<i>attenuata</i>	1854, 363	<i>recurva</i>	1854, 361
<i>australis</i>	1854, 362	<i>resecta</i>	1854, 364
<i>brevirostris</i>	1854, 362	<i>rombergii</i>	1854, 355
<i>callosa</i>	1854, 361	<i>rubella</i>	1854, 364
<i>clausa</i>	1854, 360	<i>rubra</i>	1854, 364
<i>compressa</i>	1854, 359	<i>rufa</i>	1854, 367
<i>contabulata</i>	1854, 356	<i>sanguinolenta</i>	1854, 359
<i>contorta</i>	1854, 359	<i>secta</i>	1856, 213
<i>crassula</i>	1854, 354	<i>semiaspera</i>	1854, 365
		<i>sieboldii</i>	1854, 368
		<i>silicula</i>	1854, 363
		<i>solenella</i>	1854, 365
		<i>splendida</i>	1854, 370
		<i>squamifera</i>	1854, 365
		<i>squamulosa</i>	1849, 169
		<i>straminea</i>	1854, 363

	Page		Page
<i>Tellina strangei</i>	1854,		362
<i>suensonii</i>	1854,	<i>Tenagodus polygonus</i> ...	1860,
<i>sulcatina</i>	1854,		411
<i>tersa</i>	1856,	<i>porosa</i>	1860,
<i>tessellata</i>	1854,		414
<i>textilis</i>	1854,	<i>roseus</i>	1860,
<i>ticaonica</i>	1854,		411
<i>tristis</i>	1854,	<i>ruber</i>	1860,
<i>turgida</i>	1854,		411
<i>ventricosa</i>	1854,	<i>senegalensis</i>	1860,
<i>venusta</i>	1854,	<i>spinosa</i>	1860,
<i>vinosa</i>	1854,	<i>spiralis</i>	1860,
(Areopagia) <i>siamen-</i>		<i>squamata</i>	1860,
<i>sis</i>	1860,		411
	18	<i>striatus</i>	1860,
<i>Telmatobius peruvianus</i> ..	1858,		411
<i>Telophonus senegalus</i> ..	1850,	<i>sulcatus</i>	1860,
<i>Temnodon saltator</i>	1850,		414
<i>vadigo</i>	1850,	<i>terebella</i>	1860,
	36	<i>tuberculata</i>	1860,
<i>Temnopleurus tchitrea</i> ..	1855,	<i>variegata</i>	1860,
	127	<i>vitis</i>	1860,
<i>Temognatha imperatrix</i> ..	1859,	<i>volvox</i>	1860,
<i>Tenagodus ammonoides</i> ..	1860,		415
<i>anguilus</i>	1860,	(<i>Pyxipoma</i>) <i>anguillæ</i> ..	1860,
<i>anguinarius</i>	1860,		410
	412	(—) <i>cylindrella</i> ..	1860,
<i>anguinus</i>	1860,		413
	411	(—) <i>lacteus</i>	1860,
	412		409
<i>annularis</i>	1860,	(—) <i>tahitensis</i> ..	1860,
<i>archimedis</i>	1860,		414
<i>clairbonensis</i>	1860,	(<i>Siliquarius</i>) <i>aus-</i>	
<i>costæ</i>	1860,	<i>tralis</i>	1860,
<i>costæ</i>	1860,		406
<i>cristata</i>	1860,	(—) <i>conifer</i>	1860,
	413	(—) <i>cumingii</i> ..	1860,
<i>dubius</i>	1860,		403
	411	(—) <i>encausticus</i> ..	1860,
	413		408
<i>echinata</i>	1860,	(—) <i>ferruginea</i> ..	1860,
	411		407
	413	(—) <i>incisus</i>	1860,
<i>florina</i>	1860,		413
	411	(—) <i>japonica</i>	1860,
	413	(—) <i>lævilirata</i> ..	1860,
<i>furcellus</i>	1860,		405
	413	(—) <i>lineata</i>	1860,
	402		408
<i>gigas</i>	1860,	(—) <i>lumbricalis</i> ..	1860,
	411		405
	413	(—) <i>multilirata</i> ..	1860,
<i>glabra</i>	1860,		406
<i>grantii</i>	1860,	(—) <i>obtusus</i>	1860,
	413		407
<i>lævigata</i>	1860,	(—) <i>platyomphala</i> ..	1860,
	411		414
	413	(—) <i>ponderosus</i> ..	1860,
<i>lævis</i>	1860,		409
	411	(—) <i>rosea</i>	1860,
	413		409
<i>lima</i>	1860,	(—) <i>rudis</i>	1860,
	411		404
	413	(—) <i>scalariformis</i> ..	1860,
<i>multistriatus</i>	1860,		406
	414	(—) <i>tæniata</i>	1860,
<i>muricata</i>	1860,		406
	414	(—) <i>tostus</i>	1860,
<i>occlusus</i>	1860,		405
	411	(—) <i>trochlearis</i> ..	1860,
	414		415
<i>ornata</i>	1860,		408
	414		413
<i>papillosa</i>	1860,		
	411		
	414		
<i>polygonus</i>	1860,		
	403		

	Page		Page
<i>Tephrodornis gularis</i> . . .	1854, 272	<i>Terebra bifrons</i>	1859, 297
	1860, 354	<i>bipartita</i>	1859, 284
	1857, 92	<i>hitorquata</i>	1860, 449
<i>pondicerianus</i>	1858, 489	<i>blanda</i>	1859, 313
	1859, 180	<i>bourguignati</i>	1860, 450
<i>Terebra aciculata</i>	1859, 275	<i>brevicula</i>	1859, 298
<i>aciculina</i>	1860, 449	<i>bruguieri</i>	1859, 288
<i>acumen</i>	1859, 316	<i>buccinoidea</i>	1860, 449
	1859, 287	<i>buccinulum</i>	1859, 296
<i>acuta</i>	1860, 449	<i>cælata</i>	1859, 297
	1859, 315	<i>cærulescens</i>	1859, 316
<i>adansoni</i>	1860, 450	<i>caliginosa</i>	1859, 282
<i>adita</i>	1859, 291		1859, 304
<i>affinis</i>	1860, 449		1859, 290
	1859, 299		1859, 287
<i>africana</i>	1860, 449	<i>cancellata</i>	1859, 300
	1859, 296		1859, 305
<i>alba</i>	1860, 449		1859, 317
<i>albicosta</i>	1859, 316	<i>carnea</i>	1860, 450
	1859, 301		1859, 317
<i>albida</i>	1860, 450	<i>casta</i>	1859, 284
	1859, 280		1860, 449
<i>albobincta</i>	1859, 295		1859, 290
	1860, 450	<i>castanea</i>	1859, 300
<i>albomarginata</i>	1860, 450		1860, 449
	1859, 314	<i>cerithina</i>	1859, 299
<i>albula</i>	1859, 283		1859, 295
	1860, 449	<i>chilensis</i>	1860, 450
<i>alveolata</i>	1859, 298		1859, 309
<i>amanda</i>	1859, 315	<i>chincensis</i>	1860, 450
<i>amcena</i>	1859, 297		1859, 280
	1859, 291	<i>chlorata</i>	1859, 305
<i>anomala</i>	1860, 449		1859, 305
	1859, 284	<i>cinctella</i>	1860, 450
<i>apicina</i>	1859, 299		1859, 291
	1860, 450	<i>cinerea</i>	1860, 449
<i>approximata</i>	1859, 314		1859, 278
	1860, 450	<i>cingula</i>	1860, 449
<i>archimedis</i>	1859, 305		1859, 313
	1860, 450	<i>cingulifera</i>	1860, 450
<i>areolata</i>	1859, 305		1859, 315
	1860, 450	<i>circinata</i>	1860, 450
<i>argenvillii</i>	1859, 286		1859, 283
	1860, 449	<i>circumcincta</i>	1859, 299
<i>argus</i>	1859, 309		1860, 450
	1856, 206	<i>columellaris</i>	1859, 310
<i>arguta</i>	1859, 276		1860, 450
	1859, 293	<i>columnaris</i>	1859, 309
<i>armillata</i>	1860, 450		1859, 287
	1859, 302	<i>concinna</i>	1860, 449
<i>aspera</i>	1860, 450		1859, 308
	1859, 310	<i>consobrina</i>	1859, 309
<i>babylonia</i>	1859, 285		1860, 449
	1860, 449	<i>consors</i>	1860, 450
<i>bacillus</i>	1859, 300		1859, 306
	1859, 306	<i>conspersa</i>	1859, 286
<i>badia</i>	1859, 300		1859, 300
	1860, 450	<i>continua</i>	1859, 313
<i>belcheri</i>	1859, 293		1860, 450
	1859, 293	<i>copula</i>	1859, 313
<i>bermonti</i>	1859, 293		1860, 450
	1859, 293	<i>corrugata</i>	1860, 450
<i>bernardii</i>	1859, 293		
<i>bicincta</i>	1859, 295		

	Page
<i>Terebra cosentini</i>	1859, 275 1860, 449
<i>costata</i>	1859, {282 317
<i>crassidula</i>	1859, 282
<i>crassula</i>	1860, 449
<i>crenifera</i>	1859, 298 1860, 450
<i>crenulata</i>	1859, 276 1860, 449
<i>crossii</i>	1859, 289 1860, 449
<i>cumingii</i>	1859, 311
<i>cuspidata</i>	1859, 285
<i>decorata</i>	1859, 314 1860, 450
<i>decussata</i>	1859, 305
<i>difficilis</i>	1859, 304
<i>dillwynii</i>	1859, 279
<i>dimidiata</i>	1859, 281 1860, 449
<i>dislocata</i>	1859, 295
<i>dispar</i>	1859, 284
<i>dunkeri</i>	1859, 285
<i>duplicata</i>	1859, 292 1860, 449
<i>dussumieri</i>	1859, 292
<i>eburnea</i>	1859, 280 1859, 285 1860, 449
<i>elata</i>	1859, 304
<i>elegans</i>	1859, 317
<i>elongata</i>	1859, 317
<i>evoluta</i>	1859, 292
<i>exigua</i>	1859, 301
<i>eximia</i>	1859, 314
<i>fatua</i>	1859, 278 1860, 449
<i>felina</i>	1859, 317
<i>fenestrata</i>	1859, 311
<i>festiva</i>	1859, 278 1860, 449
<i>fictilis</i>	1859, 306
<i>fimbriata</i>	1859, 276 1860, 449 1859, 280
<i>flammea</i>	1859, 309 1859, 318 1860, 450
<i>flava</i>	1859, 301
<i>flavescens</i>	1859, 299
<i>formosa</i>	1853, 180 1859, 307
<i>fortunii</i>	1859, 312
<i>fulgurata</i>	1859, 276
<i>funiculata</i>	1859, 312 1860, 450
<i>fusca</i>	1859, 318

<i>Terebra fuscomaculata</i>	1859, 318
<i>geminata</i>	1859, 296 1860, 450 1859, 294
<i>gemmaulata</i>	1860, 449 1860, 450
<i>glabra</i>	1859, 281 1860, 449
<i>glaucal</i>	1859, 302 1860, 450
<i>gouldi</i>	1859, 278
<i>gracilis</i>	1859, {306 318
<i>granulosa</i>	1859, 318
<i>hastata</i>	1859, 282 1860, 449
<i>hindsii</i>	1859, 295 1860, 450
<i>histrion</i>	1859, 308
<i>hopei</i>	1859, 309
<i>hupei</i>	1860, 450
<i>incolol</i>	1859, 283 1860, 449
<i>incomparabilis</i>	1859, 307 1860, 450
<i>inconstans</i>	1859, 291 1860, 449
<i>insignis</i>	1859, 308 1860, 450
<i>interlineata</i>	1859, 277
<i>intertincta</i>	1859, 303 1860, 450
<i>jamaicensis</i>	1859, 290 1860, 449
<i>jukesi</i>	1859, 293
<i>kieneri</i>	1859, 294
<i>knorii</i>	1859, 318
<i>lactea</i>	1859, 285 1860, 449
<i>laevigata</i>	1859, 310
<i>laevis</i>	1859, 318
<i>lamarckii</i>	1859, 292 1860, 449
<i>lanceata</i>	1859, 283
<i>larviformis</i>	1859, 303
<i>laurina</i>	1859, 290 1860, 449
<i>lepida</i>	1859, 288
<i>ligata</i>	1859, 308
<i>lima</i>	1859, 312
<i>lineolata</i>	1859, 318
<i>lingualis</i>	1859, 308 1860, 450
<i>longiscata</i>	1859, 294
<i>loroisi</i>	1859, 313 1860, 450
<i>luctuosa</i>	1859, 290 1860, 449

	Page		Page
<i>Terebra maculata</i>	1859,	<i>Terebra pretiosa</i>	1859,
	{ 280	<i>pulchella</i>	1859,
	318	<i>pulchra</i>	1859,
<i>marginata</i>	{ 1859,	<i>punctata</i>	1859,
	1860,		{ 313
	450		320
<i>marmorata</i>	1859,	<i>punctatostriata</i>	1859,
	279		{ 1859,
<i>matheroniana</i>	{ 1859,		280
	287	<i>puncticulata</i>	{ 1860,
	1860,		450
	449	<i>punctulata</i>	1859,
<i>mera</i>	1859,	<i>pura</i>	1859,
	286	<i>pygmæa</i>	1859,
	1860,	<i>radula</i>	1859,
	449	<i>raphanula</i>	1859,
<i>micans</i>	1859,		{ 1859,
	291	<i>reevei</i>	1860,
	1860,		449
	449	<i>regina</i>	1859,
<i>modesta</i>	1859,		311
	288	<i>robusta</i>	{ 1860,
	1860,		450
	449	<i>roseata</i>	1859,
<i>monilis</i>	1859,		{ 1859,
	312	<i>rudis</i>	1860,
<i>muscaria</i>	1859,		450
	281	<i>rufocinerea</i>	1859,
	1859,		295
	309	<i>rustica</i>	1859,
<i>myuros</i>	{ 1860,	<i>salleana</i>	1859,
	450		{ 1859,
<i>nana</i>	1859,		309
	291	<i>scabrella</i>	1860,
<i>nassoides</i>	1859,		450
	306	<i>senegalensis</i>	{ 1859,
	{ 298		319
<i>nebulosa</i>	1859,		{ 1860,
	{ 313	<i>serotina</i>	1859,
	319		312
	289	<i>solida</i>	1859,
<i>nimbosa</i>	1859,		282
	288	<i>souleyeti</i>	1859,
	{ 1859,	<i>sowerbyana</i>	1859,
<i>nitida</i>	1860,		277
	449	<i>specillata</i>	1859,
	1859,		303
	276	<i>speciosa</i>	1859,
<i>nodosoplicata</i>	{ 1860,		279
	449		{ 1860,
<i>nodularis</i>	1859,		294
	295	<i>spectabilis</i>	{ 1860,
<i>nubeculata</i>	1859,		450
	319	<i>splendens</i>	{ 1859,
<i>obesa</i>	1859,		281
	283		{ 1860,
<i>obsoleta</i>	1859,		449
	310	<i>straminea</i>	1859,
	{ 1859,		311
<i>oculata</i>	307		{ 1860,
	1860,		450
<i>ornata</i>	1859,	<i>striata</i>	1859,
	307		{ 299
	{ 1859,		310
<i>pallida</i>	311	<i>striatula</i>	1859,
	1860,		320
	450	<i>strigata</i>	1859,
<i>patagonica</i>	1859,		280
	277	<i>strigilata</i>	{ 1859,
	1860,		291
	449		{ 1860,
<i>peasii</i>	1859,		449
	302	<i>stylata</i>	{ 1859,
	{ 1860,		290
<i>penicillata</i>	450		{ 1860,
	1859,	<i>subangulata</i>	1859,
	298		300
<i>pertusa</i>	1860,	<i>subdivisa</i>	1859,
	450		306
	{ 295	<i>subnodosa</i>	{ 1859,
<i>petitii</i>	319		295
	{ 1859,	<i>subulata</i>	{ 1860,
	302		450
	1860,		307
	450		
<i>petiveriana</i>	1859,		
	289		
<i>philippiana</i>	1859,		
	305		
<i>picta</i>	{ 1860,		
	450		
<i>plicata</i>	1859,		
	303		
	{ 1859,		
<i>plicatella</i>	293		
	1860,		
	449		
<i>plumbea</i>	1859,		
	305		
	1860,		
	449		
<i>polita</i>	1859,		
	319		
<i>polygyrata</i>	1859,		
	301		
<i>prælonga</i>	1859,		
	315		

	Page		Page
<i>Terebra succinea</i>	1859,		
<i>swainsoni</i>	1859,		
<i>tæniolata</i>	1859,		
<i>tahitensis</i>	1859,		
<i>tenera</i>	1859,		
<i>tessellata</i>	1859,		
<i>textilis</i>	1859,		
<i>tiarella</i>	1859,		
<i>tigrina</i>	1859,		
<i>torquata</i>	1859,		
<i>traillii</i>	1859,		
<i>tricolor</i>	1859,		
<i>triseriata</i>	1859,		
<i>tristis</i>	1859,		
<i>trochlea</i>	1859,		
<i>tuberculosa</i>	1859,		
<i>tuberosa</i>	1859,		
<i>undatella</i>	1859,		
<i>undulata</i>	1859,		
<i>ustulata</i>	1859,		
<i>varicosa</i>	1859,		
<i>variegata</i>	1859,		
<i>venosa</i>	1859,		
<i>verreauxi</i>	1859,		
<i>violascens</i>	1859,		
<i>virginea</i>	1859,		
<i>vittata</i>	1859,		
<i>zebra</i>	1859,		
<i>Terebratella australis</i> ..	1852,		
<i>bouchardii</i>	1852,		
<i>californiana</i>	1852,		
<i>cumingii</i>	1852,		
<i>dorsata</i>	1852,		
<i>evansii</i>	1852,		
<i>grayii</i>	1852,		
<i>rubicunda</i>	1852,		
<i>spitzbergensis</i>	1852,		
<i>zealandica</i>	1852,		
<i>Terebratulina capensis</i> ...	1852,		
<i>caput-serpentis</i> ...	1856,		
<i>depressa</i>	1852,		
<i>neapolitana</i>	1852,		
<i>seminulum</i>	1852,		
<i>Terebratulina cumingii</i> .	1852,		
<i>Teredo arenaria</i>	1858,		
<i>navalis</i>	1857,		
<i>norvegica</i>	1857,		
<i>Testacella haliotidea</i> ...	1854,		
<i>Testacella maugei</i>	1854,		
<i>Testudo denticulata</i>	1858,		
<i>elephantopus</i>	1853,		
<i>elongata</i>	1856,		
<i>emys</i>	1849,		
<i>erosa</i>	1858,		
<i>gopher</i>	1849,		
<i>græca</i>	1856,		
<i>horsfieldi</i>	1856,		
<i>indica</i>	1853,		
<i>mauritanica</i>	1848,		
<i>planiceps</i>	1853,		
<i>radiata</i>	1858,		
<i>schoepfii</i>	1858,		
<i>senegalensis</i>	1858,		
<i>sulcata</i>	1858,		
<i>tabulata</i>	1848,		
<i>Tetrabothrium gerrardii</i> .	1860,		
<i>Tetracerus iodes</i>	1850,		
<i>paccerois</i>	1850,		
<i>quadricornis</i>	1850,		
<i>subquadricornutus</i> .	1850,		
<i>Tetragonops</i>	1857,		
<i>Tetragonopterus æneus</i> .	1860,		
<i>peruanus</i>	1859,		
<i>rutilus</i>	1860,		
<i>Tetrao coturnix</i>	1858,		
<i>francolinus</i>	1858,		
<i>obscurus</i>	1858,		
<i>Tetraogallus himalay-</i>	1859,		
<i>ensis</i>	1858,		
<i>tibetanus</i>	1853,		
<i>Tetrarhynchus rugosus</i> .	1853,		
<i>strangulatus</i>	1853,		
<i>Thais fuscus</i>	1851,		
<i>hæmastoma</i>	1851,		
<i>minuta</i>	1851,		
<i>patula</i>	1851,		
<i>persica</i>	1851,		
<i>Thala roseata</i>	1854,		
<i>Thalasseus torresii</i> ...	1858,		
<i>Thalassidroma hornbyi</i> .	1853,		
<i>neréis</i>	1859,		
<i>obscura</i>	1860,		
<i>Thaliella ornata</i>	1848,		
<i>Thalotia australis</i>	1851,		
<i>crenellifera</i>	1851,		
<i>elongata</i>	1851,		
<i>lehmanni</i>	1851,		
<i>obscura</i>	1851,		

	Page		Page
<i>Thalotia picta</i>	1851,		
<i>pulcherrima</i>	1851,	<i>Thamnophilus capistra-</i>	
<i>pyrgos</i>	1851,	<i>tus</i>	1858, 218
<i>strigata</i>	1851,	<i>capitalis</i>	1858, { 65
<i>suturalis</i>	1851,	<i>cinereus</i>	1858, { 214
<i>tricingulata</i>	1851,	<i>cinnamomeus</i>	1858, { 207
<i>zebrides</i>	1851,	<i>cirrhatus</i>	1858, { 209
<i>zebuensis</i>	1851,	<i>corvinus</i>	1858, { 219
<i>Thalurania colombica</i> ..	1855,	<i>crystalinus</i>	1858, 215
<i>tschudii</i>	1858,	<i>crispatus</i>	1855, 69
<i>verticeps</i>	1860,	<i>crispatus</i>	1858, 65
<i>viridipectus</i>	1860,	<i>crispatus</i>	1858, 210
	1848,	<i>crispatus</i>	1858, 207
	1854,	<i>crispatus</i>	1858, 215
	1857,	<i>doliatus</i>	1856, 141
<i>Thalurina columbiana</i> ..	1852,	<i>doliatus</i>	1856, 295
<i>eriphile</i>	1852,	<i>doliatus</i>	1858, 217
<i>furcata</i>	1852,	<i>doliatus</i>	1858, 457
<i>glaucoptis</i>	1852,	<i>doliatus</i>	1859, 57
<i>nigrofasciata</i>	1852,	<i>doliatus</i>	1859, 366
<i>refulgens</i>	1852,	<i>doliatus</i>	1859, 333
<i>venusta</i>	1852,	<i>fasciatus</i>	1858, 220
<i>verticeps</i>	1852,	<i>ferrugineus</i>	1858, 213
<i>viridipectus</i>	1852,	<i>fuliginosus</i>	1858, { 208
<i>waglerii</i>	1852,	<i>fuliginosus</i>	1858, { 222
<i>watertonii</i>	1852,	<i>gigas</i>	1858, 207
<i>Thamnistes anabatinus</i> ..	1860,	<i>gigas</i>	1858, { 238
	1854,	<i>griseus</i>	1858, { 239
	1857,	<i>griseus</i>	1858, 288
<i>Thamnobia fuscata</i> ..	1857,	<i>gularis</i>	1858, 235
	1858,	<i>gularis</i>	1858, { 208
	1858,	<i>guttatus</i>	1858, { 249
<i>Thamnocenchrus aurifer</i> ..	1860,	<i>guttatus</i>	1858, 70
<i>Thamnomanes cæsius</i> ..	1858,	<i>hyperythrus</i>	1855, 211
<i>glaucus</i>	1858,	<i>hyperythrus</i>	1858, 211
	223,	<i>hyperythrus</i>	1855, 148
	223,	<i>hyperythrus</i>	1858, 65
	65,	<i>hyperythrus</i>	1858, 211
<i>Thamnophilus æthiops</i> ..	1858,	<i>hyperythrus</i>	1860, 89
<i>affinis</i>	1858,	<i>hyperythrus</i>	1858, 288
<i>albicans</i>	1855,	<i>hyperythrus</i>	1858, 207
<i>albicollis</i>	1858,	<i>hyperythrus</i>	1855, 18
<i>albinuchalis</i>	1855,	<i>hyperythrus</i>	1858, 216
<i>albinuchalis</i>	1858,	<i>hyperythrus</i>	1858, 246
<i>albiventer</i>	1858,	<i>hyperythrus</i>	1858, { 206
<i>amazonicus</i>	1858,	<i>hyperythrus</i>	1858, { 208
<i>ambiguus</i>	1858,	<i>hyperythrus</i>	1858, 211
<i>aspersiventer</i>	1855,	<i>hyperythrus</i>	1858, 203
<i>aspersiventris</i>	1858,	<i>hyperythrus</i>	1858, { 208
<i>atricapillus</i>	1858,	<i>hyperythrus</i>	1858, { 213
<i>atropileus</i>	1858,	<i>hyperythrus</i>	1858, 65
<i>axillaris</i>	1858,	<i>hyperythrus</i>	1858, 220
<i>badius</i>	1858,	<i>hyperythrus</i>	1858, 209
<i>bicolor</i>	1858,	<i>hyperythrus</i>	1858, 209
<i>brevirostris</i>	1855,	<i>hyperythrus</i>	1857, 133
<i>bridgesi</i>	1856,	<i>hyperythrus</i>	1858, 65
<i>bridgesi</i>	1858,	<i>hyperythrus</i>	1858, 210
<i>cærulescens</i>	1858,	<i>hyperythrus</i>	1860, 252
<i>cæsius</i>	1855,	<i>hyperythrus</i>	1855, 19
<i>cæsius</i>	1858,	<i>hyperythrus</i>	1858, 216

	Page		Page
<i>Thamnophilus melano-</i>	1857,	<i>Thamnophilus tenuipunc-</i>	
<i>thorax</i>	1858,	<i>tatus</i>	1858,
	1855,	<i>torquatus</i>	1858,
	1855,		1855,
	1856,	<i>transandeanus</i> ...	1858,
	1857,		1860,
<i>melanurus</i>	1858,		1860,
	1858,	<i>undulatus</i>	1858,
	1859,	<i>ventralis</i>	1858,
	1859,	<i>vigorsii</i>	1858,
	1860,	<i>viridis</i>	1858,
<i>meleager</i>	1858,	<i>Thanasimus anthicoides</i> .	1852,
<i>mentalis</i>	1858,	<i>capicola</i>	1852,
	1855,	<i>cursorius</i>	1852,
<i>multistriatus</i>	1858,	<i>irregularis</i>	1852,
	1855,	<i>sellatus</i>	1852,
<i>myiotherinus</i>	1858,	<i>subscutellaris</i>	1852,
	1855,	<i>Tharrhaleus modularis</i> .	1854,
	1858,	<i>Thaumalea picta</i>	1860,
<i>nævus</i>	1858,	<i>Thaumantias candidus</i> .	1858,
	1860,		1859,
	1860,	<i>linnæi</i>	1858,
<i>niger</i>	1858,	<i>milleri</i>	1857,
<i>nigricans</i>	1858,	<i>Thaumastura duponti</i> ..	1856,
<i>nigrocinerus</i>	1855,	<i>Thaumasus gigas</i>	1856,
	1858,	<i>Thaumantias ceruleiceps</i> .	1860,
	1858,	<i>candidus</i>	1856,
<i>olivaceus</i>	288	<i>nitidifrons</i>	1860,
	541	<i>viridiceps</i>	1860,
<i>othello</i>	1858,	<i>Thecacera pennigera</i> ...	1859,
<i>palliatus</i>	1858,	<i>leucurus</i>	1854,
<i>pectoralis</i>	1858,	<i>Therosa solitaria</i>	1858,
	213	<i>Thlypopsis fulvescens</i> ..	1856,
<i>pileatus</i>	1858,	<i>fulviceps</i>	1856,
	233	<i>Thracia curta</i>	1856,
<i>quixensis</i>	1854,	<i>magnifica</i>	1849,
	1858,	<i>squamosa</i>	1855,
	1858,	<i>Thrasops flavigularis</i> ..	1858,
<i>radiatus</i>	1858,	<i>Thraupis cana</i>	1856,
<i>rufater</i>	1858,	<i>cyanocéphala</i>	1856,
<i>ruficapillus</i>	1858,	<i>episcopus</i>	1856,
<i>ruficeps</i>	1858,	<i>glaucocolpa</i>	1856,
<i>ruficollis</i>	1858,	<i>olivascens</i>	1856,
	1854,	<i>ornata</i>	1856,
<i>rufiventris</i>	1858,	<i>sayaca</i>	1856,
	1858,	<i>vicarius</i>	1856,
	1858,	<i>Threnetes cervinicauda</i> ..	1854,
<i>rufus</i>	1858,		109
<i>scalaris</i>	1858,	<i>Threpterus maculosus</i> ..	1850,
	1855,	<i>Thryothorus albipectus</i> .	1860,
<i>schistaceus</i>	1858,	<i>bewickii</i>	1859,
	1858,	<i>coraya</i>	1858,
<i>severus</i>	1858,	<i>euophrys</i>	1860,
<i>stagurus</i>	1858,	<i>fasciatoventris</i> ..	1855,
	1854,		1857,
<i>stellaris</i>	1858,	<i>felix</i>	1859,
	1858,	<i>maculipectus</i>	1856,
<i>striatothorax</i>	1858,		290
<i>striatus</i>	1858,		
	65		
<i>strigilatus</i>	1858,		
	215		
<i>swainsoni</i>	1858,		
	208		

	Page		Page
<i>Thryothorus maculipectus</i>	1859, { 363 372	<i>Tillus (Macrotelus) uniformis</i>	1852, 37
<i>mexicanus</i>	1855, 66	(<i>Tillicerus</i>) <i>chalybeus</i>	1852, 41
<i>modulator</i>	1858, 63	<i>Timalia erythronota</i>	1854, 276
<i>mystacalis</i>	1860, { 64 74	<i>erythroptera</i>	1854, 276
<i>nigricapillus</i>	1860, { 84 291	<i>grisea</i>	1854, 103
<i>rufalbus</i>	{ 1855, 143 1856, 140	<i>hyperythra</i>	1854, 103
<i>rutilans</i>	1855, 143	<i>hypoleuca</i>	{ 1854, 103 1857, 94 1858, 488
<i>rutilus</i>	1855, 143	<i>maculata</i>	1854, 276
<i>striatulus</i>	1855, 143	<i>malcolmii</i>	1854, 102
<i>Thylacinus cynocephalus</i>	{ 1850, 89 1855, 188	<i>nigricollis</i>	1854, 276
<i>Thymallus vulgaris</i>	1848, 38	<i>pectoralis</i>	1854, 276
<i>Thynnus vulgaris</i>	1860, 205	<i>pyrrhophæa</i>	1854, 276
<i>Tiara speciosa</i>	1853, 99	<i>trichorros</i>	1854, 275
<i>Tiaris cruenta</i>	1860, 276	<i>Tinamus boucardi</i>	1859, 391
<i>elliotti</i>	1860, { 151 160 167 172	<i>canus</i>	1857, 20
<i>olivaceus</i>	1856, 304	<i>castaneus</i>	1857, 277
<i>pusillus</i>	{ 1855, 159 1856, 304	<i>julius</i>	{ 1855, 163 1858, 76 1859, 63
<i>Tichodroma muraria</i>	{ 1858, 494 1859, 174	<i>major</i>	{ 1860, 253 1859, 392
<i>Tiga amictus</i>	1859, 456	<i>meserythrus</i>	1859, 392
<i>intermedia</i>	1859, 456	<i>parvirostris</i>	{ 1857, 277 1860, 289
<i>tridactyla</i>	1859, { 150 151	<i>robustus</i>	1860, 253
<i>Tigris regalis</i>	1858, 513	<i>sallæi</i>	1859, { 369 392
<i>Tigrisoma brasiliense</i>	{ 1857, 268 1859, 63 1860, 72	<i>tataupa</i>	1857, 277
<i>leucolophum</i>	1860, 371	<i>Tinnunculus alaudarius</i>	{ 1850, 215 1858, 473
<i>tigrinum</i>	{ 1849, 106 1855, 163 1857, 268 1858, 359 1858, 461 1860, 253 1860, 290	<i>cenchris</i>	1858, 473
<i>Tiliqua rufescens</i>	1860, { 114 160 167 169 170 171 172 153 160	<i>moluccensis</i>	{ 1856, 284 1857, 125 1857, 231 1858, 295 1858, 357 1858, 554
<i>schlegelii</i>	1860, { 153 160	<i>sparverius</i>	{ 1859, 52 1859, 147 1859, 236 1859, 368 1859, 390 1860, 96 1855, 77 1855, 150
<i>Tillicerus chalybeus</i>	1852, 41	<i>Tityra albitorques</i>	{ 1857, 71 1859, 56 1859, 384
<i>Tillus afzelii</i>	1852, 38	<i>atricapilla</i>	1857, 72
<i>dux</i>	1852, 46	<i>brasiliensis</i>	1857, 70
(<i>Macrotelus</i>) <i>subnotatus</i>	1852, 37	<i>castanea</i>	1857, 79
		<i>cayana</i>	{ 1855, 150 1857, 69 1857, 265

	Page		Page
<i>Tityra cinerea</i>	1857, 69	<i>Todirostrum</i>	1855, 77
<i>habia</i>	1856, 78	<i>dense</i>	1855, 148
<i>inquisitrix</i>	1857, 18	<i>gulare</i>	1857, 84
<i>leuconota</i>	1857, 72	<i>maculatum</i>	1855, 149
<i>marginata</i>	1854, 113	<i>margaritaceiventre</i>	1857, 83
<i>mexicana</i>	1856, 141	<i>multicolor</i>	1857, 84
<i>personata</i>	1856, 297	<i>nigriceps</i>	1855, 67
<i>pileata</i>	1857, 70	<i>palpebrosum</i>	1855, 77
<i>rufa</i>	1857, 70	<i>pectorale</i>	1855, 148
<i>semifasciata</i>	1859, 56	<i>picatum</i>	1857, 84
<i>surinama</i>	1859, 366	<i>poliocephalum</i>	1855, 67
<i>vieilloti</i>	1859, 385	<i>ruficeps</i>	1855, 77
<i>viridis</i>	1860, 295	<i>rufilatum</i>	1857, 84
<i>Tivela tripla</i>	1857, 72	<i>schistaceiceps</i>	1859, 384
<i>vulgaris</i>	1857, 72	<i>spiciferum</i>	1855, 67
<i>Toccos hartlaubi</i>	1851, 232	<i>squamicristatum</i>	1857, 84
<i>Tocok erythrorhynchus</i>	1851, 232	<i>striaicolle</i>	1855, 148
<i>Todirhamphus collaris</i>	1860, 380	<i>sylvia</i>	1857, 84
<i>diops</i>	1850, 219	<i>Todopsis bonapartii</i>	1859, 156
<i>lazuli</i>	1854, 269	<i>cæruleocephala</i>	1859, 156
<i>occipitalis</i>	1860, 346	<i>cycnocephala</i>	1858, 177
<i>pectoralis</i>	1860, 346	<i>Todus angustirostris</i>	1859, 156
<i>ruficeps</i>	1854, 269	<i>cinereus</i>	1857, 233
<i>varius</i>	1851, 52	<i>cyanocephalus</i>	1855, 67 ✓
<i>Todirostrum auriculare</i>	1851, 52	<i>dominicensis</i>	1857, 83 ✓
<i>calopteryx</i>	1854, 268	<i>macrorhynchus</i>	1858, 177 ✓
<i>capitale</i>	1857, 84	<i>marginatus</i>	1859, 156 ✓
<i>chrysocrotaphum</i>	1857, 82	<i>melanocephalus</i>	1857, 77 ✓
<i>cinereigulare</i>	1857, 83		1855, 67 ✓
<i>cinereum</i>	1858, 70		148 ✓
<i>exile</i>	1855, 67		
<i>flavifrons</i>	1855, 148		
<i>fumifrons</i>	1856, 141		
<i>furcatum</i>	1857, 84		
<i>galeatum</i>	1856, 295		
<i>gracilipes</i>	1857, 84		
<i>granadense</i>	1859, 384		
	1855, 67		

	Page		Page
✓ <i>Todus melanocephalus</i> ..	1857,	<i>Totanus griseopygius</i> ..	1860,
<i>nasutus</i>	1854,	<i>hypoleucus</i>	1850,
<i>subulatus</i>	1857,	<i>macropterus</i>	1855,
<i>Tolypeutes tricinctus</i> ..	1851,	<i>ochropus</i>	1859,
<i>Tomigerus principalis</i> ..	1849,	<i>pulverulentus</i>	1860,
<i>venezuelensis</i>	1856,	<i>solitarius</i>	1856,
<i>Tomodon dorsatus</i>	1860,	<i>vociferus</i>	1858,
<i>lineatus</i>	1860,	<i>(Glottis) horsfieldi</i> ..	1855,
<i>strigatus</i>	1860,	<i>(Tringoides) hypo-</i>	1857,
<i>Tomopterna delalandii</i> ..	1860,	<i>leucus</i>	1860,
<i>strigata</i>	1860,	<i>Toxicodryas blandingii</i> ..	1858,
<i>Tomopterus onisciformis</i> ..	1853,	<i>Toxostoma crissalis</i>	1859,
<i>Toreumatica concava</i> ..	1855,	<i>curvirostre</i>	1857,
<i>granulosa</i>	1855,	<i>lecontii</i>	1857,
<i>hardwickii</i>	1855,	<i>rediviva</i>	1859,
<i>reevesii</i>	1855,	<i>redivivum</i>	1857,
<i>Toria capellei</i>	1859,	<i>vetula</i>	1857,
<i>nipalensis</i>	1859,	<i>Trachinus vipera</i>	1860,
<i>Tornatella bevaletii</i>	1854,	<i>obscuristriatum</i> ..	1860,
<i>concinata</i>	1854,	<i>rugosum</i>	1860,
<i>coniformis</i>	1854,	<i>Trachycomus ochroce-</i>	
<i>fasciata</i>	1854,	<i>phalus</i>	1854,
<i>flammea</i>	1854,	<i>Trachydosaurus rugosus</i> ..	1860,
<i>glabra</i>	1854,	<i>Trachyphonus cafer</i>	1859,
<i>insculpta</i>	1854,	<i>margaritatus</i>	1850,
<i>nitidula</i>	1854,	<i>purpuratus</i>	1859,
<i>oryza</i>	1854,	<i>squamiceps</i>	1859,
<i>pedipes</i>	1854,	<i>subsulfureus</i>	1859,
<i>pellucida</i>	1854,	<i>vaillanti</i>	1859,
<i>punctostriata</i>	1854,	<i>Trachypterus falx</i>	1850,
<i>pusilla</i>	1854,	<i>gryphurus</i>	1850,
<i>senegalensis</i>	1854,	<i>iris</i>	1850,
<i>sieboldii</i>	1854,	<i>vogmarus</i>	1851,
<i>solidula</i>	1854,	<i>Tragelaphus angasii</i> ..	1848,
<i>tessellata</i>	1854,	<i>caii</i>	1850,
<i>venusta</i>	1854,	<i>decula</i>	1850,
<i>virgata</i>	1854,	<i>euryceros</i>	1850,
<i>Tornatellina achatinoïdes</i> ..	1852,	<i>hippelaphus</i>	1850,
<i>cumingiana</i>	1849,	<i>scriptus</i>	1850,
<i>gouldi</i>	1856,	<i>sylyaticus</i>	1850,
<i>küsteri</i>	1854,		
<i>mauritiana</i>	1852,		
<i>newcombii</i>	1856,		
<i>nitida</i>	1860,		
<i>novoseelandica</i>	1852,		
<i>perforata</i>	1856,		
<i>petitiana</i>	1855,		
<i>Tornatina cerealis</i>	1856,		
<i>culcitella</i>	1856,		
<i>gracilis</i>	1860,		
<i>inculta</i>	1856,		
<i>sandwicensis</i>	1860,		
<i>Totanus calidris</i>	1858,		
<i>glottis</i>	1851,		
<i>griseopygius</i>	1858,		
	1848,		

	Page		Page
<i>Tragocephala angolator</i>	1856,	<i>Trichas marilandica</i>	1856,
<i>buquetiana</i>	1856,	<i>nigricristatus</i>	1855,
<i>chevrolatii</i>	1856,	<i>personata</i>	1860,
<i>comitessa</i>	1856,	<i>Trichastoma abbottii</i>	1854,
<i>ducalis</i>	1856,	<i>rostratum</i>	1854,
<i>formosa</i>	1856,	<i>Trichecus rosmarus</i>	1853,
<i>galathea</i>	1856,	<i>Trichixos pyrrophyga</i>	1854,
<i>gemmaria</i>	1856,	<i>Trichoglossus capistratus</i> 1858,	183
<i>guerinii</i>	1856,	<i>coccineifrons</i>	1858,
<i>lucia</i>	1856,	<i>concinus</i>	1860,
<i>nobilis</i>	1856,	<i>cyanogrammus</i>	1860,
<i>pieta</i>	1856,	<i>euteles</i>	1860,
<i>pulchella</i>	1856,	<i>forsteni</i>	1860,
<i>scenica</i>	1856,	<i>hæmatodus</i>	1860,
<i>tenuicornis</i>	1856,	<i>iris</i>	1860,
<i>trifasciella</i>	1856,	<i>massena</i>	1860,
<i>variegata</i>	1856,	<i>nigrogularis</i>	1858,
<i>Tragomma bennettii</i>	1850,	<i>ornatus</i>	1860,
<i>Tragopan hastingsii</i>	1858,	<i>placens</i>	1860,
<i>Tragops bennettii</i>	1850,	<i>placentis</i>	1860,
<i>Tragulus javanicus</i>	1859,	<i>rubritorquis</i>	1857,
<i>Tragus dorcas</i>	1850,	<i>swainsoni</i>	1860,
<i>Tralia angiotoma</i>	1854,	<i>versicolor</i>	1857,
<i>cingulata</i>	1854,	<i>Tricholæma flavipunctata</i> 1859,	37
<i>costata</i>	1854,	<i>hirsuta</i>	1859,
<i>elongata</i>	1854,	<i>Trichomaplata vittata</i>	1849,
<i>exarata</i>	1854,	<i>Trichophorus cinerascens</i> 1858,	293
<i>exigua</i>	1854,	<i>crispiceps</i>	1854,
<i>fasciata</i>	1854,	<i>flavicaudus</i>	1860,
<i>floridiana</i>	1854,	<i>flavicollis</i>	1858,
<i>globula</i>	1854,	<i>sulphureus</i>	1860,
<i>granifera</i>	1854,	<i>Trichothraupis albicollis</i> 1856,	118
<i>infrequens</i>	1854,	<i>penicillata</i>	1855,
<i>küsterii</i>	1854,	<i>quadricolor</i>	1856,
<i>maura</i>	1854,	<i>Trichotropis bicarinatus</i> 1853,	38
<i>mitralis</i>	1854,	<i>borealis</i>	1853,
<i>nitidula</i>	1854,	<i>gouldii</i>	1856,
<i>olivula</i>	1854,	<i>Trictenotoma ænea</i>	1856,
<i>panamensis</i>	1854,	<i>childrenii</i>	1856,
<i>pellucida</i>	1854,	<i>grayii</i>	1856,
<i>puchella</i>	1854,	<i>templetonii</i>	1856,
<i>pusilla</i>	1854,	<i>Triforis macandracæ</i>	1856,
<i>Treron aromatica</i>	1860,	<i>Trigla hamata</i>	1859,
<i>bicineta</i>	1859,	<i>interpretes</i>	1859,
<i>ionogaster</i>	1860,	<i>lyra</i>	1859,
<i>magnirostris</i>	1859,	<i>pectoralis</i>	1859,
<i>nipalensis</i>	1859,	<i>Triglyphodon fuscum</i>	1858,
<i>nudirostris</i>	1860,		
<i>phœnicoptera</i>	1858,		
<i>vernans</i>	1859,		
<i>viridis</i>	1860,		
<i>Triceus crinitus</i>	1857,		
<i>Trichas delafeldi</i>	1856,		
<i>luteoviridis</i>	1855,		

	Page		Page
<i>Triglyphodon fuscum</i> ..	1858,	164	
<i>Trigona crassatelloides</i> ..	1856,	216	
<i>tantilla</i>	1856,	201	
<i>Trigonia jukesii</i>	1849,	159	
<i>lamarckii</i>	1849,	159	
<i>margaritacea</i>	1849,	159	
<i>nobilis</i>	1853,	73	
<i>pectinata</i>	1849,	159	
<i>strangei</i>	1852,	91	
<i>Trigonocephalus affinis</i> ..	1860,	{	164
			167
			172
<i>blomhoffii</i>	{	1858,	378
		1858,	383
		1860,	173
<i>halys</i>	{	1858,	378
		1860,	172
<i>hypnalis</i>	{	1858,	383
<i>Trigonophorus delessertii</i>	1856,	15	
<i>hookeri</i>	1856,	14	
<i>Trilatitius blepotis</i>	1858,	121	
<i>Trimesurus albolabris</i> ..	1860,	115	
<i>bicolor</i>	1860,	{	164
			166
<i>elegans</i>	1860,	{	164
			166
<i>maculatus</i>	1860,	164	
<i>Tringa bonapartii</i>	1860,	387	
<i>cinerea</i>	1851,	146	
<i>helvetica</i>	1860,	363	
<i>hyperborea</i>	1858,	188	
<i>hypoleuca</i>	1860,	364	
<i>interpres</i>	1860,	363	
<i>minuta</i>	1858,	506	
<i>pectoralis</i>	{	1856,	310
		1858,	556
		1851,	146
<i>pugnax</i>	{	1860,	258
<i>pusilla</i>	1856,	311	
<i>rufescens</i>	1860,	108	
<i>schinzii</i>	1860,	387	
<i>subarquata</i>	{	1851,	146
		1860,	365
<i>urvillii</i>	1860,	386	
<i>variabilis</i>	1851,	146	
<i>wilsoni</i>	{	1859,	237
		1860,	253
<i>Tringoides hypoleuca</i> ..	1859,	189	
	1860,	365	
	1857,	215	
	1858,	450	
<i>macularius</i>	{	1858,	461
		1860,	254
		1860,	298
<i>Triumphalia cumingii</i> ..	1849,	161	
<i>globosa</i>	1849,	160	
<i>pulcherrima</i>	1849,	161	
<i>Trionyx aegyptiacus</i> ...	1858,	167	
<i>Trionyx labiatus</i>	1858,	167	
<i>mortoni</i>	1858,	167	
<i>Triphoris affinis</i>	1860,	434	
<i>albidus</i>	1851,	278	
<i>alternata</i>	1860,	434	
<i>cingulatus</i>	1851,	279	
<i>cingulifera</i>	1860,	434	
<i>clavata</i>	1860,	434	
<i>festivus</i>	1851,	278	
<i>flammulata</i>	1860,	434	
<i>fucata</i>	1860,	433	
<i>incisa</i>	1860,	434	
<i>labiatus</i>	1851,	279	
<i>nigrofuscus</i>	1851,	278	
<i>pulchellus</i>	1851,	278	
<i>scitulus</i>	1851,	278	
<i>triticea</i>	1860,	433	
<i>variegatus</i>	1851,	277	
<i>vestalis</i>	1851,	278	
<i>Tripsurus auritus</i>	1859,	457	
<i>Triptorhinus orthonyx</i> ..	1855,	142	
<i>Triquetra contorta</i>	1858,	91	
<i>lanceolata</i>	1858,	91	
<i>Tritia concinna</i>	1851,	112	
<i>costellifera</i>	1851,	113	
<i>dealbata</i>	1851,	112	
<i>gayii</i>	1851,	112	
<i>reticulata</i>	1851,	112	
<i>sulcata</i>	1851,	112	
<i>trifasciata</i>	1851,	113	
<i>trivittata</i>	1851,	112	
<i>Triton africanus</i>	1854,	312	
<i>anomalus</i>	1851,	111	
<i>asper</i>	1858,	141	
<i>bibronii</i>	1858,	143	
<i>boltenianus</i>	1854,	311	
<i>chennitzii</i>	1856,	209	
<i>comptus</i>	1854,	312	
<i>crebristriatus</i>	1856,	165	
	{	1856,	346
<i>cristatus</i>	{	1858,	143
		1858,	224
		1860,	204
<i>laevis</i>	1858,	141	
<i>marmoratus</i>	1858,	143	
<i>minor</i>	1858,	139	
<i>obscurus</i>	1854,	312	
<i>perforatus</i>	1856,	209	
<i>punctatus</i>	1858,	141	
<i>puncticulatus</i>	1858,	139	
<i>pusilla</i>	1860,	434	
<i>pyriformis</i>	1854,	302	
<i>subcristatus</i>	1858,	391	
<i>vittatus</i>	1858,	140	
<i>Tritonella anomala</i>	1851,	111	
<i>ascanius</i>	1851,	111	
<i>decussata</i>	1851,	111	
<i>dentifera</i>	1851,	111	

	Page		Page
<i>Tritonella fasciata</i>	1851,	<i>Trochilus sabinæ</i>	1855,
<i>festiva</i>	1851,	<i>saucerotii</i>	1848,
<i>fuscata</i>	1851,	<i>spencei</i>	1848,
<i>multigrana</i>	1851,	<i>strophianus</i>	1848,
<i>obliqueplicata</i>	1851,	<i>uropygialis</i>	1855,
<i>scabriuscula</i>	1851,	(Selosphorus) <i>scin-</i>	
<i>signata</i>	1851,	<i>tilla</i>	1850,
<i>tritoniformis</i>	1851,	(Thalurania) <i>venusta</i>	1850,
<i>Tritonia hawaiiensis</i>	1860,	(Thaumatias?) <i>chi-</i>	
<i>varicosa</i>	1851,	<i>onura</i>	1850,
<i>Triumphis distorta</i>	1856,	<i>Trochiscus norrisii</i>	1856,
<i>Trochalopteron rufifulare</i>	1858,	<i>Trochita spirata</i>	1850,
<i>rufifulare</i>	1859,		152
<i>Trochatella excavata</i>	1855,		154
<i>Trochetia subviridis</i>	1850,		156
<i>Trochilus allardi</i>	1855,		163
<i>amabilis</i>	1851,		164
<i>amethysticollis</i>	1848,	<i>Trochus</i> —	1851,
<i>bonapartii</i>	1848,		165
<i>brachyrhynchus</i>	1855,		166
<i>brevirostris</i>	1850,		179
? <i>cæruleogularis</i>	1850,		184
<i>caligatus</i>	1848,		185
? <i>castaneoventris</i>	1850,		191
<i>cephalus</i>	1857,	<i>acutangulus</i>	1851,
<i>clarisse</i>	1848,	<i>acutus</i>	1851,
	1856,	<i>adansonii</i>	1851,
<i>colubris</i>	1857,	<i>adelaidæ</i>	1851,
	1859,	<i>ægyptiacus</i>	1851,
	1859,	<i>agathensis</i>	1851,
<i>coruscus</i>	1855,	<i>agrestis</i>	1851,
<i>cupripennis</i>	1848,	<i>alabastrites</i>	1850,
<i>cuvieri</i>	1856,	<i>albidus</i>	1851,
<i>cyanicollis</i>	1853,	<i>annulatus</i>	1851,
<i>cyanurus</i>	1855,	<i>antonii</i>	1851,
<i>edwardi</i>	1850,	<i>anus</i>	1851,
<i>eos</i>	1848,	<i>argyrostomus</i>	1851,
<i>erythronotus</i>	1848,	<i>armillatus</i>	1851,
	1850,	<i>asper</i>	1851,
<i>exortis</i>	1855,	<i>asperulus</i>	1851,
<i>floriceps</i>	1853,	<i>ater</i>	1851,
	1852,	<i>atratus</i>	1851,
<i>furcatus</i>	1858,	<i>atropurpureus</i>	1851,
	1860,	<i>attenuatus</i>	1851,
<i>goudotii</i>	1850,	<i>aureotinctus</i>	1856,
<i>guerinii</i>	1848,		224
<i>helianthea</i>	1848,	<i>australis</i>	1851,
<i>lafresnayi</i>	1855,	<i>badius</i>	1851,
<i>latirostris</i>	1858,	<i>belcheri</i>	1854,
<i>leadbeateri</i>	1849,	<i>bellulus</i>	1851,
<i>lindenii</i>	1848,	<i>benzi</i>	1851,
<i>longirostris</i>	1850,	<i>biasoletti</i>	1851,
<i>mavors</i>	1848,	<i>bicanaliculatus</i>	1851,
<i>nigrofasciatus</i>	1848,	<i>bicingulatus</i>	1851,
<i>niveoventer</i>	1850,	<i>bicolor</i>	1851,
<i>pamela</i>	1848,	<i>brazilianus</i>	1851,
<i>parvirostris</i>	1855,	<i>byronianus</i>	1851,
<i>rufus</i>	1850,	<i>cærulescens</i>	1851,

	Page		Page
<i>Trochus callichrous</i>	1851,	<i>Trochus eximius</i>	1851,
<i>calliferus</i>	1851,	<i>fanulum</i>	1851,
<i>calyculus</i>	} 1851,	<i>fasciatus</i>	1851,
<i>canaliculatus</i>	1854,	<i>fastigiatus</i>	1851,
<i>capensis</i>	39	<i>fenestratus</i>	1851,
<i>carinatus</i>	1851,	<i>filosus</i>	} 1851,
<i>cariniferus</i>	1851,	<i>flammiger</i>	1856,
<i>carneus</i>	1851,	<i>flavidus</i>	1856,
<i>castaneus</i>	} 1850,	<i>formosus</i>	1851,
<i>cateniferus</i>	271	<i>foveolatus</i>	1851,
<i>chlorostomus</i>	1851,	<i>fragilis</i>	1851,
<i>cicer</i>	1851,	<i>fulguratus</i>	1851,
<i>ciliaris</i>	1851,	<i>fumosus</i>	1851,
<i>cinerarius</i>	1851,	<i>fuscatus</i>	1851,
<i>cinereus</i>	1851,	<i>fuscescens</i>	1851,
<i>cingulatus</i>	1851,	<i>gabaldianus</i>	1851,
<i>clanguloides</i>	1851,	<i>gallina</i>	} 1851,
<i>clangulus</i>	1851,	<i>gemmosus</i>	1856,
<i>clelandi</i>	1851,	<i>gilvus</i>	1851,
<i>concameratus</i>	1851,	<i>granatum</i>	1851,
<i>concauus</i>	1851,	<i>granulatus</i>	1851,
<i>concinuus</i>	1851,	<i>guianicus</i>	1851,
<i>conicus</i>	1851,	<i>guineensis</i>	1851,
<i>conuloides</i>	1851,	<i>hanleyanus</i>	1851,
<i>conulus</i>	1851,	<i>ignobilis</i>	1851,
<i>conus</i>	1851,	<i>impervius</i>	1851,
<i>corallinus</i>	1851,	<i>inequalis</i>	1851,
<i>corrugatus</i>	} 1851,	<i>incarnatus</i>	1851,
<i>costalis</i>	1854,	<i>incrassatus</i>	1851,
<i>costatus</i>	41	<i>indecorus</i>	1851,
<i>crassus</i>	1851,	<i>indistinctus</i>	1851,
<i>crenulatus</i>	1851,	<i>inflatus</i>	1851,
<i>crinitus</i>	1851,	<i>interruptus</i>	1851,
<i>cruciatus</i>	1851,	<i>iridis</i>	1851,
<i>cumingii</i>	1851,	<i>iris</i>	1851,
<i>decoratus</i>	1851,	<i>irisodontes</i>	1851,
<i>delicatulus</i>	1851,	<i>javanicus</i>	1854,
<i>dentatus</i>	1851,	<i>jucundus</i>	1851,
<i>depictus</i>	1851,	<i>jujubinus</i>	1851,
<i>depressus</i>	1851,	<i>kochii</i>	1851,
<i>discrepans</i>	1851,	<i>lævigatus</i>	} 1851,
<i>divaricatus</i>	1851,	<i>lævis</i>	} 185
<i>doliarius</i>	} 1851,	<i>langieri</i>	1851,
<i>dubius</i>	1856,	<i>lehmanni</i>	} 1851,
<i>electissimus</i>	224	<i>lenticularis</i>	1854,
<i>elegantulus</i>	1851,	<i>leucostigma</i>	1850,
<i>elongatus</i>	1851,	<i>ligatus</i>	} 1851,
<i>erythroleucus</i>	1851,	<i>limbatus</i>	1856,
<i>euryomphalus</i>	1851,	<i>lineatus</i>	1851,
<i>euxinicus</i>	1851,	<i>lineolatus</i>	1851,
<i>exasperatus</i>	1851,	<i>listeri</i>	1851,
<i>excavatus</i>	1851,	<i>littoralis</i>	1851,
<i>exiguus</i>	1851,	<i>ludwigi</i>	1851,

	Page
Trochus lugubris	1851, 181
luridus	1851, 166
lyonsii	1856, 224
maculatus	1851, 163
magulus	1851, 153
magus	1851, 184
marcidus	1851, 184
margaritus	1856, 204
marginatus	1851, 189
marmoratus	1851, 181
martini	1851, 150
matonii	1851, 166
maugeri	1851, 164
mauritanus	1851, 158
maximus	1851, 151
mediterraneus	1851, 150
melaleucos	1851, 158
melanoloma	1851, 156
merula	1851, 179
metaformis	1851, 181
microstomus	1851, 166
miliaris	1851, 166
millegranus	1851, 181
miniatus	1851, 166
minutus	1851, 166
modestus	1851, 165
modulus	1851, 156
mœstus	1850, 203
montagui	1851, 180
multicolor	1851, 164
nassaviensis	1851, 185
neritoides	1851, 185
niger	1851, 189
nigerrimus	1854, 40
niloticus	1851, 180
nitens	1851, 40
nitidulus	1851, 150
nitiligineus	1851, 185
noduliferus	1851, 169
notatus	1851, 190
nucleus	1851, 151
obeliscus	1851, 169
obliquatus	1851, 188
obliquerradiatus	1851, 185
obscurus	1851, 185
occidentalis	1851, 172
occultus	1851, 163
ochroleucos	1851, 156
odontis	1851, 154
ornatus	1851, 159
pallidulus	1851, 182
pallidus	1851, 164
papillosus	1856, 355
parvus	1856, 224
patholatus	1851, 163
patholatus	1851, 163

	Page
Trochus pellis-serpentis	1851, 152
perforatus	1851, 184
personatus	1851, 159
perspectivus	1851, 166
pfeifferi	1851, 181
pharaonis	1851, 157
philberti	1851, 185
picoides	1856, 204
pictus	1851, 172
porcatus	1851, 172
prasinus	1851, 151
preissianus	1854, 40
preissii	1851, 172
pulcherrimus	1851, 172
pulligo	1851, 182
punctatus	1851, 164
punctulatus	1851, 179
purpuratus	1851, 169
pustulosus	1851, 155
pyramidatus	1851, 164
pyramis	1851, 164
pyrgos	1851, 172
quadratus	1851, 184
quadricarinatus	1851, 156
quadricostatus	1851, 156
rackettii	1851, 184
radiatus	1851, 152
radula	1851, 178
rarilineatus	1851, 184
regius	1851, 153
reticularis	1851, 178
reticulatus	1851, 154
richardi	1851, 181
rotelliformis	1851, 186
rubro-flammulatus	1851, 186
rusticus	1851, 156
saga	1851, 180
sagittiferus	1851, 152
sartorii	1851, 181
sauciatus	1851, 165
scaber	1851, 181
scabrosus	1851, 184
scalaris	1851, 159
sedgwickii	1851, 156
selectus	1851, 163
signatus	1851, 163
sinensis	1851, 172
sisyphus	1851, 181
smithii	1851, 163
solandri	1851, 158
spadiceus	1851, 41
spengleri	1851, 159
spinus	1851, 154
stellatus	1851, 150
stenomphalus	1851, 153
striatus	1851, 181
strigillatus	1851, 164
strigosus	1851, 152
strigosus	1851, 166

	Page
<i>Trochus striolatus</i>	1851, 178
<i>suavis</i>	1851, 182
<i>subucula</i>	1851, 158
<i>subviridis</i>	1851, 154
<i>sulcatus</i>	1851, 178
<i>tabularis</i>	1851, 181
<i>tæniatus</i>	1851, } 178
	} 191
<i>tamsii</i>	1851, 179
<i>tectum</i>	1850, 203
<i>tentorium</i>	1851, 153
<i>tenuis</i>	1851, 163
<i>tergestinus</i>	1851, 179
<i>tessellatus</i>	1851, 178
<i>tiaratus</i>	1851, 154
<i>tigrinus</i>	1851, 180
<i>torulosus</i>	1851, 156
<i>tranquebaricus</i>	1851, 164
<i>tricolor</i>	1851, 164
<i>tridens</i>	1851, 181
<i>triserialis</i>	1851, 151
<i>trochiformis</i>	1850, 271
<i>tuberculatus</i>	1851, 184
<i>tumidus</i>	1851, 184
<i>turbinoides</i>	1851, 185
<i>turgidulus</i>	1851, 159
<i>turris</i>	1851, 155
<i>umbilicalis</i>	1851, 185
<i>umbilicaris</i>	1851, 184
<i>umbilicatus</i>	1851, 185
<i>undosus</i>	1856, 224
<i>varians</i>	1851, 185
<i>variegatus</i>	1851, 156
<i>varius</i>	1851, 185
<i>vermis</i>	1851, 154
<i>vernalis</i>	1851, 154
<i>verrucosus</i>	1851, 153
<i>versicolor</i>	1851, 184
<i>vestiarius</i>	1853, 187
<i>vinctus</i>	1851, 166
<i>violaceus</i>	1851, 163
<i>virgatus</i>	1851, 151
<i>virgineus</i>	1856, 224
<i>viridescens</i>	1851, 154
<i>viridis</i>	1851, 154
<i>viridulus</i>	1851, 156
<i>vittatus</i>	1851, 165
<i>vulneratus</i>	1851, 185
<i>zealandicus</i>	1851, 178
<i>zebra</i>	1851, 178
<i>zebrinus</i>	1851, 179
<i>ziziphinus</i>	} 1850, 271
	} 1851, 163
(<i>Euchele</i>) <i>alabastrum</i>	1857, 209
(<i>Margarita</i>) <i>hillii</i> ..	1850, 272
(—) <i>purpuratus</i> ..	1850, 272
(<i>Monodonta</i>) <i>aureo-</i> <i>tinctus</i>	1850, 271

	Page
<i>Trochus</i> (<i>Monodonta</i>)	
<i>gallina</i>	1850, 271
(—) <i>pyriformis</i> ..	1856, 204
<i>Troglodytes aëdon</i>	} 1858, 298
	} 1859, 363
	} 1859, 372
<i>æquinoctialis</i>	1855, 142
<i>brunneicollis</i>	} 1858, 297
	} 1859, 372
<i>europæus</i>	1851, 145
<i>furvus</i>	} 1859, 137
	} 1860, 273
	} 1860, 291
<i>gladiator</i>	} 1855, 76
	} 1858, 243
	} 1848, 53
<i>gorilla</i>	} 1848, 56
	} 1851, 263
	} 1859, 1
<i>hyemalis</i>	1856, 290
<i>niger</i>	1848, } 27
	} 30
	} 35
	} 53
<i>nipalensis</i>	} 1858, 489
	} 1859, 185
<i>palustris</i>	1856, 290
<i>platensis</i>	1859, 95
<i>rectirostris</i>	1858, 243
<i>savagei</i>	1848, } 27
	} 53
	} 56
<i>solstitialis</i>	} 1858, 550
	} 1860, 84
<i>Trogon ambiguus</i>	1859, 387
<i>antisiensis</i>	1855, 137
<i>aurantiiventris</i>	1856, } 107
	} 139
	} 285
	} 286
<i>caligatus</i>	} 1856, 286
	} 1859, 367
	} 1859, 387
	} 1860, 284
	} 1855, 137
<i>collaris</i>	} 1856, 368
	} 1860, 69
<i>curucui</i>	1855, 137
<i>diardi</i>	1859, 460
<i>duvaucellii</i>	1859, 459
<i>elegans</i>	1858, 357
<i>eytoni</i>	1856, 368
<i>fasciatus</i>	1859, 460
<i>kasumba</i>	1859, 460
<i>luzoniensis</i>	1859, 395
<i>massenæ</i>	} 1858, 96
	} 1859, 53
	} 1859, 387
<i>melanocephalus</i>	1857, 227

	Page		Page
Trogon melanocephalus	1858,	Tropidonotus stolatus .	1858,
	1859,		1860,
	1859,		1860,
	1859,		1860,
melanopterus	1854,		162
melanurus	1857,	subminiatus	1860,
	1860,		170
mexicanus	1859,	tigrinus	1858,
	367,	umbratus	1855,
	387,		1860,
personatus	1855,	vibakari	1858,
	1858,	viperinus	1858,
	1859,		378
	1860,	Tropidorhynchus bou-	
puella	1856,	roensis	1860,
	1859,	chrysotis	1859,
pulchellus	1855,	diemenensis	1859,
resplendens	1856,	gilolensis	1860,
roseigaster	1857,	lessoni	1859,
rutilus	1859,	moluccensis	1860,
sallæi	1856,	novæ-guinææ	1858,
temminckii	1859,		174
	460	plumigenis	1859,
viridis	1857,	subcornutus	1860,
	16	Truncatella barbadensis .	1856,
xalapensis	1858,	californica	1857,
	286	ceylanica	1856,
Tropæa mænias	1859,	costulata	1854,
selene	1859,	littorea	1856,
sinensis	1859,	montagui	1856,
Trophon morrissi	1856,	teres	1856,
Tropidolepis torquatus .	1860,	truncatula	1854,
Tropidonotus ceraso-	1858,		21
gaster	1860,	Truncatellina linearis . .	1854,
chrysargos	1858,	minutissima	1854,
chrysargus	1860,	Trupialis guianensis . . .	1857,
dekayi	1860,	Trypanophora semihya-	
dipsas	1860,	lina	1859,
fasciatus	1858,		197
hydrus	1858,	Tryphœna heloisæ	1858,
	375		297
	378	Tudicla armigera	1859,
natrix	1858,	fusoides	1855,
	375	recurva	1854,
	378	spirillus	1854,
ordinatus	1860,	Tugali carinata	1851,
	455	cicatricosa	1851,
picturatus	1858,	cinerea	1851,
	384	decussata	1851,
	162	elegans	1851,
	166	intermedia	1851,
platyceps	1860,	ossea	1851,
	167	parmophoroidea	1851,
	171	radiata	1851,
	172	scutellaris	1851,
quincunciatus	1858,	Tugalia oblonga	1860,
	375		437
	383	Tupaia ellioti	1849,
	1860,		107
	114		108
	1860,		
	162		
	1860,		
	168		
	1860,		
	170		
sirtalis	1860,		
	455		

	Page		Page
<i>Tupaia ferruginea</i>	1849,	{	107
			108
<i>javanica</i>	1849,		108
<i>tana</i>	1849,	{	107
			108
<i>Turacœna truncatula</i> ..	1856,		136
<i>Turbo acutus</i>	1853,		179
<i>araucanus</i>	1854,		41
<i>argyrostomus</i>	1860,		16
<i>articulatus</i>	1848,		51
<i>carneus</i>	1851,		190
<i>carychium</i>	1854,		33
<i>cinereus</i>	1851,		190
<i>circularis</i>	1848,		51
<i>corallinus</i>	1848,		50
<i>costatus</i>	1853,		186
<i>declivis</i>	1851,		184
<i>elegantissimus</i>	1853,		179
<i>fluctuatus</i>	{	1848,	52
		1855,	234
<i>francesiæ</i>	{	1856,	20
			23
<i>gemmatus</i>		1848,	50
<i>helicinus</i>		1851,	189
<i>histrion</i>		1848,	52
<i>incarnatus</i>		1851,	190
<i>inflatus</i>		1851,	189
<i>japonicus</i>		1848,	51
<i>lacteus</i>		1853,	179
<i>laminiferus</i>		1848,	49
<i>lehmanni</i>		1854,	41
<i>lineatus</i>		1851,	179
<i>lugubris</i>		1848,	50
<i>lunaris</i>		1851,	178
<i>margarita</i>		1851,	189
<i>militaris</i>		1848,	51
<i>murreus</i>		1848,	49
<i>natalensis</i>		1848,	49
<i>nigerrimus</i>	{	1851,	178
		1854,	41
<i>niveus</i>		1850,	42
<i>nivosus</i>		1848,	51
<i>obscurus</i>		1851,	190
<i>ovalis</i>		1854,	59
<i>pica</i>		1851,	179
<i>porcatus</i>		1848,	51
<i>pulcher</i>		1854,	83
<i>pustulatus</i>		1848,	50
<i>pyropus</i>		1848,	50
<i>quoyi</i>		1854,	41
<i>sandwicensis</i>		1860,	436
<i>sanguineus</i>		1851,	184
<i>saxosus</i>		1848,	49
<i>semicostatus</i>		1860,	435
<i>separatista</i>		1850,	45
<i>similis</i>		1853,	179
<i>trochoides</i>		1848,	50
<i>tumidulus</i>		1848,	51
<i>Turbo turcicus</i>	1848,		50
<i>Turbonilla decussata</i> ...	1860,		438
<i>Turcica corensis</i>	1860,		189
<i>monilifera</i>	1854,		37
<i>Turdampelis lanioides</i> ..	1858,		542
<i>rufococcyx</i>	1858,		542
<i>Turdinus macrodactylus</i> .	1854,		275
<i>Turdirostris superciliosa</i>	1854,		275
<i>ris</i>	1854,		275
<i>Turdus alapi</i>	1858,		245
<i>albicollis</i>	{	1857,	203
		1859,	329
		1858,	451
<i>albiventris</i>	{	1859,	136
		1859,	328
		1860,	272
<i>aliciæ</i>	1859,		326
<i>amaurochalinus</i>	1859,		329
<i>analisis</i>	1854,		278
<i>ardosiaceus</i>	1859,		337
<i>armillaris</i>	1860,		353
<i>arsinoë</i>	1850,		217
		1857,	202
<i>assimilis</i>	{	1859,	327
		1859,	362
		1859,	370
<i>atrogularis</i>	1858,		490
<i>atrosericeus</i>	{	1859,	136
		1859,	333
		1860,	83
<i>atrothorax</i>	1858,		245
<i>aurantiirostris</i>	1856,		294
<i>aurantius</i>	1859,		333
<i>auritus</i>	1858,		285
<i>bambula</i>	1855,		146
		1855,	213
<i>brachyurus</i>	{	1855,	214
		1859,	338
<i>brevicaudus</i>	1858,		278
<i>brunneus</i>	1858,		542
<i>cantator</i>	1858,		250
<i>capucinus</i>	1859,		327
<i>carbonarius</i>	1859,		334
<i>casius</i>	1859,		330
<i>chalybeus</i>	1859,		445
		1858,	450
<i>chiguanco</i>	{	1858,	451
		1858,	550
		1859,	333
<i>chochi</i>	1859,		332
<i>cinnamomeus</i>	1858,		249
<i>cirrhatus</i>	1858,		215
<i>colma</i>	1858,		277
<i>crotopezus</i>	{	1857,	203
		1859,	327
<i>densirostris</i>	1859,		336
<i>densus</i>	1859,		325
<i>dominicus</i>	1859,		341

	Page		Page
<i>Turdus erythropterus</i> ..	1850, 217	<i>Turdus luridus</i>	1857, 274
<i>falklandicus</i>	{ 1859, 330	<i>macrourus</i>	1854, 283
<i>felivox</i>	1860, 384	<i>magellanicus</i>	{ 1859, 330
<i>ferrugineus</i>	1859, 336	<i>melanotis</i>	{ 1860, 384
<i>flavipes</i>	{ 1858, 542	<i>melodius</i>	1859, 337
<i>flavirostris</i>	1859, 334	<i>melpomene</i>	1858, 97
<i>flaviventris</i>	1859, 332	<i>merula</i>	1851, 142
<i>formicivorus</i>	1857, 273	<i>migratorius</i>	{ 1856, 294
<i>fulviventris</i>	1858, 275	<i>mindanensis</i>	{ 1857, 5
<i>fumigatus</i>	1859, 331	<i>minor</i>	{ 1858, 126
<i>fuscatus</i>	{ 1855, 145	<i>minimus</i>	{ 1859, 235
<i>fuscescens</i>	1857, 274	<i>minor</i>	{ 1859, 331
<i>gigas</i>	{ 1859, 329	<i>modestus</i>	1859, 362
<i>gilvus</i>	1859, { 332	<i>montanus</i>	{ 1854, 282
<i>grallarius</i>	1855, 144	<i>musicus</i>	{ 1854, 111
<i>grayii</i>	1858, 450	<i>musculus</i>	{ 1855, 145
<i>griseus</i>	1858, 451	<i>nanus</i>	{ 1857, 212
<i>guttatus</i>	1858, 550	<i>nudigenys</i>	{ 1858, 64
<i>gymnophthalmus</i> ..	1859, 136	<i>ochrocephalus</i> ...	{ 1859, 326
<i>gymnopus</i>	1859, 332	<i>olivaceus</i>	{ 1855, 145
<i>helvolus</i>	1860, 63	<i>olivater</i>	1857, 4
<i>herminierii</i>	1860, 84	<i>orientalis</i>	1859, 212
<i>ignobilis</i>	1859, 342	<i>orpheus</i>	{ 1857, 325
<i>iliacus</i>	1858, 280	<i>pallasi</i>	{ 1859, 362
<i>infuscatus</i>	1856, 294	<i>palliatus</i>	1857, 4
<i>jamaicensis</i>	1857, 274	<i>palmarum</i>	1858, 3
<i>javanicus</i>	1859, 330	<i>pectoralis</i>	1859, 331
<i>lereboulletii</i>	1859, 362	<i>phæopygos</i>	1857, 4
<i>leucauchen</i>	1859, 370	<i>phæopygus</i>	1859, 325
<i>leucogonys</i>	1858, 238	<i>pilaris</i>	{ 1858, 300
<i>leucomelas</i>	1859, 325	<i>pinicola</i>	{ 1859, 325
<i>leucopterus</i>	1859, 329		
<i>lineatus</i>	1859, 329		
<i>lividus</i>	{ 1856, 294		
	1859, 330		
	1859, 333		
	1858, 447		
	1859, 328		
	1858, 542		
	1859, 333		
	1859, 327		
	1858, 246		
	1858, 246		
	{ 336		
	342		

	Page		Page		
<i>Turdus pinicola</i>	1860,	250	<i>Turricula approximata</i> ..	1860,	146
<i>plumbeus</i>	1859,	337	<i>bella</i>	1860,	145
<i>polyglottus</i>	1859,	340	<i>layardii</i>	1854,	135
<i>rex</i>	1858,	280	<i>mirifica</i>	1854,	135
<i>rubripes</i>	1859,	336	<i>roseata</i>	1854,	135
<i>ruficollis</i>	1860,	108	<i>Turris monilifera</i>	1860,	398
<i>rufifrons</i>	1858,	212	<i>Turritella costulata</i>	1853,	180
<i>rufigula</i>	1858,	273	<i>elegantissima</i>	1853,	179
<i>rufitorques</i>	1859,	334	<i>fulvocincta</i>	1853,	179
<i>rufiventris</i>	1859,	332	<i>indistincta</i>	1853,	179
<i>rufopalliatus</i>	1859,	332	<i>interrupta</i>	1853,	179
<i>rufulus</i>	1854,	274	<i>truncata</i>	1853,	180
<i>rufus</i>	1858,	212	<i>Turtur bitorquatus</i>	1860,	361
<i>schistaceus</i>	1858,	490	<i>cambayensis</i>	1855,	34
<i>serranus</i>	1859,	330	<i>chinensis</i>	1859,	467
<i>silens</i>	1857,	212	<i>humilis</i>	1858,	497
<i>solitarius</i>	1858,	300	<i>meena</i>	1859,	150
<i>speciosus</i>	1859,	325	<i>orientalis</i>	1859,	151
<i>striga</i>	1857,	4	<i>risorius</i>	1859,	187
<i>strigatus</i>	1857,	212	<i>senegalensis</i>	1859,	187
<i>surinamensis</i>	1859,	325	<i>suratensis</i>	1858,	498
<i>swainsoni</i>	1854,	271	<i>tigrina</i>	1859,	187
<i>thenca</i>	1859,	445	<i>tigrinus</i>	1849,	172
<i>timniens</i>	1859,	445	<i>tylosis</i>	1855,	34
<i>tintinnabulatus</i>	1856,	115	<i>senegalensis</i>	1860,	371
<i>torquatus</i>	1857,	212	<i>suratensis</i>	1858,	498
<i>tricolor</i>	1858,	300	<i>tigrina</i>	1859,	498
<i>tristis</i>	1858,	450	<i>tigrinus</i>	1859,	150
<i>triurus</i>	1858,	451	<i>tylosis</i>	1859,	151
<i>unicolor</i>	1859,	326	<i>tylosis</i>	1860,	361
<i>ustulatus</i>	1860,	84	<i>tylosis</i>	1860,	361
<i>varius</i>	1859,	344	<i>tylosis</i>	1859,	467
<i>viridis</i>	1858,	281	<i>Tylodina atlantica</i>	1856,	46
<i>viscivorus</i>	1858,	250	<i>citrina</i>	1856,	46
<i>vulpinus</i>	1860,	371	<i>punctulata</i>	1856,	45
<i>wilsoni</i>	1857,	13	<i>rafinesquii</i>	1856,	45
<i>xanthopus</i>	1858,	489	<i>Typhis fimbriatus</i>	1853,	70
<i>xanthosceles</i>	1859,	334	<i>grandis</i>	1854,	42
<i>(Monticola) erythropterus</i>	1859,	334	<i>tetrapterus</i>	1856,	41
<i>Turnix pugnax</i>	1860,	350	<i>triangularis</i>	1855,	124
	1859,	150	<i>Typhlops diardii</i>	1860,	114
	1859,	151	<i>oxyrhynchus</i>	1858,	264
			<i>philippinus</i>	1858,	263
			<i>tenuis</i>	1860,	454
			<i>Typhon robusta</i>	1860,	363
			<i>temminckii</i>	1860,	363
			<i>Tyrannula affinis</i>	1859,	44
			<i>ardesiaca</i>	1859,	144
			<i>ardosiaca</i>	1855,	149
			<i>barbirostris</i>	1859,	44
			<i>cayennensis</i>	1856,	296
			<i>cinchoneti</i>	1855,	149
			<i>cineracea</i>	1858,	457
			<i>cinnamomea</i>	1855,	149
			<i>cooperi</i>	1851,	51
			<i>coronata</i>	1856,	296
			<i>crinita</i>	1851,	51
			<i>diadema</i>	1855,	149

	Page		Page
<i>Tyrannula erythrura</i>	1855, 149		1858, 457
<i>gossii</i>	1851, 51		1859, 55
<i>icterophrys</i>	1855, 149	<i>Tyrannus melancholicus</i>	1859, 143
<i>mexicana</i>	1851, 51		1859, 366
<i>nigricans</i>	{ 1855, 149		1860, 92
<i>obscura</i>	{ 1857, 127	<i>niveigularis</i>	1860, 281
<i>obscura</i>	1859, 44	<i>rufescens</i>	1859, 41
<i>ornata</i>	{ 1855, 149	<i>rufinus</i>	1855, 150
<i>ornata</i>	{ 1859, 144	<i>rufiventris</i>	{ 1855, 77
<i>pallida</i>	1857, 127		{ 1859, 331
<i>phœnicura</i>	{ 1854, 113	<i>thamnophiloides</i>	1859, 41
<i>phœnicura</i>	{ 1858, 70	<i>vociferans</i>	1859, 383
<i>ruficeps</i>	1855, 149	<i>Tyrse argus</i>	1858, 167
<i>ruficeps</i>	1855, { 144	<i>niloticus</i>	1858, 167
<i>ruficeps</i>	{ 149		
<i>rufpectus</i>	1855, 41	<i>Uarus niloticus</i>	1858, 155
<i>rufula</i>	1859, 41	<i>ocellatus</i>	1858, 155
<i>setophagoides</i>	1855, 149	<i>Ulula fasciata</i>	1858, 132
<i>stolida</i>	1851, 51	<i>Umbellularia greenlandica</i>	1859, 440
<i>stolida</i>	1856, 296	<i>Umbonium chalconotum</i>	1853, 188
<i>sulphureipygia</i>	{ 1858, 458	<i>conicum</i>	1853, 188
<i>Tyrannulus chrysops</i>	{ 1859, 144	<i>costatum</i>	1853, 188
	{ 1860, 93	<i>depressum</i>	1853, 188
<i>cinereiceps</i>	1860, { 69	<i>elegans</i>	1853, 188
	{ 283	<i>excisum</i>	1851, 232
<i>elatus</i>	{ 1855, 150	<i>giganteum</i>	1853, 188
<i>elatus</i>	{ 1856, 141	<i>guamense</i>	1853, 189
<i>flavidifrons</i>	1860, 69	<i>javanicum</i>	1853, 188
<i>nigricans</i>	1856, 296	<i>moniliferum</i>	1853, 188
<i>nigricapillus</i>	{ 1855, 150	<i>sagittatum</i>	1853, 188
	{ 1860, 93	<i>striolatum</i>	1853, 189
<i>rufpectus</i>	1856, 28	<i>suturale</i>	1853, 188
<i>semiflavus</i>	1860, 300	<i>vestiarium</i>	{ 1851, 232
<i>Tyrannus atricapillus</i>	1858, 215		{ 1853, 187
<i>atrifrons</i>	{ 1857, 274	<i>zelandicum</i>	1853, 189
	{ 1859, 43	<i>Umbracella granulata</i>	{ 1857, 280
	{ 1855, 150		{ 1859, 482
<i>audax</i>	{ 1856, 297	<i>umbraculum</i>	{ 1857, 289
	{ 1859, 42		{ 1859, 482
<i>boissoneauui</i>	{ 1855, 150	<i>Umbrella mediterranea</i>	1856, 46
	{ 1858, 554	<i>ovalis</i>	1856, 161
<i>borealis</i>	1858, 301	<i>Uncia charltoni</i>	1856, 396
<i>cæsius</i>	1858, 223	<i>irbis</i>	1856, 395
<i>canadensis</i>	1858, 215	<i>Unio bengalensis</i>	1850, 198
<i>canadensis</i>	{ 1856, 297	<i>burtoni</i>	1859, 349
<i>cooperi</i>	{ 1858, 301	<i>eximius</i>	1860, 15
<i>curtipes</i>	1859, 43	<i>gravidus</i>	1860, 14
<i>erythrogygius</i>	1860, 92	<i>grayii</i>	1858, 91
<i>fumigatus</i>	{ 1855, 150	<i>hainesianus</i>	1860, 15
	{ 1858, 554	<i>housei</i>	1860, 14
	{ 1857, 232	<i>humilis</i>	1860, 15
<i>intrepidus</i>	{ 1858, 302	<i>inornatus</i>	1860, 15
	{ 1859, 55	<i>myersianus</i>	1860, 14
	{ 1859, 383	<i>rusticus</i>	1860, 14
<i>matutinus</i>	1857, 232	<i>sagittarius</i>	1860, 15
	{ 1855, 150	<i>scobinatus</i>	1860, 15
	{ 1856, 141		
<i>melancholicus</i>	{ 1856, 297		
	{ 1858, 70		

	Page		Page
<i>Unio tumidulus</i>	1860,	<i>Urubitinga zonura</i>	1860,
<i>tumidus</i>	1850,	<i>Urubitornis solitaria</i> ..	1856,
<i>Upucerthia vulgaris</i>	1859,	}	1858,
	1851,	<i>Urva cancrivora</i>	1856,
	1855,		
<i>Upupa epops</i>	1857,	<i>Vacca marina</i>	1853,
	1858,	<i>Valvaria alba</i>	1854,
	1859,	<i>Valvata piscinalis</i>	1853,
<i>nigripennis</i>	1859,	}	1856,
<i>senegalensis</i>	1855,	<i>Vanellus bilobus</i>	1855,
<i>Urochoma hueti</i>	1857,	<i>cayennensis</i>	1855,
<i>Urochroa bougieri</i>	1860,	<i>cinctus</i>	1860,
		<i>cristatus</i>	1851,
<i>Urocissa flavirostris</i>	1859,	}	1858,
	172	<i>goensis</i>	1855,
<i>magnirostris</i>	1859,	<i>melanogaster</i>	1860,
	200	<i>ptiloscelis</i>	1858,
<i>occipitalis</i>	1859,	<i>resplendens</i>	1858,
	172	}	1860,
<i>sinensis</i>	1859,	<i>strigilatus</i>	1850,
<i>Urogalba amazonum</i> ..	1855,	<i>Vanga cristata</i>	1859,
<i>paradisea</i>	1855,	<i>striata</i>	1858,
	14	<i>Vanganella taylorii</i>	1851,
	1857,	<i>Vanicro quoyiana</i>	1853,
<i>Uroloncha molucca</i>	1859,	<i>rugata</i>	1853,
<i>punctularia</i>	1859,	<i>Vanikoro imbricata</i>	1860,
		<i>semiplicata</i>	1860,
<i>Uromastix griseus</i>	1860,	<i>Varanus heraldicus</i>	1860,
	161	<i>Varicella cordovana</i>	1856,
	167	<i>guadeloupensis</i>	1856,
	170	<i>orizabæ</i>	1856,
<i>spinipes</i>	1849,	<i>speciosa</i>	1856,
	95	<i>Vasum ceramicum</i>	1851,
	1859,	<i>Velasia chilensis</i>	1851,
	470	<i>Velletia filosa</i>	1853,
	1859,	<i>lacustris</i>	1853,
	475	<i>Velutina haliotideae</i>	1853,
<i>Uropeltis ceylonicus</i>	1858,	<i>sitkensis</i>	1851,
<i>grandis</i>	1858,	<i>Venerupis chinensis</i>	1853,
<i>pardalis</i>	1858,	<i>cordieri</i>	1856,
<i>philippinus</i>	1858,	<i>cumingii</i>	1853,
<i>Urosticte benjamini</i>	1860,	<i>digona</i>	1853,
<i>Urota sinope</i>	1849,	<i>derelecta</i>	1853,
<i>Urrua bengalensis</i>	1854,	<i>elegans</i>	1853,
	45	<i>insignis</i>	1853,
	1859,	<i>mitis</i>	1853,
	477	<i>obesa</i>	1853,
<i>Ursus americanus</i>	1860,	<i>paupercula</i>	1853,
	130	<i>planicosta</i>	1853,
	1860,	<i>pulcherrima</i>	1853,
	180	<i>siliqua</i>	1853,
	417	<i>Venilia callonota</i>	1860,
<i>aretos</i>	1860,	<i>melanogastra</i>	1859,
	130	<i>mentalis</i>	1859,
	372	<i>miniata</i>	1859,
<i>isabellinus</i>	1849,	<i>punicea</i>	1859,
	105	<i>Venus californiensis</i>	1856,
	1858,	<i>casina</i>	1853,
	517		
	1850,		
	156		
<i>labiatus</i>	1857,		
	140		
	1858,		
	520		
<i>marinus</i>	1859,		
	102		
	1858,		
	129		
<i>Urubitinga anthracina</i> .	1858,		
	295		
	1859,		
	52		
<i>schistacea</i>	1858,		
	128		
	129		
<i>unicincta</i>	1858,		
	150		
	1859,		
	147		
<i>zonura</i>	1858,		
	129		

	Page		Page
<i>Venus clathrata</i>	1853,	<i>Vespertilio daubentonii</i> .	1858,
<i>consobrina</i>	1853,	{ 1848,	89
<i>crispata</i>	1853,	{ 1857,	112
<i>dispar</i>	1856,	{ 1858,	45
<i>excavata</i>	1856,	{ 1858,	80
<i>lamellifera</i>	1856,	{ 1858,	336
<i>leucodon</i>	1856,	{ 1858,	368
<i>listeri</i>	1853,	<i>escholtzii</i>	1858,
<i>nuttalli</i>	1856,	<i>ferrugineus</i>	1857,
<i>scripta</i>	1853,	<i>formosa</i>	1857,
<i>sculpta</i>	1853,	<i>formosus</i>	1858,
<i>sowerbyi</i>	1853,	{ 82	368
<i>straminea</i>	1856,	<i>furinalis</i>	1858,
<i>tantilla</i>	1856,	<i>hardwickii</i>	1858,
<i>Vermetus lævis</i>	1860,	<i>hasseltii</i>	1857,
<i>varians</i>	1856,	<i>hilairii</i>	1858,
<i>Vermicella annulata</i>	1859,	<i>imbricatus</i>	1858,
<i>occipitalis</i>	1859,	<i>isidori</i>	1858,
<i>Vermiculum incurvatum</i>	1858,	<i>kerivoula</i>	1858,
<i>Verpa penis</i>	1851,	<i>lanosus</i>	1858,
<i>Vertagus graniferus</i>	1860,	<i>lasiurus</i>	1857,
<i>Vertigo nitens</i>	1860,	<i>lepturus</i>	1858,
<i>Vertumnus cranchii</i>	1850,	<i>leucippe</i>	1859,
		<i>macropus</i>	1857,
<i>Vespertilio abramus</i>	1858,	<i>madagascariensis</i> ..	1858,
<i>akokomuli</i>	1858,	<i>marginatus</i>	1858,
<i>albescens</i>	1860,	<i>maximus</i>	1857,
<i>alcythoë</i>	1859,	<i>miniopteris</i>	1858,
<i>aristippe</i>	1858,	<i>monachus</i>	1857,
<i>bechsteinii</i>	1858,	<i>murinus</i>	1857,
<i>blepotis</i>	1858,	{ 1858,	89
<i>blosseivillii</i>	1857,	{ 1858,	539
<i>blythii</i>	1857,	{ 1859,	73
<i>brachypterus</i>	1858,	{ 1859,	74
{ 1858,	538	<i>mystacinus</i>	1858,
{ 1859,	539	{ 1859,	118
<i>caliginosus</i>	1859,	{ 1857,	53
<i>cappacini</i>	1858,	{ 1857,	140
<i>carolii</i>	1857,	{ 1858,	27
<i>carolinensis</i>	1857,	{ 1858,	81
{ 1858,	89	{ 1859,	74
<i>chiloënsis</i>	1858,	{ 1858,	546
{ 1860,	211	{ 1860,	211
{ 1860,	261	<i>noctivagans</i>	1857,
<i>chinensis</i>	1857,	<i>pachypus</i>	1858,
<i>cinereus</i>	1857,	{ 1857,	538
<i>circumdatu</i>	1858,	{ 1858,	539
<i>coromandelicus</i> ..	1856,	{ 1857,	45
{ 1858,	394	{ 1858,	546
<i>creeks</i>	1857,	{ 1856,	178
<i>crepuscularis</i>	1857,	{ 1858,	35
<i>cyclope</i>	1858,	{ 1858,	327
<i>darjelingensis</i>	1856,	{ 1858,	89
<i>dasygnemus</i>	1857,	{ 1859,	73
<i>dasythrix</i>	1858,	<i>parvulus</i>	1859,
<i>daubentonii</i>	1857,	{ 87	368
		{ 371	371
		<i>pellucidus</i>	1858,
		<i>picta</i>	1856,
		{ 78	175
		<i>pictus</i>	1858,
		{ 325	325

	Page		Page			
<i>Vespertilio pipistrellus</i> ..	1850,	156	<i>Vipera trimaculata</i>	1859,	83	
<i>polythrix</i>	1858,	89	<i>V-nigrum</i>	1858,	163	
<i>pruinosis</i>	1857,	37	<i>Vireo altiloquus</i>	} 1857,	231	
<i>pulverulentus</i>	1857,	45			1859,	138
<i>rubellus</i>	1857,	35	<i>flavifrons</i>	} 1857,	227	
<i>ruber</i>	1858,	89			1860,	251
<i>rufoniger</i>	} 1858,	82	<i>gilvus</i>	} 1858,	302	
		83	<i>huttoni</i>		} 1859,	302
		79	<i>josephæ</i>	} 1860,		137
<i>rufopictus</i>	} 1858,	85			1860,	63
			368	<i>modestus</i>	} 1860,	85
<i>savii</i>	1859,	72		1860,		462
<i>schreibersii</i>	1858,	117	<i>novaboracensis</i> ..	} 1857,	204	
<i>scotinus</i>	1858,	127			1857,	228
<i>sericeus</i>	1859,	74	<i>solitarius</i>	} 1859,	137	
<i>siligorensis</i>	1856,	394			1860,	462
<i>speoris</i>	1858,	108		1856,	298	
	} 1856,	180		} 1859,	363	
		1856,	394			1859,
<i>suillus</i>	} 1857,	45	<i>versicolor</i>	} 1855,	150	
		1858,	367			1857,
		1858,	370		1855,	151
		1858,	45	<i>Vireolanius icterophrys</i>	1857,	4
<i>tasmanensis</i>	1857,	27		1857,	213	
<i>tasmaniensis</i>	1858,	27	<i>melitophrys</i>	} 1857,	213	
<i>tenuis</i>	} 1858,	539			1859,	363
		1859,	73	<i>Vireosylvia agilis</i>	} 1859,	137
<i>tessellatus</i>	1857,	35		1860,		64
<i>tibialis</i>	1858,	126		} 1860,	273	
<i>timoriensis</i>	1858,	30	<i>altiloqua</i>		1855,	84
<i>tralatitius</i>	1858,	} 538	<i>cobanensis</i>	1860,	463	
			539	<i>flavoviridis</i>	} 1856,	298
<i>trilatitius</i>	} 1858,	89		1859,		375
		1859,	73	<i>frenata</i>	} 1855,	84
<i>tristis</i>	1858,	124		1859,		138
<i>tuberculatus</i>	1857,	135	<i>gilva</i>	} 1856,	298	
<i>ursinii</i>	} 1858,	81			1858,	302
			117		1855,	133
<i>velatus</i>	} 1858,	27	<i>olivacea</i>	} 1855,	151	
			28			1859,
<i>villosissimus</i>	1857,	35		1859,	363	
<i>vispistrellus</i>	} 1858,	81	<i>philadelphica</i>	} 1860,	463	
		1859,	72			1855,
<i>vulpinus</i>	1856,	180	<i>virescens</i>	} 1855,	151	
<i>Vexilla fusconigra</i>	1860,	141			1860,	64
<i>lineata</i>	1853,	73	<i>Virgularia australis</i>	1859,	483	
<i>nigrofusca</i>	1860,	369	<i>Vison</i>	1848,	86	
<i>Vidua paradisea</i>	} 1850,	218	<i>Vitrina abyssinica</i>	1848,	108	
		1860,	442	<i>americana</i>	1852,	156
<i>principalis</i>	1850,	218	<i>aperta</i>	1848,	107	
<i>Vinago capellei</i>	1859,	464	<i>aurea</i>	1854,	122	
<i>giganteus</i>	1859,	464	<i>beckiana</i>	1848,	105	
	} 1855,	191	<i>behni</i>	1854,	163	
		1858,	374	<i>bensonii</i>	1848,	107
<i>Vipera berus</i>	} 1860,	174	<i>bicolor</i>	1848,	104	
		1858,	163	<i>borneensis</i>	1856,	324
<i>hexacera</i>	1858,	163	<i>castanea</i>	1852,	56	
<i>nasicornis</i>	1858,	163	<i>celebensis</i>	1856,	325	
<i>psyche</i>	1859,	84				

	1856,	Page		1859,	Page
<i>Vitrina comorensis</i>	1856,	325	<i>Volatinia jacarina</i>	1859,	365
<i>crenularis</i>	1848,	106	<i>splendens</i>	{ 1859,	140
<i>cumingii</i>	1848,	104	} 1860,	275	
<i>darnaudi</i>	1856,	325	<i>Volsella arata</i>	1856,	361
<i>dimidiata</i>	1852,	56	<i>flavida</i>	1856,	364
<i>flemingi</i>	1856,	324	<i>fortunei</i>	1856,	361
<i>grandis</i>	1848,	108	<i>glaberrima</i>	1856,	363
<i>guimarasensis</i>	1848,	104	<i>gubernaculum</i>	1856,	361
<i>gutta</i>	1848,	105	<i>inconstans</i>	1856,	363
<i>heliciformis</i>	1854,	296	<i>japonica</i>	1856,	363
<i>hians</i>	1848,	107	<i>perfragilis</i>	1856,	362
<i>hyalina</i>	1854,	296	<i>setigera</i>	1856,	364
<i>idæ</i>	1856,	325	<i>splendida</i>	1856,	365
<i>irradians</i>	1852,	156	<i>subpurpurea</i>	1856,	362
<i>keppellii</i>	1853,	60	<i>subsulcata</i>	1856,	364
<i>lamarckii</i>	1854,	{ 163	<i>subtorta</i>	1856,	365
} 164			<i>tristis</i>	1856,	362
<i>leucospira</i>	1856,	326	<i>undulata</i>	1856,	363
<i>leytensis</i>	1848,	105	<i>Voluta æthiopica</i>	1855,	{ 54
<i>luzonica</i>	1849,	132	} 63		
<i>marcida</i>	1854,	{ 164	<i>africana</i>	1856,	2
} 165			<i>alba</i>	1854,	36
<i>margarita</i>	1848,	104	<i>americana</i>	1856,	2
<i>media</i>	1854,	164	<i>amphora</i>	1855,	54
<i>milliganii</i>	1852,	56	<i>ancilla</i>	1855,	57
<i>monticola</i>	1848,	107	<i>angulata</i>	1855,	62
<i>nitida</i>	1854,	164	<i>anna</i>	1855,	61
<i>papillata</i>	1848,	106	<i>annulata</i>	1858,	41
<i>planospira</i>	1853,	60	<i>arabica</i>	1855,	58
<i>planti</i>	1856,	324	<i>arausiaca</i>	1855,	60
<i>planulata</i>	1848,	106	<i>armata</i>	1855,	54
<i>politissima</i>	1848,	105	<i>auguria</i>	1855,	52
<i>resiliens</i>	1848,	106	<i>aulica</i>	1855,	56
<i>rufescens</i>	1848,	106	<i>auris-cati</i>	1853,	177
<i>ruivensis</i>	1854,	163	<i>auris-judæ</i>	1854,	7
<i>rüppelliana</i>	1848,	107	<i>auris-midæ</i>	1854,	7
<i>salomonica</i>	1853,	60	<i>balleata</i>	1858,	41
<i>sennaariensis</i>	1856,	325	<i>beckii</i>	1855,	58
<i>siamensis</i>	1860,	7	<i>bidentata</i>	1854,	36
<i>smaragdulus</i>	1848,	104	<i>bifasciata</i>	1854,	59
<i>spiruloides</i>	1856,	169	<i>brasiliana</i>	1855,	57
<i>strangei</i>	1849,	132	<i>bullata</i>	1855,	62
<i>teneriffæ</i>	1854,	163	<i>carneola</i>	1858,	49
<i>verreauxii</i>	1849,	132	<i>catenata</i>	1849,	22
<i>virens</i>	1848,	108	<i>cathcartiæ</i>	1856,	2
<i>Vitularia sandwicensis</i>	1860,	397	<i>ceramica</i>	1855,	57
<i>Viverra civetta</i>	{ 1859,	212	<i>chlorosina</i>	1855,	59
<i>indica</i>	{ 1860,	417	<i>chrysostoma</i>	1855,	57
<i>malaccensis</i>	1850,	156	<i>cithara</i>	1855,	54
<i>zebra</i>	1848,	77	<i>coffea</i>	1854,	{ 9
<i>zibetha</i>	{ 1856,	396	} 31		
} 1860,	5		<i>concinna</i>	1855,	58
} 1856,	396		<i>corneolata</i>	1855,	59
<i>Viverricula indica</i>	{ 1860,	183	<i>corona</i>	1855,	63
<i>malaccensis</i>	1856,	396	<i>costata</i>	1855,	61
} 1855,	160		<i>cruenta</i>	1858,	41
<i>Volatinia jacarina</i>	{ 1856,	304	<i>cumingii</i>	1855,	62
} 1856,	304		<i>cylleniformis</i>	1855,	61

	Page		Page
<i>Voluta cymbiola</i>	1855,	<i>Voluta lyrata</i>	1855,
<i>cymbium</i>	1855,	<i>maculata</i>	1855,
<i>delessertiana</i>	1855,	<i>magellanica</i>	1855,
<i>denticulata</i>	1854,	<i>magnifica</i>	1855,
	1856,	<i>mamilla</i>	1855,
<i>deshayesii</i>	1854,		1859,
	1855,	<i>marmorata</i>	1855,
<i>diadema</i>	1855,	<i>megaspira</i>	1855,
<i>dubia</i>	1855,	<i>melo</i>	1855,
<i>ducalis</i>	1855,	<i>micans</i>	1858,
	1855,	<i>minuta</i>	1854,
<i>dufresni</i>	1855,	<i>mitis</i>	1855,
<i>ebræa</i>	1855,	<i>mitriformis</i>	1855,
<i>elongata</i>	1855,	<i>modesta</i>	1855,
<i>erythrostroma</i>	1858,	<i>multicosta</i>	1855,
<i>fasciata</i>	1854,	<i>musica</i>	1855,
<i>ferussacii</i>	1855,	<i>narisa</i>	1855,
	1855,	<i>nautica</i>	1855,
<i>festiva</i>	1855,	<i>navicula</i>	1855,
	1856,	<i>neptuni</i>	1855,
<i>flammea</i>	1854,	<i>nifidula</i>	1858,
<i>flammula</i>	1855,	<i>nivea</i>	1858,
<i>flava</i>	1854,	<i>nivosa</i>	1855,
<i>flavicans</i>	1855,	<i>nobilis</i>	1855,
<i>fluctuata</i>	1855,	<i>nodulosa</i>	1855,
<i>fulgetrum</i>	1855,	<i>norrisii</i>	1855,
<i>fulminata</i>	1855,	<i>nucleus</i>	1855,
<i>fulva</i>	1855,		38
<i>fusiformis</i>	1855,	<i>oliva</i>	1858,
<i>fuscus</i>	1855,		42
<i>gibbosa</i>	1858,		47
<i>glans</i>	1855,		49
	1855,	<i>olla</i>	1855,
<i>gracilis</i>	1855,	<i>oryza</i>	1858,
	1855,	<i>pacifica</i>	1855,
<i>gouldingii</i>	1855,		1856,
<i>guinaica</i>	1855,	<i>pallida</i>	1855,
<i>harpa</i>	1855,	<i>papillaris</i>	1855,
<i>hebræa</i>	1856,	<i>papillosa</i>	1855,
<i>hiatula</i>	1858,	<i>pellis-serpentis</i>	1855,
	1858,	<i>pepo</i>	1855,
<i>imperialis</i>	1855,	<i>perdicina</i>	1855,
	1855,	<i>pinguis</i>	1858,
<i>incrassata</i>	1858,	<i>piperita</i>	1855,
	1858,	<i>plicata</i>	1855,
<i>indica</i>	1855,	<i>polyzonalis</i>	1855,
	1855,	<i>porcina</i>	1855,
<i>insularis</i>	1855,		38
	1855,	<i>porphyria</i>	1858,
<i>ispidula</i>	1858,		41
	1858,	<i>præputium</i>	1855,
<i>jaspidea</i>	1858,	<i>proboscidalis</i>	1855,
<i>junonia</i>	1855,	<i>pulchra</i>	1855,
<i>lævigata</i>	1855,	<i>punctata</i>	1855,
<i>lapponica</i>	1855,	<i>pusilla</i>	1854,
<i>lineata</i>	1855,	<i>pusio</i>	1855,
<i>livida</i>	1854,	<i>reticulata</i>	1855,
<i>luteostoma</i>	1855,		1854,
	1855,	<i>ringens</i>	1858,
<i>lyræformis</i>	1855,		52
	1855,		
	60		

	Page		Page
<i>Voluta rosiniana</i>	1859,	231	
<i>rubiginosa</i>	1855,	52	
<i>rudis</i>	1855,	58	
<i>rupestris</i>	1855,	60	
<i>rutila</i>	1855,	56	
<i>scapha</i>	1855,	52	
<i>scrofa</i>	1855,	63	
<i>serpentina</i>	1855,	56	
<i>solidula</i>	1854,	61	
<i>sophia</i>	1855,	63	
<i>spectabilis</i>	1855,	57	
<i>spiralis</i>	1853,	177	
<i>strangulata</i>	1855,	64	
<i>subnodosa</i>	1855,	57	
<i>sulcata</i>	1855,	59	
<i>tenebrosa</i>	1858,	51	
<i>tessellata</i>	1855,	54	
<i>tiarella</i>	1855,	59	
<i>tigrina</i>	1858,	49	
<i>tornatilis</i>	1854,	59	
<i>triplicata</i>	1854,	10	
<i>tuberculata</i>	1855,	57	
<i>turneri</i>	1855,	64	
<i>undulata</i>	1855,	64	
<i>utriculus</i>	1858,	50	
<i>ventricosa</i>	1858,	47	
<i>vespertilio</i>	1855,	56	
<i>vexillum</i>	1855,	60	
<i>virescens</i>	1855,	59	
<i>volva</i>	1855,	63	
<i>volvacea</i>	1855,	63	
<i>zebra</i>	1855,	64	
<i>Volutella angulata</i>	1855,	62	
<i>cymbiola</i>	1855,	63	
<i>fulgetrum</i>	1855,	63	
<i>imperialis</i>	1855,	63	
<i>papillosa</i>	1855,	63	
<i>scapha</i>	1859,	231	
<i>sophia</i>	1855,	62	
<i>sophia</i>	1855,	63	
<i>volvacea</i>	1855,	63	
<i>Volutolites abyssicola</i> ..	1855,	65	
<i>Volutomitra cinnamomea</i> ..	1854,	134	
<i>corniculum</i>	1854,	135	
<i>digna</i>	1854,	135	
<i>vincta</i>	1854,	134	
<i>Volva birostrata</i>	1854,	130	
<i>rosea</i>	1854,	130	
<i>Volvatella fragilis</i>	1860,	20	
<i>Vulpes azaræ</i>	1859,	51	
<i>bengalensis</i>	1856,	397	
<i>ferrilatus</i>	1858,	515	
<i>ferrilatus</i>	1856,	397	
<i>flavescens</i>	1858,	516	
<i>Vulpes indicus</i>	1856,	397	
<i>leucopus</i>	1858,	516	
<i>leucopus</i>	1855,	126	
<i>montanus</i>	1856,	397	
<i>montanus</i>	1858,	516	
<i>pusillus</i>	1858,	516	
<i>vulgaris</i>	1860,	371	
<i>Vultur bengalensis</i> ...	1854,	1	
<i>changoun</i>	1855,	258	
<i>changoun</i>	1854,	128	
<i>cinereus</i>	1854,	258	
<i>cinereus</i>	1855,	128	
<i>fulvus</i>	1855,	128	
<i>fulvus</i>	1854,	1	
<i>indicus</i>	1854,	258	
<i>iota</i>	1851,	53	
<i>leuconotus</i>	1854,	258	
<i>occipitalis</i>	1850,	214	
<i>papa</i>	1851,	53	
<i>pondicerianus</i>	1858,	469	
<i>pondicerianus</i>	1854,	1	
<i>tenuirostris</i>	1855,	128	
<i>Vulture, The King</i>	1851,	53	
<i>Warnea australis</i>	1858,	310	
<i>vaginifera</i>	1858,	309	
<i>Wilkinsonæa abbottiana</i> ..	1857,	168	
<i>abbottiana</i>	1857,	172	
<i>bensoniana</i>	1857,	168	
<i>bensoniana</i>	1857,	172	
<i>dysoniana</i>	1857,	168	
<i>dysoniana</i>	1857,	175	
<i>gouldiana</i>	1857,	168	
<i>greenwoodiana</i>	1857,	168	
<i>greenwoodiana</i>	1857,	173	
<i>hanleyana</i>	1857,	168	
<i>hanleyana</i>	1857,	175	
<i>hollandiana</i>	1857,	168	
<i>hollandiana</i>	1857,	175	
<i>jardiniana</i>	1857,	168	
<i>jardiniana</i>	1857,	173	
<i>laidlawiana</i>	1857,	168	
<i>laidlawiana</i>	1857,	174	
<i>moussoniana</i>	1857,	168	
<i>moussoniana</i>	1857,	176	
<i>schomburgkiana</i> ..	1857,	168	
<i>schomburgkiana</i> ..	1857,	171	
<i>tappaniana</i>	1857,	168	
<i>tappaniana</i>	1857,	175	
<i>wilkinsonæana</i>	1857,	168	
<i>wilkinsonæana</i>	1857,	171	
<i>Xancus maculatus</i>	1851,	230	
<i>pyrum</i>	1851,	230	
<i>Xanthocephalus ictero-</i> <i>cephalus</i>	1859,	235	
<i>Xantholæma indica</i>	1859,	150	
<i>indica</i>	1859,	151	

	Page		Page	
<i>Xanthopygia leucophrys</i>	1854,	<i>Zamenis atrovirens</i>	1858, 378	
<i>tricolor</i>	1854,	<i>caudolineatus</i>	1858, 378	
<i>Xanthornus affinis</i>	1856,	<i>cliffordii</i>	1858, { 162 378	
<i>Xanthoura peruviana</i> . .	1855,	<i>dahlia</i>	1858, 378	
<i>Xenodon macrophthal-</i>	1860, {	<i>hippocrepis</i>	1858, 378	
<i>mus</i>		<i>mexicanus</i>	1860, 316	
<i>rhabdocephalus</i>	1860,	<i>ventrimaculatus</i> . .	1858, { 375 378	
<i>severus</i>	1859,	<i>Zanclostomus æneus</i> . . .	1860, 112	
<i>Xenogenys azureus</i>	1860,	<i>diardi</i>	1859, 458	
<i>Xenopeltis unicolor</i>	1860,	<i>javanicus</i>	1859, 458	
<i>Xenops genibarbis</i>	1856,	<i>sirkee</i>	1859, { 150 151	
	1858,	<i>sumatranus</i>	1859, 458	
	1860,	<i>Zanthopygia leucophrys</i> .	1854, 283	
<i>mexicanus</i>	1856,	<i>tricolor</i>	1854, 283	
<i>rutilans</i>	1859,	<i>Zelima paradoxa</i>	1859, 422	
<i>Xenospongia patellifor-</i>	1856,	<i>Zenaida hypoleuca</i>	{ 1858, 450 460 1858, 556	
<i>mis</i>	1858,		<i>leucoptera</i>	{ 1860, 97 1856, 309 1858, 305
<i>Xenurus antiquus</i>	1851,		<i>pentheria</i>	{ 1859, 368 1860, 371
<i>nudicaudis</i>	1851,	<i>ruficauda</i>	{ 1856, 30 1856, 30	
<i>unicinctus</i>	1851,	<i>Zenaidura carolinensis</i> .	{ 1856, 309 1857, 235 1858, 305	
<i>Xerophila armillata</i>	1854,		<i>Zenatia cumingiana</i> . . .	1854, 72
<i>caperata</i>	1854,		<i>solenoides</i>	1854, 72
<i>Xiphocolaptes albicollis</i> .	1857,	<i>Zeus conchifer</i>	1850, 247	
<i>promeropirhynchus</i> .	1859,	<i>gallus</i>	1850, 247	
<i>Xiphorhynchus flavigas-</i>	1856,	<i>Zidona angulata</i>	1855, 62	
<i>ter</i>		289,	<i>Ziziphinus agrestis</i>	1851, 166
<i>grenadensis</i>	1858,	<i>alabastrum</i>	1851, 163	
<i>procurvus</i>	1854,	<i>annulatus</i>	{ 1851, 164 1856, 224	
<i>pucherani</i>	1855,	<i>antonii</i>	1851, 165	
<i>pusillus</i>	1860,	<i>armillatus</i>	1851, 164	
<i>thoracicus</i>	1860,	<i>asperulatus</i>	1851, 168	
<i>Xylobius albovarius</i>	1852,	<i>bicingulatus</i>	1851, 166	
<i>dulcis</i>	1852,	<i>californicus</i>	1851, 168	
<i>Xylobucco scolopaceus</i> . .	1859,	<i>canaliculatus</i>	1851, 163	
<i>Xylotretus chrysidens</i> . .	1852,	<i>chlorostomus</i>	1851, 166	
<i>excavatus</i>	1852,	<i>ciliaris</i>	1851, 165	
	46	<i>comptus</i>	1854, 38	
<i>Yetus cymbium</i>	1855,	<i>conulus</i>	1851, 163	
<i>navicula</i>	1855,	<i>cunninghami</i>	1851, 164	
<i>neptuni</i>	1855,	<i>decoratus</i>	1851, 165	
<i>olla</i>	{ 1853,	<i>decussatus</i>	1851, 167	
<i>proboscidalis</i>	1855,	<i>doliarius</i>	1851, 163	
<i>Yoldia gloriosa</i>	1855,	<i>dubius</i>	1851, 165	
<i>lanceolata</i>	1855,	<i>duplicatus</i>	1851, 168	
<i>lepidula</i>	1856,			
<i>woodwardi</i>	1860,			
<i>Yphantis baltimorensis</i> .	1856,			
<i>Yunx indica</i>	1849,			
<i>pectoralis</i>	1849,			
<i>torquilla</i>	{ 1850,			
	1860,			
	243			

	Page		Page
<i>Ziziphinus elegantulus</i> ..	1851,	<i>Zonites?</i> <i>coresia</i>	1849,
<i>euglyptus</i>	1854,	<i>crystallinus</i>	1854,
<i>exiguus</i>	1851,	<i>Zonœnas mülleri</i>	1858,
<i>eximius</i>	1851,	<i>pinon</i>	1858,
<i>filosus</i>	1851,	<i>zoœa</i>	1858,
<i>gemmosus</i>	1851,	<i>Zonotrichia aureigula</i> ..	1856,
<i>gilvus</i>	1851,	<i>botterii</i>	1857,
<i>granatum</i>	1851,	<i>cassinii</i>	1857,
<i>granulatus</i>	1851,	<i>comata</i>	1857,
<i>indistinctus</i>	1851,	<i>gambelli</i>	1857,
<i>interruptus</i>	1851,	<i>leucophrys</i>	1857,
<i>japonicus</i>	1851,	<i>mortoni</i>	1857,
<i>javanicus</i>	1854,	<i>mystacalis</i>	1856,
<i>jujubinus</i>	1851,	<i>pileata</i>	1855,
<i>lævigatus</i>	1851,	<i>querula</i>	1857,
<i>langieri</i>	1851,	<i>Zoothera cinclops</i>	1855,
<i>luridus</i>	1851,	<i>vivipara</i>	1860,
<i>metaformis</i>	1851,	<i>Zopherosis georgii</i>	1859,
<i>millegranus</i>	1851,	<i>Zosterops atriceps</i>	1860,
<i>miniatus</i>	1851,	<i>chloris</i>	1860,
<i>montagui</i>	1851,	<i>citrinella</i>	1858,
<i>nebulosa</i>	1851,	<i>dorsalis</i>	1855,
<i>ornatus</i>	1851,	<i>griseonota</i>	1859,
<i>perspectivus</i>	1851,	<i>griseotincta</i>	1858,
<i>picturatus</i>	1851,	<i>palpebrosus</i>	1858,
<i>polychroma</i>	1851,	<i>strenuus</i>	1855,
<i>pyramidatus</i>	1851,	<i>tephropleurus</i>	1855,
<i>pyramis</i>	1851,	<i>xanthochroa</i>	1859,
<i>rubropunctatus</i>	1851,	<i>Zua lubrica</i>	1854,
<i>scitulus</i>	1854,	<i>maderensis</i>	1856,
<i>selectus</i>	1851,	<i>Zurama pulchella</i>	1854,
<i>speciosus</i>	1854,		
<i>spectabilis</i>	1854,		
<i>striatus</i>	1851,		
<i>strigosus</i>	1851,		
<i>ticaonicus</i>	1851,		
<i>tigris</i>	1851,		
<i>tranquebaricus</i>	1851,		
<i>unicinctus</i>	1851,		
<i>vulgaris</i>	1851,		
<i>zonamestus</i>	1851,		
<i>Zoantharia cauliculata</i> ..	1857,		
<i>Zoanthus bertholetii</i> ..	1858,		
<i>couchii</i>	1858,		
<i>Zonites cellarius</i>	1859,		
<i>chiron</i>	1859,		
	1854,		
	1849,		



THE END OF INDEX.



